


CONTENTS AND INDEX

THE PHILIPPINE JOURNAL OF SCIENCE

VOLUME I (1906) TO VOLUME X (1915)



MANILA
BUREAU OF PRINTING
1917

NOTICE

For a long time we have felt the need of a collective index for the first ten volumes of the Philippine Journal of Science. The annual indices have been of great service, but have not all been uniform and are not sufficiently complete to indicate all of the material in the respective volumes. Therefore this index has been compiled in uniform style and minuteness from the original articles. The form is quite different from that of the yearly indices, the variations having been planned in the interest of completeness and convenience. In this way we have endeavored to eliminate errors and have detected omissions. The compilation of this ten-year index was begun in 1915, and it was our intention to issue it very soon after the completion of the tenth volume. The work of the preparation of this index has been very large, and less clerical help has been also available than was at first anticipated. For that reason the index has not been issued as promptly as was planned.

ALVIN J. COX,

Editor, Philippine Journal of Science.



MANILA, P. I., September 1, 1917.

CONTENTS AND INDEX

THE PHILIPPINE

JOURNAL OF SCIENCE

VOLUME I (1906) TO VOLUME X (1915)




MANILA
BUREAU OF PRINTING
1917

DEPARTMENT OF AGRICULTURE AND NATURAL RESOURCES
BUREAU OF SCIENCE
MANILA

Publication No. 8

CONTENTS

	Page.
INTRODUCTION	5
CONTENTS OF THE PHILIPPINE JOURNAL OF SCIENCE, VOLUME I (1906) TO VOLUME X (1915).....	7
AUTHOR INDEX	66
SUBJECT INDEX	165



INTRODUCTION

This volume includes a complete contents of the Philippine Journal of Science, Volumes I to X (1906 to 1915);¹ an author index; and a subject index.

Volume I (1906) was issued in one section of ten numbers, with a botanical supplement of five numbers.

Volumes II to IV (1907-1909) were issued in three sections of six numbers each:

- Section A, General Science.
- Section B, Medical Sciences.
- Section C, Botany.

Volumes V to X (1910-1915) were issued in four sections of six numbers each:

- Section A, Chemical and Geological Sciences and the Industries.
- Section B, Medical Sciences.
- Section C, Botany.
- Section D, Ethnology, Anthropology, and General Biology.

The names of some of the sections were occasionally subjected to slight changes. All of these will be found indicated in the contents, as well as the actual date of issue of each number of the Journal. The author index follows the contents. Classification of all articles is included in the subject index.

The following is the scheme of classification adopted:

Anatomy.	Chemistry:
Anthropology.	Acids, alkalies, and salts.
Apparatus.	Analytical.
Bacteriology.	Apparatus, <i>see</i> Apparatus.
Bibliography.	Biological.
Botany:	Botany.
Algæ.	Cellulose and paper.
Bryophyta.	Cement and other building materials.
Ecology.	Dyes and textile.
Economic.	Fats, fatty oils, and soaps.
Fungi.	Fermented and distilled liquors.
General.	Foods.
Lichenes.	Fuels, gas, tar, and coke.
Morphology.	General and physical.
Myxogastres.	Glass and ceramics.
Phytogeography.	Inorganic.
Plant physiology.	Leather and glue.
Pteridophyta.	Mineralogical and geological.
Spermatophyta.	

¹ Paul C. Freer, M. D., Ph. D., general editor, 1906-April, 1912; Alvin J. Cox, M. A., Ph. D., general editor, May, 1912, to date.

Chemistry—Continued.

Organic.

Paints, varnishes, and resins.

Petroleum, asphalt, and wood products.

Pharmacology.

Radioactivity.

Soils and fertilizers.

Sugar, starch, and gums.

Water, sewage, and sanitation.

Geology:

Dynamic and structural.

Economic.

Mineralogy.

Paleozoölogy.

Petrology.

Histology.

Medicine:

Anatomy, *see* Anatomy.Bacteriology, *see* Bacteriology.

Experimental.

General.

Gynecology and obstetrics.

Histology, *see* Histology.

Hygiene.

Parasitology.

Pathology, general.

Pediatrics.

Pharmacology, *see* Chemistry—

Pharmacology.

Surgery.

Memorial.

Parasitology, *see* Medicine—Parasitology.Pathology, *see* Bacteriology, Histology, Medicine-Parasitology, and Medicine-Pathology.

Physics.

Science, Bureau of.

Technic, collecting.

Zoölogy:

Amphibia.

Annulata.

Arachnida.

Aves.

Coelenterata.

Crustacea.

Echinodermata.

Insecta—

Coleoptera.

Diptera.

Hemiptera.

Hymenoptera.

Isoptera.

Lepidoptera.

Orthoptera.

Siphonaptera.

Mammalia.

Mollusca.

Mollusca.

Nemathelminthes.

Pisces.

Platyhelminthes.

Porifera.

Protozoa.

Reptilia.

Volume numbers are printed in Roman numerals, sections are indicated by capital letters, the supplement to Volume I is indicated by the abbreviation "s," and page numbers are printed in Arabic numerals. Page references to new scientific names or new combinations are printed in heavy-faced type. In case a name is repeated several times in an article, only the first, or most important, reference is indexed. Articles in the memorial number of Volume VII are distinguished by the letters "m. n." followed by the page number in Roman numerals.

CONTENTS

VOLUME I

No. 1, January, 1906
[Issued January 4, 1906.]

	Page.
THE PHILIPPINE JOURNAL OF SCIENCE.....	1
FREER, P. C. ² On the water relations of the coconut palm (<i>Cocos nucifera</i>)—On the oil produced from the nuts—The factors entering into the rancidity of the oil—The insects attacking the trees. Introduction	3
COPELAND, E. B. On the water relations of the coconut palm (<i>Cocos nucifera</i>)	6
Three plates.	
WALKER, H. S. The coconut and its relation to the production of coconut oil.....	58
Ten plates.	
WOOLLEY, P. G. The occurrence of <i>Schistosoma japonicum vel cattoi</i> in the Philippine Islands.....	83
Three plates.	
STRONG, R. P. A study of some tropical ulcerations of the skin with particular reference to their etiology.....	91
Fourteen plates.	

No. 2, February, 1906
[Issued February 15, 1906.]

WALKER, H. S. The keeping qualities and the causes of rancidity in coconut oil.....	117
BANKS, C. S. The principal insects injurious to the coconut palm (part I).....	143
Eleven plates.	
HERZOG, M. Beriberi in the Japanese Army during the late war: The kakke coccus of Okata-Kokubo (a preliminary report).....	169
Two plates.	
STRONG, R. P. Vaccination against plague.....	181
CLOVER, A. M. Philippine wood oils.....	191
SMITH, W. D. Orbitoides from the Binangonan limestone (with some notes on early connections between Formosa, the Philippines, and Java)	203
Two plates and 1 text figure.	

² Names of authors are given in full in the author index.

No. 3, April, 1906

[Issued April 4, 1906.]

	Page.
BANKS, C. S. The principal insects attacking the coconut palm (part II)	211
Ten plates.	
BANKS, C. S. New Philippine insects.....	229
Eleven plates.	
BRINCKERHOFF, W. R., and TYZZER, E. E., with an introduction by W. T. COUNCILMAN. Studies upon experimental variola and vaccinia in <i>Quadrumania</i>	239
Seven plates and 2 text figures.	

No. 4, May, 1906

[Issued May 15, 1906.]

TYZZER, E. E. The histology of the skin lesions in varicella.....	349
Four plates (1 colored).	
WHITFORD, H. N. The vegetation of the Lamao forest reserve.....	373
Twenty-seven plates and 1 colored map.	
BACON, R. F. The waters of the crater lakes of Taal Volcano, with a note on some phenomena of radioactivity.....	433
LEWIS, G. N. Concerning silver oxide and silver suboxide.....	439
One text figure.	

No. 5, June, 1906

[Issued June 15, 1906.]

RICHMOND, G. F. Philippine fibers and fibrous substances: Their suitability for paper making.....	433 bis
Six plates and 2 samples of paper.	
KITASATO, S. Combating plague in Japan.....	465
Twenty-one plates.	
SHIGA, K. Observations on the epidemiology of dysentery in Japan..	485
Six charts and 1 map.	
STRONG, R. P. A consideration of some of Bail's recent views in connection with the study of immunity and a comparison of the value of protective inoculation with aggressin with that of vaccination in plague.....	501
STITT, E. R. A study of the blood in dengue fever with particular reference to the differential count of the leucocytes in the diagnosis of the disease.....	513
Four charts.	
CRAIG, C. F. Observations upon malaria: Latent infection in natives of the Philippine Islands—intracorpuseular conjugation.....	523
WOOLLEY, P. G. Tropical febrile splenomegaly.....	533
Three plates and 5 charts.	
MUSGRAVE, W. E. Amœbiasis: Its association with other diseases, its complications, and its after effects.....	547
REVIEW	575

Contents

9

No. 6, July, 1906 [Issued July 27, 1906.]

WOOLLEY, P. G. Rinderpest.....	Page. 577
Eighteen charts.	
SMITH, W. D. Preliminary geological reconnaissance of the Loboo Mountains, Batangas Province.....	617
Four plates.	
WHITFORD, H. N. The vegetation of the Lamao forest reserve, II (concluded)	637
Eighteen plates.	
BROWN, R. E. A catalogue of Philippine Hymenoptera, with descriptions of new species.....	683
MCGREGOR, R. C. Notes on birds collected on Mindoro and in small adjacent islands.....	697
REVIEWS	705

No. 7, September, 1906 [Issued September 6, 1906.]

HERZOG, M. Studies in beriberi.....	709
Twelve plates.	
MCGREGOR, R. C. Notes on four birds from Luzon and on a species of doubtful occurrence in the Philippines.....	765
MCGREGOR, R. C. Notes on birds from Apo Island.....	767
MCGREGOR, R. C. Notes on a collection of birds from Banton.....	768
MCGREGOR, R. C. Notes on a collection of birds from the Island of Tablas	771
Seven plates.	
BANKS, C. S. A new genus and species of Culicidæ.....	779
One plate.	
BANKS, C. S. A change of name in Coccidæ.....	787
REVIEWS	789

No. 8, October, 1906 [Issued October 9, 1906.]

WORCESTER, D. C. The non-Christian tribes of northern Luzon.....	791
Forty-seven plates.	
COX, A. J. Philippine coals and their gas-producing power.....	877
One plate.	
MCGREGOR, R. C. Notes on a collection of birds from Palawan Island..	903

No. 9, November, 1906 [Issued November 14, 1906.]

MUSGRAVE, W. E., and CLEGG, M. T. The cultivation and pathogenesis of amœbæ	909
Five plates.	
OHNO, Y. K. The types of bacilli of the dysentery group.....	951
BANKS, C. S. A list of Philippine Culicidæ with descriptions of some new species	977

No. 10, December, 1906

[Issued January 7, 1907.]

	Page.
BACON, R. F. The physiologically active constituents of certain Philippine medicinal plants	1007
BACON, R. F., and MARSHALL, H. T. The toxic action of saponin.....	1037
SMITH, W. D. Contributions to the physiography of the Philippine Islands, I: Cebu Island	1043
Eight plates and 4 text figures.	
MARSHALL, H. T., and EDWARDS, R. T. Agenesis of the vermiform appendix	1061
Three plates.	
BANKS, C. S. Problems in economic entomology in the Philippines....	1067
RICHMOND, G. F. Philippine fibers and fibrous substances: Their suitability for paper making (part II).....	1075
Two plates.	
INDEX.	

SUPPLEMENT TO VOLUME I

Supplement I, April 15, 1906

[Issued April 21, 1906.]

MERRILL, E. D. The flora of the Lamao forest reserve.....	1
---	---

Supplement II, June 15, 1906

[Issued June 25, 1906.]

COPELAND, E. B. New Philippine ferns	143
Twenty-eight plates.	

Supplement III, August 15, 1906

[Issued August 18, 1906.]

MERRILL, E. D. New or noteworthy Philippine plants, V.....	169
One plate.	

Supplement IV, September 15, 1906

[Issued October 1, 1906.]

CLARKE, C. B. New Philippine Acanthaceæ.....	247
COPELAND, E. B. New Philippine ferns, II.....	251
Four plates.	
HACKEL, E. Notes on Philippine Gramineæ, II.....	263
MEZ, C. Myrsinaceæ novæ philippinenses	271
RICKER, P. L. A list of known Philippine fungi	277
SCHLECHTER, R. New Philippine Asclepiadaceæ.....	295
SCHLECHTER, R. A new Philippine Burmannia.....	305

Supplement V, December 31, 1906

[Issued January 7, 1907.]

MERRILL, E. D. An enumeration of Philippine Gramineæ with keys to genera and species	307
--	-----

ERRATA.

INDEX.

Contents

11

VOLUME II

VOLUME II, A. GENERAL SCIENCE

No. 1, February, 1907

[Issued February 26, 1907.]

	Page.
CLOVER, A. M. The terpene oils of Manila elemi.....	1
COX, A. J. The proximate analysis of Philippine coals.....	41
Two text figures.	
BACON, R. F., and FREER, P. C. The action of sodium on acetone.....	67
HORN, W. A new subspecies of Philippine Cicindelidæ.....	77
REVIEWS	79

No. 2, May, 1907

[Issued June 17, 1907.]

RICHMOND, G. F. Philippine fibers and fibrous substances: Their suitability for paper making, part III (conclusion).....	81
One plate.	
BACON, R. F. The crater lakes of Taal Volcano	115
Six plates.	
BACON, R. F. Catalysis by means of uranium salts in the sunlight....	129
COX, A. J. A new comparator.....	139
One plate and 1 text figure.	

No. 3, June, 1907

[Issued August 1, 1907.]

SMITH, W. D. The asbestos and manganese deposits of Ilocos Norte, with notes on the geology of the region.....	145
Nine plates, 2 maps, and 3 text figures.	
MERRILL, E. D. The ascent of Mount Halcon, Mindoro.....	179
One plate (map).	

No. 4, August, 1907

[Issued September 11, 1907.]

EVELAND, A. J. Notes on the geology and geography of the Baguio mineral district	207
Nine plates and 2 maps (1 colored).	
SMITH, W. D. Petrography of some rocks from Benguet Province, Luzon, P. I.....	235
Five plates.	
REVIEWS	255

No. 5, October, 1907

[Issued November 21, 1907.]

SHUFELDT, R. W. Osteological and other notes on Sarcops calvus of the Philippines	257
One plate.	
WORCESTER, D. C. On a nesting specimen of Caprimulgus griseatus Walden	271
Two plates.	

	Page.
WORCESTER, D. C. On a nesting place of <i>Sula sula</i> (Linnæus) and <i>Sterna anæstetha</i> Scopoli..... One plate.	275
MCGREGOR, R. C. Notes on a collection of birds from the Island of Basilan with descriptions of three new species.....	279
MCGREGOR, R. C. Descriptions of four new Philippine birds.....	292
MCGREGOR, R. C. The occurrence of Blyth's wattled lapwing and the scaup duck in the Philippine Islands.....	295
MCGREGOR, R. C. Note on a bird unrecorded from Mindanao.....	296
MCGREGOR, R. C. Notes on specimens of the monkey-eating eagle (<i>Pithecopaga jefferyi</i> Grant) from Mindanao and Luzon.....	297
MCGREGOR, R. C. Notes on birds collected in Cebu.....	298
MCGREGOR, R. C. Birds observed in Bantayan Island, Province of Cebu	310
MCGREGOR, R. C. The birds of Bohol..... One plate.	315
MCGREGOR, R. C. The birds of Batan, Camiguin, Y'Ami, and Babuyan Claro, islands north of Luzon..... Five plates.	337
MEARNS, E. A. Two additions to the avifauna of the Philippines...	353
MEARNS, E. A. Descriptions of a new genus and nine new species of Philippine birds	355
SCHULTZE, W. New Lepidoptera of the Philippine Islands..... One plate and 2 text figures.	361

No. 6, December, 1907

[Issued February 10, 1908.]

SMITH, W. D. The geology of the Compostela-Danao coal field..... Fourteen plates and 3 maps (2 colored).	377
FERGUSON, H. G. Note on the occurrence of rhyolite in Cebu..... One plate and 1 text figure.	407
COX, A. J. The occurrence, composition, and radioactivity of the clays from Luzon, Philippine Islands..... One plate and 1 text figure.	413
RICHMOND, G. F., and ROSARIO, M. V. DEL. Commercial utilization of some Philippine oil-bearing seeds: Preliminary paper.....	439
ERRATA	451
INDEX	453

VOLUME II, B. MEDICAL SCIENCES

No. 1, March, 1907

[Issued March 22, 1907.]

ASHBURN, P. M., and CRAIG, C. F. Observations upon <i>Filaria philippinensis</i> and its development in the mosquito..... Seven plates.	1
--	---

Contents

13

MUSGRAVE, W. E. Paragonimiasis in the Philippine Islands.....	Page. 15
Eleven plates (2 colored).	

REVIEWS	67
---------------	----

No. 2, May, 1907 [Issued May 15, 1907.]

FREER, P. C. A consideration of some of the modern theories in relation to immunity	71
---	----

MIYAJIMA, M. On the cultivation of a bovine Piroplasma: A preliminary communication	83
Three plates.	

ASHBURN, P. M., and CRAIG, C. F. Experimental investigations regarding the etiology of dengue fever, with a general consideration of the disease.....	93
One map and 27 charts.	

REVIEWS	153
---------------	-----

No. 3, June, 1907 [Issued July 18, 1907.]

STRONG, R. P. Studies in plague immunity.....	155
---	-----

No. 4, August, 1907 [Issued September 16, 1907.]

COLE, C. L. Necator americanus in natives of the Philippine Islands..	333
Four plates.	

MARSHALL, H. T. The recent trend of immunity research.....	343
--	-----

MUSGRAVE, W. E., and RICHMOND, G. F. Infant feeding and its influence upon infant mortality in the Philippine Islands.....	361
One chart.	

MUSGRAVE, W. E., and MARSHALL, H. T. Gangosa in the Philippine Islands	387
One plate.	

REVIEWS	403
---------------	-----

No. 5, October, 1907 [Issued December 16, 1907.]

MIURA, K. Some remarks concerning kubisagari or vertige paraly- sant	409
---	-----

STRONG, R. P. The investigations carried on by the biological labo- ratory in relation to the suppression of the recent cholera outbreak in Manila.....	413
---	-----

ASHBURN, P. M., and CRAIG, C. F. Observations upon Treponema pertenuis Castellani of yaws and the experimental production of the disease in monkeys.....	441
Four plates.	

MARSHALL, H. T. Yaws: A histologic study.....	469
Three plates.	

No. 6, December, 1907

[Issued February 3, 1908.]

	Page.
MUSGRAVE, W. E., and CLEGG, M. T. The etiology of mycetoma. Report of a case of the ochroid variety occurring in the Philippine Islands and caused by a new species of <i>Streptothrix</i> (<i>Streptothrix freeri</i>)	477
Four plates (1 colored).	
BANKS, C. S. Experiments in malarial transmission by means of <i>Myzomyia ludlowii</i> Theob.....	513
Ten plates, 1 colored map, and 1 chart.	
GARRISON, P. E. A preliminary report upon the specific identity of the cestode parasites of man in the Philippine Islands with a description of a new species of <i>Tænia</i>	537
SHATTUCK, G. C. Notes on chronic ulcers occurring in the Philippines..	551
INDEX	565

VOLUME II, C. BOTANY

No. 1, January, 1907

[Issued January 25, 1907.]

COPELAND, E. B. The comparative ecology of San Ramon Polypodiaceæ	1
Four plates.	

No. 2, April, 1907

[Issued April 26, 1907.]

CLARKE, C. B. Cyperaceæ of the Philippines: A list of the species in the Kew Herbarium.....	77
MERRILL, E. D. The occurrence of <i>Antiaris</i> in the Philippines.....	111
MASSE, G. Philippine <i>Myxogastres</i>	113
CHRIST, H. <i>Cibotium baranetz</i> J. Sm. and related forms.....	117
COPELAND, E. B. Pteridophyta halconenses: A list of the ferns and fern-allies collected by Elmer D. Merrill on Mount Halcon, Mindoro	119
Four plates.	

No. 3, June, 1907

[Issued June 25, 1907.]

CHRIST, H. <i>Spicilgium filicum philippinensium novarum aut imperfecte cognitarum</i>	153
CHRIST, H. The Philippine species of <i>Dryopteris</i>	189
BECCARI, O. Notes on Philippine palms, I.....	219
MERRILL, E. D. Index to Philippine botanical literature.....	241

No. 4, July, 1907

[Issued August 21, 1907.]

MERRILL, E. D. The flora of Mount Halcon, Mindoro.....	251
AMES, O. Orchidaceæ halconenses: An enumeration of the orchids collected on or near Mount Halcon, Mindoro, chiefly by Elmer D. Merrill	311

Contents

15

	Page.
BROTHERUS, V. F. Musci halconenses.....	339
MERRILL, E. D. Index to Philippine botanical literature, II.....	345
No. 5, October, 1907	
[Issued December 11, 1907.]	
FOXWORTHY, F. W. Philippine woods.....	351
Fifty-five figures.	
No. 6, December, 1907	
[Issued February 24, 1908.]	
COPELAND, E. B. Notes on the Steere collection of Philippine ferns..	405
COPELAND, E. B. A revision of Tectaria with especial regard to the Philippine species	409
HACKEL, E. Two new Philippine grasses.....	419
MERRILL, E. D. Some genera and species new to the Philippine flora..	421
MERRILL, E. D. Additional identifications of the species described in Blanco's Flora de Filipinas.....	429
MERRILL, E. D. Index to Philippine botanical literature, III.....	437
INDEX	441

VOLUME III

VOLUME III, A. GENERAL SCIENCE

No. 1, February, 1908

[Issued April 3, 1908.]

FERGUSON, H. G. Contributions to the physiography of the Philippine Islands, II: The Batanes Islands.....	1
Nine plates, 3 maps, and 4 text figures.	
SCHULTZE, W. New and little-known Lepidoptera of the Philippine Islands	27
One colored plate.	
EDITORIALS:	
Philippine arrow poisons, by R. F. Bacon.....	41
Food and drug inspection, by H. D. Gibbs.....	44
Purification of coconut oil, by G. F. Richmond.....	45

No. 2, April, 1908

[Issued June 24, 1908.]

BACON, R. F. Philippine terpenes and essential oils, I.....	49
BACON, R. F. Philippine terpenes and essential oils, II: Ylang- ylang oil	65
RICHMOND, G. F., and MUSGRAVE, W. E. The composition of Horlick's malted milk	87
EDITORIALS:	
The relationship between the external appearance and the ash content of Philippine coal, by A. J. Cox.....	91
Starch production in the Philippine Islands, by R. F. Bacon (with 3 plates).....	93
The ascent of Mount Pulog, by M. L. Miller.....	99

No. 3, June, 1908

[Issued September 15, 1908.]

	Page.
GIBBS, H. D. Methyl salicylate, I: The separation of salicylic acid from methyl salicylate and the hydrolysis of the ester.....	101
WALKER, H. S. Notes on the sprouting coconut, on copra, and on coconut oil	111
REIBLING, W. C., and SALINGER, L. A. Portland cement testing.....	137
Three diagrams and 12 text figures.	
EDITORIALS:	
Peridinium	187
An account of a human sacrifice held by the Bagobos, District of Davao, Mindanao, P. I., by W. D. Smith (with 3 plates).....	188

No. 4, September, 1908

[Issued November 16, 1908.]

COLE, F. C. The Tinggian.....	197
Nine plates.	
BEAN, R. B. A theory of heredity to explain the types of the white race in North America.....	215
Seven plates and 5 text figures.	
BANKS, C. S. Biology of Philippine Culicidæ.....	235
Eight plates.	
WEISE, J. Description of new Cassididæ of the Philippine Islands....	259
SCHULTZE, W. Life histories of some Philippine Cassididæ.....	261
Six plates.	
HORN, W. Prothyma schultzei, a new species of Philippine Cicindelidæ	273
MCGREGOR, R. C. Notes on a collection of birds from Siquijor, Philippine Islands	275
MCGREGOR, R. C. Some necessary changes in the names of Philippine birds	283
MCGREGOR, R. C. Philippine ornithological literature, I.....	285
MENDOZA, M. P., RAMIREZ, M., and ENRIQUEZ, P. V. An improved method of modeling especially adapted for the central nervous system and the preparation of brain models.....	293
Three plates.	
EDITORIALS:	
Notes on the appearance of Sirex juvenicus Linn. in Manila, P. I., by W. Schultze	299
Notes on the abundant appearance of Gibbium scotias Fabr. in the Philippine Islands, by W. Schultze.....	299

No. 5, November, 1908

[Issued January 5, 1909.]

Cox, A. J. Philippine coals as fuel.....	301
Thirteen plates and 2 text figures.	
GIBBS, H. D. Methyl salicylate, II: Solubility in water at 30°.....	357

Contents

17

	Page.
GIBBS, H. D. The compounds which cause the red color in phenol.....	361
GIBBS, H. D., and AGCAOILI, F. On the detection and determination of coconut oil.....	371
Cox, A. J. Laguna clays	377
One map.	
Cox, A. J. Volcanic tuff as a construction and a cement material....	391
Two text figures.	
EDITORIALS:	
The effect of <i>Litsea chinensis</i> on the hardening of lime mortar, by A. J. Cox.....	409
Proprietary medicines in the Orient, by H. D. Gibbs.....	411
No. 6, December, 1908	
[Issued March 16, 1909.]	
BEAN, R. B. The Benguet Igorots. A somatologic study of the live folk of Benguet and Lepanto-Bontoc.....	413
Eight plates and 13 text figures.	
SMITH, W. D. A geologic reconnaissance of the Island of Mindanao and the Sulu Archipelago, I: Narrative of the expedition.....	473
Twenty-three plates and 4 text figures.	
GOODMAN, M. A reconnaissance from Davao, Mindanao, over the divide of the Sahug River to Butuan, including a survey from Davao to Mati: Narrative of the expedition.....	501
Two plates.	
SEALE, A. The fishery resources of the Philippine Islands, part I: Commercial fishes	513
Ten colored plates, 2 plain plates, and 2 text figures.	
EDITORIALS:	
Typhoons, coconuts, and beetles, by E. B. Copeland.....	533
Cutch, by F. W. Foxworthy	534
Coal in the Cagayan Valley, by H. G. Ferguson (with 1 map)....	535
BOOK NOTICES	541
ERRATA	543
INDEX	545

VOLUME III, B, MEDICAL SCIENCES

No. 1, January, 1908

[Issued March 23, 1908.]

ASHBURN, P. M., and CRAIG, C. F. A comparative study of tsutsu- gamushi disease and spotted or tick fever of Montana.....	1
Seven charts.	
BOWMAN, F. B. A series of cases of tropical infantile dysentery with a hitherto undescribed bacillus as the causative factor (prelim- inary report)	31
ATKINSON, J. M. Plague procedure in Hongkong.....	39
OHNO, Y. K. An investigation of the quantitative relationships be- tween agglutinin, agglutinoid, and agglutinable substance.....	47
Two text figures.	

	Page.
HERZOG, M. Peculiar cases of traumatism of internal organs, some due to tropical conditions and practices.....	55
KEE, T. H. The habitual use of opium as a factor in the production of diseases	63
EDITORIALS:	
Prophylactic medicine as applied to the hygiene of Bilibid Prison, by V. G. Heiser (with 1 diagram).....	69
Intestinal parasites in the Philippines, by P. E. Garrison.....	71
Occurrence of tuberculosis in one hundred autopsies in the Philippine Islands, by P. K. Gilman.....	74

No. 2, April, 1908

[Issued June 8, 1908.]

MUSGRAVE, W. E. The influence of symbiosis upon the pathogenicity of microörganisms (the evolution of parasitism).....	77
HEISER, V. G. Some considerations with regard to the cause of the frequent reappearance of cholera in the Philippine Islands, with statistics beginning with the outbreak in 1902 to January 1, 1908 Two plates and 2 maps.	89
MARSHALL, H. T. Studies of cholera..... Five charts.	107
EDWARDS, R. T. A biological study of the water supply of the Philippine Islands, with a description of a new pathogenic organism.. Two charts.	121
YERSIN, A., and VASSAL, J. J. Typhus fever in Indo-China..... One map and 7 charts.	131
KITAJIMA, T. On "habu" venom and its serum therapy.....	151
RUEDIGER, E. H. Filtration experiments with the virus of cattle plague	165
Twenty-five charts.	
EDITORIAL: [Discussion of papers].....	183
REVIEWS	189

No. 3, July, 1908

[Issued August 10, 1908.]

GARRISON, P. E. The prevalence and distribution of the animal parasites of man in the Philippine Islands, with a consideration of their possible influence upon the public health.....	191
GILMAN, P. K. A report on the first one hundred autopsies at the Philippine Medical School.....	211
PHALEN, J. M., and NICHOLS, H. J. Notes on the condition of the liver in schistosomiasis..... One plate.	223
STRONG, R. P. The diagnosis of African tick fever from the examination of the blood.....	231
CALDERON, F. Obstetrics in the Philippine Islands..... Three plates.	245

Contents

19

EDITORIAL: [Discussion of papers].....	Page. 261
REVIEW	265
Prizes offered by the International Congress on Tuberculosis.....	266

No. 4, September, 1908 [Issued November 9, 1908.]

WASHBURN, W. S. Health conditions in the Philippines.....	269
ROGERS, L. The prevention of tropical abscess of the liver by the early diagnosis and treatment of the presuppurative stage of amœbic hepatitis	285
Three charts.	
PHALEN, J. M., and NICHOLS, H. J. Filariasis and elephantiasis in southern Luzon.....	293
Three plates.	
PHALEN, J. M., and NICHOLS, H. J. Notes on the distribution of <i>Filaria nocturna</i> in the Philippine Islands.....	305
One plate.	
CASTELLANI, A. Observations on a palliative treatment of elephantiasis	311
Two plates.	
RUEDIGER, E. H. Further filtration experiments with virus of cattle plague	319
Eleven charts.	
OLD, E. H. H. A report of several cases with unusual symptoms caused by contact with some unknown variety of jellyfish (<i>Scyphozoa</i>)	329
BANKS, C. S. A mosquito which breeds in salt and fresh water.....	335
Two plates and 3 maps.	
ALBERT, J. A case of infantile beriberi with autopsy report.....	345
EDITORIAL:	
Dysenteric abscess of the liver, by J. R. McDill.....	349
The free dispensary of the Philippine Medical School, by P. C. Freer	352
REVIEW	355

No. 5, November, 1908 [Issued January 26, 1909.]

MARSHALL, H. T., and TEAGUE, O. A study of the precipitin and complement fixation reactions.....	357
ISHIGAMI, T. Tuberculo-toxoidin and immunization serum.....	379
GARRISON, P. E. A new intestinal trematode of man. (<i>Fascioletta ilocana</i> gen. nov., sp. nov.).....	385
Two plates.	
PHALEN, J. M., and NICHOLS, H. J. Blastomycosis of the skin in the Philippine Islands.....	395
Four plates.	

	Page.
RUEDIGER, E. H. A reduction in the cost of anticattle-plague serum... Ten charts.	407
HOYT, R. E. Results of three hundred examinations of fæces with reference to the presence of amœbæ.....	417
WHITMORE, E. R. The inoculation of bacterial vaccines as a practical method for the treatment of bacterial diseases, with special reference to the treatment of infections due to the gonococcus... Two charts.	421
JACKSON, T. W. Sanitary conditions and needs in provincial towns....	431
EDITORIAL: [Discussion of Doctor Jackson's paper].....	439
REVIEW	445

No. 6, December, 1908

[Issued March 10, 1909.]

MUSGRAVE, W. E., CLEGG, M. T., and POLK, M. Streptothricosis with special reference to the etiology and classification of mycetoma. Bibliography by M. Polk..... Twelve plates (6 colored).	447
MUSGRAVE, W. E., CLEGG, M. T., and POLK, M. Trichocephaliasis, with a report of four cases, including one fatal case. Bibliogra- phy by M. Polk.....	545
EDITORIAL: Neoplasms among the Filipinos, by P. K. Gilman.....	567
REVIEW	569
INDEX	571

VOLUME III, C. BOTANY

No. 1, February, 1908

[Issued April 22, 1908.]

BRAND, A. The Symplocaceæ of the Philippine Islands.....	1
BROTHERUS, V. F. Contributions to the bryological flora of the Phil- ippines, II.....	11
COPELAND, E. B. New or interesting Philippine ferns, III..... Six plates.	31

No. 2, June, 1908

[Issued July 11, 1908.]

HENNINGS, P. Fungi philippinenses, I.....	41
MARTELLI, U. The Philippine species of Pandanus.....	59
MERRILL, E. D. The Philippine plants collected by the Wilkes United States Exploring Expedition..... Four plates.	73
MERRILL, E. D. Index to Philippine botanical literature, IV.....	87

No. 3, July, 1908

[Issued July 18, 1908.]

MERRILL, E. D., and ROLFE, R. A. Notes on Philippine botany.....	95
MERRILL, E. D. New Philippine plants from the collections of Mary Strong Clemens, I.....	129

Contents

21

	Page.
HACKEL, E. Notes on Philippine Gramineæ, III.....	167
FOXWORTHY, F. W. Lumbayao (<i>Tarrietia javanica</i> Blume).....	171
Three plates.	
No. 4, August, 1908	
[Issued August 28, 1908.]	
ROBINSON, C. B. <i>Alabastra philippinensia</i> , II.....	175
MERRILL, E. D. New or noteworthy Philippine plants, VI.....	219
No. 5, October, 1908	
[Issued October 22, 1908.]	
CHRIST, H. <i>Spicilegium filicum philippinensium novarum aut imperfecte cognitarum</i> , II.....	269
COPELAND, E. B. Ferns of southern China.....	277
COPELAND, E. B. A revision of the Philippine species of <i>Athyrium</i>	285
COPELAND, E. B. Fern genera new to the Philippines.....	301
ROBINSON, C. B. Perrottet and the Philippines.....	303
MERRILL, E. D. Philippine Freycinetia.....	307
MERRILL, E. D. The oaks of the Philippines.....	317
MERRILL, E. D. The genus <i>Radermachera</i> Hassk. in the Philippines..	331
No. 6, December, 1908	
[Issued January 25, 1909.]	
BECCARI, O. The palms of the Batanes and Babuyan Islands.....	339
COPELAND, E. B. New genera and species of Bornean ferns.....	343
Eight plates.	
COPELAND, E. B. New species of <i>Cyathea</i>	353
MERRILL, E. D. The Philippine species of <i>Garcinia</i>	359
MERRILL, E. D. Philippine <i>Ericaceæ</i>	369
MERRILL, E. D. On a collection of plants from the Batanes and Babuyan Islands.....	385
INDEX	445

VOLUME IV

VOLUME IV, A. GENERAL SCIENCE

No. 1, January, 1909

[Issued June 1, 1909.]

FERGUSON, H. G. Physiography of the Philippine Islands, III: Western Masbate	1
Three maps.	
SMITH, W. D. Contributions to the physiography of the Philippine Islands, IV: The country between Subig and Mount Pinatubo....	19
Seven plates.	
BEAN, R. B. Filipino ears—a classification of ear types.....	27
Ten plates and 19 text figures.	

	Page.
GRIFFIN, L. E. Two new species of snakes found in the Philippine Islands	55
SEALE, A. The fishery resources of the Philippine Islands, II: Sponges and sponge fisheries.....	57
Nine plates and 4 text figures.	
MCGREGOR, R. C. A collection of birds from northern Mindanao....	67
MCGREGOR, R. C. Philippine ornithological literature, II.....	79
EDITORIAL: The marble and schist formations of Romblon Island, by G. I. Adams.....	87
REVIEW	91

No. 2, March, 1909

[Issued June 10, 1909.]

BACON, R. F. Philippine terpenes and essential oils, III.....	93
GIBBS, H. D. The oxidation of phenol: The effect of some forms of light and of active oxygen upon phenol and anisole.....	133
BACON, R. F. On a rapid clinical method for determining the ammonia coefficient of urines.....	153
One text figure.	
EDITORIALS:	
The tensile strength of machine- and hand-stripped abacá fiber, by R. F. Bacon.....	163
The excreta of the python, by R. F. Bacon.....	165
A rubber vine, by R. F. Bacon.....	166
Note on the action of sodium alcoholates on alcohols, by R. F. Bacon	166
REVIEW	169

No. 3, May, 1909

[Issued July 24, 1909.]

COX, A. J. Calorimetry, and the determination of the calorific value of Philippine and other coals from the results of proximate analysis	171
Three text figures (charts).	
BACON, R. F., and GANA, V. Q. The economic possibilities of the mangrove swamps of the Philippines.....	205
COX, A. J. Philippine raw cement materials.....	211
EDITORIALS:	
Philippine turpentine, by G. F. Richmond.....	231
Industrial alcohol and its possibility as a source of power in the Philippines, by A. J. Cox.....	232

No. 4, July, 1909

[Issued September 24, 1909.]

VILLAVERDE, J. The Ifugaos of Quiangan and vicinity. (Translated, edited, and illustrated by Dean C. Worcester. With notes and an addendum by L. E. Case.).....	237
Fifteen plates.	

Contents

23

	Page.
BEAN, R. B. I. Filipino types: Manila students. An attempt to classify the littoral population of Luzon and adjacent islands....	263
Three charts.	
BEAN, R. B. II. Filipino types: Found in Malecon morgue.....	297
Five plates, 4 charts, and 1 diagram.	

No. 5, September, 1909
[Issued November 26, 1909.]

ADAMS, G. I. Geological reconnaissance of the Island of Leyte—with notes and observations on the adjacent smaller islands and south-western Samar.....	339
One plate (colored map).	
BEAN, R. B. III. Filipino types: Racial anatomy in Taytay. A. The men	359
Eighteen plates and 16 text figures.	
BEAN, R. B. A cephalograph: The description of an instrument for reproducing the outlines of the head and face.....	447
Two plates.	
BROOKS, B. T. The action of organic peroxides on the photographic plate	451
ADAMS, G. I. Tests of Philippine road materials.....	455
ADAMS, G. I. Sand, gravel, and crushed stone available for concrete construction in Manila.....	463
Two plates and 16 text figures.	
ICKIS, H. M. A geological reconnaissance from Infanta, Tayabas, to Tanay, Rizal.....	483
One plate (map) and 1 text figure.	

No. 6, November, 1909
[Issued February 23, 1910.]

SEALE, A. New species of Philippine fishes.....	491
Thirteen plates.	
BANKS, C. S. Four new Culicidæ from the Philippines.....	545
BANKS, C. S. Rhynchota palawanica, part I: Heteroptera.....	553
Two plates.	
GRIFFIN, L. E. A list of snakes found in Palawan.....	595
ERRATA	603
INDEX	605

VOLUME IV, B. MEDICAL SCIENCES

No. 1, February, 1909
[Issued June 5, 1909.]

VASSAL, J. J. Atoxyl in the treatment of malaria.....	1
BEAN, R. B. Methods of studying the structure of the central nervous system.....	9
Three plates.	

	Page.
VASSAL, J. J., and BROCHET, A. Dengue in Indo-China: Epidemic on board the "Manche"..... One plate.	21
RUEDIGER, E. H. Filtration experiments on the virus of cattle plague with Chamberland filters "F"..... Five charts.	37
MCLAUGHLIN, A. J. The suppression of a cholera epidemic in Manila..... Three plates, 4 maps, and 2 charts.	43
EDITORIAL: Discussion of Doctor McLaughlin's paper on "The suppression of a cholera epidemic in Manila".....	59
BOOK REVIEWS.....	69

No. 2, April, 1909

[Issued June 15, 1909.]

FREER, P. C. Address at the commencement exercises of the Philippine Medical School	71
CLEGG, M. T. Some experiments on the cultivation of <i>Bacillus lepræ</i> ..	77
NICHOLS, H. J., and ANDREWS, V. L. The treatment of Asiatic cholera during the recent epidemic..... Five charts and 1 text figure.	81
ROGERS, L. The treatment of cholera by injections of hypertonic saline solutions, with a simple and rapid method of intra-abdominal administration	99
MCLAUGHLIN, A. J. The suppression of a cholera outbreak in the provinces of the Philippine Islands..... Three charts.	107
MARTINI, E. Remarks on piroplasmosis..... One plate.	121
PHALEN, J. M., and NICHOLS, H. J. The distribution of <i>Filaria</i> in the Philippine Islands..... One map.	127
EDITORIAL: Discussion of the papers of Mr. Clegg and of Doctors Rogers and Nichols and Andrews.....	141

No. 3, June, 1909

[Issued August 9, 1909.]

MARTINI, E. The development of a <i>Piroplasma</i> and <i>Trypanosoma</i> of cattle in artificial culture media..... Six plates.	147
COCA, A. F. The bactericidal substances in fibrin.....	171
GARRISON, P. E., and LEYNES, R. The development of the miracidium of <i>Paragonimus</i> under various physical conditions.....	177
GARRISON, P. E., and LLAMAS, R. The intestinal worms of 385 Filipino women and children in Manila.....	185
STRONG, R. P. The relation of the Indian form of relapsing fever to African tick fever.....	187

Contents

25

ARON, H. Diet and nutrition of the Filipino people.....	Page. 195
GRIFFIN, L. E. Poisonous snakes of the Philippine Islands.....	203
REVIEWS	205

No. 4, August, 1909
[Issued November 19, 1909.]

MEDICAL SURVEY OF THE TOWN OF TAYTAY [Twenty-two plates and 1 text figure.]

STRONG, R. P. I. Introduction.....	207
ADAMS, G. I. II. Geology and water supply.....	211
CLEGG, M. T. III. Bacteriological analyses of the water supply.....	215
RICHMOND, G. F., and GANA, V. Q. IV. Chemical analyses of Taytay waters	217
MERRILL, E. D. V. The principal foods utilized by the natives.....	219
ARON, H. VI. The food of the people of Taytay from a physiological standpoint	225
BANKS, C. S. VII. Mosquitoes and other insects.....	233
CLEMENTS, P. VIII. Vital statistics.....	241
CLEMENTS, P. IX. General sanitary conditions.....	247
GARRISON, P. E., LEYNES, R., and LLAMAS, R. X. Animal parasites of the intestine.....	257
BOWMAN, F. B., LOPEZ, L., MANAPAT, V. E., and RIVERA, V. XI. Table of physical examinations.....	271
GUERRERO, L., and SEVILLA, V. XII. Examinations of the blood with special reference to malaria.....	273
NICHOLS, H. J. XIII. Filariasis, malaria, tuberculosis, typhoid fever, goitre, beriberi, venereal and skin diseases.....	279
GARRISON, P. E. XIV. The disposal of human excreta.....	287
STRONG, R. P. XV. Summary and conclusions.....	289

No. 5, October, 1909
[Issued January 25, 1910.]

MARSHALL, H. T. An unusual case of amœbic dysentery..... One colored plate.	303
CALDERON, F., and HEISER, V. G. Sixth International Congress on Tuberculosis (held at Washington, D. C., September 21 to October 12, 1908)..... One plate.	311
TEAGUE, O. The cutaneous reaction in leprosy: Preliminary report..	323
TEAGUE, O. The nastin treatment of leprosy.....	329
RUEDIGER, E. H. Filtration of immune serums.....	333
OHNO, Y. K. The reaction of culture media in relation to the mor- phology of the cholera organism.....	341

	Page.
RUEDIGER, E. H. Immunizing cattle against anticattle-plague serum.. Nine charts.	353
MCLAUGHLIN, A. J. Some observations upon cholera in children.... Six charts.	363
RUEDIGER, E. H. Observations on cattle plague in the Philippine Islands and the methods employed in combating it..... Six charts.	381
No. 6, December, 1909 [Issued April 14, 1910.]	
COCA, A. F., and GILMAN, P. K. The specific treatment of carci- noma	391
CLEGG, M. T. The cultivation of the leprosy bacillus	403
Two plates (1 colored).	
BOWMAN, F. B. Two cases of <i>Balantidium coli</i> infection, with autopsy	417
Four plates (1 colored).	
RUEDIGER, E. H. The difference in susceptibility to cattle plague encountered among cattle and carabaos..... Fifty charts.	425
WHITMORE, E. R. Tuberculosis in the Philippine Islands.....	453
NOTICE	461
REVIEW	463
INDEX	465

VOLUME IV, C. BOTANY

No. 1, April, 1909 [Issued May 20, 1909.]	
COPELAND, E. B. The ferns of the Malay-Asiatic region, part I..... Twenty-one plates.	1
OSTENFELD, C. H. On <i>Halophila ovata</i> Gaudichaud, a neglected species	67
ROBINSON, C. B. Philippine Chloranthaceæ.....	69
ROBINSON, C. B. Philippine Phyllanthinæ.....	71

No. 2, June, 1909 [Issued June 26, 1909.]	
BRAND, A. Additional Philippine Symplocaceæ, I.....	107
COPELAND, E. B. New or interesting Philippine ferns, IV.....	111
MERRILL, E. D. A revision of Philippine Connaraceæ.....	117
MERRILL, E. D. A revision of Philippine Loranthaceæ.....	129
RIDLEY, H. N. The Scitamineæ of the Philippine Islands.....	155

No. 3, August, 1909 [Issued August 26, 1909.]	
LEAVITT, R. G. The genus <i>Eria</i> in the Philippine Islands..... Twenty-six text figures.	201

Contents

27

MERRILL, E. D. New or noteworthy Philippine plants, VII.....	Page. 247
ROBINSON, C. B. A preliminary revision of Philippine Myrtaceæ....	331

No. 4, October, 1909
[Issued December 6, 1909.]

FOXWORTHY, F. W. Indo-Malayan woods.....	409
Nine plates.	

No. 5, November, 1909
[Issued December 3, 1909.]

AMES, O. Notes on Philippine orchids with descriptions of new species, I	593
BECCARI, O. Notes on Philippine palms, II.....	601
Two plates.	
MERRILL, E. D. A preliminary revision of Philippine Combretaceæ..	641
WAINIO, E. A. Lichenes insularum philippinarum, I.....	651

No. 6, December, 1909
[Issued January 10, 1910.]

AMES, O. Notes on Philippine orchids with descriptions of new species, II	663
MERRILL, E. D. Index to Philippine botanical literature, V.....	677
ROBINSON, C. B. Philippine Boraginaceæ.....	687
WHITFORD, H. N. Studies in the vegetation of the Philippines, I: The composition and volume of the dipterocarp forests of the Philippines	699
Seven plates.	
ERRATA	727
INDEX	729

VOLUME V

VOLUME V, A. CHEMICAL AND GEOLOGICAL SCIENCES AND THE INDUSTRIES

No. 1, January, 1910
[Issued May 11, 1910.]

RICHMOND, G. F. Tayabas petroleum.....	1
GIBBS, H. D. The compounds which cause the red coloration of aniline, I: The effect of oxygen and ozone and the influence of light in the presence of oxygen.....	9
Seven text figures.	
HULBURT, C. H., and BACON, R. F. A liquid concave mirror.....	19
Two plates.	
HOLMES, W. C. Distilled liquors: Whisky (rye, Bourbon, and Scotch), brandy (cognac), and gin.....	23
ROSARIO, M. V. DEL. On the determination of aldehydes in distilled liquors	29

	Page.
GIBBS, H. D., and AGCAOILI, F. Lard from wild and domestic Philippine hogs and the changes in the constants produced by feeding copra cake.....	33
EDITORIAL: The library of the Bureau of Science, by M. Polk.....	45
REVIEWS	55

No. 2, March, 1910

[Issued July 29, 1910.]

ADAMS, G. I. Geologic reconnaissance of southwestern Luzon.....	57
Thirteen plates, 2 maps, and 10 text figures.	
REIBLING, W. C. Concrete construction in Manila and the Philippine Islands	117
Four plates.	
ADAMS, G. I., and PRATT, W. E. Philippine pottery.....	143
Three plates and 2 text figures.	
IDDINGS, J. P. The petrography of some igneous rocks of the Philippines	155

No. 3, May, 1910

[Issued July 27, 1910.]

FREER, P. C. The study of Manila copal.....	171
FOXWORTHY, F. W. The almaciga tree: <i>Agathis alba</i> (Lam.).....	173
RICHMOND, G. F. Manila copal.....	177
BROOKS, B. T. The destructive distillation of Manila copal.....	203
BROOKS, B. T. The oxidation of Manila copal by the air.....	219
BROOKS, B. T. The oleoresin of <i>Pinus insularis</i> Endl.....	229

No. 4, July, 1910

[Issued October 17, 1910.]

RICHMOND, G. F. Philippine fibers and fibrous substances: Their suitability for paper making.....	233
BACON, R. F. Philippine terpenes and essential oils, IV.....	257
BACON, R. F. A preliminary study of the effect of tropical sunlight on the atmosphere, with some notes on radioactive phenomena in the Philippines.....	267
BACON, R. F. A solution of oxalic acid and uranium salts as a chemical photometer	281
One chart.	
REVIEWS	305

No. 5, November, 1910

[Issued March 25, 1911.]

SMITH, W. D. The essential features of the geology of the Philippine Islands	307
Six plates (3 maps) and 4 text figures.	

Contents

29

	Page.
SMITH, W. D. Geologic reconnaissance of Mindanao and Sulu, II: Physiography	345
Six plates (2 maps) and 5 text figures.	
REVIEWS	365

No. 6, December, 1910

[Issued March 30, 1911.]

REIBLING, W. C., and REYES, F. D. Physical and chemical prop- erties of Portland cement, parts I and II.....	367
Fifteen text figures. ³	
GIBBS, H. D. The compounds which cause the red coloration of ani- line, II: The effect of sunlight in the absence of oxygen and oxidizing influences and a comparison with the behavior of mono- and dimethylaniline.....	419
Two text figures.	
BROOKS, B. T. The natural dyes and coloring matters of the Phil- ippines	439
INDEX	453

VOLUME V, B. MEDICAL SCIENCES

No. 1, February, 1910

[Issued June 28, 1910.]

FREER, P. C. The tropical sunlight.....	1
One plate and 1 text figure.	
STRONG, R. P., and TEAGUE, O. The treatment of trypanosomiasis with especial reference to surra.....	21
FRASER, H., and STANTON, A. T. The etiology of beriberi.....	55
Three plates.	
DE HAAN, J. On the etiology of beriberi.....	65
HIGHET, H. C. Beriberi in Siam.....	73
ARON, H. Phosphorus starvation with special reference to beri- beri, I	81
One diagram.	
ARON, H., and HOCSON, F. Phosphorus starvation with special reference to beriberi, II.....	98
SHIBAYAMA, G. Some observations concerning beriberi.....	123
KILBOURNE, E. D. Food salts in relation to beriberi.....	127
DISCUSSIONS on the papers by Doctors de Haan, Fraser, Highet, Aron, Shibayama, and Kilbourne.....	137
REVIEW	145
NOTICE	147

³ Twelve of these figures were post-printed as five plates and should be bound with this article.

No. 2, July, 1910

[Issued September 3, 1910.]

	Page.
McLAUGHLIN, A. J., and ANDREWS, V. L. Studies on infant mortality	149
One plate.	
McCAY, D. The relationship of food to physical development.....	163
HEISER, V. G. Unsolved health problems peculiar to the Philippines..	171
NEEB, H. M. The parthenogenesis of the female crescent body.....	179
One colored plate.	
SHIBAYAMA, G. On malaria parasites of the orang-outan.....	189
One colored plate.	
ATKINSON, J. M. Malarial fever during the puerperium.....	193
CASTELLANI, A. Tropical bronchomycosis. Observations on a new species of <i>Epidermophyton</i> found in <i>tinea cruris</i> . A new intestinal <i>Spirillum</i>	197
Two colored plates.	
CASTELLANI, A., and CHALMERS, A. J. Note on an intestinal flagellate in man.....	211
One colored plate.	
HOOTON, A. Some clinical aspects of mycetoma, an unusual form of callosity complicating it.....	215
Two plates.	
ROGERS, L. The prevention and treatment of amoebic abscess of the liver	219
MUSGRAVE, W. E. Intestinal amoebiasis without diarrhoea. A study of fifty fatal cases.....	229
STITT, E. R. A quick, simple, and accurate method of making differential blood counts in wet preparations and its advantages in the diagnosis of surgical and tropical diseases.....	233
DISCUSSION on the paper, "Studies on infant mortality," by Doctors McLaughlin and Andrews.....	237
DISCUSSION on the paper, "Unsolved health problems peculiar to the Philippines," by Doctor Heiser.....	243
DISCUSSION on the paper, "The parthenogenesis of the female crescent body," by Doctor Neeb.....	244
DISCUSSION on the paper, "Malarial fever during the puerperium," by Doctor Atkinson.....	245
DISCUSSION on the paper, "Some clinical aspects of mycetoma, an unusual form of callosity complicating it," by Major Hooton....	246

No. 3, August, 1910

[Issued September 23, 1910.]

CHAMBERLAIN, W. P. A statistical study of uncinariasis among white men in the Philippines.....	249
RISSLER, R. S., and GOMEZ, L. The prevalence of intestinal parasites in Rizal and Cavite Provinces and in Cagayan Valley.....	267

Contents

31

	Page.
DE VOGEL, W. T. <i>Myzomyia rossii</i> as a malaria-carrier.....	277
DUNBAR, A. W. Antimalarial prophylactic measures and their results at the naval station, Olongapo, P. I.....	285
One chart.	
BOWMAN, F. B. The incidence and complications of malaria in the Philippine Islands with special reference to its treatment with arsenophenylglycin	291
Ten charts.	
BROOKE, G. E. Notes on contagious ophthalmia.....	303
PERRY, A. The present position of the leper in view of the resolutions passed at the International Conference on Leprosy at Bergen, 1909	309
MUSGRAVE, W. E., and SISON, A. G. Tuberculosis among Filipinos. A study of one thousand cases of phthisis.....	313
Two text figures.	
MUSGRAVE, W. E., and SISON, A. G. Blood pressure in the tropics. A preliminary report.....	325
BREWER, I. W. Tuberculosis in the Philippine Islands.....	331
MUSGRAVE, W. E., and SISON, A. G. Mali-mali, a mimic psychosis in the Philippine Islands. A preliminary report.....	335
DISCUSSION on the paper, "Statistical studies of uncinariasis among white men in the Philippines," by Doctor Chamberlain.....	341
DISCUSSION on the paper, " <i>Myzomyia rossii</i> as a malaria-carrier," by Doctor de Vogel.....	344
DISCUSSION on the paper, "Antimalarial prophylactic measures and their results at the naval station, Olongapo, P. I.," by Doctor Dunbar	345
DISCUSSION on the paper, "Incidence and complications of malaria in the Philippine Islands," by Doctor Bowman.....	349
DISCUSSION on the paper, "Notes on contagious ophthalmia," by Doctor Brooke	349
DISCUSSION on Sir Allan Perry's paper, "The present position of the leper in view of the resolutions passed at the International Conference on Leprosy at Bergen, 1909".....	352
REVIEWS	357

No. 4, October, 1910

[Issued December 17, 1910.]

SELLARDS, A. W. Tolerance for alkalies in Asiatic cholera.....	363
MCLAUGHLIN, A. J., and SELLARDS, A. W. Effect of the concentration of solution in the treatment of collapse in Asiatic cholera..	391
ARON, H. The chemical composition of the blood in Asiatic cholera..	395
MCLAUGHLIN, A. J., and WHITMORE, E. R. Cholera and choleralike vibrios encountered in the Philippines.....	403

	Page.
STRONG, R. P. The specific cure of yaws with dioxydiamidoarsenobenzol	433
Fourteen plates.	
REVIEWS	453
No. 5, November, 1910 [Issued March 17, 1911.]	
DUDLEY, F. W., and WHITMORE, E. R. Hydrophobia in the Philippines	455
One colored plate.	
LEFEBVRE, M. Researches on acarids among lepers.....	463
CLARK, E. On the occurrence of an accessory nasofrontal duct of the frontal sinus.....	475
One plate.	
BOWMAN, F. B. A note on the spontaneous occurrence of bacillary dysentery in monkeys.....	481
BOWMAN, F. B. Complement fixation in yaws.....	485
WILLETS, D. G. A general discussion of pellagra, with report of a probable case in the Philippine Islands.....	489
One plate.	
CHAMBERLAIN, W. P., BLOOMBERGH, H. D., and KILBOURNE, E. D. Examinations of stools and blood among the Igorots at Baguio, Philippine Islands	505
TRIBLE, G. P. Unidentified larvæ of some dipterous insect developing in the deep urethra and bladder of man producing severe abdominal symptoms	515
DISCUSSION of the paper, "Unidentified larvæ of some dipterous insect developing in the deep urethra and bladder of man producing severe abdominal symptoms," by Dr. G. P. Tribble, assistant surgeon, United States Navy.....	517
REPORT on the case of suspected hydrophobia in a dog, referred to in the paper by Doctors Dudley and Whitmore entitled "Hydrophobia in the Philippines." By Y. K. Ohno.....	518
REVIEWS	521
No. 6, December, 1910 [Issued March 31, 1911.]	
PHALEN, J. M. An experiment with orange-red underwear.....	525
SHAKLEE, A. O. Treatment of strychnine poisoning with chloroform	547
MUSGRAVE, W. E., and SISON, A. G. The bone lesions of smallpox.....	553
Four plates.	
WHITMORE, E. R., and CLEGG, M. T. The specific treatment of leprosy	559
WHITMORE, E. R. Tuberculosis in the Philippines: Final result of one year's specific treatment of eighty cases of pulmonary tuberculosis	563

Contents

33

	Page.
WHITMORE, E. R. Further observations on therapeutic inoculations of bacterial vaccines.....	565
DISCUSSION on the paper, "An experiment with orange-red underwear," by Doctor J. M. Phalen.....	569
REVIEWS	571
INDEX	579

VOLUME V, C. BOTANY

No. 1, May, 1910

[Issued May 27, 1910.]

MERRILL, E. D. An enumeration of Philippine Leguminosæ, with keys to the genera and species.....	1
--	---

No. 2, July, 1910

[Issued July 20, 1910.]

MERRILL, E. D. An enumeration of Philippine Leguminosæ, with keys to the genera and species (concluded).....	95
BROTHERUS, V. F. Contributions to the bryological flora of the Philippines, III	137
SYDOW, H. and P. Fungi philippinensis.....	163

No. 3, August, 1910

[Issued August 20, 1910.]

MERRILL, E. D. New or noteworthy Philippine plants, VIII.....	167
MERRILL, E. D. Index to Philippine botanical literature, VI.....	259

No. 4, September, 1910

[Issued September 27, 1910.]

GAMBLE, J. S. The bamboos of the Philippine Islands.....	267
COPELAND, E. B. Additions to the Bornean fern flora.....	283
MERRILL, E. D., and MERRITT, M. L. The flora of Mount Pulog.....	287

No. 5, November, 1910

[Issued December 13, 1910.]

MERRILL, E. D., and MERRITT, M. L. The flora of Mount Pulog (concluded)	371
Four plates and 1 map.	

DE CANDOLLE, C. A revision of Philippine Piperaceæ.....	405
---	-----

No. 6, December, 1910

[Issued January 20, 1911.]

ROBINSON, C. B. Philippine Urticaceæ.....	465
REVIEWS	545
ERRATA	549
INDEX	551

VOLUME V, D. ETHNOLOGY, ANTHROPOLOGY, AND GENERAL BIOLOGY ⁴

No. 1, June, 1910

[Issued July 7, 1910.]

	Page.
BEAN, R. B., assisted F. S. PLANTA. III. Filipino types: Racial anatomy in Taytay. B. The women.....	1
Seven plates and 1 text figure.	
BEAN, R. B. Paleolithic man in the Philippines. Homo philippinensis	27
One plate.	
BANKS, C. S. Rhynchota palawanica, part II: Homoptera.....	33
One plate.	
DISTANT, W. L. Rhynchota philippinensia, part I.....	57
One plate.	
VIEWMEYER, H. On the myrmecophily of caterpillars of Catochrysops cnejus Fabr	69
VIEWMEYER, H. A myrmecophilous lycænid chrysalis from the Philippines	73
Four text figures.	
BANKS, C. S. The polyscopic cell, a new microscopical accessory....	79
Two plates.	
EDITORIALS:	
An interesting occurrence with sticky grass: Eragrostis viscosa Trin., by C. S. Banks.....	85
A method of using magnesium sulphate for the anæsthetization of marine animals, by L. E. Griffin.....	86

No. 2, July, 1910

[Issued October 7, 1910.]

SEALE, A. The fishery resources of the Philippine Islands, part III: Pearls and pearl fisheries.....	87
Six plates and 5 text figures.	
MCGREGOR, R. C. Birds collected in the Island of Polillo, Philippine Islands	103
SEALE, A. Descriptions of four new species of fishes from Bantayan Island, Philippine Archipelago.....	115
Two plates.	
FOREL, A. Fourmis des Philippines.....	121
BANKS, C. S. A new accessory for dissection work.....	131
One plate.	
MCGREGOR, R. C. Birds from Pauai and Mount Pulog, Subprovince of Benguet, Luzon.....	135
WEISE, J. Verzeichnis von Coleopteren aus den Philippinen, nebst zwei neuen Arten aus Niederländisch Ostindien.....	139

No. 3, August, 1910

[Issued October 22, 1910.]

GRIFFIN, L. E. The pearl fishery of Bantayan.....	149
---	-----

⁴ This is the first volume of Section D.

	Page.
SEALE, A. The successful transference of black bass to the Philippine Islands, with notes on the transporting of live fish long distances.. One plate and 2 text figures.	153
SCHULTZE, W. Contributions to the lepidopterous fauna of the Philippines One plate.	161
MOSER, J. Neue Coleoptera Lamellicornia von den Philippinen.....	183
BEAN, R. B. Filipino ears, II: Ears from Malecon morgue..... Three plates.	191
MCGREGOR, R. C. Additional notes on birds from northern Mindanao, Philippine Islands.....	197
MCGREGOR, R. C. Note on the migration of the tic-wee buzzard in the Philippine Islands..... One plate.	199
MCGREGOR, R. C. Philippine ornithological literature, III.....	203
No. 4, October, 1910 [Issued December 28, 1910.]	
GRIFFIN, L. E. A list of snakes from the Island of Polillo, P. I., with descriptions of a new genus and two new species..... One plate.	211
MCGREGOR, R. C. Birds from the coast of northern Luzon and from the Islands of Sabtan and Dalupiri.....	219
WEISE, J. Ueber Chrysomeliden und Coccinelliden der Philippinen....	223
OHAUS, FR. Die Ruteliden der Philippinischen Inseln.....	233
SEALE, A. Fishes of Borneo, with descriptions of four new species.... Four plates.	263
No. 5, November, 1910 [Issued February 9, 1911.]	
GRIFFIN, L. E. Euplotes worcesteri sp. nov., I: Structure..... Three plates and 13 text figures.	291
REVIEW	313
No. 6, December, 1910 [Issued March 11, 1911.]	
GRIFFIN, L. E. Euplotes worcesteri sp. nov., II: Division..... Five plates.	315
REVIEW	337
INDEX	339

VOLUME VI

VOLUME VI, A. CHEMICAL AND GEOLOGICAL SCIENCES AND THE INDUSTRIES

No. 1, January, 1911
[Issued May 25, 1911.]

COX, A. J. Philippine firewood..... Ten plates and 1 text figure.	1
OECHSLIN, K. J. Quinine esters of phenylarsinic acid derivatives.....	23

	Page.
PRATT, W. E. The mechanical analysis of soil..... One text figure.	35
WILLIAMS, R. R. The economic possibilities of the mangrove swamps of the Philippines	45
No. 2, April, 1911 [Issued July 17, 1911.]	
PRATT, W. E. The eruption of Taal Volcano, January 30, 1911..... Fourteen plates and 3 text figures.	63
MARTIN, C. Observations on the recent eruption of Taal Volcano.... Seven plates.	87
COX, A. J. The composition of the fine ejecta and a few other inor- ganic factors of Taal Volcano.....	93
GIBBS, H. D. The alcohol industry of the Philippine Islands, part I: A study of some palms of commercial importance with special reference to the saps and their uses..... Eight plates, 1 map, and 3 text figures.	99
No. 3, June, 1911 [Issued July 25, 1911.]	
GIBBS, H. D. The alcohol industry of the Philippine Islands, part I (concluded)	147
Twenty plates, 2 maps, and 3 text figures.	
REIBLING, W. C., and REYES, F. D. Physical and chemical properties of Portland cement, part III.....	207
One plate and 7 text figures (diagrams).	
HOLMES, W. C. On the formation of certain alkaloidal periodides— Preliminary investigation	253
Three text figures (diagrams).	
No. 4, August, 1911 [Issued November 15, 1911.]	
COX, A. J. Philippine soils and some of the factors which influence them	279
Eleven plates and 10 text figures.	
HERRMANN, R. A theory on the formation of the central Luzon plain	331
BROOKS, B. T. New Philippine essential oils	333
Two plates.	
EDITORIAL: The fluctuation in the value of ylang-ylang oil and some of its causes, by B. T. Brooks.....	355
No. 5, October, 1911 [Issued March 28, 1912.]	
SMITH, W. D. Geological reconnaissance of Mindanao and Sulu, III: General and economic geology.....	359
Five plates, 1 colored map, and 1 text figure (map).	
FERGUSON, H. G. The geology and mineral resources of the Aroroy district, Masbate	397
Three plates and 2 maps (1 colored).	
REVIEWS	427

Contents

37

No. 6, December, 1911

[Issued March 26, 1912.]

	Page.
SMITH, W. D., and EDDINGFIELD, F. T. Additional notes on the economic geology of the Baguio mineral district.....	429
Three plates, 1 colored map, and 2 text figures.	
ADAMS, G. I., and PRATT, W. E. Geologic reconnaissance of south-eastern Luzon	449
Six plates, 1 colored map, and 4 text figures.	
INDEX	483

VOLUME VI, B. MEDICAL SCIENCES

No. 1, February, 1911

[Issued May 25, 1911.]

ARON, H. Nutrition and growth, I.....	1
Four plates, 3 diagrams, and 6 charts.	
SELLARDS, A. W., and SHAKLEE, A. O. Indications of acid intoxication in Asiatic cholera.....	53
Five charts.	
WILLETS, D. G. A statistical study of intestinal parasites in tobacco haciendas of the Cagayan Valley, Philippine Islands.....	77
BOYNTON, W. H. A note upon anthrax in the Philippine Islands....	93
REVIEW	99

No. 2, April, 1911

[Issued June 15, 1911.]

ARON, H. Investigation on the action of the tropical sun on men and animals	101
Two plates (1 colored), 5 charts, and 3 text figures.	
CHAMBERLAIN, W. P. The eradication of beriberi from the Philippine (native) Scouts by means of a simple change in their dietary	133
BOWMAN, F. B. A case of dysentery caused by <i>Balantidium coli</i> with coincident filarial infarction of the spleen.....	147
Two plates.	
RUEDIGER, E. H. Some observations on so-called flagellates, ciliates, and other Protozoa encountered in water and in human stools (preliminary report)	155
Two text figures.	
REVIEW	163

No. 3, June, 1911

[Issued August 9, 1911.]

GARRISON, P. E. <i>Davainea madagascariensis</i> (Davaine) in the Philippine Islands	165
One plate.	
CHAMBERLAIN, W. P., BLOOMBERGH, H. D., and KILBOURNE, E. D. A study of the influence of rice diet and of inanition on the production of multiple neuritis of fowls and the bearing thereof on the etiology of beriberi.....	177
Four plates and 5 charts.	

	Page.
STITT, E. R. A study of the intestinal parasites found in Cavite Province	211
WHITMORE, E. R. The dysentery bacillus with a bacteriologic study of an epidemic of bacillary dysentery in the Philippines.....	215
HEISER, V. G. Practical experiences with beriberi and unpolished rice in the Philippines.....	229
HOOTON, A. Perineal litholapaxy (Keith's operation).....	235
GOMEZ, L. A clinical study of hookworm infection in the Philippines..	239
CHAMBERLAIN, W. P., and VEDDER, E. B. A contribution to the etiology of beriberi	251

No. 4, October, 1911

[Issued November 16, 1911.]

WALKER, E. L. A comparative study of the amœbæ in the Manila water supply, in the intestinal tract of healthy persons, and in amœbic dysentery	259
Five plates.	
SELLARDS, A. W. Immunity reactions with amœbæ.....	281
CHAMBERLAIN, W. P. Typhoid fever in the Philippine Islands.....	299
One map.	
BLOOMBERGH, H. D. The Wassermann reaction in syphilis, leprosy, and yaws	335
REVIEW	343

No. 5, November, 1911

[Issued January 17, 1912.]

CROWELL, B. C. Addison's disease and adrenal tuberculosis.....	345
ARON, H., and HOCSON, F. Rice as food: Investigation of the nitrogen and phosphorus metabolism on a diet consisting principally of rice and other vegetable foodstuffs.....	361
CHAMBERLAIN, W. P., and VEDDER, E. B. The effect of ultra-violet rays on amœbæ, and the use of these radiations in the sterilization of water.....	383
CHAMBERLAIN, W. P., and VEDDER, E. B. A second contribution to the etiology of beriberi.....	395
CHAMBERLAIN, W. P., and VEDDER, E. B. A study of Arneth's nuclear classification of the neutrophils in healthy adult males and the influence thereon of race, complexion, and tropical residence.....	405
CHAMBERLAIN, W. P., and VEDDER, E. B. The so-called X-bodies as artefacts in glass slides.....	421
One plate.	

No. 6, December, 1911

[Issued February 19, 1912.]

CHAMBERLAIN, W. P. Observations on the influence of the Philippine climate on white men of the blond and of the brunette type.....	427
One map.	

	Page.
CHAMBERLAIN, W. P. A study of the systolic blood-pressure and the pulse rate of healthy adult males in the Philippines. Based on 6,847 blood-pressure readings on 1,489 individuals, and an equal number of pulse counts on the same persons.....	467
CHAMBERLAIN, W. P. The red blood corpuscles and the hæmoglobin of healthy adult American males residing in the Philippines. Based on 1,418 red-cell counts and 1,433 hæmoglobin estimations performed on 702 soldiers.....	488
CHAMBERLAIN, W. P. The occurrence in the Philippines of associated spirochætæ and fusiform bacilli in ulcers of the throat (Vincent's angina), of the mouth, and of the skin, and in lesions of the lungs (bronchial spirochætosis).....	489
Two plates.	
INDEX	501

VOLUME VI, C. BOTANY

No. 1, March, 1911

[Issued April 3, 1911.]

ROBINSON, C. B. Philippine Urticaceæ (concluded).....	1
Three plates.	
AMES, O. Notes on Philippine orchids with descriptions of new species, III	35
KÜKENTHAL, G. Conspectus cyperacearum insularum philippinensium: Cyperaceæ-Caricoideæ	57

No. 2, June, 1911

[Issued July 2, 1911.]

COPELAND, E. B. Papuan ferns collected by the Reverend Copland King	65
ROBINSON, C. B. Philippine hats	93
Eight plates (1 map).	

No. 3, July, 1911

[Issued July 31, 1911.]

COPELAND, E. B. Bornean ferns collected by C. J. Brooks.....	133
Fourteen plates.	
COPELAND, E. B. New or interesting Philippine ferns, V.....	145
FOXWORTHY, F. W. Philippine gymnosperms	149
Eight plates.	
FOXWORTHY, F. W. Bedaru and billian: Two important Borneo timber trees	179
RADLKOFFER, L. Sapindaceæ novæ philippinarum insulæ Polillo.....	181
ROBINSON, C. B. Botanical notes upon the Island of Polillo.....	185

No. 4, September, 1911

[Issued September 8, 1911.]

BECCARI, O. The palms of the Island of Polillo.....	229
FOXWORTHY, F. W. Philippine Dipterocarpaceæ.....	231
Eleven plates.	

	Page.
GAMBLE, J. S. A new species of <i>Schizostachyum</i>	289
ROBINSON, C. B. Urticaceæ from the Sarawak Museum.....	291
ROBINSON, C. B. Philippine Urticaceæ, II.....	299

No. 5, November, 1911

[Issued November 4, 1911.]

DUNN, S. T. Philippine <i>millettias</i>	315
ROBINSON, C. B. <i>Alabastra philippinensia</i> , III.....	319

No. 6, December, 1911

[Issued January 31, 1912.]

COPELAND, E. B. <i>Cyatheæ species novæ orientales</i>	359
RADLKOFER, L. <i>Simarubacearum genus novum philippinense</i>	365
MERRILL, E. D. The Philippine species of <i>Begonia</i>	369
ERRATA	407
INDEX	409

VOLUME VI, D. GENERAL BIOLOGY, ETHNOLOGY, AND ANTHROPOLOGY

No. 1, February, 1911

[Issued May 3, 1911.]

MILLER, M. L. The burial mounds of Camiguin Island.....	1
Five plates.	
BEAN, R. B., and PLANTA, F. S. The men of Cainta.....	7
One plate.	
STROHMEYER, H. <i>Borkenkäfer der Philippinen</i>	17
One plate and 8 text figures.	
CURL, H. C. Notes on the digestive system of <i>Hydrocorax</i>	31
Two plates and 1 text figure.	
MCGREGOR, R. C. Notes on a collection of birds from northern Negros	39
SCHEERER, O. On a quinary notation among the Ilongots of northern Luzon	47
REVIEW	51

No. 2, April, 1911

[Issued June 30, 1911.]

DOUVILLÉ, H. <i>Les foraminifères dans le tertiaire des Philippines</i>	53
Quatre planches et 10 figures dans le texte.	
BARTON, R. F. The harvest feast of the Kiangnan Ifugao.....	81
Eight plates.	
BEAN, R. B. Filipino ears, III: Negrito.....	107
Eighteen plates.	

No. 3, June, 1911

[Issued July 14, 1911.]

COLE, F. C. The Bagobos of Davao Gulf.....	127
Four plates.	
SHUFELDT, R. W. The skeleton in the flying lemurs, <i>Galeopteridæ</i>	139
Three plates.	

Contents

41

No. 4, August, 1911 [Issued November 14, 1911.]

	Page.
WORCESTER, D. C. Newly discovered breeding places of Philippine sea birds Eight plates.	167
WORCESTER, D. C. Hybridism among boobies..... One plate.	179
MCGREGOR, R. C. Record of a <i>Puffinus</i> new to Philippine waters and description of a new species of <i>Micranous</i>	183
SHUFELDT, R. W. The skeleton in the flying lemurs, <i>Galeopteridæ</i> (concluded) Three plates.	185
PEARSE, A. S. On the habits of <i>Thalassina anomala</i> (Herbst)..... One plate and 2 text figures.	213
PEARSE, A. S. Concerning the development of frog tadpoles in sea water	219
REVIEWS	221

No. 5, November, 1911 [Issued January 15, 1912.]

BEYER, H. O., and BARTON, R. F. An Ifugao burial ceremony..... Ten plates.	227
GRIFFIN, L. E. A check-list and key of Philippine snakes..... Two text figures.	253
REVIEWS	271

No. 6, December, 1911 [Issued February 8, 1912.]

SEALE, A. The fishery resources of the Philippine Islands, part IV: Miscellaneous marine products..... Twelve plates.	283
MILLER, M. L. The non-Christian people of Ambos Camarines..... Four plates.	321
GRIFFIN, L. E. The structure of the pallial tentacles of <i>Lima</i> species Four text figures.	327
MOSER, J. Beitrag zur coleopteren Fauna der Philippinen.....	331
INDEX	335

VOLUME VII

VOLUME VII, A. CHEMICAL AND GEOLOGICAL SCIENCES AND THE INDUSTRIES

No. 1, February, 1912 [Issued June 24, 1912.]

COX, A. J. Chemical and physical characteristics of Philippine coal..	1
GIBBS, H. D., and HOLMES, W. C. The alcohol industry of the Philippine Islands, part II: Distilled liquors; their consumption and manufacture	19
Eight plates.	

	Page.
GIBBS, H. D., and AGCAOILI, F. Soja-bean curd, an important oriental food product	47
One plate.	
REVIEWS	55

No. 2, April, 1912

[Issued August 30, 1912.]

GIBBS, H. D. The action of sunlight upon methyl alcohol.....	57
One text figure.	
GIBBS, H. D. The interference of hydrogen peroxide with the milk tests for formaldehyde	77
GIBBS, H. D., WILLIAMS, R. R., and PRATT, D. S. Methyl salicylate, III: The coloration of methyl salicylate and some allied compounds in the sunlight.....	79
GIBBS, H. D., and AGCAOILI, F. The alcohol industry of the Philippine Islands, part III: Fermented beverages which are not distilled. With special reports from various districts by H. O. BEYER, J. M. GARVAN, and E. B. Christie.....	97
Three plates.	
EDITORIAL: Bamboo for paper pulp in Bataan Province, Luzon, by R. C. McGregor (with 1 map).....	121
REVIEWS	127

No. 3, June, 1912

[Issued November 12, 1912.]

REIBLING, W. C., and REYES, F. D. Physical and chemical properties of Portland cement, parts IV and V.....	135
Two plates and 5 text figures.	
COX, A. J. Philippine guano.....	195
PRATT, D. S. Roselle.....	201
Two plates.	
REVIEWS	209

No. 4, August, 1912

[Issued December 9, 1912.]

FANNING, P. R., and EDDINGFIELD, F. T. The black sands of Paracale	213
One plate and 6 text figures.	
FANNING, P. R. Geologic reconnaissance of northwestern Pangasinan	255
Four plates, 1 map, and 5 text figures.	
ADAMS, G. I. Timor Island; its supposed volcano and its probable tectonic relations	283
One text figure.	
EDITORIAL: A Philippine natural bridge, by P. R. Fanning (with 1 text figure)	291

No. 5, October, 1912
[Issued December 15, 1912.]

COX, A. J. The oxidation and deterioration of coal.....	Page. 297
Two text figures.	
COX, A. J., REIBLING, W. C., and REYES, F. D. Sand-lime brick and artificial sandstones in the Philippines.....	317
Eight plates and 1 text figure (map).	
THURLOW, L. W., and PRATT, D. S. Extraction test of a modern sugar central	357

No. 6, December, 1912
[Issued March 7, 1913.]

GIBBS, H. D., and PRATT, D. S. The absorption spectra of ortho- and para-nitrophenol and para-nitrosophenol. New evidence of the quinoid structure of these compounds in alkaline solution.....	371
Four plates and 3 text figures.	
GIBBS, H. D., and AGCAOILI, F., with the coöperation of G. R. SHILLING. Some Filipino foods.....	383
Six plates.	
GIBBS, H. D., and AGCAOILI, F. Philippine citrus-fruits: Their commercial possibilities and a chemical study of a few of the most important varieties	403
Five plates.	
EDITORIAL: A new type of laboratory condenser for use with volatile liquids in tropical laboratories, by E. R. Dovey (with 1 text figure)	417
REVIEW	421
INDEX	423

VOLUME VII, B. THE PHILIPPINE JOURNAL OF TROPICAL MEDICINE

No. 1, February, 1912
[Issued June 25, 1912.]

FREER, P. C. The result of the past two years' work in the study of tropical sunlight	1
CROWELL, B. C. Mucocoele and diverticulum of the vermiform appendix of inflammatory origin.....	29
Two plates (1 colored).	
CHAMBERLAIN, W. P., VEDDER, E. B., and WILLIAMS, R. R. A third contribution to the etiology of beriberi.....	39
WALKER, E. L. The schizogony of Trypanosoma evansi in the spleen of the vertebrate host.....	53
One colored plate.	
REVIEW	65

No. 2, April, 1912
[Issued August 1, 1912.]

ANDREWS, V. L. Infantile beriberi.....	67
Three plates.	
GIBBS, H. D. A study of the effect of tropical sunlight upon men, monkeys, and rabbits and a discussion of the proper clothing for the tropical climate.....	91
Two plates.	

	Page.
HEISER, V. G. Typhoid fever in the Philippine Islands from the sanitary standpoint	115
FOX, C. Some common Siphonaptera of the Philippine Islands.....	119
REVIEWS	123

No. 3, June, 1912

[Issued October 17, 1912.]

STUDIES ON PNEUMONIC PLAGUE AND PLAGUE IMMUNIZATION

[Eighteen plates (12 colored).]

STRONG, R. P. I. Introduction. The expedition to Manchuria and the conditions under which the work was performed there.....	131
STRONG, R. P., and TEAGUE, O. II. The method of transmission of the infection in pneumonic plague and manner of spread of the disease during the epidemic.....	137
TEAGUE, O., and BARBER, M. A. III. Influence of atmospheric temperature upon the spread of pneumonic plague.....	157
STRONG, R. P., and TEAGUE, O. IV. Portal of entry of infection and method of development of the lesions in pneumonic and primary septicæmic plague: Experimental pathology.....	173
STRONG, R. P., and TEAGUE, O. V. Clinical observations.....	181
STRONG, R. P., and TEAGUE, O. VI. Bacteriology.....	187
STRONG, R. P., CROWELL, B. C., and TEAGUE, O. VII. Pathology.....	203
STRONG, R. P., and TEAGUE, O. VIII. Susceptibility of animals to pneumonic plague	223
STRONG, R. P., and TEAGUE, O. IX. Protective inoculation against pneumonic plague	229
BARBER, M. A. X. Immunization of guinea pigs by vaccination with avirulent plague bacilli mixed with agar.....	245
BARBER, M. A. XI. The infection of guinea pigs, monkeys, and rats with doses of plague bacilli ranging from one bacillus upwards..	251
BARBER, M. A., and TEAGUE, O. XII. Some experiments to determine the efficacy of various masks for protection against pneumonic plague	255

No. 4, August, 1912

[Issued December 19, 1912.]

STRONG, R. P., and CROWELL, B. C. The etiology of beriberi.....	271
Seven plates.	
VEDDER, E. B. A fourth contribution to the etiology of beriberi.....	415

No. 5, October, 1912

[Issued March 1, 1913.]

VEDDER, E. B., and CLARK, E. A study of polyneuritis gallinarum. A fifth contribution to the etiology of beriberi.....	423
Eleven plates.	

Contents

45

	Page.
GILMAN, P. K., and CROWELL, B. C. Report of the pathological examinations for one year from the surgical clinic of the Philippine General Hospital	463
REVIEWS	469

No. 6, December, 1912 [Issued April 11, 1913.]

MITZMAIN, M. B. The rôle of <i>Stomoxys calcitrans</i> in the transmission of <i>Trypanosoma evansi</i> Five plates.	475
BARBER, M. A. The susceptibility of cockroaches to plague bacilli inoculated into the body cavity.....	521
BOYNTON, W. H. Notes on the muscular changes brought about by intermuscular injection of calves with the virus of contagious pleuropneumonia	525
Four plates.	
INDEX	533

VOLUME VII, C. BOTANY

No. 1, April, 1912 [Issued May 14, 1912.]

AMES, O. Notes on Philippine orchids with descriptions of new species, IV	1
BRAND, A. Additional Philippine Symplocaceæ, II.....	29
BROWN, W. H. The mechanism of curvature in the pulvini of <i>Mimosa pudica</i>	37
COPELAND, E. B. The genus <i>Thayeria</i> One plate.	41

No. 2, June, 1912 [Issued July 1, 1912.]

COPELAND, E. B. The origin and relationships of <i>Taenitis</i> One plate.	47
COPELAND, E. B. New or interesting Philippine ferns, VI..... Three plates.	53
COPELAND, E. B. New Sarawak ferns.....	59
COPELAND, E. B. New Papuan ferns.....	67
GROVES, H. and J. Characeæ from the Philippine Islands.....	69
MERRILL, E. D. <i>Sertulum bontocense</i> : New or interesting plants collected in Bontoc Subprovince, Luzon, by Father Morice Vano-verbergh	71
WESTER, P. J. A contribution to the history and vernacular nomenclature of the cultivated anonas..... Six plates.	109

No. 3, August, 1912

[Issued September 2, 1912.]

	Page.
AMES, O. Notes on Philippine orchids with descriptions of new species, V: The genus <i>Bulbophyllum</i> in the Philippine Islands....	125
MERRILL, E. D. Notes on the flora of Manila with special reference to the introduced element	145

No. 4, September, 1912

[Issued September 30, 1912.]

BROWN, W. H. The relation of <i>Rafflesia manillana</i> to its host.....	209
Ten plates.	
MERRILL, E. D. Nomenclatural and systematic notes on the flora of Manila	227
WARNSTORF, C. Die <i>Sphagna</i> der Philippinen.....	253
Two text figures.	

No. 5, November, 1912

[Issued November 15, 1912.]

MERRILL, E. D. New or noteworthy Philippine plants, IX.....	259
REVIEW	359

No. 6, December, 1912

[Issued January 15, 1913.]

MERRILL, E. D. The Pineda Monument and the probable site of the first botanic garden in the Philippines.....	363
One plate.	
MERRILL, E. D. On the identity of <i>Evodia triphylla</i>	373
MERRILL, E. D. Notes on Philippine Euphorbiaceæ.....	379
ROBINSON, C. B. Roxburgh's <i>Hortus Bengalensis</i>	411
ERRATA	421
INDEX	423

VOLUME VII, D. GENERAL BIOLOGY, ETHNOLOGY, AND ANTHROPOLOGY

No. 1, February, 1912

[Issued May 9, 1912.]

HOLLISTER, N. A list of the mammals of the Philippine Islands, exclusive of the Cetacea	1
---	---

No. 2, April, 1912

[Issued July 9, 1912.]

GRIFFIN, L. E. The anatomy of <i>Aclesia freeri</i> new species.....	65
Six plates (1 colored) and 5 text figures.	
PEARSE, A. S. A new Philippine fiddler-crab.....	91
One text figure.	
FELSCH, C. Zwei neue <i>Lucaniden</i> der Philippinen.....	97
Eine Tafel.	
WAGNER, H. Ein neues <i>Apion</i> von den Philippinen.....	101
Zwei Textfiguren.	

Contents

47

Page.

HELLER, K. M. Eine neue Gattung der Discolomidae (Coleoptera) aus der orientalischen Region	105
Eine Textfigur.	
REVIEW	111

No. 3, June, 1912

[Issued October 17, 1912.]

PEARSE, A. S. The habits of fiddler-crabs.....	113
Six text figures.	
MILLER, M. L. The Mangyans of Mindoro.....	135
Ten plates.	
SCHNEIDER, E. E. Notes on the Mangyan language.....	157
BEDDARD, F. E. The Oligochæta terricolæ of the Philippines, part I: The genus Pheretima	179
One plate.	
REVIEWS	207

No. 4, August, 1912

[Issued November 13, 1912.]

CHRISTIE, E. B. The stone industry at San Esteban, Ilocos Sur.....	213
Five plates.	
CHRISTIE, E. B. Notes on the wood-working industry of San Vicente, Ilocos Sur	231
Four plates.	
OSHIMA, M. Description of a new gecko from Botel Tobago Island....	241
Two plates.	
BERNHAEUER, M. Neue Staphyliniden der Philippinen.....	245
OHAUS, F. Nachträge und Berichtigungen zu: „Die Ruteliden der Philippinischen Inseln”	255
Eine Tafel.	
SEALE, A. Notes on Philippine edible mollusks.....	273
Two plates.	
SEALE, A. Description of a new Acanthocybium from the Philippine Islands	283
One plate.	
EDITORIAL: Some poisonous Philippine fishes, by A. Seale (with 1 text figure).....	289

No. 5, October, 1912

[Issued December 28, 1912.]

HELLER, K. M. Philippinische Rüsselkäfer.....	295
---	-----

No. 6, December, 1912

[Issued February 21, 1913.]

HELLER, K. M. Philippinische Rüsselkäfer (Schluss)	347
Zwei Tafeln.	
INDEX	405

Vol. VII, Memorial Number, July, 1912

[Issued August 30, 1912.]

IN MEMORIAM: PAUL CASPAR FREER

[Two plates.]

	Page.
The life and career of Doctor Freer, by M. Egan.....	v
Paul Caspar Freer, his influence upon other men, by C. H. Brent.....	ix
Doctor Freer and his general influence upon scientific work in the Philippine Islands, by R. P. Strong.....	xi
Doctor Freer and the Bureau of Science, by D. C. Worcester.....	xv
Professor Freer and the University of the Philippines, by W. E. Musgrave	xxv
Doctor Freer as an organizer and an administrator, by M. Bartlett..	xxix
Doctor Freer as a friend of the Filipinos, by F. Calderon.....	xxxii
Paul C. Freer, chemist, by H. D. Gibbs.....	xxxv

VOLUME VIII

VOLUME VIII, A. CHEMICAL AND GEOLOGICAL SCIENCES AND THE
INDUSTRIES

No. 1, February, 1913

[Issued June 24, 1913.]

GIBBS, H. D., WILLIAMS, R. R., and GALAJIKIAN, A. S. Methyl salicylate, IV: The saponification of methyl salicylate, methyl benzoate, and the methyl ether of methyl salicylate.....	1
Five text figures.	
GIBBS, H. D., and PRATT, D. S. The mutual influence of hydroxyl and carboxyl and some related groups in the ortho position. A study of the absorption spectra of phenol, o-cresol, o-hydroxybenzyl alcohol, salicylic acid and its methyl ester, methyl ether of salicylic acid and its methyl ester, benzyl alcohol, benzyl acetate, benzyl methyl ether, benzyl chloride, and methyl benzoate.....	33
Five text figures.	
PRATT, D. S., and GIBBS, H. D. The absorption spectra of phenanthroquinone, 2,5-dianilinoquinone, 2,5-dianilinoquinoneanil, and 2,5-dianilinoquinonedianil (azophenine)	51
Two text figures.	
PRATT, D. S., and ROSARIO, J. I. DEL. Philippine fruits: Their composition and characteristics.....	59
Sixteen plates.	

No. 2, April, 1913

[Issued June 26, 1913.]

EDDINGFIELD, F. T. Ore deposits of the Philippine Islands.....	81
Three plates and 4 text figures.	
REIBLING, W. C. A bonus system for the purchase of Portland cement	107
EDDINGFIELD, F. T. Alteration and enrichment in calcite-quartz-manganese gold deposits in the Philippine Islands.....	125

Contents

49

	Page.
EDDINGFIELD, F. T. Gogo, <i>Entada scandens</i> Bentham, and its effect on gold and gold solutions.....	135

No. 3, June, 1913 [Issued November 17, 1913.]

AGCAOILI, F. The composition of various milks and their adaptability for infant feeding..... One plate.	141
DOVEY, E. R. The composition of carabao's milk.....	151
TEMPONGKO, C. Sugar-cane experiments	159
PRATT, D. S., and GIBBS, H. D. The two phthaloximes: A study of their absorption spectra and constitution..... Two plates and 6 text figures.	165
PRATT, D. S. The optical efficiency of tinted glasses in relieving eye strain	193
One plate.	

No. 4, August, 1913 [Issued February 13, 1914.]

SADERRA MASÓ, M., and SMITH, W. D. The relation of seismic disturbances in the Philippines to the geologic structure..... Three maps.	199
SMITH, W. D. Contributions to the stratigraphy and fossil invertebrate fauna of the Philippine Islands..... Twenty plates.	235

No. 5, October, 1913 [Issued February 25, 1914.]

PRATT, W. E., and SMITH, W. D. The geology and petroleum resources of the southern part of Bondoc Peninsula, Tayabas Province, P. I..... Ten plates, 1 colored map, and 1 text figure.	301
---	-----

No. 6, December, 1913 [Issued April 21, 1914.]

PRATT, D. S., THURLOW, L. W., WILLIAMS, R. R., and GIBBS, H. D. The nipa palm as a commercial source of sugar. A consideration of the principal difficulties encountered in collecting and preserving nipa-palm sap.....	377
PRATT, D. S. The absorption spectra of various phthalides and related compounds	399
Fifteen text figures.	
WEST, A. P. Analysis and composition of red lead.....	429
EDITORIAL: Copra spoilage on a large scale, by D. S. Pratt (with 1 plate)	439
INDEX	445

VOLUME VIII, B. TROPICAL MEDICINE

No. 1, February, 1913

[Issued April 19, 1913.]

	Page.
WALKER, E. L. Quantitative determination of the balantidicidal activity of certain drugs and chemicals as a basis for treatment of infections with <i>Balantidium coli</i>	1
ASHBURN, P. M., VEDDER, E. B., and GENTRY, E. R. The relationship of variola and vaccinia.....	17
MITZMAIN, M. B. The bionomics of <i>Stomoxys calcitrans</i> Linnæus; a preliminary account.....	29
WILLETS, D. G. General conditions affecting the public health and diseases prevalent in the Batanes Islands, P. I.....	49
BOYNTON, W. H. A study of the normal blood of the carabao.....	59

No. 2, April, 1913

[Issued June 12, 1913.]

MUSGRAVE, W. E., and SISON, A. G. The bone lesions of smallpox. Second report. Pathological report by B. C. CROWELL.....	67
Eleven plates and 5 skiagrams.	
CROWELL, B. C. Status thymico-lymphaticus among Filipinos.....	77
Two plates.	
HAMMACK, R. W. Primary sarcoma of the small intestine.....	91
HILARIO, J. S. Tumors of the pituitary gland. Report of a case of pituitary glioma.....	97
Two plates.	
HEISER, V. G. The outbreak of plague in Manila during 1912. The insidious beginning, with a discussion of probable factors concerned in its introduction.....	109
One map.	
FOX, C. The plague outbreak in Iloilo.....	119
One map.	
BUTLER, C. S. Some carbohydrate reactions of the dysentery bacillus	123
WILLETS, D. G., and SCHÖBL, O. Isolation of <i>Diplococcus intracellularis meningitidis</i> Weichselbaum from a case of cerebrospinal meningitis occurring in a native of the Philippine Islands.....	133
RUEDIGER, E. H. The duration of passive immunity against tetanus toxin	139
GILMAN, P. K. Appendicitis.....	143
THE PHILIPPINE ISLANDS MEDICAL ASSOCIATION. Minutes of the Ninth Annual Meeting.....	151

No. 2, June, 1913

[Issued September 24, 1913.]

CROWELL, B. C., and HAMMACK, R. W. Intestinal parasites encountered in five hundred autopsies, with reports of cases.....	157
---	-----

Contents

51

	Page.
VEDDER, E. B., and WILLIAMS, R. R. Concerning the beriberi-preventing substances or vitamines contained in rice polishings. A sixth contribution to the etiology of beriberi.....	175
MITZMAIN, M. B. The biology of <i>Tabanus striatus</i> Fabricius, the horsefly of the Philippines.....	197
Seven plates (1 colored).	
MITZMAIN, M. B. The mechanical transmission of surra by <i>Tabanus striatus</i> Fabricius	223
GILMAN, P. K. Axillary teratoma.....	231
Two plates.	
BOYNTON, W. H. A note upon strangles in the Philippine Islands....	237
TEAGUE, O. A further note upon the influence of atmospheric temperature upon the spread of pneumonic plague.....	241
No. 4, August, 1913	
[Issued September 19, 1913.]	
WALKER, E. L., with the coöperation of A. W. SELLARDS. Experimental entamöbic dysentery.....	253
One plate.	
No. 5, October, 1913	
[Issued December 1, 1913.]	
WALKER, E. L. Experimental balantidiasis.....	333
Seven plates.	
GIBSON, R. B. The influence of compensated salt mixtures on the development of polyneuritis gallinarum and beriberi.....	351
Four plates.	
BARBER, M. A. An unusual disease prevailing in epidemic form at Buhi, Ambos Camarines, P. I.....	369
BARBER, M. A. The infection of <i>Achlya</i> with various microörganisms	373
Three plates.	
MUSGRAVE, W. E., and SISON, A. G. Acute malignant glanders in man	385
One colored plate.	
REYES, C. M. Noma in the Philippine Islands with report of a case ending in recovery.....	397
One plate.	
ASHBURN, P. M., VEDDER, E. B., and GENTRY, E. R. Concerning varioloid in Manila.....	403
REVIEWS	405
No. 6, December, 1913	
[Issued March 14, 1914.]	
SCHÖBL, O. Bacteriological observations made during the outbreak of plague in Manila in 1912.....	409
One plate.	
ASHBURN, P. M., VEDDER, E. B., and GENTRY, E. R. Some experiments on the inoculation of monkeys with smallpox.....	429
Seven charts.	

	Page.
BARBER, M. A. A bacteriological examination of certain artesian wells in Rizal, Cavite, and Bulacan Provinces, P. I.....	443
MUSGRAVE, W. E. Infant mortality in the Philippine Islands.....	459
GIBSON, R. B. The protective power of normal human milk against polyneuritis gallinarum (beriberi).....	469
GIBSON, R. B. Proteoses and fever.....	475
HEISER, V. G., and VILLAFRANCA, R. Albinism in the Philippine Islands	493
One plate,	
WALKER, E. L. The life history of <i>Æsophagostomum apiostomum</i> , I: Development outside of the host.....	501
Four plates.	
BOYNTON, W. H. Duration of the infectiveness of virulent rinderpest blood in the water leech, <i>Hirudo boyntoni</i> Wharton.....	509
DUMÉZ, A. G. The physical and chemical properties of the oleoresin of <i>Aspidium</i> with respect to the detection of adulterations.....	523
BARBER, M. A. The variability of certain strains of dysentery bacilli as studied by the single-cell method.....	539
One plate and 1 text figure.	
INDEX	561

VOLUME VIII, C. BOTANY

No. 1, February, 1913

[Issued February 27, 1913.]

BROWN, W. H. The relation of the substratum to the growth of <i>Elodea</i>	1
BROWN, W. H., and GRAFF, P. W. Factors influencing fungus succession on dung cultures.....	21
MERRILL, E. D. Studies on Philippine Rubiaceæ, I.....	31

No. 2, April, 1913

[Issued April 19, 1913.]

BROTHERUS, V. F. Contributions to the bryological flora of the Philippines, IV	65
WAINIO, E. A. Lichenes insularum philippinarum, II.....	99

No. 3, May, 1913

[Issued May 14, 1913.]

COPELAND, E. B. Notes on some Javan ferns.....	139
Three plates.	
COPELAND, E. B. On <i>Phyllitis</i> in Malaya and the supposed genera <i>Diplora</i> and <i>Triphlebia</i>	147
Three plates.	
DIELS, L. Three new species of Menispermaceæ.....	157
HUBBARD, F. T. On <i>Eragrostis cilianensis</i> (All.) Vignolo Lutati....	159
KRÄNZLIN, F. Cyrtandraceæ novæ philippinenses, I.....	163

Contents

53

REHM, H. Ascomycetes philippinenses collecti a clar. C. F. Baker..	Page. 181
SYDOW, H. and P. Descriptions of some new Philippine fungi.....	195

No. 4, July, 1913 [Issued July 26, 1913.]

BROWN, W. H. The phenomenon of fatigue in the stigma of Martynia	197
GAMBLE, J. S. Some additional bamboos of the Philippine Islands.....	203
MERRILL, E. D. Studies on Philippine Melastomataceæ, I.....	207
REHM, H. Ascomycetes philippinenses, II.....	251
SYDOW, H. and P. Enumeration of Philippine fungi, with notes and descriptions of new species, part I: Micromycetes.....	265

No. 5, November, 1913 [Issued November 19, 1913.]

COPELAND, E. B. Daily growth movements of Lagerstroemia.....	287
GRAFF, P. W. Additions to the basidiomycetous flora of the Philippines	299
Three plates.	
KRÄNZLIN, F. Cyrtandraceæ novæ philippinenses, II.....	311
MERRILL, E. D. Studies in Philippine Melastomataceæ, II.....	335
Two plates.	
MERRILL, E. D. Plantæ wenzelianæ.....	363
REHM, H. Ascomycetes philippinenses, III.....	391

No. 6, December, 1913 [Issued January 31, 1914.]

AMES, O. Notes on Philippine orchids with descriptions of new species, VI	407
One plate.	
RADLKOFEK, L. Enumeratio sapindacearum philippinensium novarumque descriptio	443
SYDOW, H. and P. Enumeration of Philippine fungi with notes and descriptions of new species, II.....	475
Seven text figures.	
ERRATA	509
INDEX	511

VOLUME VIII, D. GENERAL BIOLOGY, ETHNOLOGY, AND ANTHROPOLOGY

No. 1, February, 1913 [Issued March 19, 1913.]

JONES, C. R. The cigarette beetle (Lasioderma serricorne Fabr.) in the Philippine Islands.....	1
Nine plates.	
BORCHMANN, F. Lagriiden und Alleculiden der Philippinen (Coleoptera)	43

No. 2, April, 1913

[Issued June 25, 1913.]

	Page.
BAKER, C. F. A study of caprification in <i>Ficus nota</i>	63
Four text figures.	
BEYER, H. O. Origin myths among the mountain peoples of the Philippines	85
Four plates.	
COWLES, R. P. The habits of some tropical Crustacea.....	119
One plate and 3 text figures.	
JONES, C. R. The coconut leaf-miner beetle, <i>Promecotheca cumingii</i> Baly	127
Two plates.	
HELLER, K. M. Neue Käfer von den Philippinen.....	135
Vierzehn Textfiguren.	

No. 3, June, 1913

[Issued July 8, 1913.]

SALT, A. E. W. Francisco de Carriedo y Peredo.....	165
Three plates and 1 text figure.	
WEISE, J. Über Chrysomeliden und Coccinelliden der Philippinen: II. Teil (Coleoptera).....	215

No. 4, August, 1913

[Issued January 16, 1914.]

WHARTON, L. D. A description of some Philippine <i>Thalassema</i> with a revision of the genus.....	243
Two plates and 3 text figures.	
OSHIMA, M. Notes on the termites of Japan with description of one new species.....	271
Two text figures.	
OSHIMA, M. Two species of termites from Singapore.....	283
MOCŠÁRY, A. The Chrysididæ of the Philippine Islands.....	287
CRAWFORD, D. L. New genera and species of Psyllidæ from the Philippine Islands	293
One plate and 1 text figure.	
SCHENKLING, S. Zwei neue philippinische Cleriden.....	303
BEZZI, M. Studies in Philippine Diptera, I.....	305

No. 5, October, 1913

[Issued February 24, 1914.]

LIGHT, S. F. The morphology of <i>Eudendrium griffini</i> sp. nov.....	333
Two plates and 5 text figures.	
BEAN, R. B. Filipino ears, IV: Ilongot and Maṅṅyan.....	357
Twenty plates.	
WHARTON, L. D. <i>Hirudo boyntoni</i> , a new Philippine leech.....	369
GEBIEN, H. Die Tenebrioniden der Philippinen.....	373

Contents

55

No. 6, December, 1913

[Issued May 13, 1914.]

GEBIEN, H. Die Tenebrioniden der Philippinen (Schluss).....	Page. 401
LIGHT, S. F. Notes on Philippine Alcyonaria, part I: The Philippine species of the genus Capnella.....	435
Three plates.	
BEAN, R. B. Types among the inland tribes of Luzon and Mindanao..	455
Nine plates and 1 map.	
INDEX	463

VOLUME IX

VOLUME IX, A. CHEMICAL AND GEOLOGICAL SCIENCES AND THE INDUSTRIES

No. 1, February, 1914

[Issued June 6, 1914.]

COX, A. J., and ARGÜELLES, A. S. The soils of the Island of Luzon..	1
Seven plates, 1 map, and 3 text figures.	
WRIGHT, J. R., and SMITH, O. F. A quantitative determination of the radium emanation in the atmosphere and its variation with altitude and meteorological conditions.....	51
One text figure.	
WEST, A. P., and COX, A. J. Burning tests of Philippine Portland cement raw materials.....	79
One plate and 3 text figures.	

No. 2, April, 1914

[Issued September 4, 1914.]

PRATT, D. S., and BRILL, H. C. The absorption spectra of various phthalides and related compounds, II.....	105
Six text figures.	
REIBLING, W. C., and REYES, F. D. The efficiency of Portland cement raw materials from Naga, Cebu.....	127
Two plates.	
PRATT, W. E. Geology and field relations of Portland cement raw materials at Naga, Cebu.....	151
One plate and 3 text figures.	
REIBLING, W. C. Natural cement versus brick; Iwahig Penal Colony raw materials	163
One plate.	
PRATT, D. S. The coconut and its products, with special reference to Ceylon	177
Five plates.	

No. 3, June, 1914

[Issued October 9, 1914.]

DALBURG, F. A., and PRATT, W. E. The iron ores of Bulacan Province, P. I.....	201
Six plates, 1 map, and 6 text figures.	
EDDINGFIELD, F. T. Microscopic study of the Bulacan iron ores.....	263

	Page.
EDITORIAL: Notes on the geology of Port Arthur and vicinity, by W. D. Smith.....	269
REVIEWS	271
No. 4, July, 1914 [Issued January 30, 1915.]	
COX, A. J., HEISE, G. W., and GANA, V. Q. Water supplies in the Philippine Islands	273
Five plates.	
No. 5, September, 1914 [Issued April 27, 1915.]	
BROWN, W. H., and MATTHEWS, D. M. Philippine dipterocarp forests	413
No. 6, November, 1914 [Issued May 7, 1915.]	
BROWN, W. H., and MATTHEWS, D. M. Philippine dipterocarp forests (concluded)	517
Thirteen plates, 1 map, and 12 text figures.	
INDEX	563

VOLUME IX, B. TROPICAL MEDICINE

No. 1, February, 1914 [Issued June 5, 1914.]	
BARBER, M. A. Cockroaches and ants as carriers of the vibrios of Asiatic cholera	1
HEISER, V. G. Reappearance of plague in the Philippines after an absence of six years. Brief description of the outbreak, the methods used to combat it, and the probable factors in its in- troduction	5
One map.	
BOYNTON, W. H. A preliminary report of experiments on the cul- tivation of the virus of rinderpest in vitro.....	39
BOYNTON, W. H. An atypical case of rinderpest in a carabao.....	45
One chart.	
WARD, A. R., WOOD, F. W., and BOYNTON, W. H. Experiments upon the transmission of rinderpest	49
Two plates and 6 charts.	
WILLETS, D. G. Intestinal parasitism, particularly entamoebiasis, in patients of the Philippine General Hospital, Manila, P. I.....	81
WILLETS, D. G., with the coöperation of COURT R. STANLEY and PER- PETUO GUTIERREZ. Preliminary report on the treatment of enta- moebiasis with ipecac, emetine, and neosalvarsan at the Philippine General Hospital, Manila, P. I.....	93
GIBSON, R. B., and CONCEPCIÓN, I. Nerve degeneration in fowls fed on unhusked rice (palay).....	119
One plate.	
WARD, A. R., and WOOD, F. W. Simultaneous method of inoculating cattle and carabaos with serum from animals that have been recently immunized	125
Three plates.	

Contents

57

No. 2, April, 1914
[Issued June 22, 1914.]

	Page.
A JOINT COMMISSION OF REPRESENTATIVES FROM THE COLLEGE OF MED- ICINE AND SURGERY, UNIVERSITY OF THE PHILIPPINES; BUREAU OF SCIENCE; AND BUREAU OF HEALTH. Sanitary survey of the San Jose Estate and adjacent properties on Mindoro Island, Philippine Islands, with special reference to the epidemiology of malaria	137
Three maps.	

No. 3, June, 1914
[Issued September 9, 1914.]

CALDERON, F. Some data concerning the medical geography of the Philippines	199
SCHÖBL, O. The etiology of trichomycosis palmellina in the Philip- pine Islands	219
One plate.	
JOHNSTON, J. A. A contribution to the bacteriology of leprosy. Preliminary note	227
One plate.	
WILLETS, D. G. Intestinal helminthiasis in the Philippine Islands as indicated by examinations of prisoners upon admission to Bilibid Prison, Manila, P. I.	233
MUSGRAVE, W. E., and SISON, A. G. Bacillary dysentery: The most prevalent form in Manila and its treatment	241
WILLETS, D. G. Widal reactions among healthy adult Filipinos.....	253
BOYNTON, W. H. Experiments on the cultivation of rinderpest virus as described by Baldrey	259
BOYNTON, W. H. Kidney-worm infestation of swine in the Philippine Islands with special reference to the pathological changes.....	269
Three plates.	
LIGHT, S. F. Another dangerous jellyfish in Philippine waters.....	291
GIBSON, R. B. Some simple laboratory apparatus.....	297
Three text figures.	
REVIEWS	303

No. 4, August, 1914
[Issued October 29, 1914.]

BARBER, M. A. The pipette method in the isolation of single micro- organisms and in the inoculation of substances into living cells. With a technique for dissection, staining, and other processes carried out under the higher powers of the microscope.....	307
Two plates and 19 text figures.	
CROWELL, B. C. Notes on the diagnosis of Asiatic cholera at autopsy	361
GUTIERREZ, P. Typhoid fever in the Philippines.....	367
REVIEWS	379

No. 5, September, 1914

[Issued February 6, 1915.]

	Page.
WALKER, E. L., and BARBER, M. A. Malaria in the Philippine Islands, I: Experiments on the transmission of malaria with <i>Anopheles</i> (<i>Myzomyia</i>) <i>febrifer</i> sp. nov., <i>Anopheles</i> (<i>Pseudomyzomyia</i>) <i>rossii</i> , <i>Anopheles</i> (<i>Myzorhynchus</i>) <i>barbirostris</i> , <i>Anopheles</i> (<i>Myzorhynchus</i>) <i>sinensis</i> , and <i>Anopheles</i> (<i>Nyssorhynchus</i>), <i>maculatus</i>	381
WILLETS, D. G. Malaria in the Philippine General Hospital, Manila, P. I., during the fiscal year 1913.....	441
CROWELL, B. C. The chief intestinal lesions encountered in one thousand consecutive autopsies in Manila.....	453
REVIEWS	461

No. 6, November, 1914

[Issued March 2, 1915.]

RUEDIGER, E. H. The germicidal power of glycerin on various micro-organisms under various conditions.....	465
SCHÖBL, O. The vitality of the cholera vibrio in Manila waters.....	479
WALKER, E. L. The morphology of the adults of the <i>Filaria</i> found in the Philippine Islands..... One plate.	483
ACOSTA-SISON, H. Pelvimetry and cephalometry among Filipinas....	493
GIBSON, R. B. A note on the physiological action of the proteoses....	499
GIBSON, R. B., and CONCEPCIÓN, I. The lymphagogenic action of the Philippine mango, <i>Mangifera indica</i> Linnaeus.....	503
CONCEPCIÓN, I. Observations on mango rash	509
BARBER, M. A. Milk poisoning due to a type of <i>Staphylococcus albus</i> occurring in the udder of a healthy cow.....	515
REVIEWS	521
INDEX	523

VOLUME IX, C. BOTANY

No. 1, February, 1914

[Issued April 13, 1914.]

COPELAND, E. B. New Papuan ferns.....	1
AMES, O. The orchids of Guam.....	11
MERRILL, E. D. An enumeration of the plants of Guam.....	17

No. 2, April, 1914

[Issued June 22, 1914.]

MERRILL, E. D. An enumeration of the plants of Guam (concluded) ..	97
SYDOW, H. and P. Fungi from northern Palawan.....	157

Contents

59

No. 3, June, 1914

[Issued June 27, 1914.]

	Page.
MERRILL, E. D. Charles Budd Robinson, jr.....	191
ROBINSON, C. B. The geographic distribution of Philippine mosses..	199
CAMPBELL, D. H. The genus <i>Macroglossum</i> Copeland.....	219
One plate and 4 text figures.	
COPELAND, E. B. New Sumatran ferns.....	227
GRAFF, P. W. Philippine Basidiomycetes, II.....	235
One plate.	
HUBBARD, F. T. A new species of <i>Rottboellia</i>	257
OSTENFELD, C. H. New or noteworthy aquatic plants.....	259
MERRILL, E. D. New or noteworthy Philippine plants, X.....	261

No. 4, August, 1914

[Issued November 25, 1914.]

MERRILL, E. D. New or noteworthy Philippine plants, X (concluded)	293
BENNETT, A. The potamogetons of the Philippine Islands.....	339
BRESADOLA, G., and SYDOW, H. Enumeration of Philippine Basidiomycetes	345
MERRILL, E. D. <i>Plantæ wenzelianæ</i> , II.....	353

No. 5, September, 1914

[Issued January 30, 1915.]

GATES, F. C. The pioneer vegetation of Taal Volcano.....	391
Eight plates.	
COPELAND, E. B. Hawaiian ferns collected by M. l'Abbé U. Faurie....	435
MERRILL, E. D. <i>Sertulum bontocense</i> : New or interesting plants collected in Bontoc Subprovince, Luzon, by Father Morice Vano-verbergh, II	443
MERRILL, E. D. Notes on Philippine Euphorbiaceæ, II.....	461

No. 6, November, 1914

[Issued March 20, 1915.]

GATES, F. C. Swamp vegetation in hot springs areas at Los Baños, Laguna, P. I.....	495
Five plates.	
MERRILL, E. D. <i>Dilleniaceæ novæ</i>	517
MERRILL, E. D. <i>Meliaceæ novæ</i>	531
ERRATA	543
INDEX	545

VOLUME IX, D. GENERAL BIOLOGY, ETHNOLOGY, AND ANTHROPOLOGY

No. 1, February, 1914

[Issued May 28, 1914.]

	Page.
SEALE, A. Preservation of commercial fish and fishery products in the tropics	1
Two plates.	
DAY, A. L. The osseous system of <i>Ophiocephalus striatus</i> Bloch....	19
Nineteen plates and 7 text figures.	
WORCESTER, D. C. Note on the occurrence of a flying crustacean in the Philippine Islands.....	57
SEALE, A. Fishes of Hongkong.....	59
Two plates.	
KERREMANS, C. Buprestides recueillis aux îles Philippines par C. F. Baker, I	83
Une figure dans le texte.	
SCHULTZE, W. Notes on the Malay pangolin, <i>Manis javanica</i> Desmarest	93
Two plates.	

No. 2, April, 1914

[Issued August 24, 1914.]

CHRISTIE, E. B. Notes on irrigation and coöperative irrigation societies in Ilocos Norte.....	99
One plate.	
CHRISTIE, E. B. Notes on the pottery industry in San Nicolas, Ilocos Norte	117
Three plates.	
CAIN, A. W. History of the Spanish Normal School for men teachers in Manila, 1865-1905.....	123
Four plates.	
MELICHAR, L. Neue Homopteren von den Philippinen.....	173
Eine Tafel.	
KIEFFER, J. J. Nouveaux cynipides des Philippines.....	183
DAY, A. L. Two new cyprinoid fishes of the genus <i>Barbus</i> from Lake Manguao, Palawan, P. I.....	187
One plate.	

No. 3, June, 1914

[Issued September 29, 1914.]

LIGHT, S. F. Some Philippine Scyphomedusæ, including two new genera, five new species, and one new variety.....	195
Sixteen text figures.	
LIGHT, S. F. Notes on Philippine Alcyonaria, part II: <i>Lemnalioides kükenthali</i> , a new genus and species of Alcyonaria from the Philippines, and a discussion of the systematic position of the new genus	233
One plate and 8 text figures.	
WILEMAN, A. E. Notes on Japanese Lepidoptera and their larvæ, part I	247
Three colored plates.	

Contents

61

	Page.
MELICHAR, L. Neue Fulgoriden von den Philippinen: I. Theil.....	269
Eine Tafel.	
KIEFFER, J. J. Enumération des serphides (proctotrupides) des îles Philippines avec description de genres nouveaux et d'espèces nouvelles	285
SCHULTZE, W. Notes on a nesting place of <i>Crocodylus palustris</i> Lesson	313
One plate.	
No. 4, August, 1914 [Issued March 25, 1915.]	
COWLES, R. P. Palaemons of the Philippine Islands.....	319
Three plates and 1 text figure.	
BANKS, C. S. A new Philippine malaria mosquito.....	405
No. 5, September, 1914 [Issued April 21, 1915.]	
BAKER, C. F. Studies in Philippine Jassoidea, I: Some remarkable Tettigoniellidæ	409
Eleven text figures.	
BICKHARDT, H. Philippinische Histeriden, I.....	423
Eine Tafel.	
MELICHAR, L. Neue Fulgoriden von den Philippinen.....	433
Eine Tafel.	
FLEUTIAUX, ED. Elateridæ des îles Philippines.....	441
RAFFRAY, A. Catalogue des psélaphides (coléoptères) des îles Philippines	451
CRAWFORD, J. C. New Philippine Hymenoptera.....	457
No. 6, November, 1914 [Issued May 20, 1915.]	
ROBERTSON, J. A. The Igorots of Lepanto.....	465
Nine plates and 1 text figure.	
MCGREGOR, R. C. Description of a new species of <i>Prionochilus</i> from the highlands of Luzon.....	531
One colored plate.	
GROUVELLE, A. Nitidulidæ des Philippines recoltés par C. F. Baker..	535
INDEX	543

VOLUME X

VOLUME X, A. CHEMICAL AND GEOLOGICAL SCIENCES AND THE INDUSTRIES

No. 1, January, 1915
[Issued May 13, 1915.]

PRATT, D. S. Papain: Its commercial preparation and digestive prop- erties	1
Two plates and 4 text figures.	

	Page.
BLACKWOOD, O. H. A determination of the diurnal variation of the radioactivity of the atmosphere at Manila by the active deposit method	37
Five text figures.	
GIBBS, H. D., and BRILL, H. C. Diethylsuccinosuccinate (ethylendioxydihydroteraphthalate): A study of its constitution, some derivatives, and absorption spectra.....	51
Three text figures.	
HEISE, G. W. Water supply for the city of Iloilo.....	65
One text figure.	
HEISE, G. W. Boiler waters of Iloilo Province.....	75
SMITH, W. D., EDDINGFIELD, F. T., and FANNING, P. R. A preliminary check list of Philippine minerals.....	81
REVIEWS	97

No. 2, March, 1915

[Issued August 28, 1915.]

GIBBS, H. D. Proposed modification of ylang-ylang oil standards....	99
BRILL, H. C., and AGCAOILI, F. Philippine oil-bearing seeds and their properties, II	105
Two text figures.	
BRILL, H. C. The enzymes of cacao.....	123
HEISE, G. W. Water supplies in the Philippine Islands, II.....	135
REVIEWS	171

No. 3, May, 1915

[Issued September 18, 1915.]

SMITH, W. D. Notes on a geologic reconnaissance of Mountain Province, Luzon, P. I.....	177
Five plates and 5 text figures.	
SMITH, W. D. Notes on the geology of Panay.....	211
One plate and 3 text figures.	

No. 4, July, 1915

[Issued September 24, 1915.]

PRATT, W. E. The location of artesian wells in the Philippine Islands from a geologic viewpoint.....	231
PRATT, W. E. Petroleum and residual bitumens in Leyte.....	241
One plate and 2 text figures.	
PRATT, W. E. On the occurrence of petroleum in the Province of Cebu	281
Two text figures.	

No. 5, September, 1915

[Issued October 4, 1915.]

PRATT, W. E. The persistence of Philippine coal beds.....	289
Three text figures.	
PRATT, W. E. Geologic reconnaissance in Caramoan Peninsula, Camarines Province	303
One plate and 2 text figures.	

	Page.
PRATT, W. E. Iron ore on Calambayanga Island, Mambulao, Camarines	323
Two text figures.	
PRATT, W. E., and LEDNICKY, V. E. Iron ore in Surigao Province....	335
One plate and 1 text figure.	

No. 6, November, 1915

[Issued February 14, 1916.]

GANA, V. Q. The leather industry of the Philippine Islands.....	349
Two plates.	
COX, A. J., and DAR JUAN, T. Salt industry and resources of the Philippine Islands	375
Seventeen plates and 5 text figures.	
INDEX	403

VOLUME X, B. TROPICAL MEDICINE

No. 1, January, 1915

[Issued June 22, 1915.]

MUNSON, E. L. Cholera carriers in relation to cholera control.....	1
SCHÖBL, O. Observations concerning cholera carriers.....	11
WHARTON, L. D. The development of the eggs of <i>Ascaris lumbricoides</i>	19
RUEDIGER, E. H. The occurrence of <i>Bacillus coli communis</i> in the peripheral blood of man during life.....	25
Three text figures (charts).	
RUEDIGER, E. H. The preparation of tetanus antitoxin.....	31
Eighty-five text figures (charts).	
CALDERON, F. Cæsarean section in the Philippine Islands.....	65
WOODWARD, R. B. Case report of obstructed labor and Cæsarean section	69
THORNBURGH, R. M. Adenocarcinoma of the cæcum, complicated by intussusception	71
DUMEZ, A. G. Two compounds of emetine which may be of service in the treatment of entamœbiasis.....	73
ALBERT, J. The treatment of infantile beriberi with the extract of tiqui-tiqui	81
PHILIPPINE ISLANDS MEDICAL ASSOCIATION. Minutes of the eleventh annual meeting, held at Manila, November 4-7, 1914.....	87
EDITORIAL: Progress in the investigation of vitamines, by R. R. Williams	95
REVIEW	97

No. 2, March, 1915

[Issued July 1, 1915.]

WILLIAMS, R. R., and SALEEBY, N. M. Experimental treatment of human beriberi with constituents of rice polishings.....	99
Two plates.	

	Page.
WILLIAMS, R. R., and CROWELL, B. C. The thymus gland in beriberi	121
SCHÖBL, O. Practical experience with some enriching media recommended for bacteriological diagnosis of Asiatic cholera.....	127
BARBER, M. A. I. Experiments on the immunization of guinea pigs by the inoculation of avirulent tubercle bacilli in agar. II. Observations on animals inoculated with tuberculosis from lepers	145
BARBER, M. A., and JONES, C. R. A test of <i>Coccobacillus acridiorum</i> d'Herelle on locusts in the Philippines.....	163

No. 3, May, 1915

[Issued July 22, 1915.]

BARBER, M. A., RAQUEL, A., GUZMAN, A., and ROSA, A. P. Malaria in the Philippine Islands, II: The distribution of the commoner anophelines and the distribution of malaria.....	177
---	-----

Two plates and 1 text figure.

No. 4, July, 1915

[Issued September 13, 1915.]

CROWELL, B. C. Pathologic anatomy of bubonic plague	249
---	-----

Five colored plates.

No. 5, September, 1915

[Issued November 27, 1915.]

ROBERG, D. N. I. The rôle played by the insects of the dipterous family Phoridae in relation to the spread of bacterial infections. II. Experiments on <i>Aphiochaeta ferruginea</i> Brunetti with the cholera vibrio	309
WILLIAMS, R. R., and JOHNSTON, J. A. Miscellaneous notes and comments on beriberi	337
SCHÜFFNER, W. Pseudotyphoid fever in Deli, Sumatra (a variety of Japanese kedani fever).....	345
REVIEWS	355

Three plates.

No. 6, November, 1915

[Issued January 20, 1916.]

DENNEY, O. E. The treatment of the retrogressive skin lesions of leprosy with basic fuchsin.....	357
JOHNSTON, J. A. Leprosy.....	365
CALDERON, F. Tropical obstetrical problems.....	371
COULTER, J. S. A study of the pathology of the gall bladder and biliary passages in cholera.....	385
INDEX	391

Three plates.

VOLUME X, C. BOTANY

No. 1, January, 1915

[Issued April 23, 1915.]

MERRILL, E. D. New or noteworthy Philippine plants, XI.....	1
---	---

Contents

65

No. 2, March, 1915

[Issued April 28, 1915.]

	Page.
PATOUILLARD, N. Champignons des Philippines communiqués par C. F. Baker, II.....	85
MERRILL, E. D. Studies on Philippine Rubiaceæ, II.....	99
COPELAND, E. B. Notes on Bornean ferns..... One plate.	145
REVIEW	153

No. 3, May, 1915

[Issued July 13, 1915.]

MERRILL, E. D. The present status of botanical exploration in the Philippines	159
One map.	
MERRILL, E. D. Genera and species erroneously credited to the Philippine flora	171
MERRILL, E. D. New species of Schefflera.....	195
MERRILL, E. D. New species of Eugenia	207

No. 4, July, 1915

[Issued August 9, 1915.]

MERRILL, E. D. Studies on Philippine Anonaceæ, I.....	227
MERRILL, E. D. Plantæ wenzelianæ, III.....	265

No. 5, September, 1915

[Issued September 18, 1915.]

MERRILL, E. D. New or noteworthy Philippine plants, XII.....	287
--	-----

No. 6, November, 1915

[Issued May 18, 1916.]

RUNDLES, J. C. Studies in rice.....	351
Five plates.	
TEODORO, N. G. A preliminary study of Philippine bananas.....	379
Twelve plates.	
INDEX	423

VOLUME X, D. GENERAL BIOLOGY, ETHNOLOGY, AND ANTHROPOLOGY

No. 1, January, 1915

[Issued July 14, 1915.]

LIGHT, S. F. Notes on Philippine Alcyonaria, part III: Two new species of Lithophytum Forskål from the Philippines.....	1
Two plates and 3 text figures.	
COWLES, R. P. The habits of some tropical crustaceans, II.....	11
Three plates and 2 text figures.	
HELLER, K. M. Neue Käfer von den Philippinen, II.....	19
Neunzehn Textfiguren.	
BAKER, C. F. Studies in Philippine Jassoidea, II: Philippine Jassaria	49
Five text figures.	

<p>GRIFFINI, A. Prospetto dei Grillacridi delle Isole Filippine..... Una tavola.</p> <p>POPPIUS, B. Neue orientalische Bryocorinen.....</p>	<p>Page. 61</p> <p>75</p>
<p>No. 2, March, 1915 [Issued August 26, 1915.]</p>	
<p>TAYLOR, E. H. New species of Philippine lizards..... One plate.</p> <p>WHARTON, L. D. The eggs of <i>Ascaris lumbricoides</i>.....</p> <p>BERNHAEUER, M. Zur Staphylinidenfauna der Philippinen: VI. Bei- trag zur Kenntnis der Indo-malayischen Fauna</p> <p>GROUVELLE, A. Dryopidae et Heteroceridae des Philippines.....</p> <p>BAKER, C. F. Notices of certain Philippine Fulgoroidea, one being of economic importance</p> <p>COWLES, R. P. Are <i>Atya spinipes</i> Newport and <i>Atya armata</i> Milne Edwards synonyms for <i>Atya molluccensis</i> de Haan?</p> <p>LIGHT, S. F. Notes on Philippine Alcyonaria, part IV: Notes on Philippine Stolonifera and Xeniidæ</p>	<p>89</p> <p>111</p> <p>117</p> <p>131</p> <p>137</p> <p>147</p> <p>155</p>
<p>No. 3, May, 1915 [Issued August 26, 1915.]</p>	
<p>KEMP, S. On a collection of stomatopod Crustacea from the Philip- pine Islands</p> <p>BAKER, C. F. Studies in Philippine Jassoidea, III: The Stenoco- tidæ of the Philippines</p> <p>LIGHT, S. F. Notes on Philippine Alcyonaria, part V: <i>Cornularia</i> <i>minuta</i>, a new species</p> <p>SEALE, A. Note regarding the dugong in the Philippine Islands.....</p>	<p>169</p> <p>189</p> <p>203</p> <p>215</p>
<p>No. 4, July, 1915 [Issued January 8, 1916.]</p>	
<p>HELLER, K. M. Neue Käfer von den Philippinen, III..... Eine Tafel.</p> <p>BAKER, C. F. Two Amphipoda of Luzon</p> <p>CRAWFORD, D. L. Ceylonese and Philippine Psyllidæ (Homoptera)....</p> <p>SCHULTZE, W. I. Beitrag zur coleopteren Fauna der Philippinen....</p>	<p>219</p> <p>251</p> <p>257</p> <p>271</p>
<p>No. 5, September, 1915 [Issued May 25, 1916.]</p>	
<p>WILEMAN, A. E. Notes on Japanese Lepidoptera and their larvæ, part II</p>	<p>281</p>

DAY, A. L. Difficulties encountered in the culture of the bañgos, or milkfish, in Zambales Province.....	307
No. 6, November, 1915 [Issued May 26, 1916.]	
BAKER, C. F. Studies in Philippine Jassoidea, IV: The Idiocerini of the Philippines	317
Twenty-three text figures.	
WILEMAN, A. E. Notes on Japanese Lepidoptera and their larvæ, part III	345
Three colored plates.	
FUNKHOUSER, W. D. Review of the Philippine Membracidæ.....	365
Two plates and 3 text figures.	
INDEX	407

AUTHOR INDEX

A

ACOSTA-SISON, HONORIA.

Pelvimetry and cephalometry among Filipinas, ix, B, 493.

ADAMS, GEORGE IRVING.

Geologic reconnaissance of southwestern Luzon, v, A, 57.

Geological reconnaissance of the Island of Leyte—with notes and observations on the adjacent smaller islands and southwestern Samar, iv, A, 339.

Geology and water supply, iv, B, 211. *See* Committee on medical survey of the town of Taytay, iv, B, 207.

Sand, gravel, and crushed stone available for concrete construction in Manila, iv, A, 463.

Tests of Philippine road materials, iv, A, 455.

The marble and schist formations of Romblon Island (editorial), iv, A, 87.

Timor Island; its supposed volcano and its probable tectonic relations, vii, A, 283.

ADAMS, G. I., and PRATT, W. E.

Geologic reconnaissance of southeastern Luzon, vi, A, 449.

Philippine pottery, v, A, 143.

AGCAOILI, FRANCISCO.

The composition of various milks and their adaptability for infant feeding, viii, A, 141.

See also Brill, H. C., x, A, 105; Gibbs, H. D., iii, A, 371; v, A, 33; vii, A, 47. 97, 383, 403.

ALBERT, JOSÉ.

A case of infantile beriberi with autopsy report, iii, B, 345.

The treatment of infantile beriberi with the extract of tiqui-tiqui, x, B, 81.

AMES, OAKES.

Notes on Philippine orchids with descriptions of new species, iv, C, 593, 663; vi, C, 35; vii, C, 1, 125; viii, C, 407.

Orchidaceæ halconenses: An enumeration of the orchids collected on or near Mount Halcon, Mindoro, chiefly by Elmer D. Merrill, ii, C, 311.

The orchids of Guam, ix, C, 11.

ANDREWS, VERNON LEE.

Infantile beriberi, vii, B, 67.

See also McLaughlin, A. J., v, B, 149; Nichols, H. J., iv, B, 81.

ARGÜELLES, ANGELO SEVERO.

See Cox, A. J., ix, A, 1.

ARON, HANS.

Diet and nutrition of the Filipino people, iv, B, 195.

Investigation on the action of the tropical sun on men and animals, vi, B, 101.

ARON, HANS—Continued.

Nutrition and growth, vi, B, 1.

Phosphorus starvation with special reference to beriberi, v, B, 81.

The chemical composition of the blood in Asiatic cholera, v, B, 395.

The food of the people of Taytay from a physiological standpoint, iv, B, 225. *See* Committee on medical survey of the town of Taytay, iv, B, 207.

ARON, H., and HOCSON, F.

Phosphorus starvation with special reference to beriberi, v, B, 98.

Rice as food: Investigation of the nitrogen and phosphorus metabolism on a diet consisting principally of rice and other vegetable foodstuffs, vi, B, 361.

ASHBURN, PERCY MOREAU, and CRAIG, C. F.

A comparative study of tsutsugamushi disease and spotted or tick fever of Montana, iii, B, 1.

Experimental investigations regarding the etiology of dengue fever, with a general consideration of the disease, ii, B, 93.

Observations upon *Filaria philippinensis* and its development in the mosquito, ii, B, 1.

Observations upon *Treponema pertenuis* Castellani of yaws and the experimental production of the disease in monkeys, ii, B, 441.

ASHBURN, P. M., VEDDER, E. B., and GENTRY, E. R.

Concerning varioloid in Manila, viii, B, 403.

Some experiments on the inoculation of monkeys with smallpox, viii, B, 429.

The relationship of variola and vaccinia, viii, B, 17.

ATKINSON, JOHN MITFORD.

Malarial fever during the puerperium, v, B, 193.

Plague procedure in Hongkong, iii, B, 39.

B

BACON RAYMOND FOSS.

A preliminary study of the effect of tropical sunlight on the atmosphere, with some notes on radioactive phenomena in the P. I., v, A, 267.

A rubber vine (editorial), iv, A, 166.

A solution of oxalic acid and uranium salts as a chemical photometer, v, A, 281.

Catalysis by means of uranium salts in the sunlight, ii, A, 129.

Note on the action of sodium alcoholates on alcohols (editorial), iv, A, 166.

On a rapid clinical method for determining the ammonia coefficient of urines, iv, A, 153.

Philippine arrow poisons (editorial), iii, A, 41.

Philippine terpenes and essential oils, iii, A, 49; iv, A, 93; v, A, 257.

Philippine terpenes and essential oils, II: Ylang-ylang oil, iii, A, 65.

Starch production in the P. I. (editorial), iii, A, 93.

The crater lakes of Taal Volcano, ii, A, 115.

The excreta of the python (editorial), iv, A, 165.

The physiologically active constituents of certain Philippine medicinal plants, i, 1007.

The tensile strength of machine- and hand-stripped abacá fiber (editorial), iv, A, 163.

BACON, RAYMOND FOSS—Continued.

The waters of the crater lakes of Taal Volcano, with a note on some phenomena of radioactivity, i, No. 4, 433.

See also Hulburt, C. H., v, A, 19.

BACON, R. F., and FREER, P. C.

The action of sodium on acetone, ii, A, 67.

BACON, R. F., and GANA, V. Q.

The economic possibilities of the mangrove swamps of the P. I., iv, A, 205.

BACON, R. F., and MARSHALL, H. T.

The toxic action of saponin, i, 1037.

BAKER, CHARLES FULLER.

A study of caprification in *Ficus nota*, viii, D, 63.

Notices of certain Philippine Fulgoroidea, one being of economic importance, x, D, 137.

Studies in Philippine Jassoidea: I, Some remarkable Tettigoniellidæ, ix, D, 409.

Studies in Philippine Jassoidea: II, Philippine Jassaria, x, D, 49.

Studies in Philippine Jassoidea: III, The Stenocotidæ of the P. I., x, D, 189.

Studies in Philippine Jassoidea, iv: The Idiocerini of the P. I., x, D, 317.

Two Amphipoda of Luzon, x, D, 251.

BANKS, CHARLES SUMNER.

A change of name in Coccidæ, i, 787.

A list of Philippine Culicidæ with descriptions of some new species, i, 977.

A mosquito which breeds in salt and fresh water, iii, B, 335.

A new accessory for dissection work, v, D, 131.

A new genus and species of Culicidæ, i, 779.

A new Philippine malaria mosquito, ix, D, 405.

An interesting occurrence with sticky grass: *Eragrostis viscosa* Trin. (editorial), v, D, 85.

Biology of Philippine Culicidæ, iii, A, 235.

Experiments in malarial transmission by means of *Myzomyia ludlowii* Theob., ii, B, 513.

Four new Culicidæ from the P. I., iv, A, 545.

Mosquitoes and other insects, iv, B, 233. See Committee on medical survey of the town of Taytay, iv, B, 207.

New Philippine insects, i, 229.

Problems in economic entomology in the P. I., i, 1067.

Rhynchota palawanica, I: Heteroptera, iv, A, 553.

Rhynchota palawanica, II: Homoptera, v, D, 33.

The mosquito survey in and near San Jose, ix, B, 163. See Commission of representatives, sanitary survey of the San Jose Estate, ix, B, 137.

The polyscopic cell. A new microscopical accessory, v, D, 79.

The principal insects injurious to the coconut palm, i, 143, 211.

BARBER, MARSHALL ALBERT.

A bacteriological examination of certain artesian wells in Rizal, Cavite, and Bulacan Provinces, P. I., viii, B, 443.

An unusual disease prevailing in epidemic form at Buhi, Ambos Camarines, P. I., viii, B, 369.

Cockroaches and ants as carriers of the vibrios of Asiatic cholera, ix, B, 1.

BARBER, MARSHALL ALBERT—Continued.

Experiments on the immunization of guinea pigs by the inoculation of avirulent tubercle bacilli in agar. II. Observations on animals inoculated with tuberculosis from lepers, x, B, 145.

Milk poisoning due to a type of *Staphylococcus albus* occurring in the udder of a healthy cow, ix, B, 515.

Studies on pneumonic plague and plague immunization. X. Immunization of guinea pigs by vaccination with avirulent plague bacilli mixed with agar, vii, B, 245.

Studies on pneumonic plague and plague immunization. XI. The infection of guinea pigs, monkeys, and rats with doses of plague bacilli ranging from one bacillus upwards, vii, B, 251.

The infection of *Achlya* with various microorganisms, viii, B, 373.

The pipette method in the isolation of single microorganisms and in the inoculation of substances into living cells. With a technique for dissection, staining, and other processes carried out under the higher powers of the microscope, ix, B, 307.

The susceptibility of cockroaches to plague bacilli inoculated into the body cavity, vii, B, 521.

The variability of certain strains of dysentery bacilli as studied by the single-cell method, viii, B, 539.

See also Teague, O., vii, B, 157; Walker, E. L., ix, B, 381.

BARBER, M. A., and JONES, C. R.

A test of *Coccobacillus acridiorum* d'Herelle on locusts in the P. I., x, B, 163.

BARBER, M. A., RAQUEL, A., GUZMAN, A., and ROSA, A. P.

Malaria in the P. I., II: The distribution of the commoner anophelines and the distribution of malaria, x, B, 177.

BARBER, M. A., and TEAGUE, O.

Studies on pneumonic plague and plague immunization. XII. Some experiments to determine the efficacy of various masks for protection against pneumonic plague, vii, B, 255.

BARTLETT, MURRAY.

Doctor Freer as an organizer and an administrator, vii, m. n., xxix.

BARTON, ROY FRANKLIN.

The harvest feast of the Kiangnan Ifugao, vi, D, 81.

See also Beyer, H. O., vi, D, 227.

BEAN, ROBERT BENNETT.

A cephalograph: The description of an instrument for reproducing the outlines of the head and face, iv, A, 447.

A theory of heredity to explain the types of the white race, iii, A, 215.

A theory of heredity to explain the types of the white race in North America, iii, A, 215.

Filipino ears—a classification of ear types, iv, A, 27.

Filipino ears, II: Ears from Malecon morgue, v, D, 191.

Filipino ears, III: Negrito, vi, D, 107.

Filipino ears, IV: Ilongot and Mañgyan, viii, D, 357.

Filipino types: Found in Malecon morgue, iv, A, 297.

Filipino types: Manila students. An attempt to classify the littoral population of Luzon and adjacent islands, iv, A, 263.

Filipino types: Racial anatomy in Taytay. A. The men, iv, A, 359.

Methods of studying the structure of the central nervous system, iv, B, 9.

Paleolithic man in the P. I. *Homo philippinensis*, v, D, 27.

BEAN, ROBERT BENNETT—Continued.

The Benguet Igorots. A somatologic study of the live folk of Benguet and Lepanto-Bontoc, iii, A, 413.

Types among the inland tribes of Luzon and Mindanao, viii, D, 455.

BEAN, R. B., and PLANTA, F. S.

Filipino types: Racial anatomy in Taytay. B. The women, v, D, 1.

The men of Cainta, vi, D, 7.

BECCARI, ODOARDO.

Notes on Philippine palms, ii, C, 219; iv, C, 601.

The palms of the Batanes and Babuyan Islands, iii, C, 339.

The palms of the Island of Polillo, vi, C, 229.

BEDDARD, FRANK EVARS.

The Oligochæta terricolæ of the P. I., part I: The genus *Pheretima*, vii, D, 179.

BENNETT, ARTHUR.

The potamogetons of the P. I., ix, C, 339.

BERNHAEUER, MAX.

Neue Staphyliniden der Philippinen, vii, D, 245.

Zur Staphylinidenfauna der Philippinen: VI. Beitrag zur Kenntnis der Indo-malaysischen Fauna, x, D, 117.

BEYER, HENRY OTLEY.

Origin myths among the mountain peoples of the P. I., viii, D, 85.

See also Gibbs, H. D., vii, A, 97.

BEYER, H. O., and BARTON, R. F.

An Ifugao burial ceremony, vi, D, 227.

BEZZI, MARIO.

Studies in Philippine Diptera, viii, D, 305.

BICKHARDT, HEINRICH.

Philippinische Histeriden, I, ix, D, 423.

BLACKWOOD, OSWALD HANCE.

A determination of the diurnal variation of the radioactivity of the atmosphere at Manila by the active deposit method, x, A, 37.

BLOOMBERG, HORACE DECHAMPS.

The Wassermann reaction in syphilis, leprosy, and yaws, vi, B, 335.

See also Chamberlain, W. P., v, B, 505; vi, B, 177.

BORCHMANN, FRITZ.

Lagriiden und Alleculiden der Philippinen (Coleoptera), viii, D, 43.

BOWMAN, FRED B.

A case of dysentery caused by *Balantidium coli* with coincident filarial infarction of the spleen, vi, B, 147.

A note on the spontaneous occurrence of bacillary dysentery in monkeys, v, B, 481.

A series of cases of tropical infantile dysentery with a hitherto undescribed bacillus as the causative factor (preliminary report), iii, B, 31.

Complement fixation in yaws, v, B, 485.

The incidence and complications of malaria in the P. I. with special reference to its treatment with arsenophenylglycin, v, B, 291.

Two cases of *Balantidium coli* infection, with autopsy, iv, B, 417.

BOWMAN, F. B., LOPEZ, L., MANAPAT, V. E., and RIVERA, V.

Table of physical examinations, iv, B, 271. See Committee on medical survey of the town of Taytay, iv, B, 207.

BOYNTON, WILLIAM HUTCHINS.

A note upon anthrax in the P. I., vi, B, 93.

A note upon strangles in the P. I., viii, B, 237.

A preliminary report of experiments on the cultivation of the virus of rinderpest in vitro, ix, B, 39.

A study of the normal blood of the carabao, viii, B, 59.

An atypical case of rinderpest in a carabao, ix, B, 45.

Duration of the infectiveness of virulent rinderpest blood in the water leech, *Hirudo boyntoni* Wharton, viii, B, 509.

Experiments on the cultivation of rinderpest virus as described by Baldrey, ix, B, 259.

Kidney-worm infestation of swine in the P. I. with special reference to the pathological changes, ix, B, 269.

Notes on the muscular changes brought about by intermuscular injection of calves with the virus of contagious pleuropneumonia, vii, B, 525.

See also Ward, A. R., ix, B, 49.

BRAND, AUGUST.

The Symplocaceæ of the P. I., iii, C, 1.

Additional Philippine Symplocaceæ, iv, C, 107; vii, C, 29.

BRENT, CHARLES HENRY.

Paul Caspar Freer, his influence upon other men, vii, m. n., ix.

BRESADOLA, GIACOMO, and SYDOW, H.

Enumeration of Philippine Basidiomycetes, ix, C, 345.

BREWER, ISAAC W.

Tuberculosis in the P. I., v, B, 331.

BRILL, HARVEY CLAYTON.

The enzymes of cacao, x, A, 123.

See also Gibbs, H. D., x, A, 51; Pratt, D. S., ix, A, 105.

BRILL, H. C., and AGCAOILI, F.

Philippine oil-bearing seeds and their properties, II, x, A, 105.

BRINCKERHOFF, WALTER REMSEN, and TYZZER, E. E.

Studies upon experimental variola and vaccinia in *Quadrumania* (with an introduction by W. T. Councilman), i, 239.

BROCHET, A.

See Vassal, J. J., iv, B, 21.

BROOKE, GILBERT E.

Notes on contagious ophthalmia, v, B, 303.

BROOKS, BENJAMIN TALBOT.

New Philippine essential oils, vi, A, 333.

The action of organic peroxides on the photographic plate, iv, A, 451.

The destructive distillation of Manila copal, v, A, 203.

The fluctuation in the value of ylang-ylang oil and some of its causes (editorial), vi, A, 355.

The natural dyes and coloring matters of the P. I., v, A, 439.

The oleoresin of *Pinus insularis* Endl., v, A, 229.

The oxidation of Manila copal by the air, v, A, 219.

BROTHERUS, VIKTOR FERDINAND.

Contributions to the bryological flora of the P. I., iii, C, 11; v, C, 137; viii, C, 65.

Musci halconenses, ii, C, 339.

BROWN, ROBERT E.

A catalogue of Philippine Hymenoptera, with descriptions of new species, i, 683.

BROWN, WILLIAM HENRY.

The mechanism of curvature in the pulvini of *Mimosa pudica*, vii, C, 37.

The phenomenon of fatigue in the stigma of *Martynia*, viii, C, 197.

The relation of *Rafflesia manillana* to its host, vii, C, 209.

The relation of the substratum to the growth of *Elodea*, viii, C, 1.

BROWN, W. H., and GRAFF, P. W.

Factors influencing fungus succession on dung cultures, viii, C, 21.

BROWN, W. H., and MATHEWS, D. M.

Philippine dipterocarp forests, ix, A, 413, 517.

BUTLER, C. S.

Some carbohydrate reactions of the dysentery bacillus, viii, B, 123.

C

CAIN, ANDREW W.

History of the Spanish normal school for men teachers in Manila, 1865-1905, ix, D, 123.

CALDERON, FERNANDO.

Cæsarean section in the P. I., x, B, 65.

Doctor Freer as a friend of the Filipinos, vii, m. n., xxxii.

Obstetrics in the P. I., iii, B, 245.

Some data concerning the medical geography of the P. I., ix, B, 199.

Tropical obstetrical problems, x, B, 371.

CALDERON, F., and HEISER, V. G.

Sixth International Congress of Tuberculosis held at Washington, D. C., September 21 to October 12, 1908), iv, B, 311.

CAMPBELL, DOUGLAS HOUGHTON.

The genus *Macroglossum* Copeland, ix, C, 219.

CASE, LEVI E.

See Villaverde, J., iv, A, 237.

CASTELLANI, ALDO.

Observations on a palliative treatment of elephantiasis, iii, B, 311.

Tropical bronchomycosis. Observations on a new species of *Epidermophyton* found in *tinea cruris*. A new intestinal *Spirillum*, v, B, 197.

CASTELLANI, A., and CHALMERS, A. J.

Note on an intestinal flagellate in man, v, B, 211.

CHALMERS, ALBERT J.

See Castellani, A., v, B, 211.

CHAMBERLAIN, WESTON P.

A statistical study of uncinariasis among white men in the P. I., v, B, 249.

A study of the systolic blood-pressure and the pulse rate of healthy adult males in the P. I. Based on 6,847 blood-pressure readings on 1,489 individuals, and an equal number of pulse counts on the same persons, vi, B, 467.

Observations on the influence of the Philippine climate on white men of the blond and of the brunette type, vi, B, 427.

The eradication of beriberi from the Philippine (native) Scouts by means of a simple change in their dietary, vi, B, 133.

CHAMBERLAIN, WESTON P.—Continued.

The occurrence in the P. I. of associated spirochætæ and fusiform bacilli in ulcers of the throat (Vincent's angina), of the mouth, and of the skin, and in lesions of the lungs (bronchial spirochætosis), vi, B, 489.

The red blood corpuscles and the hæmoglobin of healthy adult American males residing in the P. I. Based on 1,418 red-cell counts and 1,433 hæmoglobin estimations performed on 702 soldiers, vi, B, 483.

Typhoid fever in the P. I., vi, B, 299.

CHAMBERLAIN, W. P., BLOOMBERGH, H. D., and KILBOURNE, E. D.

A study of the influence of rice diet and of inanition on the production of multiple neuritis of fowls and the bearing thereof on the etiology of beriberi, vi, B, 177.

Examinations of stools and blood among the Igorots at Baguio, P. I., v, B, 505.

CHAMBERLAIN, W. P., and VEDDER, E. B.

A contribution to the etiology of beriberi, vi, B, 251.

A second contribution to the etiology of beriberi, vi, B, 395.

A study of Arneth's nuclear classification of the neutrophiles in healthy adult males and the influence thereon of race, complexion, and tropical residence, vi, B, 405.

The effect of ultra-violet rays on amœbæ, and the use of these radiations in the sterilization of water, vi, B, 383.

The so-called X-bodies as artefacts in glass slides, vi, B, 421.

CHAMBERLAIN, W. P., VEDDER, E. B., and WILLIAMS, R. R.

A third contribution to the etiology of beriberi, vii, B, 39.

CHRIST, HERMANN.

Cibotium baranetz J. Sm., and related forms, ii, C, 117.

Spicilgium filicum philippinensium novarum aut imperfecte cognitarum, ii, C, 153; iii, C, 269.

The Philippine species of *Dryopteris*, ii, C, 189.

CHRISTIE, EMERSON BREWER.

Notes on irrigation and coöperative irrigation societies in Ilocos Norte, ix, D, 99.

Notes on the pottery industry in San Nicolas, Ilocos Norte, ix, D, 117.

Notes on the wood-working industry of San Vicente, Ilocos Sur, vii, D, 231.

The stone industry at San Esteban, Ilocos Sur, vii, D, 213.

See also Gibbs, H. D., vii, A, 97.

CLARK, ELBERT.

On the occurrence of an accessory nasofrontal duct of the frontal sinus, v, B, 475.

See also Vedder, E. B., vii, B, 423.

CLARKE, CHARLES BARON.

Cyperaceæ of the P. I.: A list of the species in the Kew Herbarium, ii, C, 77.

New Philippine Acanthaceæ, i, s, 247.

CLEGG, MOSES T.

Bacteriological analyses of the water supply, iv, B, 215. See Committee on medical survey of the town of Taytay, iv, B, 207.

Some experiments on the cultivation of *Bacillus lepræ*, iv, B, 77.

The cultivation of the leprosy bacillus, iv, B, 403.

See also Musgrave, W. E., i, 909; ii, B, 477; iii, B, 447, 545; Whitmore, E. R., v, B, 559.

CLEMENTS, PAUL.

Vital statistics, iv, B, 241. General sanitary conditions, iv, B, 247.

See Committee on medical survey of the town of Taytay, iv, B, 207.

CLOVER, ALPHONSO MORTON.

Philippine wood oils, i, 191.

The terpene oils of Manila elemi, ii, A, 1.

COCA, ARTHUR FERNANDEZ.

The bactericidal substances in fibrin, iv, B, 171.

COCA, A. F., and GILMAN, P. K.

The specific treatment of carcinoma, iv, B, 391.

COLE, CLARENCE LEROY.

Necator americanus in natives of the P. I., ii, B, 333.

COLE, FAY COOPER.

The Bagobos of Davao Gulf, vi, D, 127.

The Tinggian, iii, A, 197.

COMMISSION of representatives from the College of Medicine and Surgery, University of the Philippines; Bureau of Science; and Bureau of Health. Sanitary survey of the San Jose Estate and adjacent properties on Mindoro Island, P. I., with special reference to the epidemiology of malaria, ix, B, 137.

COMMITTEE on medical survey of the town of Taytay, iv, B, 207.

CONCEPCIÓN, ISABELO.

Observations on mango rash, ix, B, 509.

See also Gibson, R. B., ix, B, 119, 503; Walker, E. L., ix, B, 167.

COPELAND, EDWIN BINGHAM.

A revision of Tectaria with special regard to the Philippine species, ii, C, 409.

A revision of the Philippine species of Athyrium, iii, C, 285.

Additions to the Bornean fern flora, v, C, 283.

Bornean ferns collected by C. J. Brooks, vi, C, 133.

Cyathea species novae orientales, vi, C, 359.

Daily growth movements of Lagerstroemia, viii, C, 287.

Fern genera new to the P. I., iii, C, 301.

Ferns of southern China, iii, C, 277.

Hawaiian ferns collected by M. l'Abbé U. Faurie, ix, C, 435.

New genera and species of Bornean ferns, iii, C, 343.

New or interesting Philippine ferns, iii, C, 31; iv, C, 111; vi, C, 145; vii, C, 53.

New Papuan ferns, vii, C, 67; ix, C, 1.

New Philippine ferns, i, s, 143, 251.

New Sarawak ferns, vii, C, 59.

New species of Cyathea, iii, C, 353.

New Sumatran ferns, ix, C, 227.

Notes on Bornean ferns, x, C, 145.

Notes on some Javan ferns, viii, C, 139.

Notes on the Steere collection of Philippine ferns, ii, C, 405.

On Phyllitis in Malaya and the supposed genera Diplora and Triphlebia, viii, C, 147.

On the water relations of the coconut palm (*Cocos nucifera*), i, 6.

Papuan ferns collected by the Reverend Copland King, vi, C, 65.

Pteridophyta halconenses: A list of the ferns and fern-allies collected by Elmer D. Merrill on Mount Halcon, Mindoro, ii, C, 119.

The comparative ecology of San Ramon Polypodiaceæ, ii, C, 1.

COPELAND, EDWIN BINGHAM—Continued.

The ferns of the Malay-Asiatic region, iv, C, 1.

The genus *Thayeria*, vii, C, 41.

The origin and relationships of *Taenitis*, vii, C, 47.

Typhoons, coconuts, and beetles (editorial), iii, A, 533.

COULTER, JOHN STANLEY.

A study of the pathology of the gall bladder and biliary passages in cholera, x, B, 385.

COUNCILMAN, WILLIAM THOMAS.

See Brinckerhoff, W. R., i, 239.

COWLES, RHEINART PARKER.

Are *Atya spinipes* Newport and *Atya armata* Milne Edwards synonyms for *Atya molluccensis* de Haan, x, D, 147.

Palæmons of the P. I., ix, D, 319.

The habits of some tropical Crustacea, viii, D, 119; x, D, 11.

COX, ALVIN JOSEPH.

A new comparator, ii, A, 139.

Calorimetry, and the determination of the calorific value of Philippine and other coals from the results of proximate analysis, iv, A, 171.

Chemical and physical characteristics of Philippine coal, vii, A, 1.

Industrial alcohol and its possibility as a source of power in the P. I. (editorial), iv, A, 232.

Laguna clays, iii, A, 377.

Philippine coals and their gas-producing power, i, 877.

Philippine coals as fuel, iii, A, 301.

Philippine firewood, vi, A, 1.

Philippine guano, vii, A, 195.

Philippine raw cement materials, iv, A, 211.

Philippine soils and some of the factors which influence them, vi, A, 279.

The composition of the fine ejecta and a few other inorganic factors of Taal Volcano, vi, A, 93.

The effect of *Litsea chinensis* on the hardening of lime mortar (editorial), iii, A, 409.

The occurrence, composition, and radioactivity of the clays from Luzon, P. I., ii, A, 413.

The oxidation and deterioration of coal, vii, A, 297.

The proximate analysis of Philippine coals, ii, A, 41.

The relationship between the external appearance and the ash content of Philippine coal (editorial), iii, A, 91.

Volcanic tuff as a construction and a cement material, iii, A, 391.

See also West, A. P., ix, A, 79.

COX, A. J., and ARGÜELLES, A. S.

The soils of the Island of Luzon, ix, A, 1.

COX, A. J., and DAR JUAN, T.

Salt industry and resources of the P. I., x, A, 375.

COX, A. J., HEISE, G. W., and GANA, V. Q.

Water supplies in the P. I., ix, A, 273.

COX, A. J., REIBLING, W. C., and REYES, F. D.

Sand-lime brick and artificial sandstones in the P. I., vii, A, 317.

COX, SETH L.

See Musgrave, W. E., ix, B, 173; Walker, E. L., ix, B, 181.

CRAIG, CHARLES FRANKLIN.

Observations upon malaria: Latent infection in natives of the P. I.
Intracorpuseular conjugation, i, 523.

See also Ashburn, P. M., ii, B, 1, 93, 441; iii, B, 1.

CRAWFORD, DAVID LIVINGSTON.

Ceylonese and Philippine Psyllidæ (Homoptera), x, D, 257.

New genera and species of Psyllidæ from the P. I., viii, D, 293.

CRAWFORD, JAMES CHAMBERLAIN.

New Philippine Hymenoptera, ix, D, 457.

CROWELL, BOWMAN CORNING.

Addison's disease and adrenal tuberculosis, vi, B, 345.

Mucocele and diverticulum of the vermiform appendix of inflammatory
origin, vii, B, 29.

Notes on the diagnosis of Asiatic cholera at autopsy, ix, B, 361.

Pathologic anatomy of bubonic plague, x, B, 249.

Status thymico-lymphaticus among Filipinos, viii, B, 77.

The chief intestinal lesions encountered in one thousand consecutive
autopsies in Manila, ix, B, 453.

See also Gilman, P. K., vii, B, 463; Musgrave, W. E., viii, B, 67;

Strong, R. P., vii, B, 203, 271; Williams, R. R., x, B, 121.

CROWELL, B. C., and HAMMACK, R. W.

Intestinal parasites encountered in five hundred autopsies, with reports
of cases, viii, B, 157.

CURL, HOLTON C.

Notes on the digestive system of *Hydrocorax*, vi, D, 31.

D

DALBURG, FRANK A.

Geography and geology, ix, B, 142. *See* Commission of representatives,
sanitary survey of the San Jose Estate, ix, B, 137.

DALBURG, F. A., and PRATT, W. E.

The iron ores of Bulacan Province, P. I., ix, A, 201.

DAR JUAN Y VELILLA, TIMOTEO.

See Cox, A. J., x, A, 375.

DAY, ARTEMAS LAWRENCE.

Difficulties encountered in the culture of the bañgos, or milkfish, in
Zambales Province, x, D, 307.

The osseous system of *Ophiocephalus striatus* Bloch, ix, D, 19.

Two new cyprinoid fishes of the genus *Barbus* from Lake Manguao,
Palawan, P. I., ix, D, 187.

DE CANDOLLE, CASMIR.

A revision of Philippine Piperaceæ, v, C, 405.

DE HAAN, J.

On the etiology of beriberi, v, B, 65.

DE VOGEL, W. T.

Myzomyia rossii as a malaria-carrier, v, B, 277.

DENNEY, OSWALD EVANS.

The treatment of the retrogressive skin lesions of leprosy with basic
fuchsin, x, B, 357.

DIELS, LUDWIG.

Three new species of Menispermaceæ, viii, C, 157.

DISTANT, WILLIAM LUCAS.

Rhynchota philippinensia, v, D, 57.

DOUVILLÉ, HENRI.

Les Foraminifères dans le Tertiaire des Philippines, vi, D, 53.

DOVEY, ERNEST R.

A new type of laboratory condenser for use with volatile liquids in tropical laboratories (editorial), vii, A, 417.

The composition of carabao's milk, viii, A, 151.

DUDLEY, FRANK WILBURN, and WHITMORE, E. R.

Hydrophobia in the P. I., v, B, 455.

DUMÉZ, ANDREW GROVER.

The physical and chemical properties of the oleoresin of *Aspidium* with respect to the detection of adulterations, viii, B, 523.

Two compounds of emetine which may be of service in the treatment of entamœbiasis, x, B, 73.

DUNBAR, ARTHUR W.

Antimalarial prophylactic measures and their results at the naval station, Olongapo, P. I., v, B, 285.

DUNN, STEPHEN TROYTE.

Philippine millettias, vi, C, 315.

E

EDDINGFIELD, FRANK T.

Alteration and enrichment in calcite-quartz-manganese gold deposits in the P. I., viii, A, 125.

Gogo, *Entada scandens* Bentham, and its effect on gold and gold solutions, viii, A, 135.

Microscopic study of the Bulacan iron ores, ix, A, 263.

Ore deposits of the P. I., viii, A, 81.

See also Fanning, P. R., vii, A, 213; Smith, W. D., vi, A, 429; x, A, 81.

EDWARDS, RALPH T.

A biological study of the water supply of the P. I., with a description of a new pathogenic organism, iii, B, 121.

See also Marshall, H. T., i, 1061.

EGAN, MARTIN.

The life and career of Doctor Freer, vii, m. n., v.

ENRIQUEZ, PIO VALENCIA.

See Mendoza, M. P., iii, A, 293.

EVELAND, ARTHUR JOHN.

Notes on the geology and geography of the Baguio mineral district, ii, A, 207.

F

FANNING, PAUL R.

A Philippine natural bridge (editorial), vii, A, 291.

Geologic reconnaissance of northwestern Pangasinan, vii, A, 255.

See also Smith, W. D., x, A, 81.

FANNING, P. R., and EDDINGFIELD, F. T.

The black sands of Paracale, vii, A, 213.

FELSCH, CARL.

Zwei neue Lucaniden der Philippinen, vii, D, 97.

FERGUSON, HENRY GARDINER.

- Coal in the Cagayan Valley (editorial), iii, A, 535.
- Contributions to the physiography of the P. I.: II. The Batanes Islands, iii, A, 1.
- Note on the occurrence of rhyolite in Cebu, ii, A, 407.
- Physiography of the P. I.: III. Western Masbate, iv, A, 1.
- The geology and mineral resources of the Aroroy district, Masbate, vi, A, 397.

FLEUTIAUX, EDOUARD.

- Elateridæ des îles Philippines, ix, D, 441.

FOREL, AUGUSTE HENRI.

- Fourmis des Philippines, v, D, 121.

FOX, CARROLL.

- Some common Siphonaptera of the P. I., vii, B, 119.
- The plague outbreak in Iloilo, viii, B, 119.

FOXWORTHY, FREDERICK WILLIAM.

- Bedaru and billian: Two important Borneo timber trees, vi, C, 179.
- Cutch (editorial), iii, A, 534.
- Indo-Malayan woods, iv, C, 409.
- Lumbayao (*Tarrietia javanica* Blume), iii, C, 171.
- Philippine Dipterocarpaceæ, vi, C, 231.
- Philippine gymnosperms, vi, C, 149.
- Philippine woods, ii, C, 351.
- The almaciga tree: *Agathis alba* (Lam.), v, A, 173.

FRASER, HENRY, and STANTON, A. T.

- The etiology of beriberi, v, B, 55.

FREER, PAUL CASPAR.

- A consideration of some of the modern theories in relation to immunity, ii, B, 71.
- Address at the commencement exercises of the Philippine Medical School, iv, B, 71.
- Editorial on, and discussion of, some of the papers read at the Fifth Editorial on the Philippine Islands Medical Association and the Far Eastern Association of Tropical Medicine, iii, B, 183.
- Introduction to: On the water relations of the coconut palm (*Cocos nucifera*), i, 3.
- The free dispensary of the Philippine Medical School (editorial), iii, B, 352.
- The Philippine Journal of Science, i, 1.
- The result of the past two years' work in the study of tropical sunlight, vii, B, 1.
- The study of Manila copal, v, A, 171.
- The tropical sunlight, v, B, 1.
- See also* Bacon, R. F., ii, A, 67.
- FUNKHOUSER, W. D., Review of the Philippine Membracidæ, x, D, 365.

G

GALAJIKIAN, ALEXANDER SARKIS.

- See* Gibbs, H. D., viii, A, 1.

GAMBLE, JAMES SYKES.

- A new species of *Schizostachyum*, vi, C, 289.
- Some additional bamboos of the P. I., viii, C, 203.
- The bamboos of the P. I., v, C, 267.

GANA, VICENTE Q.

The leather industry of the P. I., x, A, 349.

See also Bacon, R. F., iv, A, 205; Cox, A. J., ix, A, 273; Richmond, G. F., iv, B, 217.

GARRISON, PHILIP E.

A new intestinal trematode of man. *Fascioletta ilocana*, iii, B, 385.

A preliminary report upon the specific identity of the cestode parasites of man in the P. I., with a description of a new species of *Tænia*, ii, B, 537.

Davainea madagascariensis (Davaine) in the P. I., vi, B, 165.

Intestinal parasites in the P. I. (editorial), iii, B, 71.

The disposal of human excreta, iv, B, 287. See Committee on medical survey of the town of Taytay, iv, B, 207.

The prevalence and distribution of the animal parasites of man in the P. I., with a consideration of their possible influence upon the public health, iii, B, 191.

GARRISON, P. E., and LEYNES, R.

The development of the miracidium of *Paragonimus* under various physical conditions, iv, B, 177.

GARRISON, P. E., LEYNES, R., and LLAMAS, R.

Animal parasites of the intestine, iv, B, 257. See Committee on medical survey of the town of Taytay, iv, B, 207.

GARRISON, P. E., and LLAMAS, R.

The intestinal worms of 385 Filipino women and children in Manila, iv, B, 185.

GARVAN, JOHN M.

See Gibbs, H. D., vii, A, 97.

GATES, FRANK CALEB.

Swamp vegetation in hot springs areas at Los Baños, Laguna, P. I., ix, C, 495.

The pioneer vegetation of Taal Volcano, ix, C, 391.

GEBIEN, HANS.

Die Tenebrioniden der Philippinen, viii, D, 373, 401.

GENTRY, ERNEST ROBERT.

See Ashburn, P. M., viii, B, 17, 403, 429.

GIBBS, HARRY DRAKE.

A study of the effect of tropical sunlight upon men, monkeys, and rabbits and a discussion of the proper clothing for the tropical climate, vii, B, 91.

Food and drug inspection (editorial), iii, A, 44.

Methyl salicylate, I: The separation of salicylic acid from methyl salicylate and the hydrolysis of the ester, iii, A, 101.

Methyl salicylate, II: Solubility in water at 30°, iii, A, 357.

Paul C. Freer, chemist, vii, m. n., xxxv.

Proposed modification of ylang-ylang oil standards, x, A, 99.

Proprietary medicines in the Orient (editorial), iii, A, 411.

The action of sunlight upon methyl alcohol, vii, A, 57.

The alcohol industry of the P. I., part I: A study of some palms of commercial importance with special reference to the saps and their uses, vi, A, 99, 147.

The compounds which cause the red color in phenol, iii, A, 361.

GIBBS, HARRY DRAKE—Continued.

The compounds which cause the red coloration of aniline, I: The effect of oxygen and ozone and the influence of light in the presence of oxygen, v, A, 9.

The compounds which cause the red coloration of aniline, II: The effect of sunlight in the absence of oxygen and oxidizing influences and a comparison with the behavior of mono- and dimethylaniline, v, A, 419.

The interference of hydrogen peroxide with the milk tests for formaldehyde, vii, A, 77.

The oxidation of phenol. The effect of some forms of light and of active oxygen upon phenol and anisole, iv, A, 133.

See also Pratt, D. S., viii, A, 51, 165, 377.

GIBBS, H. D., and AGCAOILI, F.

Lard from wild and domestic Philippine hogs and the changes in the constants produced by feeding copra cake, v, A, 33.

On the detection and determination of coconut oil, iii, A, 371.

Philippine citrus-fruits: Their commercial possibilities and a chemical study of a few of the most important varieties, vii, A, 403.

Soja-bean curd, an important oriental food product, vii, A, 47.

Some Filipino foods, vii, A, 383.

The alcohol industry of the P. I., part III: Fermented beverages which are not distilled. With special reports from various districts by H. O. Beyer, J. M. Garvan, and E. B. Christie, vii, A, 97.

GIBBS, H. D., and BRILL, H. C.

Diethylsuccinosuccinate (ethyldioxydihydroterapthalate): A study of its constitution, some derivatives, and absorption spectra, x, A, 51.

GIBBS, H. D., and HOLMES, W. C.

The alcohol industry of the P. I., part II: Distilled liquors; their consumption and manufacture, vii, A, 19.

GIBBS, H. D., and PRATT, D. S.

The absorption spectra of ortho- and para-nitrophenol and para-nitrosophenol. New evidence of the quinoid structure of these compounds in alkaline solution, vii, A, 371.

The mutual influence of hydroxyl and carboxyl and some related groups in the ortho position. A study of the absorption spectra of phenol, o-cresol, o-hydroxybenzyl alcohol, salicylic acid and its methyl ester, methyl ether of salicylic acid and its methyl ester, benzyl alcohol, benzyl acetate, benzyl methyl ether, benzyl chloride, and methyl benzoate, viii, A, 33.

GIBBS, H. D., WILLIAMS, R. R., and GALAJIKIAN, A. S.

Methyl salicylate IV. The saponification of methyl salicylate, methyl benzoate, and the methyl ether of methyl salicylate, viii, A, 1.

GIBBS, H. D., WILLIAMS, R. R., and PRATT, D. S.

Methyl salicylate III. The coloration of methyl salicylate and some allied compounds in the sunlight, vii, A, 79.

GIBSON, ROBERT BANKS.

A note on the physiological action of the proteoses, ix, B, 499.

Proteoses and fever, viii, B, 475.

Some simple laboratory apparatus, ix, B, 297.

The influence of compensated salt mixtures on the development of polyneuritis gallinarum and beriberi, viii, B, 351.

GIBSON, ROBERT BANKS—Continued.

The protective power of normal human milk against polyneuritis gallinarum (beriberi), viii, B, 469.

GIBSON, R. B., and CONCEPCIÓN, I.

Nerve degeneration in fowls fed on unhusked rice (palay), ix, B, 119.

The lymphagotic action of the Philippine mango, *Mangifera indica* Linnæus, ix, B, 503.

GILMAN, PHILIP KINGSNORTH.

A report on the first one hundred autopsies at the Philippine Medical School, iii, B, 211.

Appendicitis, viii, B, 143.

Axillary teratoma, viii, B, 231.

Neoplasms among the Filipinos (editorial), iii, B, 567.

Occurrence of tuberculosis in one hundred autopsies in the P. I. (editorial), iii, B, 74.

See also Coca, A. F., iv, B, 391.

GILMAN, P. K., and CROWELL, B. C.

Report of the pathological examinations for one year from the surgical clinic of the Philippine General Hospital, vii, B, 463.

GOMEZ, LIBORIO.

A clinical study of hookworm infection in the P. I., vi, B, 239.

See also Rissler, R. S., v, B, 267.

GOODMAN, MAURICE.

A reconnaissance from Davao, Mindanao, over the divide of the Sahug River to Butuan, including a survey from Davao to Mati: Narrative of the expedition, iii, A, 501.

GRAFF, PAUL WEIDEMYER.

Additions to the basidiomycetous flora of the P. I., viii, C, 299.

Philippine Basidiomycetes, ix, C, 235.

See also Brown, W. H., viii, C, 21.

GRIFFIN, LAWRENCE EDMONDS.

A check-list and key of Philippine snakes, vi, D, 253.

A list of snakes found in Palawan, iv, A, 595.

A list of snakes from the Island of Polillo, P. I., with descriptions of a new genus and two new species, v, D, 211.

A method of using magnesium sulphate for the anæsthetization of marine animals (editorial), v, D, 86.

Euplotes worcesteri sp. nov.: I. Structure, v, D, 291.

Euplotes worcesteri sp. nov.: II. Division, v, D, 315.

Poisonous snakes of the P. I., iv, B, 203.

The anatomy of *Aclesia freeri* new species, vii, D, 65.

The pearl fishery of Bantayan, v, D, 149.

The structure of the pallial tentacles of *Lima* species, vi, D, 327.

Two new species of snakes found in the P. I., iv, A, 55.

GRIFFINI, ACHILLE.

Prospetto dei Grillacridi delle Isole Filippine, x, D, 61.

GROUVELLE, ANTOINE.

Dryopidæ et Heteroceridæ des Philippines, x, D, 131.

Nitidulidæ des Philippines recoltés par C. F. Baker, ix, D, 535.

GROVES, H. and J.

Characeæ from the P. I., vii, C, 69.

GUERRERO, LUIS, and SEVILLA, V.

Examinations of the blood with special reference to malaria, iv, B, 273. *See* Committee on medical survey of the town of Taytay, iv, B, 207.

GUTIERREZ, PERPETUO.

Typhoid fever in the P. I., ix, B, 367.

See also Musgrave, W. E., ix, B, 173; Willets, D. G., ix, B, 93.

GUZMAN, ARISTON.

See Barber, M. A., x, B, 177; Walker, E. L., ix, B, 167.

H

HACKEL, EDUARD.

Notes on Philippine Gramineæ, i, s, 263; iii, C, 167.

Two new Philippine grasses, ii, C, 419.

HAMMACK, ROY WALLACE.

Primary sarcoma of the small intestine, viii, B, 91.

See also Crowell, B. C., viii, B, 157.

HEISE, GEORGE WILLIAM.

Boiler waters of Iloilo Province, x, A, 75.

Water supplies in the P. I., II, x, A, 135.

Water supply for the city of Iloilo, x, A, 65.

See also Cox, A. J., ix, A, 273.

HEISER, VICTOR GEORGE.

Practical experiences with beriberi and unpolished rice in the P. I., vi, B, 229.

Prophylactic medicine as applied to the hygiene of Bilibid Prison (editorial), iii, B, 69.

Reappearance of plague in the P. I. after an absence of six years.

Brief description of the outbreak, the methods used to combat it, and the probable factors in its introduction, ix, B, 5.

Some considerations with regard to the cause of the frequent reappearance of cholera in the P. I., with statistics beginning with the outbreak in 1902 to January 1, 1908, iii, B, 89.

The outbreak of plague in Manila during 1912. The insidious beginning, with a discussion of probable factors concerned in its introduction, viii, B, 109.

Typhoid fever in the P. I. from the sanitary standpoint, vii, B, 115.

Unsolved health problems peculiar to the P. I., v, B, 171.

See also Calderon, F., iv, B, 311.

HEISER, V. G., and VILLAFRANCA, R.

Albinism in the P. I., viii, B, 493.

HELLER, KARL MARIA.

Eine neue Gattung der Discolomidae (Coleoptera) aus der orientalischen Region, vii, D, 105.

Neue Käfer von den Philippinen, viii, D, 135; x, D, 19, 219.

Philippinische Rüsselkäfer, vii, D, 295, 347.

HENNINGS, PAUL.

Fungi philippinenses, iii, C, 41.

HERRMANN, RAF.

A theory on the formation of the central Luzon plain, vi, A, 331.

HERZOG, MAXIMILIAN.

Beriberi in the Japanese army during the late war: The kakke coccus of Okata-Kokubo, i, 169.

HERZOG, MAXIMILIAN—Continued.

Peculiar cases of traumatism of internal organs, some due to tropical conditions and practices, iii, B, 55.

Studies in beriberi, i, 709.

HIGHET, H. CAMPBELL.

Beriberi in Siam, v, B, 73.

HILARIO, JOSÉ S.

Tumors of the pituitary gland. Report of a case of pituitary glioma, viii, B, 97.

HOCSON, FELIX.

See Aron, H., v, B, 98; vi, B, 361.

HOLLISTER, NED.

A list of the mammals of the P. I., exclusive of the Cetacea, vii, D, 1.

HOLMES, WALTER C.

Distilled liquors: Whisky (rye, Bourbon, and Scotch), brandy (cognac), and gin, v, A, 23.

On the formation of certain alkaloidal periodides. Preliminary investigation, vi, A, 253.

See also Gibbs, H. D., vii, A, 19.

HOOTON, A.

Perineal litholapaxy (Keith's operation), vi, B, 235.

Some clinical aspects of mycetoma, an unusual form of callosity complicating it, v, B, 215.

HORN, WALTHER.

A new subspecies of Philippine *Cicindelidæ*, ii, A, 77.

Prothyma schultzei, a new species of Philippine *Cicindelidæ*, iii, A, 273.

HOYT, R. E.

Results of three hundred examinations of fæces with reference to the presence of amœbæ, iii, B, 417.

HUBBARD, F. TRACY.

A new species of *Rottboellia*, ix, C, 257.

On *Eragrostis cilianensis* (All.) Vignolo Lutati, viii, C, 159.

HULBURT, CLINTON H., and BACON, R. F.

A liquid concave mirror, v, A, 19.

I

ICKIS, HENRY M.

A geological reconnaissance from Infanta, Tayabas, to Tanay, Rizal, iv, A, 483.

IDDINGS, JOSEPH PAXSON.

The petrography of some igneous rocks of the P. I., v, A, 155.

ISHIGAMI, T.

Tuberculo-toxoidin and immunization serum, iii, B, 379.

J

JACKSON, THOMAS WRIGHT.

Sanitary conditions and needs in provincial towns, iii, B, 431.

The internal sanitary problem, ix, B, 149. See Commission of representatives, sanitary survey of the San Jose Estate, ix, B, 137.

JOHNSTON, JOHN ANDERSON.

A contribution to the bacteriology of leprosy. Preliminary note, ix, B, 227.

Leprosy, x, B, 365.

See also Williams, R. R., x, B, 337.

JONES, CHARLES R.

- The cigarette beetle (*Aasioderma serricorne* Fabr.) in the P. I., viii, D, 1.
The coconut leaf-miner beetle, *Promecotheca cumingii* Baly, viii, D, 127.
See also Barber, M. A., x, B, 163.

K

KEE, TEE HAN.

- The habitual use of opium as a factor in the production of diseases, iii, B, 63.

KEMP, STANLEY.

- On a collection of stomatopod Crustacea from the P. I., x, D, 169.

KERREMANS, CHARLES.

- Buprestides recueillis aux îles Philippines par C. F. Baker, I, ix, D, 83.

KIEFFER, JEAN JACQUES.

- Énumération des serphides (proctotrupides) des îles Philippines avec description de genres nouveaux et d'espèces nouvelles, ix, D, 285.
Nouveaux cynipides des Philippines, ix, D, 183.

KILBOURNE, EDWIN D.

- Food salts in relation to beriberi, v, B, 127.
See also Chamberlain, W. P., v, B, 505; vi, B, 177.

KITAJIMA, T.

- On "habu" venom and its serum therapy, iii, B, 151.

KITASATO, SHIBASABURO.

- Combating plague in Japan, i, 465.

KRÄNZLIN, FRITZ.

- Cyrtandraceæ novæ philippinenses, viii, C, 163, 311.

KÜKENTHAL, GEORG.

- Conspectus cyperacearum insularum philippinensium: Cyperaceæ-Caricoideæ, vi, C, 57.

L

LEAVITT, ROBERT GREENLEAF.

- The genus *Eria* in the P. I., iv, C, 201.

LEDNICKY, VICTOR E.

- See* Pratt, W. E., x, A, 335.

LEFEBVRE, M.

- Researches on acarids among lepers, v, B, 463.

LEWIS, GILBERT NEWTON.

- Concerning silver oxide and silver suboxide, i, 439.

LEYNES, RICARDO.

- See* Garrison, P. E., iv, B, 177, 257.

LIGHT, SOL FELTY.

- Another dangerous jellyfish in Philippine waters, ix, B, 291.
Notes on Philippine Alcyonaria, part I: The Philippine species of the genus *Capnella*, viii, D, 435.
Notes on Philippine Alcyonaria, part II: *Lemnalioides küenthali*, a new genus and species of Alcyonaria from the P. I. and a discussion of the systematic position of the new genus, ix, D, 233.
Notes on Philippine Alcyonaria, part III: Two new species of *Lithophytum* Forskål from the P. I., x, D, 1.
Notes on Philippine Alcyonaria, part IV: Notes on Philippine *Stolonifera* and *Xeniidæ*, x, D, 155.
Notes on Philippine Alcyonaria, part V: *Cornularia minuta*, a new species, x, D, 203.

LIGHT, SOL FELTY—Continued.

Some Philippine Scyphomedusæ, including two new genera, five new species, and one new variety, ix, D, 195.

The morphology of *Eudendrium griffini* sp. nov., viii, D, 333.

LLAMAS, ROSENDO.

See Garrison, P. E., iv, B, 185, 257.

LOPEZ, LEONCIO.

See Bowman, F. B., iv, B, 271.

M

MANAPAT, VICENTE E.

See Bowman, F. B., iv, B, 271.

MARSHALL, HARRY TAYLOR.

An unusual case of amœbic dysentery, iv, B, 303.

Studies of cholera, iii, B, 107.

The recent trend of immunity research, ii, B, 343.

Yaws: A histologic study, ii, B, 469.

See also Bacon, R. F., i, 1037; Musgrave, W. E., ii, B, 387.

MARSHALL, H. T., and EDWARDS, R. T.

Agenesis of the vermiform appendix, i, 1061.

MARSHALL, H. T., and TEAGUE, O.

A study of the precipitin and complement fixation reactions, iii, B, 357.

MARTELLI, UGO LINO.

The Philippine species of *Pandanus*, iii, C, 59.

MARTIN, CHARLES.

Observations on the recent eruption of Taal Volcano, vi, A, 87.

MARTINI, ERICH.

Remarks on piroplasmiasis, iv, B, 121.

The development of a *Piroplasma* and *Trypanosoma* of cattle in artificial culture media, iv, B, 147.

MASSEE, GEORGE.

Philippine *Myxogastres*, ii, C, 113.

MATTHEWS, DONALD MAXWELL.

See Brown, W. H., ix, A, 413, 517.

McCAY, D.

The relationship of food to physical development, v, B, 163.

McDILL, JOHN RICH.

Dysenteric abscess of the liver (editorial), iii, B, 349.

McGREGOR, RICHARD CRITTENDEN.

A collection of birds from northern Mindanao, iv, A, 67.

Additional notes on birds from northern Mindanao, P. I., v, D, 197.

Bamboo for paper pulp in Bataan Province, Luzon (editorial), vii, A, 121.

Birds collected in the Island of Polillo, P. I., v, D, 103.

Birds from Pauai and Mount Pulog, Subprovince of Benguet, Luzon, v, D, 135.

Birds from the coast of northern Luzon and from the Islands of Sabtan and Dalupiri, v, D, 219.

Birds observed in Bantayan Island, Province of Cebu, ii, A, 310.

Description of a new species of *Prionochilus* from the highlands of Luzon, ix, D, 531.

Descriptions of four new Philippine birds, ii, A, 292.

Note on a bird unrecorded from Mindanao, ii, A, 296.

McGREGOR, RICHARD CRITTENDEN—Continued.

- Note on the migration of the tic-wee buzzard in the P. I., v, D, 199.
- Notes on a collection of birds from Banton, i, 768.
- Notes on a collection of birds from northern Negros, vi, D, 39.
- Notes on a collection of birds from Palawan Island, i, 903.
- Notes on a collection of birds from Siquijor, P. I., iii, A, 275.
- Notes on a collection of birds from the Island of Basilan with descriptions of three new species, ii, A, 279.
- Notes on a collection of birds from the Island of Tablas, i, 771.
- Notes on birds collected in Cebu, ii, A, 298.
- Notes on birds collected in Mindoro and in small adjacent islands, i, 697.
- Notes on birds from Apo Island, i, 767.
- Notes on four birds from Luzon and on a species of doubtful occurrence in the P. I., i, 765.
- Notes on specimens of the monkey-eating eagle (*Pithecophaga jefferyi* Grant) from Mindanao and Luzon, ii, A, 297.
- Philippine ornithological literature, iii, A, 285; iv, A, 79; v, D, 203.
- Record of a Puffinus new to Philippine waters and description of a new species of Micranous, vi, D, 183.
- Some necessary changes in the names of Philippine birds, iii, A, 283.
- The birds of Batan, Camiguin, Y'Ami, and Babuyan Claro, islands north of Luzon, ii, A, 337.
- The birds of Bohol, ii, A, 315.
- The occurrence of Blyth's wattled lapwing and the scaup duck in the P. I., ii, A, 295.

McLAUGHLIN, ALLAN J.

- Some observations upon cholera in children, iv, B, 363.
- The suppression of a cholera epidemic in Manila, iv, B, 43.
- The suppression of a cholera outbreak in the provinces of the P. I., iv, B, 107.

McLAUGHLIN, A. J., and ANDREWS, V. L.

- Studies on infant mortality, v, B, 149.

McLAUGHLIN, A. J., and SELLARDS, A. W.

- Effect of the concentration of solution in the treatment of collapse in Asiatic cholera, v, B, 391.

McLAUGHLIN, A. J., and WHITMORE, E. R.

- Cholera and choleralike vibrios encountered in the P. I. v, B, 403.

MEARNS, EDGAR ALEXANDER.

- Descriptions of a new genus and nine new species of Philippine birds, ii, A, 355.
- Two additions to the avifauna of the P. I., ii, A, 353.

MELICHAR, LEOPOLD.

- Neue Fugoriden von den Philippinen, ix, D, 269, 433.
- Neue Homopteren von den Philippinen, ix, D, 173.

MENDOZA, MARIA PAZ, RAMIREZ, M., and ENRIQUEZ, P. V.

- An improved method of modeling especially adapted for the central nervous system; preparation of brain models, iii, A, 293.

MERRILL, ELMER DREW.

- A preliminary revision of Philippine Combretaceæ, iv, C, 641.
- A revision of Philippine Connaraceæ, iv, C, 117.
- A revision of Philippine Loranthaceæ, iv, C, 129.

MERRILL, ELMER DREW—Continued.

Additional identifications of the species described in Blanco's *Flora de Filipinas*, ii, C, 429.

An enumeration of Philippine Gramineæ with keys to genera and species, i, s, 307.

An enumeration of Philippine Leguminosæ, with keys to the genera and species, v, C, 1, 95.

An enumeration of the plants of Guam, ix, C, 17, 97.

Charles Budd Robinson, jr., ix, C, 191.

Dilleniaceæ novæ, ix, C, 517.

Genera and species erroneously credited to the Philippine flora, x, C, 171.

Index to Philippine botanical literature, ii, C, 241, 345, 437; iii, C, 87; iv, C, 677; v, C, 259.

Meliaceæ novæ, ix, C, 531.

New or noteworthy Philippine plants, i, s, 169; iii, C, 219; iv, C, 247; v, C, 167; vii, C, 259; ix, C, 261, 293; x, C, 1, 287.

New Philippine plants from the collections of Mary Strong Clemens, I, iii, C, 129.

New species of *Eugenia*, x, C, 207.

New species of *Schefflera*, x, C, 195.

Nomenclatural and systematic notes on the flora of Manila, vii, C, 227.

Notes on Philippine Euphorbiaceæ, vii, C, 379; ix, C, 461.

Notes on the flora of Manila with special reference to the introduced element, vii, C, 145.

On a collection of plants from the Batanes and Babuyan Islands, iii, C, 385.

On the identity of *Evodia triphylla*, vii, C, 373.

Philippine Ericaceæ, iii, C, 369.

Philippine Freycinetia, iii, C, 307.

Plantæ wenzelianæ. viii, C, 363; ix, C, 353; x, C, 265.

Sertulum bontocense: New or interesting plants collected in Bontoc Subprovince, Luzon, by Father Morice Vanoverbergh, vii, C, 71; ix, C, 443.

Some genera and species new to the Philippine flora, ii, C, 421.

Studies on Philippine Anonaceæ, x, C, 227.

Studies on Philippine Melastomataceæ, viii, C, 207, 335.

Studies on Philippine Rubiaceæ, viii, C, 31; x, C, 99.

The ascent of Mount Halcon, Mindoro, ii, A, 179.

The flora of Mount Halcon, Mindoro, ii, C, 251.

The flora of the Lamao forest reserve, i, s, 1.

The genus *Radermachera* Hassk. in the P. I., iii, C, 331.

The oaks of the P. I., iii, C, 317.

The occurrence of *Antiaris* in the P. I., ii, C, 111.

The Philippine plants collected by the Wilkes United States Exploring Expedition, iii, C, 73.

The Philippine species of *Begonia*, vi, C, 369.

The Philippine species of *Garcinia*, iii, C, 359.

The Pineda monument and the probable site of the first botanic garden in the P. I., vii, C, 363.

The present status of botanical exploration of the P. I., x, C, 159.

The principal foods utilized by the natives, iv, B, 219. *See* Committee on medical survey of the town of Taytay, iv, B, 207.

- MERRILL, E. D., and MERRITT, M. L.
The flora of Mount Pulog, v, C, 287, 371.
- MERRILL, E. D., and ROLFE, R. A.
Notes on Philippine botany, iii, C, 95.
- MERRITT, MELVIN L.
See Merrill, E. D., v, C, 287, 371.
- MEZ, CARL.
Myrsinaceæ novæ philippinenses, i, s, 271.
- MILLER, MERTON LELAND.
The ascent of Mount Pulog (editorial), iii, A, 99.
The burial mounds of Camiguin Island, vi, D, 1.
The Maṅgyans of Mindoro, vii, D, 135.
The non-Christian people of Ambos Camarines, vi, D, 321.
- MITZMAIN, MAURICE BRUIN.
The biology of *Tabanus striatus* Fabricius, the horsefly of the P. I., viii, B, 197.
The bionomics of *Stomoxys calcitrans* Linnæus; a preliminary account, viii, B, 29.
The mechanical transmission of surra by *Tabanus striatus* Fabricius, viii, B, 223.
The rôle of *Stomoxys calcitrans* in the transmission of *Trypanosoma evansi*, vii, B, 475.
- MIURA, KINNOSUKE.
Some remarks concerning kubisagari or vertige paralytant, ii, B, 409.
- MIYAJIMA, M.
On the cultivation of a bovine piroplasma: A preliminary communication, ii, B, 83.
- MOCSÁRY, ALEXANDER.
The Chrysididæ of the P. I., viii, D, 287.
- MOSER, J.
Beitrag zur coleopteren Fauna der Philippinen, vi, D, 331.
Neue Coleoptera Lamellicornia von den Philippinen, v, D, 183.
- MUNSON, EDWARD LYMAN.
Cholera carriers in relation to cholera control, x, B, 1.
- MUSGRAVE, WILLIAM EVERETT.
Amœbiasis: Its association with other diseases, its complications, and its after effects, i, 547.
Infant mortality in the P. I., viii, B, 459.
Intestinal amœbiasis without diarrhœa. A study of fifty fatal cases, v, B, 229.
Introduction, ix, B, 138. The general and external sanitary problems, ix, B, 143. See Commission of representatives, sanitary survey of the San Jose Estate, ix, B, 137.
Paragonimiasis in the P. I., ii, B, 15.
Professor Freer and the University of the Philippines, vii, m. n., xxv.
The influence of symbiosis upon the pathogenicity of microorganisms (the evolution of parasitism), iii, B, 77.
See also Richmond, G. F., iii, A, 87.
- MUSGRAVE, W. E., and CLEGG, M. T.
The cultivation and pathogenesis of amœbæ, i, 909.
The etiology of mycetoma, ii, B, 477.

MUSGRAVE, W. E., CLEGG, M. T., and POLK, M.

Streptothricosis with special reference to the etiölogy and classification of mycetoma, with a bibliography, iii, B, 447.

Trichocephaliasis, with a report of four cases, including one fatal case, with a bibliography, iii, B, 545.

MUSGRAVE, W. E., and MARSHALL, H. T.

Gangosa in the P. I., ii, B, 387.

MUSGRAVE, W. E., and RICHMOND, G. F.

Infant feeding and its influence upon infant mortality in the P. I., ii, B, 361.

MUSGRAVE, W. E., and SISON, A. G.

Acute malignant glanders in man, viii, B, 385.

Bacillary dysentery: The most prevalent form in Manila and its treatment, ix, B, 241.

Blood pressure in the tropics. A preliminary report, v, B, 325.

Mali-mali, a mimic psychosis in the P. I. A preliminary report, v, B, 335.

The bone lesions of smallpox, v, B, 553.

The bone lesions of smallpox. Second report. Pathological report by B. C. Crowell, viii, B, 67.

Tuberculosis among Filipinos. A study of one thousand cases of phthisis, v, B, 313.

MUSGRAVE, W. E., VAZQUEZ, A., GUTIERREZ, B., and COX, S. L.

The disease index. (B) Clinical examinations, ix, B, 173. *See* Commission of representatives, sanitary survey of the San Jose Estate, ix, B, 137.

N

NEEB, H. M.

The parthenogenesis of the female crescent body, v, B, 179.

NICHOLS, HENRY JAMES.

Filariasis, malaria, tuberculosis, typhoid fever, goitre, beriberi, venereal and skin diseases, iv, B, 279. *See* Committee on medical survey of the town of Taytay, iv, B, 207.

See also Phalen, J. M., iii, B, 223, 293, 305, 395; iv, B, 127.

NICHOLS, H. J., and ANDREWS, V. L.

The treatment of Asiatic cholera during the recent epidemic, iv, B, 81.

O

OECHSLIN, K. J.

Quinine esters of phenylarsinic acid derivatives, vi, A, 23.

OHAUS, FR.

Die Ruteliden der philippinischen Inseln, v, D, 233.

Nachträge und Berichtigungen zu: „Die Ruteliden der Philippinischen Inseln,” vii, D, 255.

OHNO, Y. K.

An investigation of the quantitative relationships between agglutinin, agglutinoid, and agglutinable substance, iii, B, 47.

The reaction of culture media in relation to the morphology of the cholera organism, iv, B, 341.

The types of bacilli of the dysentery group, i, 951.

OLD, EDWARD H. H.

A report of several cases with unusual symptoms caused by contact with some unknown variety of jellyfish (Scyphozoa), iii, B, 329.

OSHIMA, MASAMITSU.

Description of a new gecko from Botel Tobago Island, vii, D, 241.

Notes on the termites of Japan with description of one new species, viii, D, 271.

Two species of termites from Singapore, viii, D, 283.

OSTENFELD, CARL HANSEN.

New or noteworthy aquatic plants, ix, C, 259.

On *Halophila ovata* Gaudichaud, a neglected species, iv, C, 67.

P

PATOUILLARD, NARCISSE.

Champignons des Philippines communiqués par C. F. Baker, II, x, C, 85.

PEARSE, ARTHUR SPERRY.

A new Philippine fiddler-crab, vii, D, 91.

Concerning the development of frog tadpoles in sea water, vi, D, 219.

On the habits of *Thalassina anomala* (Herbst), vi, D, 213.

The habits of fiddler-crabs, vii, D, 113.

PERRY, ALLAN.

The present position of the leper in view of the resolutions passed at the International Conference on Leprosy at Bergen, 1909, v, B, 309.

PHALEN, JAMES M.

An experiment with orange-red underwear, v, B, 525.

PHALEN, J. M., and NICHOLS, H. J.

Blastomycosis of the skin in the P. I., iii, B, 395.

Filariasis and elephantiasis in southern Luzon, iii, B, 293.

Notes on the condition of the liver in schistosomiasis, iii, B, 223.

Notes on the distribution of *Filaria nocturna* in the P. I., iii, B, 305.

The distribution of *Filaria* in the P. I., iv, B, 127.

PLANTA, FEDERICO S.

See Bean, R. B., v, D, 1; vi, D, 7.

POLK, MARY.

The library of the Bureau of Science (editorial), v, A, 45.

See also Musgrave, W. E., iii, B, 447, 545.

POPPIUS, BERTIL.

Neue orientalische Bryocorinen, x, D, 75.

PRATT, DAVID SHEPARD.

Copra spoilage on a large scale (editorial), viii, A, 439.

Papain: Its commercial preparation and digestive properties, x, A, 1.

Roselle, vii, A, 201.

The absorption spectra of various phthalides and related compounds, viii, A, 399.

The coconut and its products, with special reference to Ceylon, ix, A, 177.

The optical efficiency of tinted glasses in relieving eye strain, viii, A, 193.

See also Gibbs, H. D., vii, A, 79, 371; viii, A, 33; Thurlow, L. W., vii, A, 357.

PRATT, D. S., and BRILL, H. C.

The absorption spectra of various phthalides and related compounds, ix, A, 105.

PRATT, D. S., and GIBBS, H. D.

The absorption spectra of phenoquinone, 2,5-dianilinoquinone, 2,5-dianilinoquinoneanil, and 2,5-dianilinoquinonedianil (azphenine), viii, A, 51.

The two phthaloximes: A study of their absorption spectra and constitution, viii, A, 165.

PRATT, D. S., and ROSARIO, J. I. DEL.

Philippine fruits: Their composition and characteristics, viii, A, 59.

PRATT, D. S., THURLOW, L. W., WILLIAMS, R. R., and GIBBS, H. D.

The nipa palm as a commercial source of sugar. A consideration of the principal difficulties encountered in collecting and preserving nipa-palm sap, viii, A, 377.

PRATT, WALLACE E.

Geologic reconnaissance in Caramoan Peninsula, Camarines Province, x, A, 303.

Geology and field relations of Portland cement raw materials at Naga, Cebu, ix, A, 151.

Iron ore on Calambayanga Island, Mambulao, Camarines, x, A, 323.

On the occurrence of petroleum in the Province of Cebu, x, A, 281.

Petroleum and residual bitumens in Leyte, x, A, 241.

The eruption of Taal Volcano, January 30, 1911, vi, A, 63.

The location of artesian wells in the P. I. from a geologic viewpoint, x, A, 231.

The mechanical analysis of soil, vi, A, 35.

The persistence of Philippine coal beds, x, A, 289.

See also Adams, G. I., v, A, 143; vi, A, 449; Dalburg, F. A., ix, A, 201.

PRATT, W. E., and LEDNICKY, V. E.

Iron ore in Surigao Province, x, A, 335.

PRATT, W. E., and SMITH, W. D.

The geology and petroleum resources of the southern part of Bondoc Peninsula, Tayabas Province, P. I., viii, A, 301.

R

RADLKOFR, LUDWIG.

Enumeratio sapindacearum philippinensium novarumque descriptio, viii, C, 443.

Sapindaceæ novæ philippinarum insulæ Polillo, vi, C, 181.

Simarubacearum genus novum philippinense, vi, C, 365.

RAFFRAY, A.

Catalogue des psélaphides (coléoptères) des îles Philippines, ix, D, 451.

RAMIREZ, MANUEL.

See Mendoza, M. P., iii, A, 293.

RAQUEL, ALFONSO.

See Barber, M. A., x, B, 177.

REHM, HEINRICH.

Ascomycetes philippinenses collecti a clar. C. F. Baker, viii, C, 181.

Ascomycetes philippinenses, viii, C, 251, 391.

REIBLING, WALTER C.

A bonus system for the purchase of Portland cement, viii, A, 107.

Concrete construction in Manila and the P. I., v, A, 117.

Natural cement versus brick; Iwahig penal colony raw materials, ix, A, 163.

See also Cox, A. J., vii, A, 317.

- REIBLING, W. C., and REYES, F. D.
Physical and chemical properties of Portland cement, v, A, 367; vi, A, 207; vii, A, 135.
The efficiency of Portland cement raw materials from Naga, Cebu, ix, A, 127.
- REIBLING, W. C., and SALINGER, L. A.
Portland cement testing, iii, A, 137.
- REYES, CARMELO MALABANAN.
Noma in the P. I. with report of a case ending in recovery, viii, B, 397.
- REYES, FRANCISCO D.
See Cox, A. J., vii, A, 317; Reibling, W. C., v, A, 367; vi, A, 207; vii, A, 135; ix, A, 127.
- RICHMOND, GEORGE F.
Manila copal, v, A, 177.
Philippine fibers and fibrous substances: Their suitability for paper making, i, No. 5, 433; i, 1075; ii, A, 81; v, A, 233.
Philippine turpentine (editorial), iv, A, 231.
Purification of coconut oil (editorial), iii, A, 45.
Tayabas petroleum, v, A, 1.
See also Musgrave, W. E., ii, B, 361.
- RICHMOND, G. F., and ROSARIO, M. V. DEL.
Chemical analyses of Taytay waters, iv, B, 217. *See* Committee on medical survey of the town of Taytay, iv, B, 207.
- RICHMOND, G. F., and MUSGRAVE, W. E.
The composition of Horlick's malted milk, iii, A, 87.
- RICHMOND, G. F., and ROSARIO, M. V. DEL.
Commercial utilization of some Philippine oil-bearing seeds: Preliminary paper, ii, A, 439.
- RICKER, PERCY LEROY.
A list of known Philippine fungi, i, s, 277.
- RIDLEY, HENRY NICHOLS.
The Scitamineæ of the P. I., iv, C, 155.
- RISSLER, ROSS S., and GOMEZ, L.
The prevalence of intestinal parasites in Rizal and Cavite Provinces and in Cagayan Valley, v, B, 267.
- RIVERA, VICENTE.
See Bowman, F. B., iv, B, 271.
- ROBERG, DAVID N.
The rôle played by the insects of the dipterous family Phoridae in relation to the spread of bacterial infections. II. Experiments on *Aphiochæta ferruginea* Brunetti with the cholera vibrio, x, B, 309.
- ROBERTSON, JAMES ALEXANDER.
The Igorots of Lepanto, ix, D, 465.
- ROBINSON, CHARLES BUDD.
A preliminary revision of Philippine Myrtaceæ, iv, C, 331.
Alabastra philippinensia, iii, C, 175; vi, C, 319.
Botanical notes upon the Island of Polillo, vi, C, 185.
Perrottet and the P. I., iii, C, 303.
Philippine Boraginaceæ, iv, C, 687.
Philippine Chloranthaceæ, iv, C, 69.

ROBINSON, CHARLES BUDD—Continued.

- Philippine hats, vi, C, 93.
- Philippine *Phyllanthinae*, iv, C, 71.
- Philippine *Urticaceae*, v, C, 465; vi, C, 1, 299.
- Roxburgh's *Hortus Bengalensis*, vii, C, 411.
- The geographic distribution of Philippine mosses, ix, C, 199.
- Urticaceae* from the Sarawak Museum, vi, C, 291.

ROGERS, LEONARD.

- The prevention and treatment of amoebic abscess of the liver, v, B, 219.
- The prevention of tropical abscess of the liver by the early diagnosis and treatment of the presuppurative stage of amoebic hepatitis, iii, B, 285.
- The treatment of cholera by injections of hypertonic saline solutions with a simple rapid method of intraabdominal administration, iv, B, 99.

ROLFE, ROBERT ALLEN.

- See Merrill, E. D., iii, C, 95.

ROSA, ANTONIO P.

- See Barber, M. A., x, B, 177.

ROSARIO, JOSÉ IGNACIO DEL.

- See Pratt, D. S., viii, A, 59.

ROSARIO, MARIANO VIVENCIO DEL.

- On the determination of aldehydes in distilled liquors, v, A, 29.
- See also Richmond, G. F., ii, A, 439.

RUEDIGER, ERNEST HENRY.

- A reduction in the cost of anticattle-plague serum, iii, B, 407.
- Filtration experiments on the virus of cattle plague with Chamberland filters "F," iv, B, 37.
- Filtration experiments with the virus of cattle plague, iii, B, 165.
- Filtration of immune serums, iv, B, 333.
- Further filtration experiments with virus of cattle plague, iii, B, 319.
- Immunizing cattle against anticattle-plague serum, iv, B, 353.
- Observations on cattle plague in the P. I. and the methods employed in combating it, iv, B, 381.
- Some observations on so-called flagellates, ciliates, and other Protozoa encountered in water and in human stools (preliminary report), vi, B, 155.
- The difference in susceptibility to cattle plague encountered among cattle and carabaos, iv, B, 425.
- The duration of passive immunity against tetanus toxin, viii, B, 139.
- The germicidal power of glycerin on various microorganisms under various conditions, ix, B, 465.
- The occurrence of *Bacillus coli communis* in the peripheral blood of man during life, x, B, 25.
- The preparation of tetanus antitoxin, x, B, 31.

RUNDLES, JOHN CLINTON.

- Studies in rice, x, C, 351.

S

SADERRA MASÓ, MIGUEL, and SMITH, W. D.

- The relation of seismic disturbances in the P. I. to the geologic structure, viii, A, 199.

- SALEEBY, NAJEEB MITRY.
See Williams, R. R., x, B, 99.
- SALINGER, LEON A.
See Reibling, W. C., iii, A, 137.
- SALT, ALEXANDER EDWARD WROTTESELEY.
 Francisco de Carriedo y Peredo, viii, D, 165.
- SCHEEER, OTTO JOHNS.
 On a quinary notation among the Ilongots of northern Luzon, vi, D, 47.
- SCHENKLING, SIGMUND.
 Zwei neue philippinische Cleriden, viii, D, 303.
- SCHLECHTER, RUDOLF.
 A new Philippine Burmannia, i, s, 305.
 New Philippine Asclepiadaceæ, i, s, 295.
- SCHNEIDER, EDWIN EMIL.
 Notes on the Maṅṅyan language, vii, D, 157.
- SCHÖBL, OTTO.
 Bacteriological observations made during the outbreak of plague in Manila in 1912, viii, B, 409.
 Observations concerning cholera carriers, x, B, 11.
 Practical experience with some enriching media recommended for bacteriological diagnosis of Asiatic cholera, x, B, 127.
 The etiology of trichomycosis palmellina in the P. I., ix, B, 219.
 The vitality of the cholera vibrio in Manila waters, ix, B, 479.
See also Willets, D. G., viii, B, 133.
- SCHÜFFNER, WILHELM.
 Pseudotyphoid fever in Deli, Sumatra (a variety of Japanese kedani fever), x, B, 345.
- SCHULTZE, WILLIE.
 I. Beitrag zur coleopteren Fauna der Philippinen, x, D, 271.
 Contributions to the lepidopterous fauna of the P. I., v, D, 161.
 Life histories of some Philippine Cassididæ, iii, A, 261.
 New and little-known Lepidoptera of the P. I., iii, A, 27.
 New Lepidoptera of the P. I., ii, A, 361.
 Notes on a nesting place of *Crocodylus palustris* Lesson, ix, D, 313.
 Notes on the abundant appearance of *Gibbium scotias* Fabr. in the P. I. (editorial), iii, A, 299.
 Notes on the appearance of *Sirex juvencus* Linn. in Manila, P. I. (editorial), iii, A, 299.
 Notes on the Malay pangolin, *Manis javanica* Desmarest, ix, D, 93.
- SEALE, ALVIN.
 Description of a new *Acanthocybium* from the P. I., vii, D, 283.
 Descriptions of four new species of fishes from Bantayan Island, Philippine Archipelago, v, D, 115.
 Fishes of Borneo, with descriptions of four new species, v, D, 263.
 Fishes of Hongkong, ix, D, 59.
 New species of Philippine fishes, iv, A, 491.
 Note regarding the dugong in the P. I., x, D, 215.
 Notes on Philippine edible mollusks, vii, D, 273.
 Preservation of commercial fish and fishery products in the tropics, ix, D, 1.
 Some poisonous Philippine fishes (editorial), vii, D, 289.
 The fishery resources of the P. I., part I: Commercial fishes, iii, A, 513.

SEALE, ALVIN—Continued.

The fishery resources of the P. I., part II: Sponges and sponge fisheries, iv, A, 57.

The fishery resources of the P. I., part III: Pearls and pearl fisheries, v, D, 87.

The fishery resources of the P. I., part IV: Miscellaneous marine products, vi, D, 283.

The successful transference of black bass to the P. I., with notes on the transportation of live fish long distances, v, D, 153.

SELLARDS, ANDREW WATSON.

Immunity reactions with amœbæ, vi, B, 281.

Tolerance for alkalies in Asiatic cholera, v, B, 363.

See also McLaughlin, A. J., v, B, 391; Walker, E. L., viii, B, 253.

SELLARDS, A. W., and SHAKLEE, A. O.

Indications of acid intoxication in Asiatic cholera, vi, B, 53.

SEVILLA, VICTOR.

See Guerrero, L., iv, B, 273.

SHAKLEE, ALFRED OGLE.

Treatment of strychnine poisoning with chloroform, v, B, 547.

See also Sellards, A. W., vi, B, 53.

SHATTUCK, GEORGE CHEYNE.

Notes on chronic ulcers occurring in the P. I., ii, B, 551.

SHIBAYAMA, GORASAKU.

On malaria parasites of the orang-outan, v, B, 189.

Some observations concerning beriberi, v, B, 123.

SHIGA, K.

Observations on the epidemiology of dysentery in Japan, i, 485.

SHILLING, GEORGE R.

See Gibbs, H. D., vii, A, 383.

SHUFELDT, ROBERT WILSON.

Osteological and other notes on *Sarcops calvus* of the P. I., ii, A, 257.

The skeleton in the flying lemurs, *Galeopteridæ*, vi, D, 139, 185.

SISON, ANTONIO GUILLERMO.

See MUSGRAVE, W. E., v, B, 313, 325, 335, 553; viii, B, 67, 385; ix, B, 241.

SMITH, OSCAR FRANKLIN.

See Wright, J. R., ix, A, 51.

SMITH, WARREN DU PRÉ.

A geologic reconnaissance of the Island of Mindanao and the Sulu Archipelago: I. Narrative of the expedition, iii, A, 473.

An account of a human sacrifice held by the Bagobos, District of Davao, Mindanao, P. I. (editorial), iii, A, 188.

Contributions to the physiography of the P. I. (I. Cebu Island), i, 1043.

Contributions to the physiography of the P. I.: IV. The country between Subig and Mount Pinatubo, iv, A, 19.

Contributions to the stratigraphy and fossil invertebrate fauna of the P. I., viii, A, 235.

Geologic reconnaissance of Mindanao and Sulu: II. Physiography, v, A, 345.

Geological reconnaissance of Mindanao and Sulu: III. General and economic geology, vi, A, 359.

SMITH, WARREN DU PRÉ—Continued.

Notes on a geologic reconnaissance of Mountain Province, Luzon, P. I., x, A, 177.

Notes on the geology of Panay, x, A, 211.

Notes on the geology of Port Arthur and vicinity (editorial), ix, A, 269.

Orbitoides from the Binangonan limestone, i, 203.

Petrography of some rocks from Benguet Province, Luzon, P. I., ii, A, 235.

Preliminary geological reconnaissance of the Lobo Mountains, Batangas Province, i, 617.

The asbestos and manganese deposits of Ilocos Norte, with notes on the geology of the region, ii, A, 145.

The essential features of the geology of the P. I., v, A, 307.

The geology of the Compostela-Danao coal field, ii, A, 377.

See also Pratt, W. E., viii, A, 301; Saderra Masó, M., viii, A, 199.

SMITH, W. D., and EDDINGFIELD, F. T.

Additional notes on the economic geology of the Baguio mineral district, vi, A, 429.

SMITH, W. D., EDDINGFIELD, F. T., and FANNING, P. R.

A preliminary check list of Philippine minerals, x, A, 81.

STANLEY, COURT R.

See Willets, D. G., ix, B, 93.

STANTON, A. T.

See Fraser, H., v, B, 55.

STITT, EDWARD RHODES.

A quick, simple, and accurate method of making differential blood counts in wet preparations and its advantages in the diagnosis of surgical and tropical diseases, v, B, 233.

A study of the blood in dengue fever with particular reference to the differential count of the leucocytes in the diagnosis of the disease, i, 513.

A study of the intestinal parasites found in Cavite Province, vi, B, 211.

STROHMEYER, H.

Borkenkäfer der Philippinen, vi, D, 17.

STRONG, RICHARD PEARSON.

A consideration of some of Bail's recent views in connection with the study of immunity and a comparison of the value of protective inoculation with aggressin with that of vaccination in plague, i, 501.

A study of some tropical ulcerations of the skin with reference to their etiology, i, 91.

Doctor Freer and his general influence upon scientific work in the P. I., vii, m. n., xi.

Introduction, iv, B, 207. Summary and conclusions, iv, B, 289. See Committee on medical survey of the town of Taytay, iv, B, 207.

Studies in plague immunity, ii, B, 155.

Studies on pneumonic plague and plague immunization. I. Introduction. The expedition to Manchuria and the conditions under which the work was performed there, vii, B, 131.

The diagnosis of African tick fever from the examination of the blood, iii, B, 231.

STRONG, RICHARD PEARSON—Continued.

The investigations carried on by the biological laboratory in relation to the suppression of the recent cholera outbreak in Manila, ii, B, 413.

The relation of the Indian form of relapsing fever to African tick fever, iv, B, 187.

The specific cure of yaws with dioxydiamidoarsenobenzol, v, B, 433.

Vaccination against plague, i, 181.

STRONG, R. P., and CROWELL, B. C.

The etiology of beriberi, vii, B, 271.

STRONG, R. P., CROWELL, B. C., and TEAGUE, O.

Studies on pneumonic plague and plague immunization. VII. Pathology, vii, B, 203.

STRONG, R. P., and TEAGUE, O.

Studies on pneumonic plague and plague immunization. II. The method of transmission of the infection in pneumonic plague and manner of spread of the disease during the epidemic, vii, B, 137.

Studies on pneumonic plague and plague immunization. IV. Portal of entry of infection and method of development of the lesions in pneumonic and primary septicæmic plague: Experimental pathology, vii, B, 173.

Studies on pneumonic plague and plague immunization. V. Clinical observations, vii, B, 181.

Studies on pneumonic plague and plague immunization. VI. Bacteriology, vii, B, 187.

Studies on pneumonic plague and plague immunization. VIII. Susceptibility of animals to pneumonic plague, vii, B, 223.

Studies on pneumonic plague and plague immunization. IX. Protective inoculation against pneumonic plague, vii, B, 229.

The treatment of trypanosomiasis with especial reference to surra, v, B, 21.

SYDOW, H.

See Bresadola, G., ix, C, 345.

SYDOW, H. and PAUL.

Descriptions of some new Philippine fungi, viii, C, 195.

Enumeration of Philippine fungi, with notes and descriptions of new species. Part I: Micromycetes, viii, C, 265.

Enumeration of Philippine fungi with notes and descriptions of new species, II, viii, C, 475.

Fungi from northern Palawan, ix, C, 157.

Fungi philippinenses, v, C, 163.

T

TAYLOR, EDWARD HARRISON.

New species of Philippine lizards, x, D, 89.

TEAGUE, OSCAR.

A further note upon the influence of atmospheric temperature upon the spread of pneumonic plague, viii, B, 241.

The cutaneous reaction in leprosy: Preliminary report, iv, B, 323.

The nastin treatment of leprosy, iv, B, 329.

See also Barber, M. A., vii, B, 255; Marshall, H. T., iii, B, 357; Strong, R. P., v, B, 21; vii, B, 137, 173, 181, 187, 203, 223, 229.

TEAGUE, O., and BARBER, M. A.

Studies on pneumonic plague and plague immunization. III. Influence of atmospheric temperature upon the spread of pneumonic plague, vii, B, 157.

TEMPONGKO, CLODOALDO.

Sugar-cane experiments, viii, A, 159.

TEODORO, NICANOR GREGORIO.

A preliminary study of Philippine bananas, x, C, 379.

THORNBURGH, ROBERT M.

Adenocarcinoma of the cæcum, complicated by intussusception, x, B, 71.

THURLOW, LEAVITT WEARE, and PRATT, D. S.

Extraction test of a modern sugar central, vii, A, 357.

See also Pratt, D. S., viii, A, 377.

TRIBLE, G. P.

Unidentified larvæ of some dipterous insect developing in the deep urethra and bladder of man producing severe abdominal symptoms, v, B, 515.

TYZZER, ERNEST EDWARD.

The histology of the skin lesions in varicella, i, 349.

See also Brinckerhoff, W. R., i, 239.

V

VASSAL, J. J.

Atoxyl in the treatment of malaria, iv, B, 1.

See also Yersin, A., iii, B, 131.

VASSAL, J. J., and BROCHET, A.

Dengue in Indo-China: Epidemic on board the "Manche," iv, B, 21.

VAZQUEZ, ANTONIO.

See Musgrave, W. E., ix, B, 173.

VEDDER, EDWARD BRIGHT.

A fourth contribution to the etiology of beriberi, vii, B, 415.

See also Ashburn, P. M., viii, B, 17, 403, 429; Chamberlain, W. P., vi, B, 251, 383, 395, 405, 421; vii, B, 39.

VEDDER, E. B., and CLARK, E.

A study of polyneuritis gallinarum. A fifth contribution to the etiology of beriberi, vii, B, 423.

VEDDER, E. B., and WILLIAMS, R. R.

Concerning the beriberi-preventing substances or vitamines contained in rice polishings, viii, B, 175.

VIEHMEYER, H.

A myrmecophilous lycænid chrysalis from the P. I., v, D, 73.

On the myrmecophily of caterpillars of *Catochrysops cnejus* Fabr., v, D, 69.

VILLAFRANCA, RAFAEL.

See Heiser, V. G., viii, B, 493.

VILLAVARDE, JUAN.

The Ifugaos of Quiangan and vicinity. (Translated, edited, and illustrated by Dean C. Worcester. With notes and an addendum by L. E. Case.), iv, A, 237.

W

WAGNER, HANS.

Ein neues Apion von den Philippinen, vii, D, 101.

WAINIO, EDWARD AUGUST.

Lichenes insularum philippinarum, iv, C, 651; viii, C, 99.

WALKER, ERNEST LINWOOD.

A comparative study of the amœbæ in the Manila water supply, in the intestinal tract of healthy persons, and in amœbic dysentery, vi, B, 259.

Experimental balantidiasis, viii, B, 333.

Quantitative determination of the balantidicidal activity of certain drugs and chemicals as a basis for treatment of infections with *Balantidium coli*, viii, B, 1.

The life history of *Esophagostomum apistomum*: I. Development outside of the host, viii, B, 501.

The morphology of the adults of the *Filaria* found in the P. I., ix, B, 483.

The schizogony of *Trypanosoma evansi* in the spleen of the vertebrate host, vii, B, 53.

WALKER, E. L., and BARBER, M. A.

Malaria in the P. I. I. Experiments on the transmission of malaria with *Anopheles* (*Myzomyia*) *febrifer* sp. nov., *Anopheles* (*Pseudomyzomyia*) *rossii*, *Anopheles* (*Myzorhynchus*) *barbirostris*, *Anopheles* (*Myzorhynchus*) *sinensis*, and *Anopheles* (*Nyssorhynchus*) *maculatus*, ix, B, 381.

WALKER, E. L., and COX, S. L.

A comparison of the spleen index with the microscopic examination of the blood for malarial parasites in 1,003 persons, ix, B, 181. See Commission of representatives, sanitary survey of the San Jose Estate, ix, B, 137.

WALKER, E. L., GUZMAN, A. M., and CONCEPCIÓN, I.

The disease index. (A) Laboratory examinations, ix, B, 167. See Commission of representatives, sanitary survey of the San Jose Estate, ix, B, 137.

WALKER, E. L., with the coöperation of A. W. SELLARDS.

Experimental entamœbic dysentery, viii, B, 253.

WALKER, HERBERT S.

Notes on the sprouting coconut, on copra, and on coconut oil, iii, A, 111.

The coconut and its relation to the production of coconut oil, i, 58.

The keeping qualities and the causes of rancidity in coconut oil, i, 117.

WARD, ARCHIBALD ROBINSON, and WOOD, F. W.

Simultaneous method of inoculating cattle and carabaos with serum from animals that have been recently immunized, ix, B, 125.

WARD, A. R., WOOD, F. W., and BOYNTON, W. H.

Experiments upon the transmission of rinderpest, ix, B, 49.

WARNSTORF, CARL.

Die Sphagna der Philippinen, vii, C, 253.

WASHBURN, WILLIAM S.

Health conditions in the P. I., iii, B, 269.

WEISE, JULIUS.

Description of new Cassididæ of the P. I., iii, A, 259.

Ueber Chrysomeliden und Coccinelliden der Philippinen, v, D, 223.

Ueber Chrysomeliden und Coccinelliden der Philippinen: II. Teil (Coleoptera), viii, D, 215.

Verzeichnis von Coleopteren aus den Philippinen, nebst zwei neuen Arten aus Niederländisch Ostindien, v, D, 139.

WEST, AUGUSTUS PRICE.

Analysis and composition of red lead, viii, A, 429.

WEST, A. P., and COX, A. J.

Burning tests of Philippine Portland cement raw materials, ix, A, 79.

WESTER, PETER J.

A contribution to the history and vernacular nomenclature of the cultivated anonas, vii, C, 109.

WHARTON, LAWRENCE DILLER.

A description of some Philippine *Thalassema* with a revision of the genus, viii, D, 243.

Hirudo boyntoni, a new Philippine leech, viii, D, 369.

The development of the eggs of *Ascaris lumbricoides*, x, B, 19.

The eggs of *Ascaris lumbricoides*, x, D, 111.

WHITFORD, HARRY NICHOLS.

Studies in the vegetation of the Philippines, I: The composition and volume of the dipterocarp forests of the P. I., iv, C, 699.

The vegetation of the Lamao forest reserve, i, 373, 637.

WHITMORE, EUGENE R.

Further observations on therapeutic inoculations of bacterial vaccines, v, B, 565.

The dysentery bacillus with a bacteriologic study of an epidemic of bacillary dysentery in the P. I., vi, B, 215.

The inoculation of bacterial vaccines as a practical method for the treatment of bacterial diseases, with special reference to the treatment of infections due to the gonococcus, iii, B, 421.

Tuberculosis in the P. I., iv, B, 453.

Tuberculosis in the P. I.: Final result of one year's specific treatment of eighty cases of pulmonary tuberculosis, v, B, 563.

See also Dudley, F. W., v, B, 455; McLaughlin, A. J., v, B, 403.

WHITMORE, E. R., and CLEGG, M. T.

The specific treatment of leprosy, v, B, 559.

WILEMAN, ALFRED ERNEST.

Notes on Japanese Lepidoptera and their larvæ, ix, D, 247; x, D, 281, 345.

WILLETS, DAVID GIFFORD.

A general discussion of pellagra, with report of a probable case in the P. I., v, B, 489.

A statistical study of intestinal parasites in tobacco haciendas of the Cagayan Valley, P. I., vi, B, 77.

General conditions affecting the public health and diseases prevalent in the Batanes Islands, P. I., viii, B, 49.

Intestinal helminthiasis in the P. I. as indicated by examinations of prisoners upon admission to Bilibid Prison, Manila, P. I., ix, B, 233.

Intestinal parasitism, particularly entamoebiasis, in patients of the Philippine General Hospital, Manila, P. I., ix, B, 81.

Malaria in the Philippine General Hospital, Manila, P. I., during the fiscal year 1913, ix, B, 441.

Widal reactions among healthy adult Filipinos, ix, B, 253.

WILLETS, D. G., and SCHÖBL, O.

Isolation of *Diplococcus intracellularis meningitidis* Weichselbaum from a case of cerebrospinal meningitis occurring in a native of the P. I., viii, B, 133.

WILLETS, D. G., STANLEY, C. R., and GUTIERREZ, P.

Preliminary report on the treatment of entamoebiasis with ipecac, emetine, and neosalvarsan at the Philippine General Hospital, Manila, P. I., ix, B, 93.

WILLIAMS, ROBERT R.

Progress in the investigation of vitamins (editorial), x, B, 95.

The economic possibilities of the mangrove swamps of the P. I., vi, A, 45.

See also Chamberlain, W. P., vii, B, 39; Gibbs, H. D., vii, A, 79; viii, A, 1; Pratt, D. S., viii, A, 377; Vedder, E. B., viii, B, 175.

WILLIAMS, R. R., and CROWELL, B. C.

The thymus gland in beriberi, x, B, 121.

WILLIAMS, R. R., and JOHNSTON, J. A.

Miscellaneous notes and comments on beriberi, x, B, 337.

WILLIAMS, R. R., and SALEEBY, N. M.

Experimental treatment of human beriberi with constituents of rice polishings, x, B, 99.

WOOD, FREDERICK WILLAN.

See Ward, A. R., ix, B, 49; ix, B, 125.

WOODWARD, R. B.

Case report of obstructed labor and Cæsarean section, x, B, 69.

WOOLLEY, PAUL GERHARDT.

Rinderpest, i, 577.

The occurrence of *Schistosoma japonicum vel cattoi* in the P. I., i, 83.

Tropical febrile splenomegaly, i, 533.

WORCESTER, DEAN CONANT.

Doctor Freer and the Bureau of Science, vii, m. n., xv.

Hybridism among boobies, vi, D, 179.

Newly discovered breeding places of Philippine sea birds, vi, D, 167.

Note on the occurrence of a flying crustacean in the P. I., ix, D, 57.

On a nesting place of *Sula sula* (Linnæus) and *Sterna anæstheta* Scopoli, ii, A, 275.

On a nesting specimen of *Caprimulgus griseatus* Walden, ii, A, 271.

The non-Christian tribes of northern Luzon, i, 791.

See also Villaverde, J., iv, A, 237.

WRIGHT, JAMES REMUS, and SMITH, O. F.

A quantitative determination of the radium emanation in the atmosphere and its variation with altitude and meteorological conditions, ix, A, 51.

Y

YERSIN, A., and VASSAL, J. J.

Typhus fever in Indo-China, iii, B, 131.

SUBJECT INDEX

A

- A las doce*, ix, C, 138.
Aabang, ix, C, 124.
Aasmud, vi, D, 232.
Aapox digimaiyaṅ, vi, D, 240.
Aba, iii, A, 202; ix, D, 478.
Ababai, x, A, 1.
Abacá, iii, C, 305; vi, A, 399; vi, C, 100; vii, C, 169; x, C, 388.
 paper made from waste of, ii, A, 108.
 suitability for paper making of, i, No. 5, 440.
 sulphite digestion of waste from, ii, A, 94.
 tensile strength of machine- and hand-stripped, iv, A, 163.
Abas, ix, C, 124.
Abauria excelsa, iv, C, 465; x, C, 12.
Abdominal cavity, method of transferring solutions into, iv, B, 103.
Abelmoschus, i, s, 92, 207; iii, C, 419; ix, C, 111.
 esculentus, vii, C, 186; ix, C, 111.
 luzoniensis, i, s, 207.
 moschatus, i, s, 92, 207; iii, C, 78, 419; vii, C, 186; ix, C, 111.
 multilobatus, i, s, 208.
Abemus, x, D, 123.
Aber, vii, A, 390.
Abies alba, v, A, 205.
 amabilis, vi, A, 13.
 balsamea, vi, A, 13.
 dammara, v, A, 173; vi, C, 167.
 grandis, vi, A, 13.
 magnifica, vi, A, 13.
 nobilis, vi, A, 13.
Abildgaardia brevifolia, ii, C, 91.
 compressa, ii, C, 97.
 javanica, ii, C, 92.
 monostachya, ii, C, 97.
 nervosa, ii, C, 92.
 pauciflora, ii, C, 98.
Abilo, iv, A, 94; x, C, 29.
Abrus philippinensis, viii, D, 220.
Ablabes philippinus, vi, D, 261.
 tricolor, iv, A, 599; vi, D, 261.
Abonṅ, ix, D, 477.
Abongo, ix, D, 476.
Abroma, i, s, 93; iii, C, 420.
 augusta, i, s, 93; iii, C, 420.
Abrornis olivacea, ii, A, 287, 327; vi, D, 40.
Abrus, i, s, 66; iii, C, 410; v, C, 108; ix, C, 91.
 abrus, v, C, 108; ix, C, 91.
 fruticulosus, v, C, 109.
 laevigatus, v, C, 109.
 precatorius, i, s, 66; iii, C, 410; v, C, 108; vi, C, 205; vii, C, 184; viii, C, 267, 477; ix, C, 91, 425, 513.
 pulchellus, i, 392; i, s, 66; v, C, 109.
Abscess, amœbic liver, i, 548.
 dysenteric liver, iii, B, 349.
 prevention and treatment of amœbic liver, v, B, 219.
 prevention by early diagnosis and treatment of the presuppurative stage of amœbic hepatitis in tropical liver, iii, B, 285.
Absidia caerulea, viii, C, 22.
Absorption spectra, *see* Spectra.
Abucay, ii, A, 324.
Abudehduf coracinus, iv, A, 520.
 malas, iv, A, 521.
Abuhan, x, A, 380.
Abuho, ix, C, 133.
Abuhungan, vi, C, 278.
Abuṅ, ix, D, 477.
Abunlon, i, 805.
Aburlin, i, 805.
Abutilon, i, s, 91; v, C, 197; vii, C, 162; ix, C, 111.
 graveolens, v, C, 197.
 hirtum, v, C, 197.
 indicum, i, 396; i, s, 91; iii, C, 77; vi, C, 210; vii, C, 186; ix, C, 111, 513.
Abutua indica, vi, C, 175.
Acacia, i, s, 62; iii, C, 409; v, C, 27; ix, C, 86.
 arabica, iv, C, 469.
 caesia, v, C, 29.
 catechu, iii, A, 534; iv, C, 459, 469.
 concinna, v, C, 28.
 confusa, v, C, 27.
 eburnea, iv, C, 469.
 excelsa, iv, C, 469.
 farnesiana, i, 669; i, s, 62; iv, C, 470; v, A, 443; v, C, 28; vi, A, 350; vii, C, 175; ix, A, 454; ix, C, 86, 425, 513.
 ferruginea, iv, C, 470.
 glaucia, v, C, 30.
 holosericea, v, C, 30.
 intsia, i, s, 62; v, C, 29.
 koa, iv, C, 470.
 lebbeck, v, C, 23.
 lebbeckoides, v, C, 23.
 leucophloea, iv, C, 470.
 marginata, v, C, 23.
 melanoxylon, iv, C, 470.
 modesta, iv, C, 470.
 niopo, v, C, 33.
 pennata, iii, C, 409; iv, B, 223; v, C, 29.
 pennata var. *arrophula*, v, C, 29.
 pennata var. *pluricapitata*, v, C, 29.
 philippinarum, v, C, 28.
 planifrons, iv, C, 470.
 procera, v, C, 21.
 richii, v, C, 27.

Acacia—Continued.

- rugata, v, A, 445; v, C, 28.
 speciosa, iv, C, 459.
 tomentosa, iv, C, 470.
 Acajou, iv, C, 481.
 a fruits, iv, C, 487.
 a pommes, iv, C, 487.
 d'Afrique, iv, C, 496.
 de Guadeloupe, iv, C, 487.
 Acajoubaum, iv, C, 487.
 Acalypha, i, s, 80; iii, C, 417; v, C, 191, 357;
 ix, C, 100.
 australis, v, C, 192.
 cardyophylla, i, s, 80.
 grandibracteata, v, C, 191.
 grandis var. velutina, iii, C, 417; v, C,
 357.
 hispida, vii, C, 185.
 indica, iii, C, 417; ix, C, 100.
 stipulacea, i, s, 81; iii, C, 417; v, C, 192,
 357.
 tiliifolia, v, C, 192.
 wilkesiana, vii, C, 186.
 Acancan calatum, ix, C, 93.
 malulasa, ix, C, 94.
 Acanthaceae, i, s, 125, 173, 247; ii, C, 301,
 426, 435; iii, C, 435; iv, C, 321; v, C,
 229, 386; vi, C, 222; vii, C, 103, 166,
 248; x, C, 193, 341.
 Acantharadus, iv, A, 579.
 giganteus, iv, A, 580.
 Acanthaspidinæ, iv, A, 584.
 Acanthaspis, iv, A, 584; v, D, 60.
 distantii, iv, A, 584; v, D, 60.
 flavovaria, iv, A, 584; v, D, 60.
 signaticollis, iv, A, 585.
 Acanthaspisaria, iv, A, 584.
 Acanthocephala krusensternii, ix, D, 69.
 Acanthocera, ix, D, 435.
 punctifrons, ix, D, 436.
 Acanthocladium, iii, C, 29; v, C, 159.
 korthalsii, ii, C, 342; v, C, 159.
 lancifolium, ii, C, 342; v, C, 159.
 merrillii, iii, C, 29.
 prionodontella, ii, C, 342.
 robinsonii, v, C, 159.
 Acanthocoris, iv, A, 568.
 scabrator, iv, A, 568.
 Acanthocybium forbesi, vii, D, 283.
 solanderi, vii, D, 285.
 Acanthohemiteles benjamini, i, 692.
 Acantholipes, ii, A, 373.
 trajectus, ii, A, 373.
 Acanthoneura alcestitis, viii, D, 310.
 maculipennis, viii, D, 326.
 Acanthopanax, i, s, 217.
 aculeatum, i, s, 217.
 ricinifolium, x, D, 301.
 trifoliatum, i, s, 175.
 Acanthophippium, vi, C, 50.
 mantinianum, vi, C, 50.
 Acanthopneuste borealis, i, 703, 767, 774, 907;
 ii, A, 289, 307, 314, 329; iii, A, 280; iv,
 A, 75; v, D, 112.
 xanthodryas, iv, A, 75.
 Acanthus, i, s, 126; vii, C, 167.
 ilicifolius, i, 673; i, s, 126, 386; vi, C,
 222; x, C, 187.
 Acaparas, ix, C, 84.
 Acapulco, v, C, 50; vii, C, 176; ix, C, 88.
 Acara, ii, A, 368.
 strata, ii, A, 368.
 Acarids, researches on, v, B, 463.
 Acarina, iii, B, 6; iv, B, 239.
 Acarua, ix, D, 281.
 Accipiter gularis, ii, A, 302; v, D, 108.
 manillensis, i, 700; ii, A, 302; iv, A, 68.
 Acer, i, s, 86; ii, C, 279; iv, C, 285.
 curranii, iv, C, 285.
 laevigatum, iv, C, 286.
 philippinum, i, 643; i, s, 86, 175; ii, C,
 279; iv, C, 286.
 pictum, x, D, 345.
 rubrum, vi, A, 15.
 saccharinum, vi, A, 15.
 saccharum, vi, A, 15.
 Aceraceæ, i, s, 86, 175; ii, C, 279; iv, C, 285,
 492.
 Aceris philippini, iii, C, 52.
 Acerodon, vii, D, 10.
 jubatus, vii, D, 10.
 lucifer, vii, D, 10.
 mindanensis, vii, D, 10.
 Acetic acid, cream expressed from coconut
 meat with, iii, A, 117.
 Acetone, the action of sodium on, ii, A, 67.
 Acetosa nigrorum, vi, C, 369.
 Acetylmetilsalicylate, x, A, 60.
 Acetylphenylglycin-arsenic acid quinine ester,
 vi, A, 30.
 Achacea combinans, v, D, 174.
 Achaea cyllota, v, D, 174.
 Acharana, v, D, 180.
 licarsialis, v, D, 180.
 phoeopteralis, v, D, 180.
 Achillinae, v, D, 39; ix, D, 176.
 Achiot, ix, C, 115.
 Achlya, infection with various microorgan-
 isms, viii, B, 373.
 Achote, ix, C, 115.
 Achras, vii, C, 164; ix, C, 127.
 sapota, iii, C, 304; vii, C, 187; viii, A,
 63; ix, C, 127.
 tchicomane, iii, C, 304.
 Achrostichum, i, s, 21.
 aureum, i, s, 21; ii, C, 6.
 Achuete, i, s, 98; iv, B, 228; v, A, 443; vii,
 C, 199.
 Achyranthes, vii, C, 157; ix, C, 80.
 aspera, vi, C, 201; vii, C, 183; ix, C, 80,
 513.
 fruticosa, ix, C, 80.
 Acia, x, C, 97.
 fragillissima, x, C, 97.
 Acid intoxication in Asiatic cholera, vi, B, 53.
 Acidalia, v, D, 177.
 ochrata, v, D, 177.
 rufula, v, D, 177.
 Acidaliinae, v, D, 177.
 Acidia elimia, viii, D, 310.
 fossata, viii, D, 310.

- Acidopria monachanta*, ix, D, 287.
 tetratoma, ix, D, 287.
 tricornuta, ix, D, 287.
 variicornis, ix, D, 287.
Acinia stellata, viii, D, 310.
Acle, i, s, 61; ii, C, 869; iv, C, 463; v, C, 26.
 parang, v, C, 22.
Acleng parang, iv, C, 460; v, C, 22; vi, A, 301.
Aclesia freeri, the anatomy of, vii, D, 65.
Aclisis pleuralis, i, 693.
Aclisia punctulata, ix, D, 287.
Acmaeodera luzonica, ix, D, 83.
Acocephalini, x, D, 50.
Acolus luteipes, ix, D, 286.
Aconiopteris obtusa, ix, C, 441.
Aconitum napellus, vi, A, 201.
Acontiinae, v, D, 172.
Acoridium, i, s, 38; vi, C, 36.
 recurvum, ii, C, 317.
 tenellum, i, 661; i, s, 38; ii, C, 318.
 venustulum, vii, C, 26.
 whitfordii, i, 661; i, s, 38.
Acorus, vii, C, 155; x, C, 288.
 calamus, vii, C, 181; x, C, 289.
 gramineus, x, C, 288.
Acranthera philippinensis, viii, C, 32.
 zeylanica, viii, C, 32.
Acrididae, viii, D, 76.
Acridium manilense, i, 1068.
Acridotheres, ii, A, 258.
Acrocarpus fraxinifolius, iv, C, 459; v, C, 136.
Acrocephalus, vi, C, 356; vii, C, 101.
 blumii, vi, C, 357.
 capitatus, vii, C, 101.
 indicus, vi, C, 357; vii, C, 101.
 orientalis, ii, A, 307, 328, 342.
 spicatus, vi, C, 356.
Acrochordinae, vi, D, 255.
Acrocryphaea, viii, C, 74.
 concavifolia, viii, C, 74; ix, C, 208.
Acrocrypta variabilis, viii, D, 233.
Acromitus, ix, D, 210.
 maculosus, ix, D, 212.
Acronychia, i, s, 69.
 laurifolia, i, 646; i, s, 69.
Acronycta, v, D, 171.
 leporina, v, D, 171.
 sinens, v, D, 171.
Acrophorus, i, s, 145; ii, C, 122.
 nodosus, i, s, 145.
 stipellatus, i, s, 145; ii, C, 122.
Aerosorus, i, s, 158; ii, C, 136.
 exaltata, i, s, 159.
 frederici et pauli, i, s, 159.
 merrilli, ii, C, 136.
 reineckeii, ii, C, 136.
 triangularis, iii, C, 347.
Acrostichoides, ii, C, 198.
Acrostichum, vi, C, 92; vii, C, 152; ix, C, 42.
 aureum, i, 673; vi, C, 92, 191; vii, C, 179; ix, C, 41, 513.
 drynarioides, vi, C, 92.
 flagelliferum, ii, C, 159.
 gorgoneum, ix, C, 441.
 laurifolium, ii, C, 176.
Acrostichum—Continued.
 obtusa, ix, C, 441.
 pellucido-marginatum, ix, C, 441.
 punctatum, ix, C, 46.
 spathulatum, x, C, 186.
 spicatum, ix, C, 44.
 thalioides, ix, C, 46.
 viellardii, ix, C, 441.
Acrostigma, iii, C, 71.
Acrydium ranunculum, vii, A, 384.
 rubescens, vii, A, 384.
Acsuling-Muao region, geology of, ii, A, 388.
Actephila, iv, C, 276.
 dispersa, iv, C, 276.
 gigantea, i, s, 172.
 gigantifolia, iv, C, 277.
Actinic and nonactinic days, v, B, 10.
Actinochloa barbata, i, s, 380.
Actinocyclus, vi, D, 61.
Actinodaphne, i, s, 192; iii, C, 407; iv, C, 454.
 philippinensis, i, s, 192.
Actinodopsis, ix, C, 174.
 piperis, ix, C, 175.
Actinolite, x, A, 82.
 analysis of asbestiform, ii, A, 169.
Actinomyces, ii, B, 490.
 bovis, iii, B, 461.
 hominis, ii, B, 482.
 horkelii, iii, B, 458.
Actinomyces pedis, iii, B, 449.
Actinoschoenus filiformis, ii, C, 98.
Actinostroma crassum, i, s, 282; ix, C, 236.
 infundibuliforme, i, s, 283.
Actitis hypoleucos, iii, A, 277; v, D, 107.
 hypoleucus, i, 700, 904; ii, A, 301, 312, 320, 339.
Active deposit method, a determination of the diurnal variation of the radioactivity of the atmosphere by the, x, A, 37.
Actopanax cannaeformis, iv, C, 193; ix, C, 69.
Acutifolia, vii, C, 253.
Ad Daya, vi, D, 242.
 Isik, viii, D, 97.
 Kabunian, vi, D, 242.
Adaan, v, C, 22.
Adadasi, v, C, 50.
Adamui, vi, C, 278.
Adanes, i, 805.
Adang, i, 805.
Adanginos, i, 805.
Adangtas, i, 805.
Adaugas, i, 805.
Adavius (Cyptus), viii, D, 373.
Addalateng, vi, C, 30.
Addison's disease and adrenal tuberculosis, vi, B, 345.
Adelfa, ix, C, 129.
Adelia glandulosa, vii, C, 383.
 javanica, vii, C, 391.
 papillaris, vii, C, 238.
Adelmeria, iv, C, 179; ix, C, 443.
 bifida, iv, C, 179.
 oblonga, ix, C, 443.
 paradoxa, ix, C, 444.
 pinetorum, iv, C, 180.

- Adelungia*, x, D, 191.
Adelungiinae, x, D, 191.
Adenanthra, i, s, 62; iii, C, 228; v, C, 32;
 vii, C, 159; ix, C, 86.
bicolor, iii, C, 228; iv, C, 459.
gogo, v, C, 32.
intermedia, iii, C, 228; iv, C, 459, 707;
 v, C, 32.
pavonina, i, 387; i, s, 62; iii, C, 228; iv,
 C, 459; v, C, 32; ix, C, 86.
Adenia, i, s, 100; iii, C, 421; vii, C, 163;
 x, C, 330.
coccinea, iii, C, 421; vi, C, 211; x, C, 331.
crassa, x, C, 331.
longifolia, x, C, 330.
palmatifolia, x, C, 330.
Adenocarcinoma of the caecum complicated by
 intussusception, x, B, 71.
Adenogynum discolor, vii, C, 386.
Adenosacme, x, C, 104.
apoensis, x, C, 105.
longifolia, x, C, 105.
mindanaensis, x, C, 105.
scortechinii, x, C, 105.
Adenostemma, i, s, 139; iii, C, 441; ix, C, 153.
viscosum, i, 396; i, s, 139; iii, C, 441;
 ix, C, 153.
Adenostylis, viii, C, 408.
elmeri, viii, C, 408.
marivelensis, viii, C, 408.
vanoverberghii, viii, C, 408.
Adgao, i, s, 232.
Adiantopsis radiata, iii, C, 281.
Adiantum, i, s, 18, 154, 255; iii, C, 391; v,
 C, 320; vi, C, 86; vii, C, 152.
affine, vi, C, 138.
alatum, i, s, 18.
aneitense, i, s, 154.
capillus-veneris, iii, C, 280, 391.
caudatum, i, s, 18; iii, C, 391; vii, C, 179.
cuneatum, ix, C, 437.
cupreum, vii, C, 55.
diaphanum, i, s, 18; ii, C, 5.
edgeworthii, i, s, 154; v, C, 320.
flabellulatum, vii, C, 55.
fulvum, vi, C, 138.
hispidulum, i, s, 18.
kingii, ix, C, 5.
lunulatum, i, s, 18.
macrophyllum, vii, C, 179.
mindanaoense, i, s, 154; ii, C, 5.
opacum, i, s, 255; vii, C, 55.
philippense, i, 399; i, s, 18; ii, C, 5;
 vi, C, 86; vii, C, 179; ix, C, 422.
pulchellum, i, s, 255.
pulcherrimum, vi, C, 138.
refractum, iii, C, 280.
scabripes, vii, C, 55.
spencerianum, i, s, 154.
tenerum, vii, C, 179.
trapeziforme, vii, C, 179.
venustum, ii, C, 165.
Adicea, v, C, 467.
Adina, iv, C, 559.
cordifolia, iv, C, 559.
rubescens, iv, C, 559.
Adinandra, i, s, 95; ii, C, 283; iii, C, 206;
 v, C, 363; ix, C, 316, 377.
acuminata, ix, C, 318.
coriacea, ix, C, 317; x, C, 324.
dumosa, ii, C, 283; v, C, 363.
elliptica, iii, C, 206; ix, C, 320.
lamponga, ix, C, 319.
leytensis, ix, C, 377.
loheri, ix, C, 318, 378.
luzonica, i, 655; i, s, 95; ii, C, 283.
macgregorii, ix, C, 319.
maquilingensis, ix, C, 317.
montana, v, C, 363.
nigro-punctata, ix, C, 320.
pavonina, i, 415.
rostrata, ix, C, 316.
Adios, iv, C, 334.
Adixoa, iii, A, 28.
tomentosa, iii, A, 28.
Adla, vii, A, 109.
Adlay, i, s, 321.
Adullia, v, D, 163.
benguetana, v, D, 163.
lunifera, v, D, 163.
samarensis, v, D, 163.
Adobe, viii, D, 191.
Adopo, v, C, 359.
Adoretini, v, D, 262.
Adoretus, v, D, 262.
assimilis, vii, D, 268.
cinerarius, vii, D, 269.
compressus, vii, D, 269.
cribratus, vii, D, 268.
hirtellus, vii, D, 269.
luridus, v, D, 262; vii, D, 267.
mutabilis, v, D, 262.
philippinicus, v, D, 262; vii, D, 268.
ranunculus, v, D, 262.
semperi, vii, D, 268.
tenuimaculatus, v, D, 233; vii, D, 269.
testaceus, vii, D, 268.
umbrosus, v, D, 262; vii, D, 269.
versutus, v, D, 233.
Adrama, viii, D, 323.
determinata, viii, D, 310.
Adrenal tuberculosis, Addison's disease and,
 vi, B, 345.
Adrenals in plague, x, B, 305.
Adriatic type of man, iv, A, 309.
 modified, iv, A, 272.
Adris tyrannus, x, D, 355.
Adug, ix, D, 495.
Adzucki bean, i, 760.
Aecidium, i, s, 282; iii, C, 43; viii, C, 267,
 477; ix, C, 159.
blumæ, iii, C, 44; viii, C, 267; ix, C, 159.
clerodendri, iii, C, 43; v, C, 164; viii, C,
 267, 477.
kaernbachii, viii, C, 267.
lagunense, viii, C, 477.
luzoniense, i, s, 282.
machili, viii, C, 477.
nummulare, viii, C, 477.
pæderiæ, viii, C, 477.
phyllanthinum, viii, C, 477.
pluchæ, iii, C, 44.

Aecidium—Continued.

- rhytismoideum, ix, C, 159.
 uvariae-rufae, iii, C, 44.
 Aedeomyia, i, 990.
 squammipenna, i, 990.
 squammipennis, i, 990.
 Aedes squammipenna, i, 990.
 squammipennis, i, 990.
 Aedinae, i, 990.
 Aedomyia catacticta, viii, D, 307.
 squammipenna, viii, D, 307.
 Aegialitis alexandrina, ii, A, 301, 320; v, D, 106.
 cantiana, ii, A, 320.
 cantianus, ii, A, 320.
 dubia, i, 904; ii, A, 282, 301, 319; v, D, 106.
 peroni, i, 700; ii, A, 282, 301, 311, 320; v, D, 106.
 Aegiceras, i, s, 112; iii, C, 425; vii, C, 164.
 corniculatum, i, 676; i, s, 112; iii, C, 425; iv, C, 538; vi, A, 17; vi, C, 219; viii, C, 505.
 floridum, iv, C, 538; vi, C, 219.
 majus, iv, C, 538; vi, A, 17.
 Aegilops exaltata, i, s, 329.
 fluvialis, i, s, 328.
 Aegiphila viburnifolia, ix, C, 312.
 Aegithina viridis, i, 906.
 Aegle, vii, C, 160.
 marmelos, iv, C, 473.
 sepiaria, ix, D, 250.
 Aegus currani, vii, D, 98.
 platyodon, vii, D, 98.
 Aemene multipuncta, v, D, 169.
 Aelolus beccarii, ix, D, 441.
 multilineatus, ix, D, 441.
 Aequipten mioalternans, viii, A, 275.
 northamptoni, viii, A, 275.
 sp., v, A, 329.
 Aerides, i, s, 39; iv, C, 600; vi, C, 37.
 lawrenceae, iv, C, 600.
 quinquevulnera, i, 419; i, s, 39.
 Aëridostachya, iv, C, 213.
 Aërobryopsis, v, C, 153; viii, C, 78.
 dozyana, v, C, 153.
 lanosa, vi, C, 191; viii, C, 78; ix, C, 211.
 longissima, v, C, 153.
 Aerobryum, i, s, 12; viii, C, 79.
 lanosum, i, 662; i, s, 12.
 speciosum, viii, C, 79.
 Aerua, i, s, 52; vii, C, 157.
 lanata, i, 669; i, s, 52; vii, C, 196; ix, C, 424.
 Aeschynanthus, viii, C, 163, 311.
 beccarii, viii, C, 166.
 camiguinensis, viii, C, 164.
 everettiana, viii, C, 311.
 firma, viii, C, 311.
 foxworthyi, viii, C, 163; x, C, 84.
 fraseriana, viii, C, 167.
 glomeriflora, viii, C, 312.
 hians, viii, C, 311.
 hoseana, viii, C, 165.
 leucothamnos, viii, C, 165.
 lobbianus, viii, C, 166.

Aeschynanthus—Continued.

- loheri, viii, C, 165; x, C, 341.
 motleyi, viii, C, 167.
 obeonica, viii, C, 311.
 pergracilis, viii, C, 313.
 philippinensis, i, s, 124; viii, C, 164, 312.
 polillensis, viii, C, 314.
 serpens, viii, C, 166.
 stenocalyx, viii, C, 166.
 volubilis, viii, C, 165.
 zamboangensis, viii, C, 313.
 Aeschynomene, v, C, 76; vii, C, 159; ix, C, 90.
 arborea, v, C, 80.
 aspera, v, C, 76.
 cannabina, v, C, 74.
 grandiflora, v, C, 76.
 indica, v, C, 76; vi, C, 205; vii, C, 196; ix, C, 90.
 paludosa, iv, C, 269; v, C, 74.
 roxburghii, v, C, 76.
 sesban, vii, C, 235.
 uliginosa, v, C, 74.
 Aesculus glabra, vi, A, 14.
 octandra, vi, A, 14.
 Aesotes leucurus, vii, D, 390.
 notabilis, vii, D, 390.
 notabilis var. sanchezi, vii, D, 390.
 Aetas, i, 806.
 Ætheopsar, vi, D, 32.
 crystalellus, v, D, 219.
 Æthopyga bella, iv, A, 76.
 bonita, ii, A, 299, 308; vi, D, 46.
 flavipictus, v, D, 113.
 magnifica, i, 775; ii, A, 299, 308; vi, D, 46.
 rubrinota, ii, A, 331.
 shelleyi, i, 907; ii, A, 331.
 Afrena, v, D, 177.
 esmeralda, v, D, 177.
 African tick fever, examination of the blood for the diagnosis of, iii, B, 231.
 Afu, vi, C, 255.
 Afzelia, v, C, 41.
 bijuga, i, s, 63, 281; ii, C, 384; iv, C, 461; v, C, 40; viii, C, 277; ix, C, 38.
 palembanica, iv, C, 461; v, C, 41.
 rhomboidea, i, s, 63; ii, C, 395; iv, C, 462; v, C, 41.
 Aga, v, D, 61.
 albomarginalis, v, D, 62.
 Agagay, iii, C, 394.
 Agaiyangyang, v, C, 108.
 Agalite for paper making, ii, A, 103.
 Agaliya, ix, C, 105.
 Agalope westwoodii, x, D, 357.
 Agamemnon, ix, D, 254.
 Agametina, x, D, 229.
 discomaculata, x, D, 229.
 Agamodistomum ophthalmobium, ii, B, 31.
 Agandong, vi, C, 14.
 Aganmole Manobo, iii, A, 194.
 Aganope, v, C, 104.
 Aganosma, i, s, 118; vii, C, 164.
 acuminata, vii, C, 334.
 marginata, i, s, 118; ii, C, 435.
 velutina, vii, C, 334.

- Aganthaceæ, ix, C, 141.
 Agaon, viii, D, 73.
 Agaonella, viii, D, 72.
 larvalis, viii, D, 73.
 Agaonidae, i, 690; viii, D, 70.
 Agaoninæ, i, 690; viii, D, 70.
 Agaoooy, iv, C, 86.
 Agaracales, i, s, 290.
 Agar-agar, vi, D, 309.
 Agaricineæ, viii, C, 301; ix, C, 243.
 Agaricus, i, s, 290; ix, C, 248.
 abietinus, i, s, 287.
 alneus, i, s, 285, 291; ix, C, 39.
 amboinensis, i, s, 286.
 anthocephalus, x, C, 97.
 argyrostectus, i, s, 290.
 arvalis, ix, C, 247.
 boltoni, i, s, 290; ix, C, 248.
 campanulatus, ix, C, 251.
 campestris, i, s, 285.
 carbon, ix, C, 251.
 cepaestipes, ix, C, 243.
 deliquescent, ix, C, 250.
 equinus, ix, C, 251.
 foraminulosus, ix, C, 248.
 longipes, ix, C, 248.
 luzonensis, ix, C, 248.
 manilensis, i, s, 290.
 merrillii, i, s, 290.
 noctileucens, i, s, 291.
 papilionaceus, ix, C, 251.
 perfuscus, i, s, 290; ix, C, 249.
 philippinensis, i, s, 290.
 pilosellus, ix, C, 248.
 plicatilis, ix, C, 251.
 pseudoboletus, i, s, 287.
 pulcher, ix, C, 251.
 pumilus, ix, C, 247.
 pusillus, ix, C, 247.
 sajor-caju, i, s, 291.
 semiorbicularis, ix, C, 247.
 striatus, ix, C, 251.
 strigosus, i, s, 291; ix, C, 247.
 tener, ix, C, 248.
 varius, ix, C, 251.
 Agaru, iv, C, 479.
 Agas, vii, C, 290.
 Agate, x, A, 82.
 Agathidineæ, i, 693.
 Agathidini, i, 693.
 Agathis, i, s, 24; ii, C, 254, 257; vi, C, 167.
 alba, iv, C, 442; v, A, 171, 173, 178; vi, C, 167, 192.
 beccarii, v, A, 174, 178; vi, C, 168.
 borneensis, v, A, 174, 178; vi, C, 168.
 celebica, v, A, 174, 178; vi, C, 168.
 dammara, iv, C, 442; v, A, 173, 178; vi, C, 167.
 labillardieri, v, A, 173.
 loranthifolia, v, A, 173; vi, C, 167.
 macrostachys, v, A, 173; vi, C, 168.
 motleyi, v, A, 174.
 philippinensis, i, 643; i, s, 24; ii, C, 257; v, A, 174, 178; vi, C, 167.
 regia, v, A, 173.
 rhomboidalis, v, A, 174.
 robusta, v, A, 174.
 Agati, v, C, 3.
 cannabina, v, C, 74.
 grandiflora, v, C, 75; ix, C, 90.
 virgata, v, C, 75.
 Agave, vii, C, 155; ix, C, 67.
 cantala, ix, C, 67.
 cantula, i, No. 5, 455; vii, C, 182.
 keratta, i, No. 5, 455.
 vivipara, ix, C, 67.
 Agbab, vii, C, 78.
 Agbo, i, s, 323.
 Agboy, v, C, 242.
 Agchylostoma, iii, B, 195, 553; v, B, 341.
 duodenale, ii, B, 334; iii, B, 199.
 duodenalis, iii, B, 418.
 trigonocephalum, v, B, 343.
 Agchylostomum duodenale, v, B, 342, 509.
 Agda, i, s, 321.
 Agdalamay, vi, C, 14.
 Agdao-es, ix, D, 479.
 Age, blood pressure and pulse rate influenced by, vi, B, 475.
 Ageha, ix, D, 250.
 Agelaea, i, s, 61; iv, C, 126.
 borneensis, iv, C, 127.
 everettii, iv, C, 127; vi, C, 205.
 vestita, iv, C, 126.
 wallichii, i, 418; i, s, 61; iv, C, 126.
 Agelaius, ii, A, 259.
 Agelasta mediofasciata, viii, D, 157.
 sulphuræ, viii, D, 157.
 Agemem, iii, A, 205.
 Agensis of the vermiform appendix, i, 1061.
 Agenia cingulata, i, 688.
 Ageniinæ, i, 687.
 Agente de demandas, viii, D, 186.
 Ageracium calomala, x, C, 43.
 Ageratum, i, s, 139; iii, C, 441; v, C, 393; vii, C, 168; ix, C, 152.
 conyzoides, i, 396; i, s, 139; iii, C, 441; v, C, 393; vii, C, 190; ix, C, 152, 430, 513.
 Agestrata luzonica, x, D, 271.
 Agglomerate, Bondoc Peninsula volcanic, viii, A, 335.
 Agglomerates, Isarog tuffs and, x, A, 306.
 southwestern Luzon, v, A, 95.
 suitability for wells of volcanic breccias and, x, A, 236.
 Agglutinable substance, iii, B, 47.
 Agglutinin, iii, B, 47.
 Agglutinoid, iii, B, 47.
 Aggressin, comparison of the value of vaccination in plague and protective inoculation with, i, 501.
 Aghardiella sp., vi, D, 309.
 Agho, v, C, 30.
 Aglaeonema marantifolium, vi, C, 195.
 Aglaia, i, s, 72; iii, C, 105, 146, 235, 413; iv, C, 270, 476; v, C, 184, 355; vii, C, 160, 274; ix, C, 99, 302, 531.
 acuminata, ix, C, 531.
 affinis, iii, C, 235.
 aherniana, vi, C, 206.
 alternifolia, ix, C, 532.
 angustifolia, v, C, 184.

Aglaia—Continued.

- argentea, i, s, 172; ix, C, 303, 533.
 badia, iv, C, 270.
 bernardoi, ix, C, 302, 536.
 bicolor, iv, C, 270.
 bordenii, i, 411, 638; i, s, 72; iv, C, 703.
 brachybotrys, vii, C, 274.
 cagayanensis, vii, C, 275.
 cauliflora, ix, C, 304.
 clarkii, ii, C, 395; iv, C, 476; ix, C, 535.
 cochinchinensis, iv, C, 477.
 costata, iii, C, 146.
 cumingiana, iii, C, 236.
 curranii, vii, C, 276; ix, C, 534.
 denticulata, i, 415; i, s, 73; iii, C, 413;
 iv, C, 271.
 diffusa, vii, C, 277; ix, A, 449.
 elaeagnoidea var. pallens, iii, C, 413.
 elliptifolia, iii, C, 413; v, C, 355.
 eusideroxylon, iv, C, 476.
 everettii, iv, C, 271; ix, C, 538.
 glabriflora, ix, C, 532.
 harmsiana, i, 387, 638; i, s, 73; iii, C,
 236; iv, C, 703; vii, C, 278.
 hemsleyi, ix, C, 536.
 hexandra, iii, C, 148; iv, C, 271; vii, C,
 275.
 iloilo, ix, C, 533.
 iloilo var. ampla, ix, C, 533.
 lagunensis, ix, C, 537.
 lanceolata, v, C, 184; ix, C, 534.
 laxiflora, ix, C, 533.
 llanosiana, vii, C, 277.
 loheri, ix, C, 533.
 luzoniensis, iii, C, 105.
 luzoniensis var. trifoliata, iii, C, 105.
 macrobotrys, i, s, 73, 172; ix, A, 504.
 mariannensis, ix, C, 99.
 micrantha, i, s, 73.
 minahassae, iv, C, 477.
 monophylla, i, s, 172; iii, C, 105.
 multiflora, i, s, 73.
 multifoliola, ix, C, 534.
 odorata, iv, C, 477; vii, C, 185.
 palawanensis, iii, C, 235.
 pallida, iii, C, 147.
 pauciflora, i, s, 73.
 pyramidata, iv, C, 477.
 roxburghiana, iv, C, 477; x, D, 259.
 stellato-tomentosa, ix, C, 535.
 trunciflora, ix, C, 303.
 turezaniowii, i, 406; i, s, 73; vii, C, 275.
 villamilii, ix, C, 536.
 Aglao Valley, iv, A, 21.
 Aglaomorpha, vi, C, 92, 140; ix, C, 8.
 brooksii, vi, C, 141.
 buchanani, ix, C, 8.
 hieronymi, ix, C, 9.
 meyeniana, vi, C, 141; vii, C, 42.
 pilosa, vi, C, 141; ix, C, 9.
 schlechteri, ix, C, 9.
 splendens, vi, C, 141.
 Aglaonema, i, s, 33; iii, C, 400.
 densinervium, viii, C, 285.
 haenkei, iii, C, 400.
 marantifolium, i, s, 33.
 Aglaope infausta, x, D, 360.
 Aglena, x, D, 190.
 Aglypha, vi, D, 255.
 Agnaya, iv, C, 648.
 Agogo, v, C, 68.
 Agogoy, i, s, 72.
 Agoho, ii, C, 370; iv, A, 20; iv, C, 444; vi,
 A, 2, 17.
 Agong, iii, A, 189; vi, D, 130.
 Agonia banksi, v, D, 227.
 manilensis, v, D, 227.
 vandeppolli, v, D, 146, 227.
 Agonosoma crinicornis, viii, D, 309.
 vittatum, viii, D, 313.
 Agoos, vi, C, 170.
 Agotay, x, C, 391.
 Agotot, iv, C, 689.
 Agpoi, v, C, 44.
 Agqui, v, C, 45.
 Agriculture statistics of P. I., vi, A, 297.
 Agrilus acutus, ix, D, 84.
 atomus, ix, D, 87.
 bakeri, ix, D, 85.
 balearis, ix, D, 87.
 discicollis, ix, D, 85.
 fontanus, ix, D, 86.
 luzonicus, ix, D, 84.
 monticola, ix, D, 85.
 nigrocinctus, ix, D, 85.
 vilis, ix, D, 85.
 Agrostideae, i, s, 372; ix, C, 56.
 Agrostidede, v, C, 329.
 Agrostis, i, s, 374; v, C, 328.
 diandra, i, s, 373.
 elmeri, i, s, 174, 312, 375; v, C, 328.
 indica, i, s, 373; ix, C, 56.
 matrella, i, s, 342; vii, C, 230.
 maxima, i, s, 343.
 nardifolia, i, s, 180.
 perennans, v, C, 328.
 virginica, v, C, 171; ix, C, 57.
 Agrostistachys, iv, C, 274.
 pubescens, iv, C, 274.
 Agrostophyllum, ii, C, 323; iv, C, 669; vi,
 C, 50; viii, C, 420.
 formosanum, iv, C, 670.
 longifolium, ii, C, 323; iv, C, 670.
 longivaginatum, viii, C, 420.
 majus, iv, C, 670.
 malindangense, vi, C, 50.
 mearnsii, viii, C, 420.
 merrillii, ii, C, 323.
 papuanum, iv, C, 670.
 pelorioides, viii, C, 421.
 philippinense, iv, C, 669.
 saccatum, ii, C, 323.
 Agrothereutes albicoxis, i, 692.
 albipalpis, i, 692.
 nigritarsis, i, 692.
 unifasciatus, i, 692.
 verticalis, i, 692.
 Agrotis, v, D, 171.
 aristifera, v, D, 171.
 biconica, v, D, 171.
 c-nigrum, v, D, 171.
 exigua, v, D, 171.
 ingrata, v, D, 171.
 segetis, v, D, 171.

- Agrotis—Continued.
 segetum, v, D, 171.
 spiculifera, v, D, 171.
 suffusa, v, D, 171.
 ypsilon, v, D, 171.
 Agrypnus bifoveatus, ix, D, 441.
 Agsom, ix, C, 90.
 Agtap, iii, C, 334.
 Agtas, i, 806.
 Aguardiente, vi, A, 152.
 Aguayente, vi, A, 152.
 Aguho, vi, C, 198.
 Aguhu, i, s, 200.
 Aguia, iv, C, 648.
 Aguindulong, iv, C, 284.
 Agus River, v, A, 350.
 Agusahis, ii, A, 382.
 Agusan district, vi, A, 374.
 Valley, v, A, 349.
 Aguu, vi, C, 170.
 Aguut, iii, A, 528.
 Agyneia, vi, C, 327.
 Ahate de Panucho, vii, C, 113.
 Ahernia, iv, C, 295.
 glandulosa, iv, C, 295.
 Ahetas, i, 806.
 Ahgao, ix, C, 136.
 Ahihiro, v, C, 43.
 Ailanthi, vi, C, 366.
 Ailanthus, i, s, 70.
 malabarica, ii, C, 431; iv, C, 474.
 philippinensis, i, s, 70; ii, C, 431.
 pongellion, ii, C, 431.
 Ainsliaea, i, s, 242; ii, C, 309; v, C, 401.
 pteropoda, i, s, 243.
 reflexa, i, s, 177, 242; ii, C, 309; v, C, 401.
 Aipysurus eydouxii, vi, D, 265.
 Air, oxidation of Manila copal by, v, A, 219.
 Aira flexuosa, v, C, 330.
 Aitas, i, 806.
 Aithaloderma, viii, C, 482.
 clavatisporum, viii, C, 482.
 Aitingia exelsa, iv, C, 456.
 Aizoaceae, i, s, 52; iii, C, 405; vii, C, 157; ix, C, 82.
 Ajas, iii, C, 417; v, C, 192.
 Ajem, iii, C, 416.
 Ajovea malabonga, ix, C, 358.
 Ajuga sp., i, s, 176.
 Ajus River, petroleum on, viii, A, 357.
 Akagashi, x, D, 293.
 Akamushi disease, iii, B, 1.
 Akebi, x, D, 355.
 Akebia quinata, x, D, 355.
 Akebi-kohoha, x, D, 354.
 Akei, vi, A, 194.
 Akit, iv, C, 528.
 Akos sin adlao, viii, B, 495.
 Akosmos, v, C, 212.
 Aktinocyclus, vi, D, 61.
 Akup, viii, D, 109.
 Al, v, A, 444.
 Alabajar, x, B, 368.
 Alabang, surra at, v, B, 45.
 Alabangnang, iv, C, 467; vi, A, 17.
 Alabastra philippinensis, iii, C, 175; vi, C, 319.
 Alacaac na puti, x, C, 61.
 Alacaas, i, s, 233.
 Alacalyona, vii, C, 113.
 Alagao, i, s, 121, 232, 233, 234; vi, C, 221.
 baguin, i, s, 231.
 dagat, i, s, 233.
 Alag-baguin, i, s, 231.
 Alahan, iv, C, 308.
 Alaihaitasi, ix, C, 131.
 Alak, vi, A, 107, 150.
 Alal, vi, C, 172.
 Alalag, ix, C, 133.
 Alalagat, x, C, 229.
 Alalaksing, iii, A, 281.
 Alalangad, i, s, 62; v, C, 22; vi, A, 891.
 Alalasi, vi, C, 2.
 Alalatang, v, C, 482.
 Alalupa, v, C, 482.
 Alam, vi, C, 276.
 Alamag, i, s, 230.
 Alamang, vi, C, 17.
 Alambihor, v, C, 43.
 Alamis, vii, D, 277.
 Alamit, i, 826.
 Alang, vi, D, 82.
 Alangha, ix, C, 98.
 Alangiaceae, vi, C, 218; vii, C, 819.
 Alangilan, iii, A, 66.
 Alangium, i, s, 111; iv, A, 23; vii, C, 319.
 brachyanthum, vii, C, 319.
 lamarekii, iv, C, 537; vii, C, 320.
 longiflorum, vii, C, 319.
 meyer, i, s, 111; vi, C, 218; vii, C, 321; ix, A, 444.
 octopetalum, vii, C, 320.
 salviifolium, vii, C, 319.
 salviifolium subsp. hexapetalum, vii, C, 321.
 Alangot, iii, A, 525.
 Alasaga, iv, C, 461.
 Alasan, i, s, 87.
 Alasiis, i, s, 42; ix, A, 507.
 Alauda wattersi, ii, A, 332.
 Alautan, Mount, iv, A, 256.
 Alaunghuga, vii, D, 279.
 Alaus scytale, ix, D, 441.
 Alayan, iii, C, 328; vi, C, 20.
 Albay, coal on Batan Island, x, A, 297.
 Albiklia schoenoides, ii, C, 108.
 scirpoides, ii, C, 108.
 Albinism in the P. I., viii, B, 493.
 Albite, x, A, 82.
 Albizzia, i, s, 62; iv, C, 265; v, C, 21; vii, C, 159; ix, C, 86; x, C, 8.
 acle, v, C, 25.
 amara, iv, C, 459.
 julibrissin, iv, C, 459; v, C, 23.
 lebbeck, iv, C, 459; v, C, 23; vii, C, 184; viii, C, 477; ix, C, 86.
 lebbeckoides, i, s, 62; iv, C, 460; v, C, 23.
 littoralis, iv, C, 460; v, C, 22.
 lucida, v, C, 24.

Albizzia—Continued.

- marginata, v, C, 23; viii, C, 280.
 moluccana, iv, C, 460.
 montana, iv, C, 460.
 myriantha, x, C, 8.
 myriophylla, iv, C, 265.
 odoratissima, iv, C, 460; v, C, 26.
 pedicellata, x, C, 9.
 procera, i, 387, 638; i, s, 62; iv, C, 460, 703; v, C, 21; vi, A, 301; ix, A, 432, 542; ix, C, 425.
 retusa, v, C, 21.
 saponaria, i, 387, 1026; i, s, 62; iv, C, 460, 717; v, C, 24; ix, A, 506.
 scandens, iv, C, 265; v, C, 21.
 stipulata, iv, C, 460; v, C, 23.
 tomentella, v, C, 24.
- Albuminase, tests for, x, A, 127.
 Albuminuria and amebiasis, i, 571.
 Alburnum, ii, A, 214.
 Albutra, v, A, 442.
 Alcaldes, viii, D, 171.
 Alcaparro, ix, C, 84.
 Alcedinidae, iii, A, 278; iv, A, 70; v, D, 109; vi, D, 41.
 Alcedo bengalensis, i, 701, 904; ii, A, 284, 303, 313, 324, 339; iii, A, 278; iv, A, 70; v, D, 109.
 Alces, ix, D, 15.
 Alchornea, i, s, 80; v, C, 192; vii, C, 161, 382.
 javensis, i, s, 80; vii, C, 383.
 mollis, v, C, 192.
 parviflora, v, C, 192; vii, C, 382.
 rugosa, vii, C, 383; x, C, 91.
 sicca, v, C, 192; vii, C, 382.
 Alcinacanthus, vii, C, 379; ix, C, 461.
 parvifolius, ix, C, 461.
 philippinensis, vii, C, 380; viii, C, 380; ix, C, 462.
 Alcis, iii, A, 516.
 Alcohol, absorption spectra of phthaloxime salts in 90 per cent, viii, A, 182.
 action of sodium alcoholates on, iv, A, 166.
 manufacture of P. I., vi, A, 99, 147; vii, A, 19, 97.
 mixtures of methyl salicylate and formaldehyde exposed to the sunlight in sealed tubes with, vii, A, 90.
 possibility of deriving power from P. I. industrial, iv, A, 232.
 Alcoholic beverages, consumption in various countries of, vi, A, 101.
 Alcoholism, percentages of blonds and brunets in relation to, vi, B, 455.
 Alcyonaria, new species of P. I., viii, D, 435; ix, D, 233; x, D, 1, 203.
 notes on P. I., x, D, 155.
 sandy shale containing fragments of, x, A, 199.
 Alcyone, ii, A, 303.
 argentata, iv, A, 70; v, D, 197.
 cyanopectus, v, D, 110.
 flumenicola, iv, A, 70.
 nigrirostris, ii, A, 299.
 Alcyonium ramosa, ix, D, 237.
- Aldehydes in distilled liquors, determination of, v, A, 29.
 Aldona, ix, C, 184.
 stella nigra, ix, C, 184.
 Aletra, i, s, 236.
 dentata, i, s, 236.
 indica, i, s, 236.
 Aletridia quartiniana, vii, C, 229.
 Aletryon excisus, viii, C, 460.
 fuscus, viii, C, 461.
 inaequilaterus, viii, C, 459.
 ochraceus, viii, C, 460.
 Aletryonia, viii, A, 280.
 folium, v, A, 329; viii, A, 280.
 Alegria, petroleum at, x, A, 285.
 Aleochara curtula, x, D, 129.
 flavipennis, x, D, 129.
 philippina, vii, D, 254.
 Aleppo boil, i, 100.
 Alepyrum, ii, C, 256.
 Aletris, i, s, 182; v, C, 338.
 japonica, i, s, 182.
 spicata, i, s, 174, 182; v, C, 338.
 Aleurites, vii, C, 161; ix, C, 100.
 moluccana, i, 1034; ii, A, 440; iv, C, 488; v, A, 200; vii, C, 185; ix, C, 100; x, A, 107; x, C, 97.
 trisperma, i, 1034; ii, A, 440; x, A, 107.
 Aleurodendron abium, ix, C, 316.
 Aleyrodes sp., i, 695.
 Algae, iii, B, 336.
 Algeria, experiments on grasshoppers with Coccobacillus acridiorum in, x, B, 175.
 Algodon, ix, C, 111.
 de Manila, ix, C, 110.
 Alguacil, ix, D, 481.
 mayor, viii, D, 171.
 Alibaguid, vi, C, 2.
 Alibanban, v, C, 43.
 Alibangbang, iv, B, 223; vi, A, 301; ix, A, 454.
 Alibihil, v, C, 43.
 Alibungog, iv, C, 692.
 Alibutbut, iv, C, 319.
 Aligasín, iii, A, 528.
 Aligogon, iv, C, 294.
 Alilipai, v, C, 116.
 Alim, i, s, 80; ix, A, 452.
 Alimbungug, iv, C, 691.
 Alimentary canal, lesions of the, iii, B, 216.
 Alimut, i, 826.
 Alinao, iv, C, 307.
 Alintabao, iii, C, 402.
 Alipote, iv, C, 92.
 Alismaceae, ii, C, 421; iv, C, 247.
 Alixia, iv, C, 313.
 Alkali salts of the two phthaloximes, viii, A, 180.
 Alkalies, tolerance in Asiatic cholera for, v, B, 363; vi, B, 53.
 Alkaline solutions, effect in acid intoxication of, vi, B, 67.
 Alkaloidal periodides, formation of certain, vi, A, 253.
 Allaeanthus, i, s, 43.
 luzonicus, i, 416; i, s, 43; ix, C, 424.

- Allamanda, vii, C, 164; ix, C, 128.
 cathartica, vi, C, 219; vii, C, 199; ix, C, 128.
 hendersoni, vii, C, 202.
 Allantodia, iii, C, 293.
 aspidioides, iii, C, 294.
 pinnata, iii, C, 297.
 Allantoin, treatment of beriberi with, x, B, 100.
 Alleculidæ, viii, D, 57.
 Alleculiden und Lagriiden der Philippinen (Coleoptera), viii, D, 43.
 Alligator apple, vii, C, 113.
 Allium, vii, C, 155; ix, C, 66.
 cepa, iv, B, 222; vii, C, 181; ix, C, 66.
 porrum, vii, C, 181.
 sativum, iv, B, 222; vii, C, 192; ix, C, 66.
 Allocynips, ix, D, 185.
 ruficeps, ix, D, 186.
 Allodape jucunda, i, 686.
 minutior, i, 686.
 philippinensis, i, 686.
 Alloanini, i, 693.
 Allomorpha exigua, x, C, 192.
 Allophylus, i, s, 86; vii, C, 161; ix, C, 106.
 apiocarpus, viii, C, 448.
 brevipetiolatus, viii, C, 449.
 chlorocarpus, viii, C, 451.
 dasythyrsus, viii, C, 444.
 dimorphus, i, s, 86; viii, C, 444.
 filiger, i, s, 86; viii, C, 444.
 granulatus, viii, C, 451.
 grossedentatus, viii, C, 444.
 holophyllus, ix, C, 106.
 hymenocalyx, viii, C, 450.
 insignis, viii, C, 444.
 largifolius, viii, C, 448.
 leptococcus, viii, C, 444.
 leucochrous, viii, C, 444.
 leucocladus, vi, C, 181, 209.
 macrostachys, viii, C, 444.
 malvaceus, viii, C, 444.
 peduncularis, viii, C, 450.
 quinatus, viii, C, 444.
 racemosus, viii, C, 444.
 repando-dentatus, viii, C, 444.
 setulosus, viii, C, 444.
 simplicifolius, viii, C, 443.
 subinciso-dentatus, viii, C, 444.
 ternatus, iii, C, 79; vi, C, 209; viii, C, 444.
 timorensis, iii, C, 79; viii, C, 444; ix, C, 106.
 unifoliolatus, viii, C, 443.
 Alloteropsis distachya, i, s, 367.
 Alluvial deposits, vi, A, 411; x, A, 232, 247, 306.
 Alluvials, northwestern Pangasinan, vii, A, 272.
 Alluvium, Bondoc Peninsula, viii, A, 322.
 southwestern Luzon, v, A, 74.
 Almaga, i, s, 24; iv, C, 442; v, A, 171, 173; vi, C, 169.
 Almagoso, ix, C, 152.
 Almendras, iv, C, 643.
 Almendro, iv, C, 530.
 Almon, ii, A, 83; iv, C, 511; vi, C, 274; ix, A, 546.
 Almond, Indian, iv, C, 530.
 Java, iv, C, 475.
 Malabar, iv, C, 530.
 Almonlauan, ix, A, 425.
 Alnus, viii, C, 330.
 viridis var. sibirica, x, D, 293.
 Alobabai, v, C, 20.
 Allocasia, i, s, 33; iii, C, 220; vii, C, 155; ix, C, 64.
 heterophylla, iii, C, 220; vi, C, 195.
 indica, viii, C, 195; ix, C, 64.
 macrorrhiza, i, s, 33; vi, C, 195; viii, C, 271; ix, C, 64.
 warburgii, i, s, 33; iii, C, 220.
 Aloe zeylanica, ix, C, 67.
 Alog, ix, D, 496.
 Alom, ix, C, 103.
 Alopogan, iii, A, 203.
 Alpaea, x, B, 374.
 Alpheus, vii, D, 131; ix, D, 324.
 avarus, v, D, 97.
 pachychirus, viii, D, 121.
 Alphotobius diaperinus, viii, D, 394.
 piceus, viii, D, 394.
 quadrinaculatus, viii, D, 394.
 rufotinctus, viii, D, 395.
 testudineus, viii, D, 394.
 Alphonsea, x, C, 233.
 arborea, x, C, 233.
 philippinensis, x, C, 233.
 sessiliflora, x, C, 233.
 Alpine ear, iv, A, 37, 432.
 modified, iv, A, 271.
 type, iv, A, 308, 425.
 Alpinia, i, s, 37; ii, C, 268; iv, C, 183; vii, C, 75; ix, C, 353; x, C, 296.
 brachyantha, x, C, 296.
 brevilabris, i, 408; i, s, 37; ii, C, 268; iv, C, 190; ix, C, 354.
 copelandii, iv, C, 184.
 cumingii, iv, C, 187.
 elegans, i, s, 37; iv, C, 181.
 flabellata, iv, C, 188.
 flabellata var. major, iv, C, 188; vi, C, 197.
 foxworthyi, iv, C, 189.
 galanga var. pyramidata, iv, C, 186.
 gigantea, iv, C, 181.
 glabrescens, iv, C, 185.
 gracilis, iv, C, 181.
 graminea, iv, C, 189.
 haenkei, iv, C, 184.
 illustris, iv, C, 185.
 leptosolenia, iv, C, 181.
 magnifica, iv, C, 177.
 malaccensis, iv, C, 184.
 mollis, iv, C, 191.
 musaefolia, iv, C, 186.
 parviflora, ii, C, 268; iv, C, 178.
 penduliflora, iv, C, 187.
 philippinensis, i, s, 37; iv, C, 184.
 pubiflora, iv, C, 188; x, C, 296.
 pulchella, iv, C, 189.

Alpinia—Continued.

- pyramidata, iv, C, 186.
 rolfei, iv, C, 179.
 rosella, iv, C, 190.
 rufa, iv, C, 190; vi, C, 197.
 trachyasus, iv, C, 185.
 vanoverberghii, vii, C, 75.
 wenzelii, ix, C, 353.
 Alseodaphne, ix, D, 254.
 Alsomitra, vii, C, 352.
 clavigera, vii, C, 353.
 integrifoliola, vii, C, 353.
 sarcophylla, vii, C, 352.
 Alsophila, i, s, 22, 143; ii, C, 145, 182; iii, C, 389; ix, C, 41.
 albosetacea, iv, C, 55.
 andersoni, iv, C, 56.
 australis, vi, C, 360.
 batjanensis, iv, C, 45.
 biformis, vi, C, 364.
 bongardiana, iv, C, 61.
 boninsinensis, iv, C, 38.
 burbidgei, iv, C, 55.
 calocoma, ii, C, 182; iv, C, 53.
 calocoma var. congesta, ii, C, 182.
 caudata, i, s, 22, 144.
 clementis, i, s, 143; iv, C, 59.
 commutata, iv, C, 36.
 confucii, iv, C, 60.
 contaminans, i, 421, 665; i, s, 22, 144;
 ii, C, 183; iv, C, 60.
 crinita, iv, C, 40.
 denticulata, iv, C, 37.
 dimorpha, iv, C, 34.
 dubia, iv, C, 33.
 elmeri, iv, C, 54.
 extensa, iv, C, 50; ix, C, 41.
 fauriei, iv, C, 60.
 formosana, iv, C, 35.
 fuliginosa, iv, C, 43.
 glauca, iii, C, 389.
 haenkei, ix, C, 41.
 henryi, iv, C, 38.
 junghuhniana, iv, C, 58.
 khasyana, iv, C, 61.
 kingii, iv, C, 56.
 latebrosa, i, s, 144; ii, C, 145, 182, 183;
 iv, C, 52.
 latebrosa var. major, ii, C, 183.
 leichardtiana, vi, C, 360.
 lepifera, ii, C, 180; iv, C, 40.
 lepifera var. congesta, ii, C, 182.
 margarethae, iv, C, 38.
 melanopus, iv, C, 48.
 melanorhachis, ii, C, 146; iv, C, 38.
 mertensiana, iv, C, 59.
 mindanaensis, iv, C, 34.
 modesta, iv, C, 48.
 obscura, iv, C, 37.
 podophylla, iv, C, 33.
 pustulosa, iv, C, 51.
 ramispina, iv, C, 36.
 rheosora, iv, C, 34.
 ridleyi, iv, C, 36.
 sangirensis, iv, C, 37.
 saparuensis, iv, C, 61.

Alsophila—Continued.

- subglandulosa, iv, C, 46.
 tomentosa, ii, C, 182.
 trichodesma, iv, C, 55.
 truncata, iv, C, 39; vi, C, 360.
 wallacei, iv, C, 48.
 xantholepis, iv, C, 61.
 Alstonia, i, s, 116; v, C, 224; vii, C, 164; x, C, 65.
 angustifolia, x, C, 66.
 batino, ii, C, 377.
 macrophylla, ii, C, 377; iv, C, 550; v, C, 225; ix, A, 444.
 oblongifolia, x, C, 65.
 parvifolia, i, 655; i, s, 116.
 paucinervia, v, C, 224.
 scholaris, i, 387, 1008; i, s, 116; ii, A, 84;
 ii, C, 382; iii, C, 306; iv, C, 550, 707;
 ix, A, 462; ix, C, 428; x, D, 260.
 Altabanes, i, 826.
 Altaite, x, A, 82.
 Altasanes, i, 826.
 Alteration and enrichment in calcite-quartz-
 manganese gold deposits, viii, A, 125.
 Alteris spicata, v, C, 338.
 Alternanthera, vii, C, 157; ix, C, 81.
 frutescens, vii, C, 183.
 sessilis, vii, C, 182; ix, C, 424.
 versicolor, vii, C, 183; ix, C, 81.
 Alternaria, i, s, 293.
 solani, i, s, 293.
 Altitude and meteorological conditions, a
 quantitative determination of the ra-
 dium emanation in the atmosphere and
 its variation with, ix, A, 51.
 Aluco, iii, A, 283.
 longimembris, iii, A, 283.
 Alukap, vii, A, 384.
 Alum, ix, C, 103.
 Alumahan, iii, A, 515, 528.
 Alumina, properties of fused mixtures (ce-
 ment) containing calcium oxide and
 various amounts of silica, iron oxide,
 and, vii, A, 145.
 Alupag, i, s, 87; ii, C, 371; ix, A, 449.
 mactin, i, s, 71; ix, A, 504.
 Alupi, iv, C, 643.
 Alus surat, iv, C, 537.
 Alveolina, ii, A, 397; vi, D, 61; viii, A, table
 facing p. 252.
 Alveolinella quoyi, vi, D, 55.
 Alyattes, iv, A, 580.
 Alyçaria, iv, A, 569.
 Alydinæ, iv, A, 568.
 Alydus clavatus, iv, A, 569.
 dentipes, iv, A, 569.
 Alysicarpus, i, s, 65; vii, C, 159; ix, C, 91.
 nummularifolius, ix, C, 91.
 vaginalis, i, s, 65; vii, C, 184; ix, C, 425.
 vaginalis var. nummularifolius, v, C, 92.
 Alysicarpus, iii, C, 410; v, C, 91.
 bupleurifolius, v, C, 91.
 nummularifolius, v, C, 92.
 vaginalis, iii, C, 410; v, C, 92.
 Alysiidae, i, 693.

- Alysiniæ, i, 693.
 Alysini, i, 693.
 Alyxia, i, s, 117; ii, C, 299; iii, C, 121; vi, C, 356; vii, C, 330; ix, C, 128; x, C, 64.
 blancoi, vii, C, 330.
 confertiflora, x, C, 64.
 lucida, iii, C, 121; x, C, 65.
 luzoniensis, iv, C, 313; vi, C, 356; vii, C, 331; ix, C, 128.
 monilifera, i, s, 117; ii, C, 299; iv, C, 313; vi, C, 356; vii, C, 330.
 monticola, vi, C, 356.
 odorata, x, C, 65.
 parvifolia, iv, C, 313; vii, C, 331.
 sinensis, iv, C, 313.
 stellata, vii, C, 330.
 torresiana, ix, C, 128.
 Amaga, ii, A, 382; viii, A, 70.
 Amahadyan, ix, C, 78.
 Amahuyan, ii, A, 382.
 Amale, v, C, 136.
 Amalgo, vi, D, 242.
 Amandiung, Mount, iv, A, 342.
 Amaracarpus, i, s, 136.
 longifolius, x, C, 123.
 pubescens, i, 664; i, s, 136; x, C, 134.
 Amaranth, vii, C, 193.
 Amaranthaceæ, i, s, 51; iii, C, 405; v, C, 346; vi, C, 201; vii, C, 157; ix, C, 80, 424.
 Amaranthus, iii, C, 405; v, C, 346; vii, C, 157; ix, C, 80.
 caudatus, vii, C, 183.
 gangeticus, vii, C, 183; ix, C, 81.
 melancholicus, ix, C, 81.
 oleraceus, ix, C, 81.
 spinosus, v, C, 346; vi, C, 201; vii, C, 183; ix, C, 80, 424, 513.
 tricolor, ix, C, 80.
 viridis, iii, C, 405; vii, C, 183; ix, C, 81.
 Amarygmus aereus, viii, D, 422.
 angustus, viii, D, 419.
 callichromus, viii, D, 419.
 Amaryllidaceæ, i, s, 35; ii, C, 267; iii, C, 401; vi, C, 196; vii, C, 155; ix, C, 67.
 Amaryllis, i, 25.
 Amat otдан, ix, C, 16.
 Amatong, i, 1078.
 Amauromorpha metathoracica, i, 692.
 Amaurornis olivacea, ii, A, 300, 319, 339.
 pheniceura, i, 904; ii, A, 281, 300, 319; iii, A, 277.
 Amaurus cupreus, iv, A, 565.
 Amayit, vi, C, 211.
 Ambabacit, iv, C, 392.
 Ambassidæ, v, D, 274; ix, D, 65.
 Ambassis kopsi, v, D, 274.
 Amblyanthopsis, i, s, 274.
 philippinensis, i, s, 274.
 Amblycephalidæ, vi, D, 267.
 Amblygaster clupeioides, ix, D, 11.
 perforatum, ix, D, 11.
 sirm, ix, D, 11.
 Amblygobius insignis, v, D, 116.
 Amblypodia japonica, x, D, 296.
 Ambon, iv, C, 553.
 Ambos Camarines, non-Christians of, vi, D, 321.
 placer deposits of, viii, A, 102.
 Ambulan, vi, D, 242.
 Ambulia fragrans, ix, C, 140.
 indica, ix, C, 140.
 Ambyglottis angustifolia, ii, C, 324.
 pulchra, ii, C, 326.
 Amblyanthopsis sp., i, s, 176.
 American bituminous coal, gas from, i, 899.
 Gynecological Society, notice of meeting of, iv, B, 461.
 Amerimnon mimosella, v, C, 98.
 Amethyst, x, A, 82.
 Amia bifasciata, ix, D, 63.
 cardinalis, iv, A, 509.
 ceramensis, v, D, 274.
 chrysopoma, iii, A, 529.
 döderleini, ix, D, 64.
 elizabethæ, ix, D, 63.
 erythermus, iv, A, 509.
 frænata, ix, D, 64.
 griffini, v, D, 117.
 hyalosoma, v, D, 274.
 kiensis, ix, D, 64.
 lineatus, ix, D, 64.
 magnifica, iv, A, 507.
 marginatus, ix, D, 64.
 quadrifasciata, v, D, 274.
 semilineatus, ix, D, 64.
 trimaculatus, ix, D, 63.
 Amichrotus merritti, vii, D, 253.
 Amirami, vi, C, 15.
 Amisodera thoracica, viii, D, 237.
 Amlabaum, iv, C, 486.
 Ammannia, vii, C, 163; ix, C, 117.
 coccinea, ix, C, 117.
 Ammocallis rosea, ix, C, 129.
 Ammonia coefficient of urines, on a rapid clinical method for determining the, iv, A, 153.
 Ammophila atripes, i, 687.
 coronata, i, 687.
 superciliaris, i, 687.
 Ammophilinæ, i, 687.
 Ammothea, x, D, 1.
 carnosa, ix, D, 239.
 digitata, ix, D, 238.
 digitatum, ix, D, 237.
 ramosa, ix, D, 237.
 thrysoides, ix, D, 237.
 Amœba, iii, B, 195, 263; iv, B, 265.
 coli, i, 922; iii, B, 417; vi, B, 91.
 dysentericæ, iii, B, 285; iv, B, 410.
 hominis, vi, B, 263; viii, B, 264.
 limax, vi, B, 264; viii, B, 254.
 phagocytoides, viii, B, 264.
 proteus, vi, B, 265.
 Amœbæ, iv, B, 290, 304; v, B, 270; vi, B, 212.
 a comparative study of, vi, B, 259.
 cultivation and pathogenesis of, i, 909.
 effect of ultra-violet rays on, vi, B, 383.
 feeding experiments with cultures of, viii, B, 263.
 immunity reactions with, vi, B, 281.

- Amœbæ*—Continued.
 three hundred examinations of fæces with
 reference to the presence of, iii, B, 417.
- Amœbiasis*, absence of intestinal diarrhœa in,
 v, B, 229.
 other diseases and complications asso-
 ciated with, i, 547.
- Amœbic abscess of the liver*, v, B, 219.
 hepatitis, iii, B, 285; v, B, 220.
- Amogk*, v, C, 371.
- Amok*, v, B, 337.
- Amomum*, i, s, 36; iv, C, 170.
 arboreum, iv, C, 192.
 curcuma, iv, C, 167.
 deuteramomum, iv, C, 173.
 elegans, i, s, 36; iv, C, 172.
 flavum, iv, C, 172.
 fusiforme, iv, C, 171.
 hirsutum, iv, C, 192.
 latifolium, iv, C, 166.
 lepicaupum, iv, C, 174.
 lepicaupum var. pubescens, iv, C, 174.
 loheri, iv, C, 171.
 parviflorum, iv, C, 178.
 propiquum, iv, C, 172.
 spurium, iv, C, 169.
 sylvestre, iv, C, 169.
 trilobum, iv, C, 173.
 warburgii, iv, C, 171.
 zerumbet, iv, C, 169; ix, C, 69.
 zerumbeth, iv, C, 166.
 zingiber, iv, C, 169; ix, C, 69.
- Amoora*, i, s, 72; iv, C, 477; ix, C, 365.
 aherniana, i, s, 72; iv, C, 477.
 aphanomyxis, iv, C, 477.
 cucullata, iv, C, 477.
 cumingiana, i, s, 72.
 cupulifera, ix, C, 365.
 lepidota, i, s, 73.
 macrocarpa, i, s, 72.
 perrotetiana, vi, C, 207.
 polillensis, vi, C, 206.
 sp., iv, C, 707; ix, A, 449.
 spectabilis, iv, C, 480.
 wallichii, iv, C, 480.
- Amores secos*, i, s, 338.
- Amorpha glandulosa*, v, C, 68.
- Amorphophallus*, i, s, 33; vii, C, 155; x, C, 289.
 campanulatus, i, 399; i, s, 33; iii, A, 96;
 vi, C, 195; viii, C, 283; ix, C, 423; x,
 C, 290; x, D, 87.
 decurrens, i, s, 33; x, C, 290.
 harmandii, x, C, 290.
 longistilus, x, C, 290.
 luzoniensis, x, C, 289.
- Amottomaga*, ix, C, 88.
 carabao, ix, C, 88.
- Ampalaya*, i, s, 138; iv, B, 222; vii, C, 193.
- Ampelidacæ*, ii, C, 432.
- Ampelidæ*, iii, C, 240.
- Ampelocissus*, iii, C, 110.
 barbata, iii, C, 110.
 imperialis, iii, C, 110; vi, C, 209.
- Ampelopsis*, iii, C, 419; v, C, 360.
 heterophylla, iii, C, 419; v, C, 360.
 heterophylla var. hancei, v, C, 360.
- Amphicordus*, viii, D, 151.
 inproportionatus, viii, D, 152.
- Amphicosmia*, iv, C, 28.
- Amphicosmiæ*, ii, C, 180.
- Amphilophis*, i, s, 335.
- Amphipoda of Luzon*, two, x, D, 251.
- Amphisphaeria*, viii, C, 274; ix, C, 166.
 bambusina, viii, C, 274.
 palawanensis, ix, C, 166.
- Amphisphaeriaceæ*, iii, C, 49.
- Amphistegina mamillata*, vi, D, 75.
 niasi, v, A, 315; vi, D, 67; viii, A, 240.
- Amphistoma cervi*, iv, B, 181.
- Ampulex compressa*, i, 687.
 laevigata, i, 687.
 sonneratii, i, 687.
- Ampulicidæ*, i, 687.
- Ampulicinæ*, i, 687.
- Ampullinopsis*, viii, A, 240.
- Ampurno*, viii, B, 495.
- Ampusungan*, ix, D, 471.
- Amtalu*, vi, D, 242.
- Amtilag*, vi, D, 242.
- Amtuc*, iv, C, 375.
- Amuguis*, i, s, 85; ii, A, 382; ii, C, 371; iv,
 C, 489, 720; ix, A, 444.
- Amumo*, ix, C, 82.
- Amunin*, viii, D, 110.
- Amusiopecten burdigalensis* var. *elongata*, v,
 A, 329.
- Amuyao*, Mount, iv, A, 256.
- Amuyon*, x, C, 264.
- Amuyong*, x, C, 264.
- Amylothea cumingii*, i, s, 188; iv, C, 141.
- Amyntas cingulatus*, vii, D, 180.
- Amyrin*, ii, A, 37.
- Amystrops bakeri*, ix, D, 536.
- Anabas scandens*, iii, A, 529.
- Anabion*, ix, A, 452.
- Anabo*, i, s, 93.
- Anabong*, i, s, 93.
- Anac aulô labang*, viii, B, 495.
- Anacardiaceæ*, i, 419; i, s, 84, 172; ii, A, 185;
 ii, C, 371; iii, C, 80, 107, 418; iv, C,
 284, 487, 704; v, C, 357; vi, C, 209,
 337; vii, C, 161, 281; ix, A, 555; ix,
 C, 105, 426; x, C, 33, 190.
- Anacardium*, i, s, 84; vii, C, 161; ix, C, 105.
 occidentale, i, 398; i, s, 84; ii, A, 440; iv,
 B, 221; iv, C, 487; vii, C, 186; viii, A,
 65; ix, C, 105.
- Anacharis canadensis* var. *gigantea*, viii, C, 4.
- Anacolosia*, iv, C, 253.
 luzoniensis, iv, C, 253, 449.
- Anadiong*, iv, C, 446.
- Anæmia*, amœbiasis and pernicious, i, 568.
- Anæsthetization of marine animals*, use of
 magnesium sulphate for the, v, D, 86.
- Anagap*, i, s, 62; iii, C, 229; v, C, 17; ix, A, 507.
- Anagas*, vii, C, 290.
- Anagasi*, vi, C, 28.
- Anagop*, v, C, 17.
- Anaguep*, iv, C, 645; v, C, 17.

- Anahao, i, 620; vii, A, 107; vii, B, 113; ix, A, 449.
- Anahaun, vi, C, 248, 251.
- Anahauon, vi, C, 253.
- Anahuhan, v, C, 48.
- Anaif, iii, C, 431.
- Anajao, vi, C, 125.
- Anakbat, iii, A, 513; vii, A, 386.
- Anakbung, iii, A, 529.
- Analcite, x, A, 83.
- Anam, iv, C, 93.
- Anamirta, i, s, 52.
- cocculus, i, 469, 1026; i, s, 52; x, A, 197.
- Anan, iv, C, 549.
- Ananangquil, iii, A, 278.
- Ananas, i, s, 33; vii, C, 155; ix, C, 65.
- ananas, ix, C, 65.
- sativa, viii, A, 68.
- sativus, i, s, 33; vii, C, 181; ix, C, 65.
- Ananassa sativa, iv, B, 222.
- Anancylus maculosus, x, D, 241.
- strix, x, D, 241.
- Anang, iv, C, 307, 310.
- Anangca, viii, A, 63.
- Ananhtzapotl, vii, C, 113.
- Ananokyd, iii, A, 281.
- Anaphalis, iii, C, 124; v, C, 397.
- adnata, iii, C, 125; v, C, 397.
- cinnamomea, i, s, 177; iii, C, 124.
- contorta, iii, C, 124; v, C, 397.
- tenella, iii, C, 124.
- Anapla, v, C, 22.
- Anaptychia, viii, C, 106.
- dendritica, viii, C, 106.
- dendritica var. lamelligera, viii, C, 107.
- dendritica var. propagulifera, viii, C, 107.
- hypoleuca, viii, C, 106.
- hypoleuca var. fulvescens, viii, C, 106.
- hypoleuca var. rotthollii, viii, C, 106.
- hypoleuca var. schaeereri, viii, C, 106.
- hypoleuca var. sorediifera, viii, C, 106.
- isidophora, viii, C, 107.
- leucomelaena, viii, C, 106.
- speciosa, viii, C, 107.
- speciosa var. esorediata, viii, C, 107.
- speciosa var. sorediosa, viii, C, 107.
- Anariong, iii, C, 401.
- Anas, vi, D, 32.
- luzonica, v, D, 108.
- Anasis laevicollis, ix, D, 454.
- Anasser laniti, ii, C, 385; x, C, 66.
- Anastatus cyaneicollis, i, 691.
- stantoni, i, 691.
- Anastrophyllum, v, C, 310.
- Anatao, iv, C, 313.
- Anatidae, iii, A, 277; iv, A, 68; v, D, 108.
- Anatina truncata, vii, D, 277.
- Anatomy:
- Improved method of modeling especially adapted for the central nervous system, (Mendoza, Ramirez, and Enriquez), iii, A, 293.
- Anaxagorea, i, s, 53.
- luzonensis, i, s, 53; iii, C, 76.
- Anchastus rufangulus, ix, D, 446.
- unicolor, ix, D, 446.
- vittatus ix, D, 445.
- Anchovia commersoniana, iii, A, 513, 529; vii, A, 386.
- dussumieri, iii, A, 513, 529; ix, D, 59.
- indica, ix, D, 59.
- Anchovy, vii, A, 386; ix, D, 11, 59.
- Anchusa tenella, i, s, 228; iv, C, 697.
- tinctoria, v, A, 443.
- zeylanica, iv, C, 697.
- Anchylostoma duodenalis, ii, B, 6.
- Ancistrocerus bizonatus, i, 688.
- Ancistrolobus floribundus, iv, C, 293.
- ligistrinus, iv, C, 292.
- micradenius, iv, C, 293.
- Ancylochilus subarquatus, ii, A, 301.
- Andadasi, v, C, 49.
- Andesine, x, A, 83.
- Andesite, analyses of Baguio district, ii, A, 227.
- Aroroy district, vi, A, 406.
- Baguio mineral district, vi, A, 431.
- Bojeador, ii, A, 153.
- breccia, Baguio mineral district, vi, A, 431.
- Compostela-Danao coal region, ii, A, 394.
- eastern cordillera, v, A, 77.
- hornblende, P. I., v, A, 321.
- hornblende-biotite, P. I., v, A, 160.
- Loboo Mountains, v, A, 85.
- northwestern Pangasinan, vii, A, 262.
- porphyry, Benguet, ii, A, 246.
- pyroxene, v, A, 156, 321.
- Sisiman, v, A, 109.
- Andira horsfieldii, v, C, 107.
- Andraca gracilis, x, D, 347.
- Andrachne, i, s, 74.
- trifoliata, v, C, 356.
- Andrenidae, i, 686.
- Andropogon, i, s, 26, 267, 333; iii, C, 395; iv, C, 250; v, C, 167; vi, A, 351; vii, C, 153, 228; ix, C, 53.
- aeiculatus, i, 397; i, s, 26, 338; vii, C, 196; ix, C, 53.
- affinis, i, s, 336.
- alternans, i, s, 336.
- amaurus, i, s, 327.
- anias, i, s, 338.
- asthenostachys, i, s, 325.
- baileyi, i, s, 267, 337.
- brevifolius, i, s, 26, 335.
- brevifolius var. fragilis, i, s, 335.
- caricosus, i, s, 340.
- chloridiformis, i, s, 321; ix, C, 50.
- citratius, iv, A, 111; v, C, 167; vii, C, 192; ix, C, 53.
- contortus, i, s, 338; vii, C, 180; ix, C, 53.
- contortus subvar. typicus, i, s, 339.
- eristachyus, i, s, 339; x, C, 186.
- fastigiatus, i, s, 267, 335.
- festucoides, i, s, 337.
- filipendulus, i, s, 339.
- filipendulus var. lachnatherus, i, s, 267, 339.
- filipendulus var. lachnatherus forma bi-spiculata, i, s, 267, 339.

Andropogon—Continued.

fragilis, i, s, 312, 335.
 fragilis var. luzoniensis, i, s, 267, 335.
 fuscus, i, s, 337.
 gibbum, i, s, 330.
 haenkei, i, s, 335.
 halepensis, i, s, 336; viii, C, 279; ix, C, 53.
 halepensis var. propinqua, viii, C, 265.
 halepensis var. propinquus, i, s, 336; iii, C, 395; ix, C, 53.
 hamatulus, i, s, 339.
 hispidus, i, s, 343.
 intermedius, i, s, 335.
 intermedius var. haenkei, i, s, 335.
 involutus, i, s, 331.
 ischyranthus, i, s, 338.
 koretrostachys, i, s, 324.
 lachnatherus, i, s, 339.
 laxiflorus, i, s, 337.
 leptanthus, i, s, 336.
 leptos, i, s, 268, 337; iv, C, 250.
 liantherus, i, s, 338.
 mariannae, ix, C, 51.
 medius, i, s, 331.
 micranthus, i, s, 336.
 micranthus var. genuinus, i, s, 336.
 micranthus var. spicigerus, i, s, 267, 336; iii, C, 395.
 microphyllus, i, s, 333.
 monandrus, i, s, 327.
 muricatus, i, s, 337; iv, A, 118; vi, C, 105.
 muticus, i, s, 331.
 nardus, i, s, 338, 339; iii, B, 248; ix, C, 53.
 nardus var. hamatulus, i, s, 339; iii, C, 396.
 notopogon, i, s, 331.
 obvallatus, i, s, 331.
 paniceus, i, s, 331.
 parvispica, i, s, 336.
 pedicellatus, i, s, 337.
 polymorphus, i, s, 331.
 productus, i, s, 327.
 propinquus, i, s, 336; ix, C, 53.
 ramosus, i, s, 330; ii, C, 436.
 relictus, i, s, 331.
 repens, i, s, 331.
 rotthoeloides, i, s, 328.
 schoenanthus, i, s, 339; ii, C, 436; v, C, 167.
 segetum, i, s, 330.
 sericeus, i, s, 338.
 serratus, i, s, 337.
 serratus var. genuinus, i, s, 337.
 serratus var. nitidus, i, s, 337; iii, C, 396.
 serratus var. nitidus forma hirsuta, i, s, 337.
 sorghum, i, s, 336; vii, C, 180; ix, C, 53.
 sorghum subsp. halepensis, i, s, 336.
 sorghum subsp. sativus, i, s, 336.
 sorghum var. propinquus, i, s, 336.
 sorghum var. saccharatus, i, s, 336, 337.
 squarrosus, i, s, 337; iv, A, 118; vii, C, 228.
 subulatus, i, s, 338.
 tenellus, i, s, 340.

Andropogon—Continued.

tenuiculus, i, s, 338.
 ternatus, i, s, 339.
 ternatus var. eriostachyus, i, s, 339; x, C, 186.
 triticeus, i, s, 338.
 zizanioides, vi, C, 105; vii, C, 180, 228.
 Andropogonae, i, s, 315, 331; ix, C, 50.
 Androsace saxifragifolia, i, s, 176.
 Androscepi gigantea, i, s, 340.
 Androsyce, v, C, 466.
 Aneilema, i, s, 34; vii, C, 155, 232; ix, C, 66; x, C, 292.
 azureum, x, C, 292.
 giganteum, x, C, 294.
 malabaricum, vii, C, 232; ix, C, 66.
 nudiflorum, i, s, 34; vii, C, 232; ix, C, 66.
 platyphyllum, x, C, 293.
 scapiflorum, x, C, 293.
 versicolor, vii, C, 232.
 Anemene, iv, C, 464.
 Anemone, iii, C, 99; v, C, 348.
 luzoniensis, i, s, 175; iii, C, 99.
 vitifolia, iii, C, 99; v, C, 348.
 Anerastia, v, D, 177.
 celsella, v, D, 177.
 lotella, v, D, 177.
 pallidicosta, v, D, 177.
 Anerastiinae, v, D, 177.
 Angaki, ix, D, 473.
 Angangeu, vi, C, 14.
 Añgas, vii, D, 137.
 Angatuan, vii, C, 321.
 Angelesia, x, C, 307.
 splendens, ix, C, 188; x, C, 307.
 Angiopteris, i, s, 22; ii, C, 148, 185; iii, C, 393; iv, C, 8; viii, C, 148; ix, C, 46.
 angustifolia, ii, C, 148, 186; iii, C, 393; iv, C, 9; vi, C, 192; x, C, 146.
 brooksii, vi, C, 133; x, C, 145.
 cartiligidens, ii, C, 186; iv, C, 9.
 caudata, ii, C, 186; iv, C, 9.
 crassipes, i, 678; i, s, 22; iv, C, 9.
 evecta, iii, C, 284; iv, C, 8; ix, C, 46, 220.
 ferox, vi, C, 134.
 pruinosa, ii, C, 148, 186; iv, C, 9.
 similis, ii, C, 186; iv, C, 9.
 smithii, ix, C, 219.
 Angiospermæ, i, s, 25; v, C, 325.
 Angiosperms, iv, C, 443.
 Angkaw, x, A, 380.
 Angonyx, v, D, 167.
 testacea, v, D, 167.
 Añgas, vii, D, 137.
 Angraecum, ii, C, 336; iv, C, 597.
 philippinense, ii, C, 336; iv, C, 597.
 Angsana, iv, C, 467.
 Anguad, vii, A, 102.
 Anhinga melanogaster, i, 700.
 Anias, iii, C, 418; vi, C, 105.
 Anibiong, i, s, 93.
 Anibong, vi, C, 230.
 Aniga, vi, C, 283.
 Anii, v, C, 113.
 Anilao, i, s, 91; ix, A, 462.
 Anilay, iv, C, 648.

- Aniline, compounds which cause the red coloration of, v, A, 9, 419.
 effect of sunlight in Manila on the coloration of, v, B, 6.
 treatment of trypanosomiasis with, v, B, 23.
- Animal experiments in sunlight, vii, B, 14.
 parasites of man in the P. I., the prevalence and distribution of the, with a consideration of their possible influence upon the public health, iii, B, 191.
- Animals, action of the tropical sun on men and, vi, B, 101.
 susceptibility of, to pneumonic plague, vii, B, 223.
 tuberculosis from lepers inoculated into, x, B, 157.
- Aninapla, v, C, 22.
 Aningat, vi, C, 283.
 Aninihol, iii, A, 279.
 Anis, vii, A, 24.
 Anisado, iv, A, 130; vi, A, 345; vii, A, 24, 117, 387.
 Anisado mallorca, vii, A, 25.
 Aniseia, iii, C, 123.
 martinicensis, iii, C, 123.
 Aniselytron, v, C, 328.
 agrostoides, v, C, 329.
 Anisette, vii, A, 24.
 Anislag, iv, C, 74; ix, C, 491.
 Anisocheleomyia, i, 990.
 albitarsis, i, 990; viii, D, 307.
 Anisogonium, ii, C, 129.
 alismaefolium, ii, C, 129.
 cordifolium, ii, C, 129.
 elegans, ii, C, 130.
- Anisole, the effect of some forms of light and of active oxygen upon phenol and, iv, A, 133.
- Anisomeles, i, s, 122; iii, C, 432; vii, C, 165.
 indica, iii, C, 432; vii, C, 196.
 orientalis, iv, A, 567.
 ovata, i, s, 122.
- Anisopappus, iii, C, 125.
 chinensis, iii, C, 125.
- Anisophyllea disticha, x, C, 191.
 zeylanica, iv, C, 527.
- Anisoptera, i, s, 97; iii, C, 115; v, C, 511; vi, C, 251, 253.
 brunnea, vi, C, 254.
 calophylla, i, s, 97; iii, C, 115; vi, C, 256.
 curtisii, vi, C, 211, 255.
 glabra, iv, C, 512.
 guiso, vi, C, 273.
 lanceolata, vi, C, 256.
 latifolia, vi, C, 256.
 mangachapoi, vi, C, 282.
 melanoxylon, iv, C, 513.
 oblongata, vi, C, 256.
 palembanica, iv, C, 512; vi, C, 245.
 plagata, vi, C, 262.
 thurifera, i, 1003; i, s, 97; ii, C, 389; iii, C, 115; iv, C, 512, 703; vi, C, 256; ix, A, 432; x, A, 196.
 tomentosa, iii, C, 115; vi, C, 256.
- Anisoptera—Continued.
 vidaliana, i, 387, 638; i, s, 50, 97; ii, A, 84; ii, C, 389; iii, C, 115; vi, C, 256.
- Anisoscelaria, iv, A, 567.
- Anisoscelis flavopunctatus, iv, A, 567.
 membranaceus, iv, A, 567.
 orientalis, iv, A, 567.
- Anisostemon trifoliatum, iv, C, 119.
- Anitap, v, C, 22.
- Anito, i, 817; iii, A, 204; ix, D, 472.
- Anjan, iv, C, 471.
- Ankak, vii, A, 386.
- Ankylostoma duodenale, viii, B, 504.
- Annam, iii, C, 415; iv, C, 90.
- Annaray, iii, C, 395.
- Annatto, v, A, 443.
- Annona muricata, iii, C, 304.
 squamosa, vi, C, 204.
- Annonaceae, vi, C, 201.
- Anoa mindorensis, vii, D, 45.
- Anodendron, i, s, 117; vii, C, 331.
 axillare, vii, C, 331.
 candolleianum, vii, C, 332.
 loheri, vii, C, 332.
 manubriatum, vii, C, 333.
 paniculatum, i, s, 117; vii, C, 333.
 pauciflorum, vii, C, 331.
- Anodonta tenius, vii, D, 273.
- Anodontostoma chacunda, iii, A, 529.
- Anoetangium, iii, C, 15; v, C, 144.
 claro, iii, C, 15.
 euchloron, v, C, 144; ix, C, 207.
 subclarum, iii, C, 15.
- Anoetochilus gracilis, ii, C, 315.
- Anogeissus, iv, C, 529.
 latifolia, iv, C, 529.
- Anomala, v, D, 236.
 andradei, v, D, 248.
 anoguttata, v, D, 258.
 antiqua, v, D, 234.
 atrocyanea, v, D, 259.
 baeri, v, D, 252.
 bicolor, vii, D, 259.
 camarinensis, v, D, 246.
 castelnaui, v, D, 238.
 catenatopunctata, v, D, 244.
 ceramopyga, vii, D, 261.
 chalcopetra, v, D, 259.
 chalybæa, v, D, 258.
 chloropyga, v, D, 252, 259; vii, D, 258.
 cladera, vii, D, 257.
 corruscans, v, D, 258.
 cuprea, v, D, 250.
 dasypyga, v, D, 259; vii, D, 256.
 denticrus, vii, D, 259.
 despumata, v, D, 243.
 encausta, v, D, 259.
 exarata, v, D, 256; vii, D, 256.
 eydouxii, v, D, 257.
 flavoscutellata, v, D, 237.
 heteroglypha, v, D, 248.
 humeralis, v, D, 257.
 inconsueta, v, D, 250.
 infans, v, D, 236.
 leotaudii, v, D, 257; vii, D, 255.

Anomala—Continued.

- leotaudii var. fuscoviridis, v, D, 242.
 macrophthalma, v, D, 238.
 macrophylla, v, D, 238.
 maculifemorata, vii, D, 258.
 nitidissima, v, D, 259; vii, D, 260.
 noctivaga, v, D, 246.
 obesa, v, D, 259.
 ovatula, v, D, 240.
 palawana, v, D, 241.
 picturata, v, D, 258.
 planata, v, D, 257.
 polita, v, D, 250, 258.
 præmatura, v, D, 251.
 prasina, v, D, 259; vii, D, 262.
 proctolasia, v, D, 239.
 relucens, v, D, 250, 258.
 sanchezi, vii, D, 255.
 schultzeana, v, D, 247.
 semperiana, v, D, 241.
 seticrus, vii, D, 259.
 smaragdina, v, D, 259; vii, D, 263.
 sulcatula, v, D, 242, 257; vii, D, 256.
 trigonopyga, vii, D, 263.
 varicolor, v, D, 258.
 vietipennis, v, D, 245.
 whiteheadi, v, D, 243.
 Anomalini, i, 692; v, D, 256.
 Anomanthodia auriculata, ii, C, 427.
 Anomobryum, v, C, 146, 313; viii, C, 72.
 cymbifolium, v, C, 147; viii, C, 72; ix, C, 208.
 gemmigerum, v, C, 146.
 uncinifolium, v, C, 146, 313.
 Anompanax philippinensis, i, s, 172; ix, C, 125.
 Anona, vii, C, 112, 158; viii, A, 66; ix, C, 83.
 amarilla, vii, C, 113.
 blanca, vii, C, 113.
 cherimolia, vii, C, 113.
 colorada, vii, C, 113.
 glabra, vii, C, 119.
 manoa, vii, C, 113.
 muricata, iv, B, 221; vii, C, 118, 183; viii, A, 66; ix, C, 83; x, D, 137.
 reticulata, iv, B, 221; vii, C, 117, 183; viii, A, 67; ix, C, 83; x, D, 138.
 rufa, iii, C, 223.
 squamosa, iv, B, 221; vii, C, 115, 183; viii, A, 66; ix, C, 83.
 uncinata, vii, C, 234.
 Anonaceæ, i, 421; i, s, 53, 190; ii, C, 273, 430; iii, C, 76, 134, 181, 221, 406; iv, C, 450, 705; vii, C, 158, 234, 266; viii, C, 371; ix, A, 444, 555; ix, C, 83, 356.
 studies on P. I., x, C, 227.
 Anonamaram, vii, C, 113.
 Anonang, i, s, 120; iii, B, 300; iv, C, 689, 692; viii, B, 372.
 Anonang lalaqui, iv, C, 690.
 Anonangin, iv, C, 692.
 Anonas, iv, B, 221; ix, C, 83.
 a contribution to the history and vernacular nomenclature of the cultivated, vii, C, 109.
 Azoneira, vii, C, 113.
 Anono, vii, C, 113.
 Anonung, iv, C, 689.
 Anopedias luzonicus, i, 690; ix, D, 286.
 Anopheles, i, 523; ii, B, 106; iv, B, 273; v, B, 194, 345.
 albimanus, ix, B, 427.
 barbirostris, i, 980; ix, B, 381; x, B, 177.
 culicifacies, ix, B, 387.
 febrifer, ix, B, 381; x, B, 177.
 formosus, viii, D, 306.
 fuliginosus, i, 981; ix, B, 391.
 funesta, ix, B, 384.
 funestus, i, 979.
 jamesii, i, 981.
 jesoensis, ix, B, 389.
 karwari, ix, B, 390.
 kochii, i, 981.
 leucopus, i, 981.
 ludlowii, ix, B, 384; x, B, 229.
 maculata, ix, B, 390.
 maculatus, ix, B, 381; x, B, 177.
 malefactor, ix, B, 381.
 minimus, i, 980.
 pallidus, viii, D, 306.
 philippinensis, i, 981.
 pseudopunctipennis, ix, B, 427.
 rossii, i, 980; ix, B, 381; x, B, 177.
 sinensis, ix, B, 381; x, B, 177.
 sinensis annularis, i, 981.
 vagus, i, 980; v, B, 278; ix, B, 385.
 vanus, i, 981.
 willmori, ix, B, 390; x, B, 233.
 Anophelinæ, i, 979, 1072; ii, B, 513; iii, B, 299, 336; iv, B, 238, 293; v, B, 348; viii, D, 306; ix, B, 381.
 Anopheline larvae in captivity, development of, ix, B, 421.
 Anophelines, distribution of malaria and of the commoner, x, B, 177.
 human blood eaten with avidity by, ix, B, 424.
 Anopliini, i, 684, 688.
 Anorthite, x, A, 83.
 Anos, i, s, 29, 389; v, C, 275.
 Anous stolidus, v, D, 197; vi, D, 171.
 Anplectrum, v, C, 206; viii, C, 228.
 divaricatum, x, C, 192.
 homoeandrum, v, C, 206.
 Anredera, vii, C, 157.
 scandens, vii, C, 183.
 Ansa, iv, C, 356.
 Antamok Valley, vein gold deposits of, viii, A, 97.
 Anteater, vii, D, 35.
 Antennaria contorta, iii, C, 124.
 Anteris atriceps, ix, D, 286.
 Antestia, iv, A, 562.
 cruciata, iv, A, 562.
 maculata, iv, A, 562.
 Antestiaria, iv, A, 561.
 Anthelia, x, D, 157, 205.
 celebensis, x, D, 159.
 fuliginosa, x, D, 158.
 viridis, x, D, 159.
 Anthericum, iv, C, 698.

- Antherotriche lanceolata*, vi, C, 256.
Anthistiria arundinacea, i, s, 341.
 ciliata, i, s, 340.
 depauperata, i, s, 340.
 gigantea, i, s, 340.
 imberbis, i, s, 340.
 tortilis, i, s, 339.
 vulpina, i, s, 341.
Anthocephalus cadamba, iv, C, 559.
Anthoceros, i, s, 11.
 grandis, i, 399; i, s, 11.
Anthocerotaceæ, i, s, 11.
Antholyza meriana, vii, C, 233.
Anthomyia manillensis, viii, D, 310.
Anthonomus grandis, i, 155.
Anthophora cingulata, i, 686.
 zonata, i, 686.
Anthophoridæ, i, 686.
Anthophyllite, x, A, 83.
Anthostomella, viii, C, 258, 272, 398, 485; ix, C, 165.
 bicineta, ix, C, 165.
 calocarpa, viii, C, 272.
 cocoina, ix, C, 166.
 contaminans, viii, C, 398.
 discophora, viii, C, 485.
 donacina, viii, C, 399.
 grandispora, viii, C, 258.
 grandispora var. *schizostachyi*, viii, C, 258.
 mindorensis, viii, C, 398.
 minor, viii, C, 399.
 mirabilis, viii, C, 258.
 pandani, viii, C, 273.
 phaeosticta, viii, C, 399.
Anthoxanthum, i, s, 178, 372; v, C, 328.
 indicum, i, s, 341.
 luzoniense, i, s, 178, 372; v, C, 328.
 odoratum, i, s, 179.
Anthrascias elongatus, viii, D, 401.
Anthracoxyllum, ix, C, 157.
 nigrita, ix, C, 157.
Anthrax bacillus, ix, B, 467.
Anthrax distigma, viii, D, 309.
Anthrax in the P. I., vi, B, 93.
Anthraxon, v, C, 326.
 ciliaris, v, C, 326.
 microphyllum, v, C, 326.
Anthreptes, v, D, 104.
 chlorigaster, i, 775; ii, A, 290, 308; vi, D, 39.
 griseigularis, iv, A, 76; v, D, 220.
 malaccensis, i, 907.
Anthrribidæ, x, D, 34.
Anthrocerotales, i, s, 11.
Anthrophyum reticulatum, vi, C, 191.
Anthropology:
 Bagobos of Davao Gulf (Cole), vi, D, 127.
 Benguet Igorots. A somatologic study of the live folk of Benguet and Lepanto-Bontoc (Bean), iii, A, 413.
 Burial mounds of Camiguin Island (Miller), vi, D, 1.
 Filipino ears. A classification of ear types (Bean), iv, A, 27.
Anthropology—Continued.
 Filipino ears, II: Ears from Malecon morgue (Bean), v, D, 191.
 Filipino ears: III. Negrito (Bean), vi, D, 107.
 Filipino ears: IV. Ilongot and Mangyan (Bean), viii, D, 357.
 Filipino types: Found in Malecon morgue (Bean), iv, A, 297.
 Filipino types: Manila students, an attempt to classify the littoral population of Luzon and adjacent islands (Bean), iv, A, 263.
 Filipino types: Racial anatomy in Taytay. (A) The men (Bean), iv, A, 359.
 Filipino types: Racial anatomy in Taytay. (B) The Women (Bean), v, D, 1.
 Francisco de Carriedo y Peredo (Salt), viii, D, 165.
 Harvest feast of the Kiangnan Ifuago (Barton), vi, D, 81.
 History of the Spanish normal school for men teachers in Manila (Cain), ix, D, 123.
 Human sacrifice held by the Bogobos, District of Davao, Mindanao, P. I. (Smith), iii, A, 188.
 Ifugao burial ceremony (Beyer and Barton), vi, D, 227.
 Ifugaos of Quiangan and vicinity (Villaverde, Worcester, and Case), iv, A, 237.
 Igorots of Lepanto (Robertson), ix, D, 465.
 Irrigation and cooperative irrigation societies in Ilocos Norte (Christie), ix, D, 99.
 Mangyan language (Schneider), vii, D, 157.
 Mangyans of Mindoro (Miller), vii, D, 135.
 Men of Cainta (Bean and Planta), vi, D, 7.
 Non-Christian people of Ambos Camarines (Miller), vi, D, 321.
 Non-Christian tribes of northern Luzon (Worcester), i, 791.
 On a quinary notation among the Ilongots of northern Luzon (Scheerer), vi, D, 47.
 Origin myths among the mountain peoples of the P. I. (Beyer), viii, D, 85.
 Paleolithic man in the P. I. *Homo philippinensis* (Bean), v, D, 27.
 Pottery industry in San Nicolas, Ilocos Norte (Christie), ix, D, 117.
 Stone industry at San Esteban, Ilocos Sur (Christie), vii, D, 213.
 Theory of heredity to explain the types of the white race (Bean), iii, A, 215.
 Tinggian (Cole), iii, A, 197.
 Types among the inland tribes of Luzon and Mindanao (Bean), viii, D, 455.
 Wood-working industry of San Vicente, Ilocos Sur (Christie), vii, D, 281.

- Anthus cervinus*, i, 908.
 gustavi, i, 704, 908; ii, A, 290, 308, 332;
 iii, A, 281; iv, A, 76; v, D, 113.
 maculatus, i, 767.
 rufulus, i, 704, 775, 908; ii, A, 814, 382,
 344, 349; iii, A, 281; iv, A, 76; v, D,
 118, 186, 219; vi, D, 46.
Antiaris, ii, A, 202; ii, C, 111.
 macrophylla, ii, C, 112.
 toxicaria, ii, C, 111; iii, A, 42.
Antiberiberin, vii, B, 407.
Antidesma, i, s, 77; ii, C, 277; iii, C, 416;
 iv, C, 275, 483; vii, C, 161, 265, 383;
 ix, C, 462.
 barbatum, ix, C, 463.
 bunius, i, s, 77; iv, C, 484; vi, C, 208;
 viii, A, 75; viii, C, 482; ix, A, 499; ix,
 C, 426, 462.
 clementis, ix, C, 465.
 cordato-stipulaceum, iv, C, 275.
 crassifolium, vii, C, 383.
 cumingianum, vii, C, 384.
 cumingii, iii, C, 416; ix, C, 462.
 curranii, ix, C, 466.
 cuspidatum, ix, C, 467.
 edule, i, 410, 638; i, s, 77; iv, C, 703; vi,
 C, 208; ix, A, 504.
 fallax, ix, C, 465.
 filiforme, iv, C, 280.
 ghaeseimbilla, i, s, 78, 186; iv, C, 276, 484;
 viii, C, 477; ix, A, 454; ix, C, 426, 462.
 leptocladum, i, 411, 645; i, s, 78; ii, C,
 277; ix, C, 462.
 lobbianum, iii, C, 416; ix, C, 463.
 lucidum, i, 645; i, s, 78.
 luzonicum, ix, C, 464.
 macgregorii, vi, C, 207.
 membranaefolium, iii, C, 416.
 mindanaense, vii, C, 383.
 moritzii, ix, C, 470.
 obliquinervium, ix, C, 466.
 palawanense, ix, C, 467.
 pentandrum, ix, C, 462.
 pentandrum var. *angustifolium*, ix, C,
 464.
 pentandrum var. *barbatum*, ix, C, 463.
 pentandrum var. *lobbianum*, ix, C, 463.
 pleuricum, i, s, 78; ix, C, 465.
 ramosii, ix, C, 468.
 rostratum, ix, C, 426, 462.
 rostratum var. *barbatum*, ix, C, 463.
 rostratum var. *lobbianum*, ix, C, 463.
 salicifolium, ix, C, 462.
 samarense, ix, C, 469.
 subcordatum, iv, C, 275.
Antigone sharpei, i, 765.
Antigonon, vii, C, 157; ix, C, 80.
 leptopus, vii, C, 182; ix, C, 80.
Antilochus nigripes, iv, A, 571.
*Antimalarial prophylactic measures and their
 results at the naval station, Olongapo,
 P. I.*, v, B, 285, 345.
Antimantimid, iii, C, 415.
Antimonan station, meteorological data for,
 i, 619.
Antimony, treatment of trypanosomiasis with,
 v, B, 25, 29.
Antinagam, iv, C, 310.
Antineura sericata, viii, D, 310.
 stolata, viii, D, 310.
Antipatharia sp., vi, D, 307.
Antipha, viii, D, 225.
 punctata, v, D, 223.
Antipolo, i, 620; i, s, 43; ix, A, 506.
 water facilities at, ix, A, 340.
Antirrhinum molle, ii, C, 435.
Antitoxin, preparation of tetanus, x, B, 31.
Antobanag, iv, C, 103.
Anthrophyum, i, s, 19, 157; ii, C, 135, 175;
 iii, C, 392; vi, C, 87; ix, C, 42.
 callaeofolium, ii, C, 135.
 clementis, ii, C, 175.
 latifolium, i, s, 157; ii, C, 5.
 parvulum, iii, C, 392.
 plantagineum, ii, C, 5; vi, C, 87; ix, C,
 42.
 reticulatum, i, s, 19; ii, C, 5, 135; vi, C,
 87.
 semicostatum, ii, C, 5; vi, C, 87.
Ants, i, 1071; v, D, 121.
 termites and, i, 1070.
 vibrios of Asiatic cholera carried by, ix,
 B, 1.
 See also Zoology—Insecta—Hymenoptera.
Anuad, ix, D, 476.
Anuang, x, C, 414.
Anubing, ii, C, 372; iv, C, 395, 447.
Anubiong, i, s, 43.
Anugas, vi, C, 28.
Anuling, ix, A, 450.
Anunang, iv, C, 689.
Anunong, iv, C, 689.
Anuring, v, C, 176.
Anuropsis cinereiceps, i, 907.
Anzabe, i, 229.
Aoa, ix, D, 489.
Aogashi, ix, D, 255.
Aonidilla, i, 230.
Aonyx, vii, D, 21.
 cinerea, vii, D, 21.
 delalandi, vii, D, 21.
Aosuji-ageha, ix, D, 252.
Aotsuzura, ix, D, 256.
Apahap, iii, A, 517.
Apalang, iv, C, 375.
Apalatoa, v, C, 39.
 blancoi, v, C, 39.
Apalit, v, C, 100.
Apang, iv, C, 294.
Apanteles manilae, i, 693.
 philippinensis, i, 693.
 stantoni, i, 695.
Aparamesius carinatus, ix, D, 287.
 depressus, ix, D, 287.
 filicornis, ix, D, 287.
 levistilus, ix, D, 287.
Apareaqua, vi, C, 321.
Apasotes, ix, C, 80.
Apat, iii, C, 390.

- Apatite, x, A, 83.
 Ilocos Norte, ii, A, 171.
 Apatura, x, D, 281.
 astasia, x, D, 283.
 bunea, x, D, 282.
 here, x, D, 282.
 here ab. sobrina, x, D, 282.
 ilia, x, D, 281.
 ilia ab. mikuni, x, D, 282.
 ilia var. clytie, x, D, 283.
 ilia var. serarum, x, D, 282.
 ilia var. substituta, x, D, 283.
 japonica, x, D, 289.
 julia, x, D, 283.
 metis, x, D, 282.
 phaedra, x, D, 284.
 serarum, x, D, 284.
 substituta, x, D, 281.
 Apaturidi, x, D, 281.
 Apayaos, i, 851.
 Apayos, i, 851.
 Ape, black, vii, D, 37.
 Apegus, ix, D, 295.
 maquilingsensis, ix, D, 295.
 Apereoa esculenta, ix, C, 65.
 Aphæna, v, D, 37.
 farinosa, v, D, 37.
 saundersii, v, D, 37.
 Aphalaroida, x, D, 261.
 Aphana farinosa, v, D, 37.
 scutellaris, v, D, 37.
 Aphananthe, i, s, 42.
 philippinensis, i, 387; i, s, 42; ix, A, 507.
 Aphanaria, iv, A, 576; v, D, 37.
 Aphania angustifolia, viii, C, 444.
 loheri, viii, C, 452.
 montana, iv, C, 492.
 paucijuga, iv, C, 492.
 philippinensis, viii, C, 444.
 Aphaninæ, iv, A, 575.
 Aphanisticus bodongi, ix, D, 88.
 Aphanoccephalus, vii, D, 105.
 Aphanomyxis grandifolia, iv, C, 477.
 rohituka, iv, C, 477.
 Aphelia, ii, C, 256.
 Aphelininæ, i, 691.
 Aphelocoma, ii, A, 259.
 Apendale, i, 229.
 Aphenolia bakeri, ix, D, 539.
 Aphidencyrus pallidipes, i, 691.
 Aphididæ, i, 1070.
 Aphiochaeta banksi, viii, D, 309.
 curtineura, viii, D, 309.
 ferruginea, x, B, 309.
 Aphioda diura, x, D, 237.
 integripennis, x, D, 236.
 Aphnæus vulcanus, v, D, 72.
 Aphomyrmex emeryi, i, 690.
 Aphrophorinæ, v, D, 49.
 Aphthona wallacei, viii, D, 233.
 Aphycus albiclavatus, i, 691.
 Aphyllorchis, ii, C, 313.
 pallida, ii, C, 313.
 Api-api, iv, C, 529, 553.
 Apidæ, i, 686.
 Apines, iv, A, 562.
 concinna, iv, A, 562.
 grisea, iv, A, 562.
 Apiomerinæ, iv, A, 586.
 unicolor, vii, D, 101.
 Apion schultzei, vii, D, 101.
 versutum, vii, D, 101.
 Apiospora, i, s, 279; iii, C, 48; viii, C, 399.
 apiospora, viii, C, 183.
 camptospora, viii, C, 399.
 curvispora, viii, C, 399.
 curvispora var. rottboelliae, viii, C, 399.
 luzonensis, iii, C, 48; viii, C, 183, 399.
 montagnei, i, s, 279.
 Apiosporella, viii, C, 486.
 aberrans, viii, C, 486.
 coryphae, viii, C, 399.
 Apiosporium, i, s, 279.
 Apis indica, i, 686, 1073; vii, A, 385.
 mellifera, i, 686.
 nigrocincta, i, 686, 1073.
 unicolor, i, 686, 1073.
 Apitan, vii, C, 320.
 Apitong, i, s, 97; ii, C, 372; iv, A, 95; iv, C, 509, 513; vi, C, 247; ix, A, 425, 522.
 oil of, i, 195.
 Apium graveolens, vi, A, 201.
 petroselinum, ix, C, 126.
 Aplochatting, ix, C, 148.
 Aplochlora, v, D, 176.
 viridis, v, D, 176.
 vivilaca, v, D, 176.
 Aploghating, ix, C, 148.
 Aplokhatting palaoan, ix, C, 148.
 Apluda, i, s, 332; iii, C, 395; v, C, 326; vii, C, 153.
 aristata, i, s, 332.
 cumingii, i, s, 332.
 humilis, i, s, 332.
 mutica, i, s, 332; iii, C, 395; v, C, 326; vi, C, 105; vii, C, 196.
 mutica forma intermedia, i, s, 332.
 mutica var. aristata, i, s, 332.
 varia, i, s, 332.
 varia mutica intermedia, i, s, 332.
 varia subsp. aristata, i, s, 332.
 varia subsp. mutica, i, s, 332.
 varia var. humilis, i, s, 332.
 Aplysiid, v, D, 291.
 Apnit, vi, C, 268.
 Apo, iv, A, 256.
 district, vi, A, 371.
 Island, birds from, i, 767.
 volcanic cluster, v, A, 359.
 Apobletes corticalis, ix, D, 423.
 difficile, ix, D, 424.
 diopsipygus, ix, D, 426.
 feriatus, ix, D, 423.
 fictitius, ix, D, 424.
 platysomoides, ix, D, 424.
 schaumi, ix, D, 423.
 semperi, ix, D, 424.
 tener, ix, D, 423.
 Apoerytes bato, ix, D, 77.

- Apocynaceæ, i, 423, 428, 1008; i, s, 116, 132;
 ii, C, 299, 377, 435; iii, C, 121, 261, 428;
 iv, C, 313, 550, 707; v, C, 224; vi, C,
 219, 356; vii, C, 97, 187, 242, 330; viii,
 C, 387; ix, A, 555; ix, C, 128, 384; x,
 C, 64.
 Apocrytidius, vii, D, 302.
 Apocyrus asper, vii, D, 345.
 astiger, vii, D, 371.
 bambalio, vii, D, 362.
 caudatus, vii, D, 329.
 hopei, vii, D, 359.
 inflatus, vii, D, 301.
 midas, vii, D, 350.
 nigrans, vii, D, 332.
 pachyrhynchoides, vii, D, 359.
 regalis, vii, D, 350.
 smaragdulus, vii, D, 350.
 virens, vii, D, 351.
 Apoderus coeruleatus, x, D, 28.
 coloratus, x, D, 28.
 ledyardi, x, D, 27.
 sharpi, x, D, 28.
 Apogonia lutea, v, D, 188.
 magnifica, v, D, 188.
 major, v, D, 186.
 metallescens, v, D, 186.
 nigrobrunnea, v, D, 187.
 rugipennis, v, D, 189.
 viridana, v, D, 187.
 Apogonichthyidæ, iv, A, 507; v, D, 274; ix,
 D, 63.
 Apoidea, i, 686.
 Apomys, vii, D, 33.
 bardus, vii, D, 34.
 hylocetes, vii, D, 34.
 insignis, vii, D, 34.
 major, vii, D, 34.
 musculus, vii, D, 34.
 petraeus, vii, D, 34.
 Aporinæ, i, 684, 688.
 Aporosa, i, s, 76; iv, C, 483; ix, C, 368, 470.
 alvarezii, ix, C, 470.
 arborea, ix, C, 472.
 arborescens, ix, C, 472.
 basilanensis, ix, C, 471.
 dioica, iv, C, 484.
 elliptifolia, ix, C, 472.
 frutescens, ix, C, 473.
 fruticosa, ix, C, 472.
 leytensis, ix, C, 368.
 microcalyx, vi, C, 208; ix, A, 509; ix, C,
 368.
 similis, ix, C, 472.
 sphaeridophora, i, 637; i, s, 76; iv, C, 703.
 symplocosifolia, i, 409, 637; i, s, 77; iv,
 C, 703; ix, C, 472.
 Aporum, ii, C, 328.
 Aposotis, vii, C, 198.
 Apostasia, ii, C, 311.
 wallichii, ii, C, 311.
 Apostes, iv, C, 695.
 Apparatus:
 Cephalograph: The description of an in-
 strument for reproducing the outlines
- Apparatus—Continued.
 of the head and face (Bean), iv, A,
 447.
 Liquid concave mirror (Hulburt and Ba-
 con), v, A, 19.
 New accessory for dissection work
 (Banks), v, D, 131.
 New comparator (Cox), ii, A, 139.
 New type of laboratory condenser for use
 with volatile liquids in tropical labora-
 tories (Dovey), vii, A, 417.
 Pipette method in the isolation of single
 microorganisms and in the inoculation
 of substances into living cells (Barber),
 ix, B, 307.
 Polyscopic cell. A new microscopical ac-
 cessory (Banks), v, D, 79.
 Simple laboratory apparatus (Gibson), ix,
 B, 297.
 Apparatus, intravenous-injection, iv, B, 84.
 pipette method, ix, B, 310.
 skin-temperature, vi, B, 118.
 small simple laboratory, ix, B, 297.
 venous-pressure, ix, B, 297.
 Appendicitis, viii, B, 143.
 amoebic, i, 564.
 Appendicula, viii, C, 417.
 anceps, viii, C, 415.
 clemensiae, viii, C, 415.
 cornuta, ii, C, 322; viii, C, 415.
 crotalina, viii, C, 416.
 effusa, viii, C, 419.
 elmeri, viii, C, 416.
 fenixii, viii, C, 415.
 fruticosa, viii, C, 415.
 longifolia, iv, C, 670.
 lucbanensis, viii, C, 415.
 luzonensis, viii, C, 415.
 malindangensis, viii, C, 415.
 maquilingensis, viii, C, 417.
 merrillii, viii, C, 418.
 micrantha, viii, C, 415.
 negrosiana, viii, C, 416.
 pendula, ii, C, 322; viii, C, 415.
 perplexa, viii, C, 415.
 philippinensis, viii, C, 415.
 reflexa, ii, C, 322.
 undulata var. calcarata, viii, C, 416.
 weberi, viii, C, 418.
 wenzelii, viii, C, 419.
 xytriophora, ii, C, 322; viii, C, 415.
 Apple, prickled, vii, C, 113.
 star, iv, C, 539.
 Aprophata, vii, D, 299.
 Aprosterna, v, D, 258.
 Apsilops nigriceps, i, 692.
 Apsom, ix, C, 90.
 Apterencyrtus pulchricornis, i, 691.
 Aquias eudouxii, vii, D, 14.
 Aquifoliaceæ, ii, C, 279; iii, C, 201, 237; iv,
 C, 490; v, C, 193, 358; viii, C, 382;
 x, C, 190, 316.
 Aquilaria, vii, C, 314; x, C, 44.
 agallocha, iv, C, 523.
 malaccensis, iv, C, 523; x, C, 44.

- Arabis heterophylla* var. a, iii, C, 100.
 Araceæ, i, 418; i, s, 32, 171; ii, C, 264, 422;
 iii, C, 220, 400; v, C, 335; vi, C, 195;
 vii, C, 181; ix, C, 64, 423; x, C, 265,
 288.
Arachis, v, C, 77; vii, C, 159; ix, C, 90.
hypogæa, v, B, 67; v, C, 77; vii, C, 184;
 viii, C, 283; ix, C, 90, 425; x, C, 372.
Arachnothera dilutior, i, 907.
flammifera, ii, A, 290, 332; iv, A, 76.
Arack, vi, A, 150.
Aradidæ, iv, A, 579.
Aradus truncatus, iv, A, 564.
Aragan, vi, D, 309.
Aragonite, x, A, 83.
Arahan, iv, C, 395.
Arak, vi, A, 107.
Araka, vi, C, 278.
Aralia, i, s, 108; ii, C, 291; v, C, 369.
 cochleata, vii, C, 241; ix, C, 126.
 glauca, ii, C, 291.
 guilfoylei, vii, C, 242; ix, C, 126.
 hypoleuca, i, s, 108; ii, C, 291; v, C, 369.
 pendula, ii, C, 387.
 spinosa, ii, C, 291.
Araliaceæ, i, s, 108, 217; ii, C, 289, 387, 433;
 iii, C, 84, 117, 154, 211, 252; iv, C, 587;
 v, C, 210, 369; vi, C, 218, 354; vii, C, 95,
 163, 241, 318; ix, A, 557; ix, C, 125,
 329, 456; x, C, 333.
Aralidium pinnatifidum, iv, C, 537.
Aramay, vi, C, 14.
Arandong, vi, C, 14.
Aranga, ii, C, 373; iii, C, 246, 247; iv, C, 522.
Arangas, x, C, 34.
Ararasi, vi, C, 28.
Araro, iii, A, 529.
Arasi, vi, C, 28.
Araticu, vii, C, 113.
 pana, vii, C, 113.
 pitaya, vii, C, 113.
 ponhe, vii, C, 113.
Araucaria excelsa, vi, C, 169.
Arbelidæ, iii, A, 29.
Arbol del fuego, v, C, 52; ix, C, 88.
Arbor excoecans, ix, C, 102.
 origera, ix, C, 290.
Arca, i, 630; viii, A, 278.
 cecillei, viii, A, 324.
 granosa, viii, A, 248.
 hispida, v, A, 329.
 nodosa, i, 631; v, A, 329; vi, A, 376; viii,
 A, 278, 327.
 nodosa var. *batanensis*, i, 630.
 sp., vii, A, 264.
Arcas, v, D, 291.
Archangelisia, iii, C, 406.
 lemniscata, iii, C, 406; v, A, 442.
Archangiopteris, iv, C, 9; ix, C, 220.
 henryi, iv, C, 9.
Archichlamydeæ (Choripetalæ and Apetalæ),
 i, s, 40.
Archytæa alternifolia, x, C, 190.
 vahlîi, iv, C, 149; x, C, 190.
Arcidæ, i, 630; viii, A, 278.
Arctia horsfieldii, v, D, 169.
Arctietis, vii, D, 23.
 whitei, vii, D, 23.
Arctiidæ, ii, A, 371; iii, A, 30; v, D, 164.
Arctiinæ, iii, A, 30.
Arctomys bobac, vii, B, 224.
Arcypteris, ii, C, 411; ix, C, 228.
Arcyria, ii, C, 113; ix, C, 159.
 denudata, ix, C, 159.
 punicea, ii, C, 113.
 serpula, ii, C, 114.
Ardea intermedia, ii, A, 321.
 jugularis, ii, A, 321.
 sumatrana, i, 700, 904; ii, A, 282, 312,
 321; v, D, 220.
Ardeidæ, iii, A, 277; iv, A, 68; v, D, 107;
 vi, D, 41.
Ardetta cinnamomea, i, 700; ii, A, 283, 322.
Ardisia, i, s, 112, 271; ii, C, 296; iii, C, 425;
 iv, C, 538; v, C, 212, 372; vii, C, 323;
 viii, C, 386; x, C, 334.
 biflora, v, C, 212; x, C, 334.
 boissieri, i, 645; i, s, 112; ii, C, 296; v,
 C, 217; vi, C, 218; ix, A, 449.
 cagayanensis, vii, C, 323.
 candolleana, iii, C, 46.
 ceylanica, v, C, 216.
 clementis, v, C, 213.
 confertiflora, v, C, 213.
 copelandii, i, s, 272.
 crispa, v, C, 372.
 curranii, v, C, 214.
 curtipes, v, C, 219, 372.
 darlingii, v, C, 215.
 diffusa, v, C, 216.
 divergens, v, C, 216.
 elmeri, i, s, 273; ii, C, 296.
 faberi, v, C, 221.
 gardneri, v, C, 216.
 grandidens, v, C, 220.
 grossedentata, v, C, 219.
 humilis, i, s, 112; ii, C, 296; iii, C, 425;
 v, C, 216.
 javanica, viii, C, 387.
 keithleyi, x, C, 335.
 laevigata, i, s, 273.
 lanceolata, v, C, 216.
 leytensis, viii, C, 386.
 littoralis, v, C, 216.
 macgregorii, v, C, 217.
 marginata, i, 643; i, s, 112.
 metallica, v, C, 221.
 mindorensis, v, C, 218.
 oblongifolia, v, C, 219; x, C, 335.
 palawanensis, v, C, 220.
 paniculata, iv, C, 538.
 pardalina, v, C, 372.
 perrottetiana, i, s, 272; ix, A, 449.
 philippinensis, i, 638; i, s, 112; iv, C,
 703.
 pirifolia, v, C, 217; vi, C, 218.
 purpurea, v, C, 216.
 pusilla, v, C, 221.
 racemoso-paniculata, i, s, 273; ii, C, 296.
 ramosii, vii, C, 324.

Ardisia—Continued.

- reptans, v, C, 220.
 saligna, i, s, 112; ii, C, 296.
 scabrida, vii, C, 324; viii, C, 387.
 serrata, i, s, 274; ii, C, 296; v, C, 219, 373.
 serrata var. brevipetiolata, ii, C, 296; v, C, 219.
 solanacea, v, C, 217.
 sumatrana, i, s, 274.
 tenera, i, s, 272.
 verrucosa, v, C, 217.
 villosa, v, C, 221.
 whitfordii, i, s, 271; vi, C, 218.
 zambalensis, x, C, 334.
- Arduina grandiflora**, ix, C, 128.
- Areca**, i, s, 32; ii, C, 219; iii, C, 340, 399; iv, C, 601; vi, C, 195; vii, C, 154; ix, C, 63.
 catechu, i, 161, 215, 221, 398, 1081; i, s, 32; iii, C, 304, 340, 399; v, A, 445; vi, C, 107; vii, B, 113; vii, C, 181; viii, C, 505; ix, C, 63, 164.
 catechu var. longicarpa, vi, C, 229.
 ipot var. polillensis, vi, C, 229.
 macrocarpa, iv, C, 601.
 mammillata, ii, C, 220.
 mammillata var. mindanaensis, iv, C, 602.
 oxycarpa, ii, C, 222.
 vidaliana, ii, C, 222.
 whitfordii, ii, C, 219; iv, C, 601.
- Areceæ**, vii, C, 155.
- Aren**, vi, A, 194.
- Arenaria**, iii, C, 97; v, C, 346.
 interpres, ii, A, 300, 311, 319; v, D, 106.
 serpyllifolia, iii, C, 97; v, C, 346.
- Areng**, vi, A, 194.
- Arenga**, ii, C, 229; iv, C, 612; vi, A, 194; vi, C, 195; vii, C, 154; ix, C, 63.
 ambong, ii, C, 229; iv, C, 614.
 gamuto, ix, C, 63.
 saccharifera, iii, C, 306; v, B, 66; vi, A, 105, 194; vi, C, 229; viii, C, 484; ix, C, 63.
 tremula, iv, C, 612.
- Areolaria**, viii, C, 307.
 columnaris, viii, C, 307.
- Aretukt**, iii, C, 4.
- Argai**, i, s, 78.
- Argemone**, iii, C, 407; vii, C, 158.
 mexicana, i, 1031; iii, C, 407; vii, C, 183.
- Argopus angulicollis**, viii, D, 235.
- Argostemma**, i, s, 128; ii, C, 305; iii, C, 436; x, C, 100.
 neesianum, i, s, 128.
 solaniflorum, ii, C, 305; iii, C, 436; vi, C, 227; x, C, 100.
 stenophyllum, x, C, 100.
 wallichii, x, C, 100.
- Argyreia**, vii, C, 165.
 nervosa, vii, C, 189.
 tiliaefolia, ix, C, 133.
- Arhopala**, v, D, 78; x, D, 295.
 amantes, v, D, 76.

Arhopala—Continued.

- japonica, x, D, 295.
 meander, v, D, 72.
- Ariala trifoliata**, i, s, 217.
- Arietus tagalicus**, iv, A, 580.
- Aridauang**, ii, A, 338.
- Arilus collaris**, iv, A, 588.
- Arinaya**, iv, C, 391.
- Aripanes**, i, 818.
- Aripas**, i, 818.
- Arisacontis chamissonis**, ix, C, 65.
- Arisaema**, i, s, 33; ii, C, 264; v, C, 336.
 cumingii, i, s, 33; v, C, 336.
 polyphylla, i, 663; i, s, 33; ii, C, 264.
 polyphyllum, v, C, 336.
 polyphyllum var. angustifolium, v, C, 336.
- Aristida**, i, s, 372; v, C, 328; vii, C, 154.
 capillacea, i, s, 372.
 culionensis, i, s, 372.
 cumingiana, i, s, 372; v, C, 328.
 laxa, i, s, 373.
 luzoniensis, i, s, 372; x, C, 186.
 murina, i, s, 373; x, C, 186.
 rigida, i, s, 373; x, C, 186.
 sorzogonensis, i, s, 372.
 stipoides, i, s, 372.
 stipoides var. tenuisetulosa, i, s, 372.
 trichodes, i, s, 372.
- Aristolochia**, i, s, 51; v, C, 174; vii, C, 157;
 ix, C, 79; x, C, 4.
 debilis, ix, D, 256.
 elegans, vii, C, 182; ix, C, 79.
 leytenis, x, C, 4.
 macgregorii, v, C, 174.
 mindanaensis, x, C, 5.
 tagala, i, s, 51; v, C, 175; vi, C, 201; x, C, 5.
- Aristolochiaceæ**, i, s, 51; v, C, 174; vi, C, 201;
 vii, C, 157; ix, C, 79; x, C, 4.
- Aristolochiales**, i, s, 51.
- Aritongtong**, iv, C, 645.
- Arius argyropleuron**, v, D, 266.
 falcarius, ix, D, 60.
 sagor, v, D, 266.
 venosus, v, D, 266.
- Arjun**, iv, C, 531.
- Arkose**, Compostela-Danao coal region, ii, A, 394.
- Armigeres obturbans**, i, 983.
 panalectros, i, 983.
 ventralis, i, 983.
- Arnatto**, iv, B, 223.
- Arneth counts of blonds and brunets**, vi, B, 441.
- Arneth's nuclear classification of the neutrophiles in healthy adult males, influence of race, complexion, and tropical residence on**, vi, B, 405.
- Aroa**, v, D, 169.
 discalis, v, D, 169.
 major, v, D, 169.
- Arollos**, vi, A, 381.
- Aroma**, i, s, 62; v, C, 28; vii, C, 199; ix, A, 454; ix, C, 86.

- Aropay, iv, C, 375.
- Aroroy district, iv, A, 3.
geology and mineral resources of, vi, A, 397.
gold-bearing veins in, viii, A, 92, 94.
vein gold deposits of, viii, A, 99.
- Aroru, ix, C, 69.
- Aroyangyang, v, C, 108.
- Arrabal, ix, D, 465.
- Arrack, vi, A, 107; ix, A, 197.
- Arrak, vi, A, 151.
- Arretocera stantoni, i, 691.
- Arrhabæus, viii, D, 389.
- Arrhenodes, viii, D, 153.
- Arrhinotermes, viii, D, 276.
japonicus, viii, D, 276.
- Arrow poisons, Philippine, iii, A, 41.
- Arrowroot, vii, C, 198.
- Arsenic, x, A, 83.
trypanosomiasis treated with, v, B, 28.
trypanosomiasis treated with compounds of, v, B, 23.
- Arsenic sulphide, treatment of trypanosomiasis with, v, B, 27.
- Arsenical poisoning, beriberi caused by, i, 720.
- Arsenophenylglycin, experiments on horses with, v, B, 36.
experiments on monkeys with, v, B, 31.
incidence and complications of malaria in the P. I. with special reference to its treatment with, v, B, 291.
treatment of trypanosomiasis with, v, B, 29.
- Arses, ii, A, 342.
- Artabotrys, i, s, 54; vii, C, 234.
cumingianus, i, 418; i, s, 54.
odoratissimus, vii, C, 234.
rolfei, i, s, 54; vi, C, 204.
uncinatus, vii, C, 194, 234.
- Artactes latreillei, viii, D, 419.
- Artamidæ, iii, A, 280; iv, A, 75; v, D, 112.
- Artamides, ii, A, 327.
cebuensis, ii, A, 305.
difficilis, i, 906.
kochi, ii, A, 288, 327; iv, A, 78.
mindorensis, i, 702, 774; ii, A, 305.
panayensis, vi, D, 43.
striatus, v, D, 111, 220.
- Artamus leucorhynchus, i, 703, 770, 774, 907; ii, A, 289, 307, 314, 329; iii, A, 280.
leucorynchus, iv, A, 75; v, D, 112, 220.
- Artapocyrtus, vii, D, 338.
astriger, vii, D, 341.
bifasciatus, vii, D, 338.
bifasciatus var. aurora, vii, D, 338.
derasocobaltinus, vii, D, 338.
geniculatus, vii, D, 339.
humeralis, vii, D, 338.
pardalis, vii, D, 339.
quadriplagiatus, vii, D, 338.
- Artefacts in glass slides, so-called X-bodies as, vi, B, 421.
- Artemisia, iii, C, 125, 441; v, C, 398; ix, C, 153.
capillaris, iii, C, 125; v, C, 398.
- Artemisia—Continued.
parviflora, i, s, 177; iii, C, 125.
scoparia, iii, C, 125.
vulgaris, iii, C, 441; vii, C, 195; ix, C, 153.
- Artemita azurea, viii, D, 308.
- Arthraxon, i, s, 265, 332; vii, C, 153, 229.
ciliare, i, s, 333.
ciliaris, i, s, 333; vii, C, 229.
ciliaris subsp. langsdorffii, i, s, 265, 333; vii, C, 229.
ciliaris subsp. nudus, i, s, 266, 333.
ciliaris subsp. quartinianus, i, s, 266, 333; vii, C, 229.
hispidus, vii, C, 229.
microphyllum, i, s, 174.
microphyllus, i, s, 333.
microphyllus var. genuinus, i, s, 265.
quartinianus, vii, C, 229.
- Arthrobotrya, iii, C, 32.
- Arthrobotrys, iii, C, 32.
- Arthrocoormus, iii, C, 13.
schimperii, iii, C, 13.
- Arthropodium, i, s, 109; ii, C, 291.
ahernianum, i, 644; i, s, 109.
pinnatum, i, s, 109.
- Arthropoda, viii, A, 293.
- Arthropteris, vi, C, 80.
kingii, vi, C, 80.
obliterata, ii, C, 3.
- Arthrostylis chinensis, ii, C, 98.
thouarsii, ii, C, 98.
- Artiodactyla, vii, D, 38.
- Artocarpaceæ, ii, C, 372.
- Artocarpus, i, 620; i, s, 43; ii, C, 254, 270; iii, C, 221, 401; iv, C, 446; ix, C, 73, 268.
blumei, vi, C, 107.
camansi, v, D, 109; viii, A, 65.
chaplasha, iv, C, 446.
communis, i, 387, 638; i, s, 43; iii, C, 401; iv, C, 703; vii, C, 182; viii, A, 64; ix, A, 506; ix, C, 73, 269.
cumingiana, i, s, 43; iv, C, 447; vi, A, 423.
cumingii, ii, C, 372.
gomeziana, iv, C, 446.
hirsuta, iv, C, 446.
incisa, i, 670; i, s, 43; ii, C, 372; ix, C, 73.
integrifolia, i, 398; i, s, 43; ii, C, 372; iv, C, 446; v, A, 443; vi, C, 199; vii, C, 193; viii, A, 63; ix, C, 73.
lakoocha, iv, C, 446.
lanceolata, i, 406; i, s, 43.
lancifolia, iv, C, 446.
mariannensis, ix, C, 73.
nitida, ix, C, 424.
nobilis, iv, C, 446.
ovata, ii, C, 372.
ovatifolia, ix, C, 268.
rima, viii, A, 64.
robroyenia, i, s, 43; iii, C, 401.
superba, iv, C, 447.
woodii, iii, C, 221.
xanthocarpa, i, s, 43.
- Artopoëtes, x, D, 300.
pryeri, x, D, 300.

- Artrophyllum* sp., ii, C, 291.
Arum, iii, C, 304.
 cuspidatum, ix, C, 65.
 decurrens, i, s, 33; x, C, 290.
 esculentum, ix, C, 64.
 macrorrhizum, ix, C, 64.
Arundina speciosa, x, C, 189.
Arundinaria, v, C, 267, 332.
 densifolia, v, C, 268.
 glaucescens, vii, C, 230.
 niitakayamensis, v, C, 267, 332.
 pygmaea, v, C, 268.
Arundinella, i, s, 179, 268, 342; ii, C, 419; v, C, 326; vii, C, 153.
 agrostoides, i, s, 343.
 agrostoides var. *ciliata*, i, s, 268, 343.
 brasiliensis, i, s, 343.
 ciliata, i, s, 343.
 hispida, i, s, 343; ii, C, 419.
 miliacea, i, s, 343.
 nepalensis, i, s, 343; ii, C, 419.
 nervosa, i, s, 342, 367.
 pubescens, ii, C, 419.
 setosa, i, s, 179, 342; v, C, 326.
 setosa var. *stricta*, i, s, 342.
 stricta, i, s, 342.
Arundo karka, i, s, 381; ix, C, 57.
 madagasearensis, i, s, 381.
 phragmites, i, s, 381.
 tecta, i, s, 381.
 vulgaris, i, s, 381.
Arvicola hatanadzumi, iii, B, 5.
Arya, x, D, 53.
Arytera, i, s, 87; vii, C, 161.
 littoralis, i, 416; i, s, 87; iv, C, 493; viii, C, 447.
 rufescens, viii, C, 447.
Asak, ix, D, 497.
Asana, v, C, 160.
Asanasan, iv, C, 100.
Asarcina ægrotæ, viii, D, 313.
 consequens, viii, D, 309.
Asbestos, v, A, 334; x, A, 83.
 Ilocos Norte deposits of, ii, A, 145.
Ascarina, iv, C, 70.
 philippinensis, iv, C, 70.
Ascaris iii, B, 17, 72, 199, 261; iv, B, 186, 262, 277, 296, 306; vi, B, 77, 212, 241; viii, B, 54, 135, 422; ix, B, 81, 234, 446.
 lumbricoides, i, 84; iii, B, 217, 385, 418; iv, B, 419; v, B, 268, 507; viii, B, 161; x, B, 19, 296; x, D, 111.
Aschersonia, i, s, 292; iii, C, 56; viii, C, 282; ix, C, 187.
 cinnabarina, i, s, 292.
 confluens, i, s, 292.
 macularis, ix, C, 187.
 novo-guineensis, viii, C, 282.
Asclepiadaceæ, i, 423; i, s, 118, 173, 295; ii, C, 299; iii, C, 121, 428; v, C, 379; vi, C, 220; vii, C, 164, 243; ix, A, 558, ix, C, 130.
Asclepias, iii, C, 423; vii, C, 164; ix, C, 130.
 curassavica, iii, C, 423; vi, C, 220; vii, C, 188; ix, C, 130.
Asclebolaceæ, viii, C, 263.
Ascobolus, viii, C, 263.
 granulatus, viii, C, 404.
 latus, viii, C, 263.
 testaceus, viii, C, 263.
Ascolepis kyllingoides, ii, C, 110.
Ascomycetæ, i, s, 278.
Ascomycetes, viii, C, 272.
 philippinenses, viii, C, 181, 251, 391.
Ascophanus, viii, C, 263.
 testaceus, viii, C, 192, 263.
Ascodes elasmii, i, 691.
Ash, black, vi, A, 15.
 blue, vi, A, 15.
 green, vi, A, 15.
 red, vi, A, 15.
 white, vi, A, 15.
Ash, analyses of wood, vi, A, 10.
Ashmeadopria, ix, D, 308.
 bakeri, ix, D, 308.
 bipunctata, ix, D, 309.
 luzonica, ix, D, 308.
 nigriventris, ix, D, 308.
 subcarinata, ix, D, 309.
 trichota, ix, D, 309.
Asiatic cholera, see *Cholera*.
 palm weevil, i, 154.
Asilidæ, viii, D, 308.
Asinasinanan, v, C, 103.
Asiphonogama, i, s, 10.
Asobara försteri, i, 693.
Asopia pictalis, v, D, 179.
Asparagus, iii, C, 96; vii, C, 155.
 lucidus, iii, C, 96.
 lucidus var. *dolichocladus*, iii, C, 96.
 officinalis, vii, C, 181; ix, C, 67.
 plumosus, vii, C, 181.
 sprengeri, vii, C, 181.
 terminalis, ix, C, 67.
Asparagus pea, vii, C, 193.
Aspen, vi, A, 14.
Aspergillales, i, s, 278.
Aspergilli, ii, B, 439.
Aspergillus, i, s, 273; iii, C, 57; viii, B, 380; viii, C, 506.
 bouffardi, iii, B, 460.
 catenatus, iii, A, 124.
 delacroixii, i, s, 278; iii, C, 57.
 flavus, i, 125; iii, A, 124; iii, C, 57.
 nidulans, iii, B, 460.
 olivaceus, i, s, 278.
 periconioides, viii, C, 506.
Asphalts, analyses of rock and sheet, x, A, 271.
Asphaltum, x, A, 83.
Aspidiæ, ii, C, 409.
Aspidimerus tristis, v, D, 231.
Aspidiotiphagus aleyrodis, i, 691.
Aspidiotus destructor, i, 218, 1069.
 latanix, i, 219.
Aspidisca, v, D, 318.
Aspidium, i, s, 15, 145, 252; ii, C, 122, 158, 195, 412; iii, C, 271.
 abruptum, ii, C, 192.
 aculeatum, ii, C, 406.
 aculeatum var. *batjanense*, i, s, 171.

Aspidium—Continued.

- alatum, ii, C, 412.
- albopunctatum, ii, C, 207.
- angilogense, ii, C, 158, 417.
- angulatum, i, s, 145; ii, C, 3, 413.
- apiifolium, ii, C, 410.
- aridum, ii, C, 195.
- barberi, ii, C, 122.
- batjanense, ii, C, 123.
- beccarianum, vi, C, 76.
- biseriatum, ii, C, 414.
- bolsteri, i, s, 252; ii, C, 412.
- boryanum, ii, C, 211.
- caespitosum, ii, C, 157.
- canescens, ii, C, 194.
- cesatianum, vi, C, 76.
- championi, iii, C, 277.
- cicutarium, i, s, 15; ii, C, 123, 415.
- coadunatum, ii, C, 187, 416.
- copelandii, ii, C, 122, 412.
- cucullatum, ii, C, 194; ix, C, 43.
- canescens, ii, C, 198.
- decurrens, ii, C, 3, 122.
- deltodon, ii, C, 157.
- difforme, i, s, 15; ii, C, 3, 416.
- erythrosorum, ii, C, 211.
- excellens, ii, C, 158.
- extensum, ii, C, 204.
- fauriei var. elatius, i, s, 174; ii, C, 191; iii, C, 291.
- fauriei var. elatum, ii, C, 160.
- ferox, ii, C, 193.
- filix mas, viii, B, 523.
- flaccidum, ii, C, 210.
- giganteum, ii, C, 418; viii, C, 141.
- glandulosum, ii, C, 205.
- gongyloides, ix, C, 43.
- grammitoides, ii, C, 191.
- grande, ii, C, 413.
- grandifolium, ii, C, 413.
- heterodon, ii, C, 412.
- heterophyllum, ii, C, 418.
- hippocrepis, x, C, 186.
- hispidulum, ii, C, 195.
- immersum, ii, C, 208.
- intermedium, ii, C, 215; viii, C, 140.
- irriguum, i, s, 15.
- kingii, ii, C, 123.
- lamaense, i, s, 15; ii, C, 413.
- latifolium, ii, C, 418.
- leuzeanum, ii, C, 3, 122.
- ligulatum, ii, C, 208.
- lineatum, ii, C, 206.
- lobbii, x, C, 146.
- loherianum, ii, C, 207.
- macrodon, ii, C, 122.
- malayense, ii, C, 187.
- marginatum, ii, C, 212.
- megaphyllum, ii, C, 192.
- melanorachis, ii, C, 188.
- membranaceum, ii, C, 415.
- membranifolium, ii, C, 418.
- menyanthidis, iii, C, 271.
- microsorium, ii, C, 418.
- molle, vii, C, 60.
- moluccanum, ii, C, 123.

Aspidium—Continued.

- otaria, ii, C, 203.
 - pachyphyllum, ii, C, 414.
 - parallelogrammum, ii, C, 212.
 - pennigerum, ii, C, 192.
 - persoriferum, ii, C, 414.
 - plumierii, ii, C, 410.
 - polycarpum, ii, C, 202.
 - polymorphum, i, s, 145; ii, C, 122.
 - procurrens, ii, C, 198.
 - profereoides, ii, C, 158, 415.
 - pteropus, ii, C, 412.
 - repandum, ii, C, 414.
 - sagenioides, ii, C, 211.
 - siifolium, i, s, 145.
 - singaporianum, ix, C, 229.
 - spectabile, ii, C, 210.
 - spinulosum, viii, B, 523.
 - stipellatum, vii, C, 60.
 - subaequale, ix, C, 5.
 - subconfluens, iii, C, 271.
 - syrmaticum, ii, C, 210.
 - trifoliatum, ii, C, 410.
 - tripartium, vi, C, 76.
 - varium, ii, C, 192.
 - vasta, ii, C, 411.
 - vastum, i, s, 252.
 - whitfordi, i, s, 15; ii, C, 416.
 - xylode, ii, C, 208.
- Aspidium, physical and chemical properties**
of the oleoresin of, viii, B, 523.
- Aspidolopha manilensis**, viii, D, 215.
- semperi**, viii, D, 215.
- Aspidomorpha bilobata**, v, D, 143; viii, D, 240.
- biradiata**, viii, D, 240.
- dorsata**, v, D, 143.
- fraterna**, viii, D, 240.
- fusconotata**, viii, D, 240.
- miliaris**, iii, A, 264; v, D, 143.
- miliaris ab. flaveola**, v, D, 143.
- miliaris ab. inundata**, v, D, 143.
- orbicularis**, viii, D, 240.
- puncticosta**, iii, A, 264.
- sp.**, v, D, 143.
- Aspidopteris**, iii, C, 106.
- elliptica**, iii, C, 106.
- ovata**, iii, C, 106.
- Asplenium**, i, s, 17, 151, 254; ii, C, 130, 164; iii, C, 34, 293, 391; iv, C, 113; v, C, 319; vi, C, 78; vii, C, 152; ix, C, 42.
- acrobryum**, vi, C, 78.
- adiantoides**, ix, C, 42, 439.
- adnatum**, iii, C, 280.
- affine**, ii, C, 5, 132, 165; vi, C, 79.
- ambiguum**, vii, C, 62.
- amboinense**, vi, C, 79, 137.
- anisodontium**, ii, C, 132.
- arayatense**, ii, C, 164.
- belangeri**, ii, C, 5.
- blumei**, iii, C, 294.
- bodinieri**, iii, C, 279.
- brachypodium**, iii, C, 290.
- brackenridgei**, iii, C, 297.
- brooksii**, vi, C, 137.
- camarinum**, iii, C, 298.

Asplenium—Continued.

- caudatum, ii, C, 5, 165; ix, C, 42, 439.
 caudatum var. sectum, ix, C, 439.
 chlorophyllum, iii, C, 279.
 colubrinum, ix, C, 229.
 colubrinum var. taeniophyllum, ii, C, 131.
 comosum, vi, C, 79.
 concolor, vi, C, 79.
 confertum, vii, C, 62.
 contiguum, ii, C, 166; v, C, 319.
 contiguum var. bipinnatifidum, ii, C, 132.
 cookii, ix, C, 439.
 crinicaule, iii, C, 280.
 cuneatum, ii, C, 5, 132, 165; vi, C, 79.
 cuneatum var. tripinnatum, ii, C, 165.
 cyatheaeifolium, iii, C, 293.
 cymbifolium, ii, C, 130.
 davallioides, iii, C, 279.
 deltoideum, iii, C, 273, 295.
 diplazioides, iii, C, 294.
 dissectum, ix, C, 440.
 dissectum var. kauaiense, ix, C, 440.
 elmeri, ii, C, 164; v, C, 319.
 epiphyticum, ii, C, 4, 166; iv, C, 113; v, C, 284; viii, C, 151.
 exiguum, i, s, 254; ii, C, 164.
 falcatum, ix, C, 42, 439.
 filipes, iii, C, 34; v, C, 285.
 filipes var. minutum, iii, C, 35.
 forbesii, viii, C, 142.
 gracilifolium, iv, C, 113.
 heterocarpum, ii, C, 131.
 hirtum, i, s, 17; ii, C, 132, 165.
 horridum, i, s, 152; ii, C, 165; ix, C, 440.
 insititium, ii, C, 166.
 japonicum, iii, C, 290.
 kingii, vi, C, 79.
 laserpitiiifolium, i, s, 18; ii, C, 132, 165; vi, C, 191; ix, C, 42.
 laserpitiiifolium var. subvenustum, ii, C, 165.
 lasiopteris, ii, C, 127.
 latifolium, x, C, 147.
 lauceum, vii, C, 55.
 lauterbachii, vi, C, 80.
 laxivenum, ii, C, 132, 406.
 lepturus, ii, C, 132; v, C, 320.
 linza, viii, C, 149.
 loherianum, i, s, 254; v, C, 320.
 lunulatum, ii, C, 406.
 macrophyllum, i, s, 17; ii, C, 5; vi, C, 79; ix, C, 42.
 marginale, ix, C, 437.
 maximum, iii, C, 295; x, C, 147.
 militare, i, s, 254; ii, C, 165.
 mirabile, ix, C, 440.
 monanthemum, ix, C, 42.
 monanthes, ix, C, 42.
 musaeifolium, ii, C, 4, 131.
 natunae, v, C, 285.
 nephelephyllum, ix, C, 440.
 nidus, i, 663; i, s, 17; iii, C, 391; vi, C, 191; viii, C, 153; ix, A, 423; ix, C, 42, 232.
 nitidum, ii, C, 164; vi, C, 191; ix, C, 42.

Asplenium—Continued.

- normale, ii, C, 131.
 oblanceolatum, ix, C, 229.
 obscurum, iii, C, 279.
 obtusatum, vi, C, 80.
 oceanicum, vi, C, 80.
 oxyphyllum, ii, C, 161.
 papuanum, vi, C, 79.
 pellucidum, ii, C, 132; vi, C, 79.
 persicifolium, i, s, 181; ii, C, 132.
 petersenii, viii, C, 141.
 phyllitidis, ii, C, 4, 131; vi, C, 78.
 polyodon, ix, C, 439.
 polypodioides, x, C, 147.
 porphyrorachis, iii, C, 300.
 praemorsum, ii, C, 164.
 prionurus, iii, C, 391.
 pseudofalcatum, ix, C, 439.
 resectum, ii, C, 5.
 scandens, ii, C, 5; vi, C, 80.
 schizophyllum, ix, C, 440.
 schkuhrii, vii, C, 63.
 scolopendrioides, ii, C, 131.
 scolopendropsis, viii, C, 149.
 sectum, ix, C, 439.
 serra, i, s, 254; ii, C, 165.
 smithianum, ii, C, 163.
 spathulium, ix, C, 439.
 squamulatum, ii, C, 4; v, C, 284; viii, C, 153.
 stantoni, i, s, 151; v, D, 320.
 steerei, ii, C, 406.
 subnormale, i, s, 17; ii, C, 5.
 tenerum, i, s, 17; ii, C, 5, 132, 406; vi, C, 191.
 tenerum var. acuminatum, vi, C, 79.
 tenuifolium, iv, C, 113.
 toppingianum, iii, C, 290.
 trifoliatum, v, C, 284.
 truncateilobum, ii, C, 164.
 unilaterale, ii, C, 131; iii, C, 35, 279, 391.
 vulcanicum, i, s, 152; ii, C, 5, 406.
 wightianum, ii, C, 406.
 wrightii, iii, C, 280.
 yunnanense, i, s, 254.
 Aspongopus amethystinus, iv, A, 564.
 Assamia dentata, v, D, 39.
 Astarte sp., v, A, 329.
 Astartidae, viii, A, 279.
 Astemma koeningii, iv, A, 577.
 Astenus cribrellus, x, D, 121.
 filiformis, x, D, 121.
 philippinus, x, D, 121.
 viperinus, x, D, 121.
 Aster, v, C, 394.
 philippinensis, v, C, 394.
 trinervius, v, C, 394.
 Asterina, iii, C, 52; viii, C, 275, 488; ix, C, 180.
 capparidis, viii, C, 489.
 cassiae, viii, C, 275, 490.
 couepiae, ix, C, 180.
 derridis, iii, C, 52.
 dilleniae, ix, C, 181.
 elaeocarpi, viii, C, 489.

Asterina—Continued.

- elmeri, viii, C, 276, 489; ix, C, 181.
 escharoides, viii, C, 489.
 globulifera, ix, C, 183.
 lawsoniae, viii, C, 276.
 laxiuscula, viii, C, 276.
 lobata, ix, C, 181.
 lobulifera, ix, C, 181.
 nodulifera, ix, C, 180.
 pemphidioides, viii, C, 489; ix, C, 181.
 pusilla, viii, C, 488.
 schroeteri, ix, C, 180.
 spissa, ix, C, 182.
 sponiae, viii, C, 276, 489.
 Asterinella, viii, C, 490; ix, C, 182.
 calami, ix, C, 182.
 cassiae, viii, C, 490.
 distinguenda, viii, C, 492.
 humiriae, viii, C, 491.
 loranthei, viii, C, 490.
 lugubris, viii, C, 491.
 luzonensis, viii, C, 491.
 obesa, viii, C, 490.
 palawanensis, ix, C, 160, 182.
 ramuligera, ix, C, 182.
 Asterocyclina, vi, D, 61.
 Asteroideæ, v, C, 396.
 Astetema, ix, C, 117.
 Astilbe, v, C, 351.
 philippinensis, v, C, 351.
 rivularis, i, s, 175.
 Astilbus heydeni, x, D, 125.
 philippinnus, x, D, 125.
 Astinus, iv, A, 590.
 m-album, iv, A, 590.
 pustulatus, iv, A, 590.
 Astomaspis metathoracica, i, 692.
 Astræa, vi, A, 375.
 multimaculata, v, D, 183.
 tigrina, v, D, 183.
 Astraepora, viii, D, 439.
 Astralium stellare, viii, A, 324.
 Astreacæ, viii, A, 290.
 Astrocalyx, v, C, 203; viii, C, 335.
 calycina, viii, C, 335.
 pleiosandra, v, C, 203; viii, C, 335.
 Astrocytis, viii, C, 486.
 mirabilis, viii, C, 258, 486.
 Astronia, i, s, 108, 213; ii, C, 288; iii, C, 117, 423; viii, C, 336.
 acuminatissima, viii, C, 345.
 apoensis, viii, C, 340.
 bicolor, viii, C, 350.
 borneensis, viii, C, 336.
 calycina, viii, C, 335.
 candolleana, i, s, 108; viii, C, 344.
 cuernosensis, viii, C, 350.
 cumingiana, i, s, 108, 172; iii, C, 423; vi, C, 214; viii, C, 353; x, C, 85.
 dioica, viii, C, 343.
 discolor, viii, C, 352.
 ferruginea, viii, C, 342.
 ferruginea var. ampla, viii, C, 342.
 gitingensis, viii, C, 349.
 glauca, iii, C, 117; viii, C, 355.

Astronia—Continued.

- lagunensis, i, s, 213; viii, C, 341.
 loheri, viii, C, 341.
 lucbanensis, viii, C, 345.
 macrophylla, i, s, 214; viii, C, 356.
 mearnsii, viii, C, 340.
 megalantha, viii, C, 347.
 meyeri, i, s, 108; ii, C, 288; iii, C, 83; vi, C, 214; viii, C, 342.
 negrosensis, viii, C, 348.
 papetaria, iv, C, 536; viii, C, 344.
 parvifolia, viii, C, 351.
 piperi, viii, C, 354.
 platyphylla, viii, C, 355.
 pulchra, iii, C, 117; vi, C, 214; viii, C, 350.
 pulchra var. obovata, viii, C, 350.
 ramosi, viii, C, 343.
 rolfei, i, 644; i, s, 108; viii, C, 345.
 rolfei var. furfuracea, viii, C, 345.
 smilicifolia, viii, C, 356.
 sp., ix, A, 439.
 spectabilis, viii, C, 356.
 stapfii, viii, C, 336.
 stuhlmanii, viii, C, 336.
 subcaudata, viii, C, 349.
 triplinervia, viii, C, 336.
 viridifolia, viii, C, 344.
 wenzelii, viii, C, 346.
 williamsii, vi, C, 214; viii, C, 342.
 Astroniæ, v, C, 204.
 Astrosphaeriella, viii, C, 486.
 fusiopora, viii, C, 486.
 Astrothalamus, vi, C, 19, 298.
 reticulatus, vi, C, 19, 298.
 Astur soloensis, ii, A, 288.
 sp., ii, A, 283.
 trivirgatus, ii, A, 283; iv, A, 68; v, D, 108; vi, D, 41.
 Asturias, petroleum at, x, A, 282.
 Astyanax trimaculatus, iv, A, 561.
 Asuan, viii, A, 354.
 Asuang, iii, B, 246; x, B, 371.
 Asystasia, x, C, 341.
 coromandelica, x, C, 341.
 gangetica, x, C, 341.
 Asyteta philippinica, viii, D, 141.
 Ate, vii, C, 113.
 ata, iv, C, 310, 544.
 Atalantia, i, s, 69, 200; ix, C, 293.
 disticha, i, 410, 639; i, s, 69, 201; iii, C, 79; ix, C, 294, 426.
 linearis, i, s, 200; ii, C, 431; ix, C, 310.
 maritima, ix, C, 293.
 missionis, iv, C, 473.
 monophylla, i, s, 200; iii, C, 79; iv, C, 473.
 nitida, iii, C, 79.
 retusa, i, s, 200; iii, C, 79.
 Atamosco rosea, ix, C, 68.
 Atang, ix, D, 496.
 Atas, vii, C, 113.
 Atasthalus serratus, viii, D, 383.
 Ate pannicensis, vii, C, 113.
 Ateira, vii, C, 113.
 Aterpidæ, vii, D, 890.

Ates, iv, B, 221; vii, C, 113; viii, A, 66.

Atherina, iii, A, 187.

balabacensis, iv, A, 498.

bleekeri, ix, D, 60.

duodecimalis, iv, A, 499.

forskalii, iv, A, 499; v, D, 268; ix, D, 60.

insila, iv, A, 498.

lacunosa, iv, A, 498.

lineata, iv, A, 499.

morrisi, iv, A, 498.

pinguis, iv, A, 498.

regina, iv, A, 496.

temmincki, iii, A, 514.

tsuruga, iv, A, 498.

Atherinidae, iii, A, 514; iv, A, 496; v, D, 268; ix, D, 60.

Atherix limbata, viii, D, 308.

Atholus torquatus, ix, D, 428.

Athyria, ii, C, 409.

Athyrium, i, s, 253; ii, C, 127, 160; iii, C, 273, 285, 287, 391; iv, C, 112; v, C, 319; vi, C, 77; vii, C, 152; viii, C, 141.

accedens, iii, C, 298; vi, C, 77.

acrostichoides, ii, C, 162.

anisopteron, ii, C, 160; iii, C, 291.

anisopterus, v, C, 319.

aristulatum, i, s, 253; iii, C, 291; v, C, 319.

aristulatum var. sphagnicolum, i, s, 253; iii, C, 291.

atratum, iii, C, 293.

australe var. muricatum, ix, C, 5.

basilare, iii, C, 293.

benguetense, ii, C, 161; iii, C, 300.

blumei, iii, C, 294.

bolsteri, iii, C, 296.

brachysoroides, iii, C, 296.

brevipinnulum, iii, C, 291.

brooksii, ix, C, 229.

carnosum, vii, C, 61.

chlorophyllum, iii, C, 279.

christii, vii, C, 62.

confertum, vii, C, 62.

copelandi, ii, C, 161; iii, C, 290.

cordifolium, iii, C, 300; vi, C, 78.

crenato-serratum, iii, C, 298; vi, C, 78.

cultratum, iii, C, 298.

cumingii, iii, C, 299; vii, C, 63.

cyatheaeifolium, iii, C, 293.

cyatheifolium, vi, C, 78; x, C, 147.

davaoense, iii, C, 295.

decurrentialatum, iii, C, 279.

deltoideum, iii, C, 296.

deparioides, ix, C, 438.

dolichosorum, iii, C, 294.

drepanopteron, ii, C, 161; iii, C, 290; v, C, 319.

elatum, vii, C, 63.

elmeri, iii, C, 292.

esulentum, iii, C, 295; vi, C, 77; ix, C, 437.

fenzlianum, ix, C, 438.

fimbristegium, ix, C, 5.

forbesii, viii, C, 142.

fraxinifolium, iii, C, 299.

Athyrium—Continued.

fructuosum, iii, C, 294.

geophilum, iii, C, 296.

grammitoides, iii, C, 290.

halconense, iii, C, 273, 291; iv, C, 112.

hewitti, vii, C, 62; x, C, 147.

hyalostegium, i, s, 253; iii, C, 289.

japonicum, iii, C, 290, 391; viii, C, 141; ix, C, 438.

japonicum var. coreanum, iii, C, 297.

kaalaanum, ix, C, 438.

lanceum, iii, C, 279; vii, C, 55.

loheri, iii, C, 273, 289.

macrocarpum, iii, C, 291; iv, C, 112; v, C, 319.

marginale, ix, C, 437.

marginatum, iii, C, 294.

matthewi, iii, C, 278.

mauiianum, ix, C, 437.

maximum, iii, C, 295; vii, C, 61.

merrilli, iii, C, 300.

meyenianum, iii, C, 295.

muricatum, vii, C, 61; x, C, 147.

nanum, ii, C, 161; iii, C, 290.

nigripes var. mearnsianum, iii, C, 291; v, C, 319.

nudicaule, iii, C, 278.

oligosorum, iii, C, 293.

opacum, iii, C, 279.

oxyphyllum, ii, C, 191.

palauanense, iii, C, 299.

pallidum, iii, C, 298; vi, C, 78.

pariens, iii, C, 299; viii, C, 142.

paripinnatum, x, C, 147.

petersenii, viii, C, 141.

philippinense, i, s, 254; iii, C, 291.

pinnatum, iii, C, 297; vii, C, 63; ix, C, 5.

platyphyllum, iii, C, 292; v, C, 319.

polycarpum, vii, C, 61; x, C, 147.

porphyrorachis, iii, C, 300.

pulcherrimum, viii, C, 141.

sarasinorum, i, s, 254.

sarasinorum var. philippinense, i, s, 171; iii, C, 291.

sarawakense, vii, C, 62; x, C, 147.

silvaticum, ii, C, 5, 128; iii, C, 293; vii, C, 63; ix, C, 5.

sorsogonense, iii, C, 296; vi, C, 78; vii, C, 61.

sorsogonense var. poense, vii, C, 61.

stramineum, iii, C, 292.

subscabrum, viii, C, 141.

subserratum, vii, C, 63; viii, C, 142.

tabacinum, iii, C, 299.

toppingianum, ii, C, 127.

vestitum, iii, C, 295, 346.

whitfordi, iii, C, 296.

williamsi, iii, C, 297.

zeylanicum, iii, C, 279, 300.

Athyria hubo, v, D, 174.

Athysanini, x, D, 50.

Aticoco, v, C, 227.

Atimon, viii, A, 69.

Atis, vi, C, 204; vii, C, 113; viii, A, 66; ix, C, 83.

- Atmosphere, determination by the active deposit method at Manila of the diurnal variation of the radioactivity of the, x, A, 37.
- effect of tropical sunlight on the, v, A, 267; v, B, 10.
- quantitative determination and variation with altitude and meteorological conditions of the radium emanation in the, ix, A, 51.
- Atmospheric temperature, influence of, upon the spread of pneumonic plague, viii, B, 241.
- Ato, i, 835.
- Atoa, vii, C, 113.
- Atocira, vii, C, 113.
- Atolla bairdii forma valdiviæ, ix, D, 196.
- wyvillei, ix, D, 196.
- Atolls, Sulu Archipelago, v, A, 361.
- Atoloy, iii, A, 525.
- Atong, ix, D, 495.
- Atoxyl, treatment of malaria with, iv, B, 1.
- treatment of trypanosomiasis with antimony and, v, B, 29.
- treatment of trypanosomiasis with arsenic sulphide (orpiment) and, v, B, 27.
- treatment of trypanosomiasis with mercury and, v, B, 28.
- Atrometus minutus, i, 692.
- Atrophia clypearia, i, 692.
- Atta, vii, C, 113.
- Attacus atlas, i, 212, 695.
- ricini, v, D, 132.
- Attas, i, 806.
- Atung, ix, D, 496.
- Atya, ix, D, 324.
- armata, x, D, 147.
- molluccensis, x, D, 11.
- potimirim, x, D, 13.
- spinipes, x, D, 147.
- Atyidae, x, D, 11.
- Atylosia, v, C, 3.
- crassa, v, C, 127.
- mollis, v, C, 127.
- scarabaeoides, v, C, 128; ix, C, 93.
- Atyoida, x, D, 147.
- potimirim, x, D, 13.
- Auaxa, x, D, 352.
- cesadaria, x, D, 352.
- sulphurea, x, D, 352.
- Auay, iii, C, 400.
- Auerswaldia, i, s, 279; iii, C, 47; viii, C, 256, 395, 495.
- arengæ, iii, C, 47; viii, C, 396.
- decipiens, viii, C, 395.
- derridis, iii, C, 47; ix, C, 168.
- examinans, i, s, 279.
- merillii, iii, C, 47; v, C, 165; viii, C, 183, 256, 495.
- Augang, vi, D, 83.
- Augiades, x, D, 302.
- ochracea, x, D, 302.
- Augila, ix, D, 278; x, D, 141.
- angulata, x, D, 143.
- binghami, x, D, 142.
- negrosensis, x, D, 143.
- Augila—Continued.
- suliceps, x, D, 141.
- valdesii, x, D, 142.
- Augilina, ix, D, 276; x, D, 141.
- longipes, ix, D, 276; x, D, 141.
- Augilinae, x, D, 141.
- Augite, x, A, 83.
- andesite, ii, A, 245.
- Augur Barracks, vi, B, 469.
- Aulacinus, ix, D, 185.
- Aulacographum pandani, ix, C, 177.
- Aulacolepis, v, C, 329.
- albicornis, viii, D, 222.
- japonica, v, C, 329.
- postica, v, D, 223.
- quadrinaculata, v, D, 140.
- rosea, v, D, 140, 223; viii, D, 222.
- treutleri, v, C, 329.
- uniformis, v, D, 223; viii, D, 222.
- uniformis ab. bipunctata, viii, D, 222.
- Aulacostroma, ix, C, 176.
- palawanense, ix, C, 176.
- Auletobius ascendens, x, D, 224.
- Aulographum intricatum, ix, C, 177.
- pandani, ix, C, 177.
- Aumit, ix, A, 449.
- Aurelia, ix, D, 200.
- labiata, ix, B, 294; ix, D, 200.
- Auricula, i, s, 282.
- auricula, i, s, 282.
- Auricularia, i, 427; ix, C, 352; x, C, 86.
- ampla, ix, C, 38.
- aurantiaca var. cristulatum, ix, C, 235.
- lobata, ix, C, 352.
- polytricha, ix, C, 235; x, C, 86.
- reflexa, ix, C, 235; x, C, 86.
- rugosissima, ix, C, 352; x, C, 86.
- tenuis, x, C, 86.
- Auriculariales, i, s, 282.
- Aurnaug, iv, C, 692.
- Australian coal, i, 884, 895; ii, A, 50; iii, A, 311.
- Australoid type, iv, A, 268, 304, 414.
- Autoba versicolor, v, D, 172.
- Autopsies, report on Philippine Medical School, iii, B, 211.
- discussion of report on, iii, B, 261.
- Auza, vii, C, 113.
- Avena, i, s, 376; x, C, 287.
- fatua, i, s, 376; x, C, 287.
- sativa, i, s, 376; x, C, 186.
- sterilis, i, s, 376; x, C, 186.
- Avenæ, i, s, 375.
- Averrhoa, i, s, 68; ix, C, 95.
- acida, vi, C, 322.
- bilimbi, i, s, 68; iv, B, 221; iv, C, 472; vii, C, 185; viii, A, 67; viii, C, 100.
- carambola, iv, B, 221; iv, C, 472; vii, C, 185; viii, A, 67; ix, C, 95.
- Avicennia, i, s, 122; vii, C, 165.
- officinalis, i, 674; i, s, 122; iv, C, 553; vi, C, 221.
- Avifauna of the P. I., two additions to the, ii, A, 353.
- Avocado, vii, C, 198.
- Awa, iii, A, 519.
- Axanthus philippensis, iii, C, 248; viii, C, 247.

Axona chalcopyga, viii, D, 309.
Axonopus, i, s, 367.
 semialatus, i, s, 367.
Ayamguitan, v, C, 20.
Ayangan, i, 826.
Ayangao, v, C, 22.
Ayangili, v, C, 28.
Ayapana, vii, C, 199.
Ayete, iv, C, 315; x, C, 66.
Ayimit, vi, C, 199.
Ayo, i, s, 89.
Ayoni anticline, Bondoc Peninsula, viii, A, 343.
Ayud, viii, D, 108.
Ayunit, i, s, 43.
Ayungin, iii, A, 528; iv, B, 219.
Azadirachta, iv, C, 272.
 indica, iv, C, 478.
 integrifoliola, iv, C, 272.
Azafran, iii, B, 300.
Azanus ubaldus, v, D, 72.
Azaola betis, ii, C, 377; x, C, 56.
Azima, vii, C, 164.
Azolla, iii, C, 276; iv, C, 14.
 africana, iii, C, 276; iv, C, 14.
 pinnata, iv, C, 14.
Azor, viii, A, 270.
 coarctatus, viii, A, 270.
Azurite, i, 624; x, A, 84.

B

B. B. B. ear, iv, A, 35, 433.
 type, iv, A, 308, 426.
 type, modified, iv, A, 271.
Baba, ix, C, 65.
Babac, v, C, 200.
Babaco, x, A, 395.
Babagion, iii, C, 248.
Babayan, i, s, 43.
Babayo, iii, A, 528; iv, A, 502.
Babesia, iv, B, 121.
Babul, iv, C, 469.
Babuyan, i, 417.
 Claro, birds of, ii, A, 337.
Babuyanes, palms of the, iii, C, 339.
 plants from the, iii, C, 385.
Bacaig, v, C, 54.
Bacakew, ix, D, 497.
Bacal, x, C, 373.
 sigay, ix, A, 249.
Bacalad, iii, A, 194.
Bacao, vi, A, 2, 139.
Bacau, geologic section in the eastern wall of Canguinsa Valley at, viii, A, 319.
 petroleum at, viii, A, 355.
Bacauan, i, s, 102; iv, A, 208; iv, C, 528; vi, A, 2, 48.
 tubig, vi, A, 2.
Bacaue, v, C, 279.
Bacbaan, iii, A, 516.
Baccaurea, i, s, 77, 203; iv, C, 277, 483; x, C, 275.
 gracilis, i, s, 203.
 lanceolata, iv, C, 277.
 philippinensis, x, C, 275. •

Baccaurea—Continued.
 sapida, iv, C, 484.
 tetrandra, i, 404, 638; i, s, 77; iv, C, 703; ix, A, 504.
Baccha pedicellata, viii, D, 309.
 pulchrifrons, viii, D, 314.
 purpuricolor, viii, D, 314.
Baccharidæ, v, C, 396.
Bacguet, ix, D, 476.
Bacilli, immunization of guinea pigs by the inoculation of avirulent tubercle, x, B, 145.
 spirochaetæ and fusiform, vi, B, 489.
 types of dysentery-group, i, 951.
 variability of certain strains of dysentery, viii, B, 539.
Bacillus aërogenes capsulatus, iv, A, 297.
 anthracis, iii, B, 80, 82; iv, B, 171; x, B, 320.
 cabildonis, iii, B, 125.
 cholera suis, iii, B, 82.
 coli, i, 554; iii, B, 33, 47, 83; v, B, 11; vi, B, 383; viii, B, 425; ix, A, 285; ix, B, 244; x, B, 316.
 coli communis, iv, B, 290, 326, 396; x, B, 25.
 dysenteriae, i, 560, 951; ii, B, 417; iii, B, 31, 47; vi, B, 385; viii, B, 125, 169, 553; ix, B, 242.
 enteriditis, vii, B, 523; x, B, 320.
 fluorescens liquefaciens, x, B, 316.
 fluorescens non-liquefaciens, x, B, 316.
 fusiformis, vi, B, 489.
 influenzæ, iii, B, 80.
 lactis aërogenes, iii, B, 83.
 lepræ, iv, B, 77, 141, 403; vi, B, 340; ix, B, 227; x, B, 367.
 mallei, viii, B, 386.
 mucosus capsulatus, x, B, 270.
 paratyphosus, iii, B, 47, 83; iv, B, 326; vi, B, 314; x, B, 351.
 pestis, i, 189, 472; vii, B, 148, 187, 226; viii, B, 85, 412; x, B, 253.
 pestis bubonicæ, x, B, 273.
 prodigiosus, iii, B, 82; v, B, 11; vi, B, 283; vii, B, 162, 164, 257, 522; x, B, 165, 316.
 proteus, viii, A, 137.
 proteus vulgaris, iv, B, 396; x, B, 319.
 pyocyaneus, i, 554; iii, B, 47, 82, 216; iv, B, 290; viii, B, 376, 422; ix, B, 347; x, B, 318.
 radiciformis, x, B, 316.
 subtilis, ii, B, 355; iii, B, 466; x, B, 316.
 suipestifer, viii, B, 19.
 tuberculosis, ii, B, 498; iii, B, 481; iv, B, 141; ix, B, 340.
 typhosus, i, 932; ii, B, 417; iii, B, 38, 47, 81; iv, B, 326; v, B, 11, 406, 495; vi, B, 263, 290, 312, 385, 495; viii, B, 541; ix, B, 253, 377; x, B, 27, 317, 351.
 violaceus manilæ, i, 927.
 xerosis, iii, B, 81; v, B, 350.
Bacillus anthrax, ix, B, 467.
 diphtheria, ix, B, 467.

Bacillus—Continued.

- dysentery, vi, B, 215.
 glanders, ix, B, 468.
 Hansen, v, B, 467.
 Koch-Weeks, v, B, 305.
 Morax-Axenfeld, v, B, 307.
 plague, ix, B, 467.
 typhoid, ix, B, 466.
- Backhousia citriodora*, iv, A, 111.
Bacilad, ix, D, 320.
Bacloids, iii, A, 527.
Bacón, vi, C, 196.
Bacóng, i, s, 35.
Bacopa, ix, C, 140.
 monniera, vii, C, 188; ix, C, 140, 513.
- Bacteria, decomposition of copra by molds and, iii, A, 124.
 liquefaction at a Filipino tannery of the media due to liquefying, x, A, 362.
 soil, ix, A, 7.
 sterility of amoebic abscesses of the liver as regards, v, B, 223.
- Bacterial infections, the rôle played by the insects of the dipterous family Phoridae in relation to the spread of, x, B, 309.
 vaccines, iii, B, 421; v, B, 565.
- Bactericidal substances in fibrin, iv, B, 171.
- Bacteriology:
 Anthrax in the P. I. (Boynton), vi, B, 93.
 Bacilli of the dysentery group (Ohno), i, 951.
Bacillus coli communis in the peripheral blood of man during life (Ruediger), x, B, 25.
 Bactericidal substances in fibrin (Coca), iv, B, 171.
 Bacteriological examination of artesian wells (Barber), viii, B, 443.
 Bacteriology of leprosy (Johnston), ix, B, 227.
 Beriberi in the Japanese army. The Kakke coccus of Okata-Kokubo (Herzog), i, 169.
 Biological study of the water supply of the P. I. (Edwards), iii, B, 121.
 Blastomycosis of the skin (Phalen and Nichols), iii, B, 395.
 Carbohydrate reactions of the dysentery bacillus (Butler), viii, B, 123.
 Cause of the frequent reappearance of cholera in the P. I. (Heiser), iii, B, 89.
 Cholera (Marshall), iii, B, 107.
 Cholera and choleralike vibrios encountered in the P. I. (McLaughlin and Whitmore), v, B, 403.
 Cholera carriers (Schöbl), x, B, 11.
 Cockroaches and ants as carriers of the vibrios of Asiatic cholera (Barber), ix, B, 1.
 Cultivation of *Bacillus lepræ* (Clegg), iv, B, 77.
 Cultivation of the leprosy bacillus (Clegg), iv, B, 403.
 Cutaneous reaction in leprosy (Teague), iv, B, 323.

Bacteriology—Continued.

- Discussions of cultivation of *Bacillus lepræ* (Clegg), treatment of cholera (Rogers), and treatment of Asiatic cholera (Nichols and Andrews), iv, B, 141.
 Dysentery bacilli as studied by the single-cell method (Barber), viii, B, 539.
 Dysentery bacillus (Whitmore), vi, B, 215.
 Experience with some enriching media recommended for bacteriological diagnosis of Asiatic cholera (Schöbl), x, B, 127.
 Filtration of immune serums (Ruediger), iv, B, 333.
 Germicidal power of glycerin on various microorganisms under various conditions (Ruediger), ix, B, 465.
 Immunization of guinea pigs by the inoculation of avirulent tubercle bacilli in agar. Observations on animals inoculated with tuberculosis from lepers (Barber), x, B, 145.
 Influence of symbiosis upon the pathogenicity of microorganisms (Musgrave), iii, B, 77.
 Intestinal flagellate in man (Castellani and Chalmers), v, B, 211.
 Isolation of *Diplococcus intracellularis meningitidis* from a case of cerebrospinal meningitis (Willets and Schöbl), viii, B, 133.
 Medical survey of Taytay. Bacteriological analyses of the water supply (Clegg), iv, B, 215.
 Milk poisoning due to a type of *Staphylococcus albus* occurring in the udder of a healthy cow (Barber), ix, B, 515.
 Notes on beriberi (Williams and Johnston), x, B, 337.
 Outbreak of plague in Manila (Schöbl), viii, B, 409.
 Pipette method in the isolation of single microorganisms and in the inoculation of substances into living cells (Barber), ix, B, 307.
 Pneumonic plague. Bacteriology (Strong and Teague), vii, B, 187.
 Reaction of culture media in relation to the morphology of the cholera organism (Ohno), iv, B, 341.
 Rôle played by the insects of the dipterous family Phoridae in the spread of bacterial infections (Roberg), x, B, 309.
 Streptothricosis with special reference to the etiology and classification of mycetoma (Musgrave, Clegg, and Polk), iii, B, 447.
 Susceptibility of cockroaches to plague bacilli (Barber), vii, B, 521.
 Test of *Coccobacillus acridiorum* on locusts in the P. I. (Barber and Jones), x, B, 163.
 Tropical bronchomycosis (Castellani), v, B, 197.

Bacteriology—Continued.

- Tropical infantile dysentery (Bowman),
iii, B, 31.
Vitality of the cholera vibrio in Manila
waters (Schöbl), ix, B, 479.
- Bacterium coli*, viii, B, 455; ix, B, 320.
coli commune, ix, B, 326.
coli imperfectum, viii, B, 541.
coli mutabile, viii, B, 541.
typhi mutabile, viii, B, 541.
- Bacto*, v, C, 272.
Bactrocera, viii, D, 323.
Badam, iv, C, 530.
Badamier, iv, C, 530.
Baduc, ii, A, 338.
Badusa philippica, x, C, 194.
Baekea cumingeana, x, C, 191.
frutescens, iv, C, 404; x, C, 191.
- Bag*, v, C, 17.
Bagabaga, iii, A, 528; x, B, 373.
Bagabug, iv, C, 356.
Bagacan, v, C, 275.
Bagalangit, x, C, 63.
Bagang bagang, iv, C, 100.
Bagansuso, vi, C, 284.
Bagaos, ix, D, 489.
Bagaong, iii, A, 528.
Bagarilao, iv, C, 258; v, C, 103.
Bagas, ix, D, 496.
Bagatngo, v, C, 19.
Bagauac, i, s, 47, 122; v, C, 51.
Bagbac, v, C, 111.
Bagbagutot, iv, C, 77.
Bagis, v, C, 348; vii, A, 389.
Baglao, v, C, 135.
Bagna, iv, C, 92, 103.
Bagnen, ix, D, 481.
Bagnito, iv, C, 307.
Bago, i, s, 24; vi, C, 174; x, C, 29.
Bagobos, Davao Gulf, vi, D, 127.
human sacrifice held by the, iii, A, 188.
- Bagodilao*, viii, C, 42.
Bagohion, iv, C, 379.
Bagol, vi, D, 82, 86, 233.
Bagong, iii, A, 518; v, D, 283.
Bagoon, vii, A, 385; ix, D, 4.
á camatis, vii, A, 389.
alaman, vii, A, 387.
amled, vii, A, 389.
ipon, vii, A, 389.
padas, vii, A, 389.
- Bagotadhau*, vii, C, 386.
Bagotalisi, iv, C, 351.
Bagsang, iii, A, 529.
Bagtican, ii, A, 382; vi, C, 281.
lauan, ix, A, 425.
- Baguilingbang*, ii, A, 443.
- Baguio*, economic geology of the mineral dis-
trict of, vi, A, 429.
geology and geography of the mineral dis-
trict of, ii, A, 207.
gold-bearing veins in, viii, A, 92.
investigation of sunlight in, vii, B, 9, 28.
vein gold deposits in the district of, viii,
A, 96.
- Baguiroro*, iv, C, 96; v, C, 32, 48.
- Baguitulay-bayaboj*, iv, C, 384.
- Bahaba*, iii, A, 528.
Bahag, viii, D, 107.
Bahaques, ix, D, 485.
Bahay, iv, C, 461; v, C, 19, 20, 58; ix, A,
497; x, C, 314.
petroleum at, viii, A, 351.
River, geologic section on the lower part
of, viii, A, 320.
- Bahi*, vii, A, 106, 107.
Bahisudsud, ix, C, 526.
Bahoet, iv, C, 519.
Bahugoc, ii, A, 339.
- Baia*, v, C, 279.
Bais, vii, A, 112.
Baiset, iv, C, 75.
Baito, v, C, 280.
Baiyax, vii, A, 103, 105; viii, D, 111.
Bajebaje, vi, C, 28.
Bajudi, vi, A, 109.
Bakan, i, s, 192.
- Bakayauan*, vi, D, 97.
- Baker*, Ascomycetes philippinenses collecti a
clar. C. F., viii, C, 181.
Buprestides recueillis aux îles philippines
par C. F., ix, D, 83.
champignons des Philippines communi-
qués par C. F., x, C, 85.
Nitidulidæ des Philippines recoltés par.
C. F., ix, D, 535.
- Baki*, vi, D, 82, 233.
Baki'e, iii, A, 529.
Bakko, iv, C, 528.
Bakmi, iv, C, 562.
Bakoko, iii, A, 528.
Bakuku, iii, A, 518; vii, A, 390.
Balabac, iv, C, 371.
Balabagan, v, C, 97.
Balabak, vi, C, 276.
Balabalatungan, v, C, 123.
Balac, vi, C, 268.
Balacat, i, s, 88; ii, C, 374; iv, C, 496, 720;
ix, A, 432.
Balacbac, i, s, 63; v, C, 51, 74.
Balacbacan, ii, A, 382; ii, C, 374; vi, C, 275;
ix, A, 546.
Balacbat, iv, C, 371.
Balacba, v, C, 74.
Balagayan, vi, C, 278.
Balagla, iv, C, 690.
Balagon, v, C, 45.
Balahaban, iii, C, 8.
Balahian, v, C, 40.
Balakbakan, vi, C, 278.
Balaki, iii, A, 529.
Balalangnon, x, C, 360.
Balam, iv, C, 541.
tandjong, iv, C, 541.
Balang, iii, A, 528; vii, A, 385.
Balangeran, iv, C, 516.
Balangot, vi, C, 120.
Balanites aegyptica, iv, C, 475.
Balanocarpus maximus, iv, C, 512.
penangianus, iv, C, 512.
Balanoglossus, x, D, 170.

- Balanophora, i, s, 51; ii, C, 272; v, C, 345; ix, C, 78.
 decurrens, i, s, 51.
 micrantha, v, C, 345.
 pentamera, ix, C, 78.
 Balanophoraceae, i, s, 51; ii, C, 272; v, C, 345; ix, C, 78.
 Balanophyllia hyllia, i, 631.
 sp., v, A, 329.
 Balansia vorax, viii, C, 184.
 Balanti, v, C, 103; vii, C, 390; ix, A, 452.
 Balantidiasis, experimental, viii, B, 333.
 Balantidium, vi, B, 212; ix, B, 81, 446.
 coli, i, 561; iii, B, 71, 193, 558; iv, B, 417; v, B, 270; vi, B, 147, 384; viii, B, 1, 311, 333; ix, B, 87, 173.
 coli hominis, viii, B, 6, 337.
 coli suis, viii, B, 6, 337.
 Balantium, iii, C, 301; iv, C, 61; v, C, 316.
 brownianum, iii, C, 301.
 copelandi, iii, C, 301; iv, C, 62; v, C, 316.
 dubium, iii, C, 301.
 javanicum, iv, C, 62.
 Balanus sp., viii, A, 327.
 Balao, iv, A, 95; vi, C, 253.
 resin from, i, 195; iv, A, 121.
 Balao-a, iii, A, 202.
 Balarong, v, C, 41.
 Balasugan, iv, C, 400.
 Balatan, vi, D, 283.
 Balatic, iii, A, 195.
 Balatik, vi, D, 134.
 Balatium copelandi, vi, C, 136.
 Bclatong, v, C, 133.
 aso, v, C, 49, 64.
 Balau, iv, C, 517.
 Balaua, i, 855.
 Balaugan, v, C, 97.
 Balauning, v, C, 100.
 Balay, vii, D, 278.
 Balayao, v, C, 41.
 Balaybayan, iii, C, 335, 434.
 Bala-y-lamoc, v, C, 103.
 Balayong, v, C, 41, 48.
 Balbalatungan, v, C, 50.
 Balcluthini, x, D, 50.
 Baleag, iv, C, 286.
 Balegan, iv, C, 400.
 Balete, i, 418, 620, 664; i, s, 45, 46, 47; ii, A, 85; vi, C, 199; viii, D, 91; ix, C, 270.
 Baleting bato, i, s, 47.
 Baliala, iii, A, 279.
 Balibagan, v, C, 97.
 Balibago, i, s, 92; vi, C, 210.
 Balibanban, v, C, 43.
 Balibo, vi, C, 172.
 Balicbalic, v, C, 102.
 Balicbican, vii, C, 388.
 Balikbalik, ii, A, 440.
 Balila, iii, A, 528.
 Balili, i, s, 311, 355.
 Balimbing, viii, A, 67.
 Balinaonao, i, s, 87.
 Balingayum, ii, C, 433.
 decumbens, ii, C, 434.
 Balinguay, i, s, 33; vi, C, 195.
 Balinhasay, i, s, 84; ii, C, 374; iv, C, 487; ix, A, 504.
 bark of, x, A, 355.
 Balinsil, iv, C, 644.
 Balinsog Hill, geologic section from the bed of Canguinsa River to, viii, A, 318.
 Balisibis, iii, C, 396, 397.
 Balistidae, vii, D, 290.
 Balit, iv, C, 257.
 Balitbitan, v, C, 36.
 Balitoc, ix, D, 522.
 Balitos, v, C, 103.
 Baliuag River, malaria outbreak in camp on banks of, x, B, 226.
 Baliuis, v, D, 108.
 Baliunasoy, vii, C, 288.
 Baliwit, iv, C, 690.
 Balyoco, i, s, 339.
 Balla, iii, A, 528.
 Balladyna, viii, C, 270; ix, C, 160.
 melodori, ix, C, 160.
 velutina, ix, C, 160.
 Ballangoan, iii, A, 517.
 Ballaw, iv, C, 457, 508.
 Balloco, ix, D, 486.
 Ballota suaveolens, ix, C, 137.
 Balobo, ix, A, 444.
 Baloboy, x, C, 275.
 Baloc, v, C, 71.
 Balocbac, vi, C, 268.
 Balochaloc, v, C, 71, 102.
 Balocboc, iv, C, 371.
 Balocha, x, D, 330.
 busonioides, x, D, 330.
 Baloen adock, iv, C, 451.
 Balogo, i, 1021; ii, A, 440.
 Balongot, i, s, 30.
 Balotbalot, v, C, 102.
 Balsam, vi, A, 14; vii, C, 193.
 copaliba, i, 199.
 Balsaminaceae, ii, C, 279; vii, C, 161; ix, C, 107.
 Balteak, iv, C, 390.
 Baltic, iv, C, 390; vi, C, 169.
 Baltimoreite, x, A, 84.
 Balubad, i, s, 84.
 Balubalu, v, C, 102.
 Balucanag, x, A, 107.
 Baluctot, v, C, 116.
 Balud, i, 771.
 Balug, iv, C, 689.
 Balugas, i, 806.
 Balugo, v, C, 32.
 Balungun, x, C, 400.
 Balut, iv, B, 220; vii, A, 390.
 Balyoco, iv, A, 111.
 Bamba, i, s, 37; iv, A, 495; vi, C, 197.
 Bamboo, i, No. 5, 438; i, s, 29; vi, C, 110.
 climbing, i, 641.
 dwarf, i, No. 5, 461.
 paper pulp from, v, A, 234.
 paper pulp to be produced from Bataan Province, vii, A, 121.
 shoots of, iv, B, 222.
 sulphite pulp from, ii, A, 92.

- Bamboos, i, 1075; v, C, 267; vii, C, 192; viii, C, 203.
- Bambos blumeana, ix, C, 58.
- Bambus arundo, i, s, 29, 388.
- pungens, i, s, 388.
- Bambusa, i, s, 29, 388; ii, C, 261; v, C, 268; vii, C, 154, 230; viii, C, 186, 204; ix, C, 58, 184.
- arundinacea, i, 402; i, s, 388; iii, C, 304; ix, C, 58.
- beeheyana, v, C, 271.
- blancoi, i, s, 389.
- blumeana, i, No. 5, 461; i, 1078; i, s, 29, 388; v, C, 270; vi, C, 104; vii, A, 122; vii, C, 192; viii, C, 204, 283, 486; ix, C, 58, 422, 514.
- corniculata, v, C, 269.
- cornuta, v, C, 269; viii, C, 204.
- diffusa, i, s, 391; v, C, 274.
- glaucescens, vii, C, 230; ix, C, 58.
- horsfieldii, v, C, 269.
- latiflora, v, C, 271.
- levis, i, s, 388; v, C, 275.
- lima, i, s, 29, 388; v, C, 275.
- longinodis, i, s, 388.
- luconiae, i, s, 389.
- lumanpao, i, 386; i, No. 5, 461; i, 1078; i, s, 29, 389; v, C, 278.
- merrillii, v, C, 269.
- mitis, i, s, 389.
- monogyna, i, s, 29, 389; v, C, 268.
- nana, i, s, 389; v, C, 268; vii, C, 230; ix, C, 58.
- polymorpha, i, 401.
- pygmaea, ii, C, 261; v, C, 267.
- scandens, i, s, 392; v, C, 278.
- sp., i, s, 29; ii, C, 261; iv, B, 222; v, C, 267.
- spinosa, v, C, 270.
- teba, v, C, 270.
- textoria, i, s, 389.
- tuldoides, i, s, 389.
- verticillata, v, C, 271.
- vulgaris, v, C, 268; vii, C, 180; viii, C, 204; ix, C, 58.
- vulgaris var. striata, v, C, 269.
- Bambusaria, ix, D, 274.
- picta, ix, D, 274.
- Bambuseae, i, s, 29, 388; v, C, 267; vi, C, 194; ix, C, 58.
- Banaao, ix, D, 484.
- Banaba, i, s, 101; ii, C, 374; iv, C, 524; ix, A, 432.
- monocline, Bondoc Peninsula, viii, A, 346.
- Banahao, Mount, v, A, 86.
- Banaibanai, i, s, 124.
- Banak, iii, A, 517; iv, A, 500; ix, D, 4.
- Banslo, i, s, 92; iv, C, 499; ix, A, 457; ix, C, 112.
- Barana, i, 398; iv, B, 221; vii, C, 192.
- monkey, i, s, 36.
- use as vegetable of flowers of, iv, B, 222.
- Bananas, a preliminary study of Philippine, x, C, 379.
- value as paper stock of fiber from, i, No. 5, 452.
- Banaos, i, 851.
- Banara brevifolia, x, C, 328.
- racemosa, x, C, 327.
- Banato, i, s, 61, 79; v, A, 444; vi, C, 28; ix, A, 444.
- Banatong babaye, iii, C, 7.
- Banaui, ix, C, 479.
- Banava, iii, C, 306.
- Banaybanay, ix, A, 504.
- Bancal, i, s, 128; ii, C, 375; iv, C, 562, 720; ix, A, 506.
- Bancalus, viii, C, 31.
- Bancao, vi, C, 213.
- Banco, petroleum at, viii, A, 350.
- Bancogniau, ix, C, 535.
- Bancoro, vi, C, 227.
- Bancudo, v, A, 441, 444.
- Bandera española, ix, C, 69.
- Banderu, iv, C, 493.
- Bandfish, iii, A, 528; vii, A, 390; ix, D, 69.
- Bandicota gigantea, vii, D, 46.
- Baneet, iii, A, 202.
- Baney, v, C, 102.
- Banga, iv, B, 234; iv, C, 294, 615.
- Bangar, x, A, 108.
- Bangati, v, C, 108.
- Bangbang, v, C, 53.
- Bangcoan, iii, C, 61.
- Bangellus, iii, A, 519, 528.
- Banges, ix, D, 485.
- Bangias, iv, C, 300, 644.
- Bañgibañg, vi, D, 232, 244.
- Bangkirai, iv, C, 510.
- Bangkoewang, vi, C, 120.
- Banglana, x, C, 400.
- Banglas, iv, C, 644.
- Banglot, iii, A, 528.
- Bañgod, iii, A, 519.
- Bañgongon, vii, D, 279.
- Bañgos, iii, A, 519; vii, A, 389.
- difficulties encountered in the culture of the, x, D, 307.
- food of the, iii, A, 520.
- Bani, i, s, 66; v, C, 71, 102.
- Banic, vi, C, 283.
- Banig, vi, C, 114.
- Banigan, x, A, 381.
- Banigusa, v, C, 92.
- Banit, i, s, 66.
- Banitan, i, s, 54, 75; iv, C, 95.
- Baniti, i, s, 113; iii, C, 362.
- Baniyuyo, iv, C, 484.
- Banjoemaas, ii, A, 397.
- Banksia speciosa, iv, C, 192.
- Banksinella luteolateralis, iii, A, 254; iv, B, 239; viii, D, 306.
- Banlasan, vi, A, 381.
- Banlut, v, C, 45.
- Banog, ii, A, 323; iii, A, 277.
- Banot, i, s, 63; v, C, 45.
- Banotan, iii, C, 363.
- Banquilin, iv, C, 87.
- Bansalaguin, i, s, 114; ii, C, 375; iv, C, 396, 540; vi, A, 423.
- Bansalagun, iv, C, 397.

- Bantal, iv, C, 694.
 Bantayan, birds observed in, ii, A, 310.
 four new species of fishes from, v, D, 115.
 pearl fishery of, v, D, 149.
 Banti, vii, C, 390.
 Bantian, ix, A, 507.
 Banto, vii, A, 38.
 Bantolinao, iv, C, 309; x, C, 335.
 Banton Island, birds from, i, 768.
 Bantulinay, ix, C, 336.
 Banuay, vii, C, 96.
 Banuyo, ii, C, 376; iv, C, 463; v, C, 9, 26, 27.
 Baocbaoc, v, C, 102.
 Baorisa, ii, A, 372.
 hieroglyphica, ii, A, 372.
 Bapa mereh, iv, C, 519.
 puti, iv, C, 519.
 Baquid, ix, D, 476.
 Baquidan, ix, D, 479.
 Baquidbaquid, vi, C, 17.
 Baquisquis, v, C, 81.
 Barac, i, s, 36.
 Baracbac, iv, C, 362, 365, 371.
 Baracbarac, iv, C, 694.
 Barangaa, iii, C, 5.
 Barangan, iii, A, 528; iv, C, 362.
 Barangoi, i, s, 32.
 Baraongan, iii, A, 528.
 Barbella, v, C, 153; viii, C, 78.
 enervis, viii, C, 79.
 horridula, viii, C, 78.
 macroblasta, viii, C, 79.
 pendula, v, C, 153; viii, C, 78.
 rutilans, ix, C, 207.
 subulifera, viii, C, 79.
 trichode, viii, C, 78.
 Barbula, iii, C, 14; viii, C, 69.
 orientalis, iii, C, 14; viii, C, 69.
 Barbus bantolanensis, ix, D, 188.
 elongatus, v, D, 265.
 ivis, iv, A, 494; v, D, 265; ix, D, 191.
 manguaoensis, ix, D, 189.
 palawanensis, ix, D, 191.
 Barikudo, iii, A, 528.
 Baringcocoron, iv, C, 103, 294.
 Barisbaris, vi, D, 309.
 Barit, i, s, 311, 371.
 Barite, x, A, 84.
 Bark, conessi, iv, C, 551.
 cosmetic, iv, C, 474.
 iron, iv, C, 533.
 kurchi, iv, C, 551.
 Barksim, vi, D, 284.
 Barleria, i, s, 125; vii, C, 166; ix, C, 141.
 cristata, vii, C, 206; ix, C, 141.
 lupulina, vii, C, 188.
 prionitis, i, s, 125; ix, C, 513.
 Baroc, iii, C, 411.
 Barocmoc, v, C, 19.
 Barong, v, B, 337.
 Barosingsing, vi, C, 265.
 Barracuda, iii, A, 528; iv, A, 502; v, D, 268;
 ix, D, 61.
 Barringtonia, i, s, 102, 211; iii, C, 422; iv, C,
 299; vii, C, 163; ix, C, 120, 322.
 acutangula, iv, C, 525.
 Barringtonia—Continued.
 asiatica, iii, C, 304, 422; vi, C, 213; ix,
 C, 120.
 balabacensis, iv, C, 299.
 curranii, i, s, 211.
 luzoniensis, i, 1026; ix, C, 513.
 pterita, ix, C, 322.
 racemosa, i, 671; i, s, 102; iii, C, 422; iv,
 C, 525; vi, C, 213; ix, C, 120, 322.
 reticulata, i, s, 102.
 revoluta, i, s, 211.
 speciosa, i, 668; iii, C, 83; iv, C, 526; ix,
 C, 120.
 Barrio, vii, A, 122.
 Bartramia indica, vii, C, 239.
 uncinata, ix, C, 41.
 Bartramiaceae, iii, C, 21; v, C, 149, 313; viii,
 C, 73; ix, C, 204.
 Bartramidula, iii, C, 21.
 roylei, iii, C, 21; ix, C, 209.
 Baru laut, iv, C, 499.
 Barugo, v, C, 32.
 Baryxylum, v, C, 58.
 dasyrachis, iv, C, 462.
 inermis, iv, C, 462; v, C, 58.
 Basacan, iii, C, 328.
 Basal, iii, C, 363.
 Basal igneous complex, Caramoan Peninsula,
 x, A, 312.
 Basalt, Baguio district, ii, A, 226.
 eastern cordillera, v, A, 77.
 northwestern Pangasinan, vii, A, 263.
 P. I., v, A, 161, 322.
 sand-lime brick made from, vii, A, 344.
 southwestern Luzon, v, A, 110.
 Basan, iii, C, 363.
 Basella, vii, C, 157.
 rubra, vii, C, 183.
 Basellaceae, vii, C, 157.
 Bashee, vii, A, 98.
 Bashi, vii, A, 98.
 Basi, i, 815, 821; iii, A, 202; vii, A, 98; ix,
 D, 117, 476.
 Basiana semifervens, ii, A, 369.
 Basic fuchsin, treatment of the retrogressive
 skin lesions of leprosy with, x, B, 357.
 rocks, Aroroy district, vi, A, 408.
 Basidiomycetæ, i, s, 281.
 Basidiomycetes, v, C, 163; ix, C, 235, 345; x,
 C, 85.
 Basidiomycetous flora of the P. I., viii, C, 299.
 Basilan, three new species of birds from, ii, A,
 279.
 Basileornis, ii, A, 258.
 Basilicum, vi, A, 344.
 Basoeng, iv, C, 512.
 Basonite, x, A, 84.
 Bassi, vii, A, 98.
 Bassia, iv, C, 539; x, C, 56.
 betis, x, C, 56.
 coriacea, x, C, 56.
 latifolia, iv, C, 539.
 longifolia, iv, C, 540; x, C, 56.
 mindanaensis, x, C, 58.
 monticola, x, C, 56.
 multiflora, x, C, 56.

- Bassia**—Continued.
 obovatifolia, x, C, 57.
 platyphylla, x, C, 58.
 ramiflora, x, C, 56.
Basswood, vi, A, 14.
 white, vi, A, 14.
Best fibers, i, 1075.
 papers, i, No. 5, 439.
Bastapol, vi, C, 114.
Bastard shad, iii, A, 529.
Basy, vii, A, 98.
Bataan, iv, C, 375.
 bamboo for paper pulp in, vii, A, 121.
 data on the stand of cupang, lauan, and mayapis in, ii, A, 85.
 forest of, ix, A, 430.
 malaria and Anopheles surveys in, x, B, 205.
 soils of, ix, A, 33.
 stand of timber on one hectare in, ix, A, 534.
Batacan, vi, C, 116.
Batad, i, s, 310, 337.
Batala, ix, D, 472.
Batalan, iv, B, 248.
Batan Island, iii, A, 7.
 analysis of shales and limestones from, iv, A, 213.
 birds of, ii, A, 337.
 chain of islands including, vi, A, 456, 470.
 coal from, ii, A, 50; iii, A, 311; x, A, 297.
 drill samples of lower coal seams of, i, 881.
 outcrop and upper-bed coals of, i, 880.
 oxygen absorbed by coal from, 30° C., vii, A, 306.
 proximate analysis and production and analysis of gas of coal from, i, 892.
 raw cement materials on, iv, A, 211.
Batanes, beriberi in the, vi, B, 231.
 contributions to the physiography of the, iii, A, 1.
 general conditions affecting the public health and diseases prevalent in the, viii, B, 49.
 palms of the, iii, C, 339.
 plants from the, iii, C, 385.
Batangas, geological reconnaissance of the Loboc Mountains of, i, 617.
 malaria and Anopheles surveys in, x, B, 204.
 soils of, ix, A, 16.
Batiao, iv, B, 222; v, C, 135; vii, C, 193.
Batavia, x, C, 414.
Batea, vi, A, 391; viii, A, 135.
Batete, ii, C, 376; iv, C, 268, 471; v, C, 9, 38.
Bath sponge, Sulu Sea, *see* Sponges.
Bathing and washing in Taytay, iv, B, 250.
Bathytrix striatus, i, 692.
Baticulin, ii, C, 376; iv, C, 262, 454; ix, A, 439, 539.
Bating, vii, A, 33.
Batino, ii, C, 377; iv, C, 550; ix, A, 444.
Batitinan, ii, C, 377; iv, C, 300, 524, 532, 644.
 babaye, iv, C, 300, 644.
Batmay, iv, C, 388.
Bato, anticline at, viii, A, 348.
 petroleum at, viii, A, 356.
Batobato, ix, A, 445.
Batobon, x, C, 311.
Batobuga, ix, A, 242.
Batoc, ii, A, 326.
Batocera numitor, vii, A, 384.
Batomys, vii, D, 32.
 dentatus, vii, D, 32.
 grantii, vii, D, 32.
Batrachostomus menagei, vi, D, 40.
 microrhynchus, v, D, 136.
 septimus, ii, A, 284; iv, A, 70.
Batraxis hirtella, ix, D, 452.
 nitidula, ix, D, 452.
 pubescens, ix, D, 452.
 sinensis, ix, D, 453.
Batriscenus clavipes, ix, D, 452.
 hamatipes, ix, D, 452.
 squamiceps, ix, D, 452.
 tumidipes, ix, D, 451.
Batrisodes cavicola, ix, D, 451.
 clavipes, ix, D, 452.
 hamatipes, ix, D, 452.
 squamiceps, ix, D, 452.
 tumidipes, ix, D, 451.
 verticinus, ix, D, 451.
Batrisus cavicola, ix, D, 451.
 verticinus, ix, D, 451.
Bats, insectivorous, vii, D, 12.
Batuakan, x, A, 107.
Batuan, i, s, 36; iii, C, 367.
Bauco, ix, D, 492.
Baucoc, iii, C, 367.
Bauhinia, i, s, 63; iii, C, 230; iv, C, 265, 467; v, C, 42; vii, C, 159; ix, C, 87; x, C, 13.
 acida, v, C, 43.
 acuminata, ii, C, 433; iv, C, 467; v, C, 43.
 aherniana, v, C, 45.
 antipolana, v, C, 45.
 bidentata, v, C, 44.
 binata, v, C, 43.
 blancoi, v, C, 43; ix, C, 87.
 castrata, v, C, 46.
 copelandii, iii, C, 230; v, C, 44.
 cornifolia, iii, C, 230.
 cumingiana, i, s, 63; v, C, 44.
 dolichocalyx, iii, C, 231; v, C, 44.
 elongata, v, C, 46.
 ferruginea, v, C, 45.
 fulva, v, C, 45.
 grandiflora, ii, C, 433; v, C, 44.
 inermis, iii, C, 304; v, C, 47.
 kappleri, iv, C, 265; v, C, 46.
 khasiana, v, C, 46.
 krugii, iv, C, 265; v, C, 46.
 latislouqua, iv, C, 268; v, C, 46.
 leptopus, iii, C, 230; v, C, 44.
 lunaria, v, C, 46.
 lunularia, x, C, 189.
 maculata, iv, C, 265.
 malabarica, iii, C, 82; iv, B, 223; iv, C, 467; v, C, 43; vi, A, 17, 301; viii, C, 281; ix, A, 454.

Bauhinia—Continued.

- merrilliana, v, C, 45.
 monandra, iv, C, 265; v, C, 46; vii, C, 184; ix, C, 87.
 nymphaeifolia, v, C, 45.
 pauciflora, x, C, 13.
 perkinsae, v, C, 45.
 pinchotiana, v, C, 45.
 pinnata, v, C, 43.
 purpurea, iv, C, 468; v, C, 43, 46.
 pyrrhaneura, v, C, 44.
 racemosa, v, C, 46.
 retusa, iv, C, 468; v, C, 46.
 richardiana, iv, C, 265; v, C, 46.
 rufa, v, C, 46.
 scandens, v, C, 44.
 semibifida, v, C, 45.
 subglabra, iii, C, 230; v, C, 44.
 subrotundifolia, v, C, 46; x, C, 190.
 tomentosa, iv, C, 468; v, C, 43; vii, C, 184; ix, C, 87.
 vahlia, v, C, 44.
 variegata, ii, C, 433; iv, C, 468; v, C, 46.
 warburgii, v, C, 46; x, C, 13.
 whitfordii, v, C, 44.
 Bauli, x, C, 25.
 Baumea glomerata x, C, 288.
 mariscoides, ix, C, 59.
 riparia, x, C, 288.
 Bauno, vi, C, 339.
 Bawang, iv, B, 222; iv, C, 452.
 Bawi, iii, A, 202.
 Bay Lake, *see* Laguna de Bay.
 Baya, vi, D, 83.
 Bayabas, i, s, 103; iv, B, 221; iv, C, 336; vi, C, 214; viii, A, 72.
 Bayabasan, v, C, 50.
 Bayabonan?, i, 818.
 Bayabac, iv, C, 362; v, C, 51.
 buquit, v, C, 74.
 Bayadgung, v, C, 41.
 Bayag cambing, vi, C, 219.
 Bayan, ix, D, 477.
 Bayanti, i, s, 73, 81; vii, C, 390.
 Bayaong, ix, D, 476.
 Bayas, ix, D, 480.
 Bayisit, i, s, 74.
 Baylan, ix, D, 511.
 Bayocbayoc, v, C, 102.
 Bayog, i, s, 93; ii, A, 382; v, A, 447; vi, A, 2; ix, C, 86; x, C, 64.
 Bayogo, i, 1021; v, C, 32.
 dikiki, ix, C, 92.
 Bayones, i, 1083; vi, C, 127.
 Bayongon, vii, D, 279.
 Bayou, v, C, 114.
 Bayub, vi, A, 2.
 Bayucan, iii, C, 323, 324, 328.
 Bayukan, vi, C, 281.
 Bayung, v, C, 41.
 Baza magnirostris, v, D, 197.
 Bazzania, i, s, 10.
 erosa, i, s, 10.
 praerupta, i, s, 10.
 Bead tree, iv, C, 479.
 Bean, iv, B, 222.
 Chinese, iv, B, 222.
 Beans, curd made from, vii, A, 47.
 neuritis-preventing value of, vii, B, 453.
 nitrogen and amidonitrogen in rice and, vii, B, 40.
 Bebe, ix, D, 480.
 Becas, ix, D, 495.
 Beccarianthus, viii, C, 358; x, C, 278.
 ickisii, viii, C, 358.
 ickisii var. setosus, x, C, 278.
 pulcher, viii, C, 358.
 Beccariella insignis, ix, C, 236.
 Bêche de mer, v, D, 151; vi, D, 283.
 Becrari, vi, A, 109.
 Bed nets and malaria, x, B, 243.
 Bedaro, vi, C, 179.
 Bedaru, iv, C, 492, 542; vi, C, 179.
 Bedbugs, i, 1072; iv, B, 236.
 Beddomea luzoniensis, iii, C, 105.
 simplicifolia, iii, C, 105.
 Bee moth, i, 1073.
 Beech, vi, A, 15.
 blue, vi, A, 15.
 Bees, i, 1073.
 Beesha rheedii, i, s, 392.
 Beetle, cigarette, i, 1070; viii, D, 1.
 coconut leaf-miner, viii, D, 127.
 rhinoceros, i, 143, 1069.
 Beetles, new P. I., viii, D, 135.
 relation of typhoons to coconut, iii, A, 533.
 Begnas, ix, D, 475.
 Begonia, i, s, 100; ii, C, 285; iii, C, 421; v, C, 365; vi, C, 369; vii, C, 163, 308; ix, C, 378; x, C, 45, 277.
 acuminatissima, vi, C, 395.
 aquata, iii, C, 84; vi, C, 406; ix, C, 380.
 affinis, vii, C, 308.
 agusanensis, vi, C, 377; vii, C, 309.
 alba, x, C, 45.
 alvarezii, vi, C, 405.
 anisoptera, vi, C, 398.
 aptera var. calleryana, vi, C, 374.
 biliranensis, x, C, 46.
 bolsteri, vi, C, 387.
 borneensis, vi, C, 406.
 brevipes, vi, C, 378; x, C, 51.
 calcicola, vi, C, 400.
 capensis, vi, C, 393.
 cassicaulis, vi, C, 406.
 ciliifera, vi, C, 376; vii, C, 309.
 colorata, vi, C, 396.
 contracta, vi, C, 386; vii, C, 310.
 copelandii, vi, C, 401.
 crispipila, vi, C, 384; vii, C, 311.
 cumingiana, v, C, 365; vi, C, 388.
 cumingii, iii, C, 84; vi, C, 384; vii, C, 311; x, C, 47.
 elatostematoides, vii, C, 309.
 esculenta, vi, C, 389.
 everettii, vi, C, 390.
 fasciculata, vi, C, 377.
 fasciculiflora, vi, C, 376.
 fenicis, iii, C, 421; vi, C, 401.
 gitingensis, vi, C, 396.

Begonia—Continued.

- gracilipes*, vi, C, 405.
halconensis, vi, C, 385.
hernandioides, vi, C, 392.
heteroclinis, vi, C, 375.
incisa, ii, C, 285; vi, C, 382.
isoptera, vi, C, 406.
jagori, vi, C, 382.
klemmei, vi, C, 402.
lacera, x, C, 49.
lagunensis, vi, C, 406; ix, C, 380.
lancifolia, x, C, 48.
latistipula, x, C, 51.
leptantha, vi, C, 211, 381.
leucosticta, vi, C, 385.
leytensis, vi, C, 384; vii, C, 311; ix, C, 379; x, C, 277.
littleri, vi, C, 379; x, C, 49.
loheri, vi, C, 382.
longinoda, vi, C, 397.
longiscapa, vi, C, 393.
longistipula, vi, C, 379; x, C, 49.
longovillosa, vi, C, 393.
luzonensis, vi, C, 403.
macgregorii, vii, C, 310.
malindangensis, vi, C, 391.
manillensis, v, C, 365; vi, C, 404.
mearnsii, vi, C, 383.
megacarpa, ix, C, 378.
megalantha, x, C, 47.
merrillii, i, s, 101; vi, C, 394.
merrittii, v, C, 365; vi, C, 386; x, C, 48.
mindanaensis, vi, C, 376.
mindorensis, vi, C, 396; x, C, 46.
mollis, vi, C, 406.
negrosensis, vi, C, 385.
nigritarum, vi, C, 393.
oblongata, vii, C, 310.
oligantha, x, C, 50.
oxysperma, vi, C, 399.
palawanensis, vi, C, 380; x, C, 49.
parva, vi, C, 402.
philippinensis, iii, C, 84; v, C, 365; vi, C, 384; x, C, 47.
platyphylla, x, C, 46.
pseudolateralis, ii, C, 285; vi, C, 212, 374.
quercifolia, vi, C, 387; vii, C, 311; x, C, 277.
ramosii, vi, C, 388.
repens, iii, C, 84; vi, C, 406.
rhombicarpa, i, 419; i, s, 100; iii, C, 422; vi, C, 394.
rizalensis, vi, C, 388.
robinsonii, vi, C, 375; x, C, 52.
rufipila, vi, C, 393.
salaziensis var. *calleryana*, vi, C, 374.
suborbiculata, vi, C, 398; x, C, 45.
subtruncata, vi, C, 390.
trichocheila, vi, C, 404.
vanoverberghii, vi, C, 403.
weberi, vi, C, 381.
wenzelii, x, C, 277.
- Begoniaceae*, i, s, 100; ii, C, 285; iii, C, 84, 421; v, C, 365; vi, C, 211; vii, C, 163, 308; ix, C, 378; x, C, 45, 277.
- Behara*, iv, C, 530.
- Beilschmiedia*, i, s, 57; iv, C, 464; ix, C, 357; x, C, 271.
cairocan, iv, C, 454; x, A, 196.
glomerata, i, s, 57.
leytensis, ix, C, 357; x, C, 271.
nervosa, x, C, 271.
sphaerocarpa, x, C, 271.
- Bejuco*, i, 390, 1081; iii, B, 295; iii, C, 305; vi, C, 117.
halom-tana, ix, C, 65.
- Bekas*, ix, D, 496.
- Belamcanda*, vii, C, 156.
chinensis, vi, C, 196; vii, C, 182.
- Belgaum*, iv, C, 483.
- Beliefs*, pagan tribes of Mindanao and their, viii, D, 88.
primitive, viii, D, 86.
- Belionota fallaciosa*, ix, D, 84.
- Bel-long*, iii, A, 529.
- Belonidae*, iii, A, 518; iv, A, 495; v, D, 267; ix, D, 60.
- Belukap*, iv, C, 528.
- Belvisia spicata*, ix, C, 44.
- Belytidae*, ix, D, 310.
- Bembex borrei*, i, 687.
melancolica, i, 687.
- Bembicidae*, i, 687.
- Benedictine*, vii, A, 24.
- Bengka*, iii, A, 529.
- Bengke*, iii, A, 529.
- Benguet*, Igorots of, viii, D, 456.
birds from Pauai and Mount Pulog, v, D, 135.
petrography of some rocks from, ii, A, 235.
sand-lime brick made from sandstone from, vii, A, 347.
somatologic study of the live folk of Lepanto-Bontoc and, iii, A, 418.
- Benguet-Lepanto Igorots*, i, 845.
- Benguetanos*, i, 845.
- Benhamia*, vii, D, 179.
- Benincasa*, vii, C, 167; ix, C, 150.
cerifera, ix, C, 150.
hispida, vii, C, 189; viii, A, 75; ix, C, 150.
- Benna sinuata*, ix, D, 269.
- Bennal*, vii, A, 99.
- Bennaria*, ix, D, 175.
bimacula, ix, D, 175.
- Bennettia filiformis*, iv, C, 280.
javanica, iv, C, 280.
- Benzarsinic acid quinine ester*, vi, A, 24.
- Benzoates of the two phthaloximes*, viii, A, 179.
- Benzyl acetate*, the absorption spectra of, viii, A, 47.
alcohol, the absorption spectra of, viii, A, 47.
chloride, the absorption spectra of, viii, A, 47.
methyl ether, the absorption spectra of, viii, A, 47.
- Benzylidene phthalide*, viii, A, 408.
- Beosus uniguttatus*, iv, A, 576.
- Berbena*, ix, C, 134.
- Berberidaceae*, i, s, 190; v, C, 348.

- Berberine, v, A, 442.
 Berberis, v, C, 348.
 barandana, i, s, 175; v, C, 348.
 bealei, x, D, 357.
 nepalensis, i, s, 190.
 wallichiana, v, C, 348.
 Berenghenas, ix, C, 139.
 kalomtana, ix, C, 140.
 Bergia, vii, C, 162.
 glandulosa, ii, C, 431.
 serrata, ii, C, 431.
 verticillata, ii, C, 431.
 Beriberi, association of amœbiasis with, i, 548.
 autopsy report on a case of infantile, iii, B, 345.
 constituents of rice polishings used in experimental treatment of human, x, B, 99.
 discussion of papers on, v, B, 137.
 etiology of, v, B, 55, 65; vi, B, 251, 395; vii, B, 39, 271, 415, 423.
 extract of tiqui-tiqui in the treatment of infantile, x, B, 81.
 first P. I. epidemic of, i, 711.
 food salts in relation to, v, B, 127.
 infantile, i, 755; v, B, 153; vii, B, 67.
 influence of compensated salt mixtures on the development of polyneuritis gallinarum and, viii, B, 351.
 influence of rice diet and of inanition on the production of multiple neuritis of fowls and the bearing thereof on the etiology of, vi, B, 177.
 Japanese army during war and incidence of, i, 169.
 notes on, x, B, 337.
 observations concerning, v, B, 123.
 P. I. cases of, ix, B, 203.
 phosphorus starvation with special reference to, v, B, 81, 98.
 practical experiences with unpolished rice and, vi, B, 229.
 protective power of normal human milk against polyneuritis gallinarum and, viii, B, 469.
 resolutions adopted by the Far Eastern Association of Tropical Medicine in regard to, v, B, 354.
 rice in Siam in relation to, v, B, 73.
 simple change in dietary of Philippine Scouts resulting in the eradication of, vi, B, 133.
 studies in, i, 709.
 Taytay developed few cases of, iv, B, 282, 293.
 thymus gland in, x, B, 121.
 unimportant rôle in Mindoro of, ix, B, 179.
 Beriberi-preventing substances, or vitamins, contained in rice polishings, viii, B, 175.
 Berombong, iv, C, 559.
 Berrya ammonilla, iv, C, 497.
 Bertiera, x, C, 104.
 javanica, x, C, 105.
 lateriflora, x, C, 105.
 Beryl, x, A, 84.
 Besao, ix, D, 498.
 Bescherellea, viii, C, 74.
 cyrtopodi, viii, C, 75.
 philippinensis, viii, C, 74.
 Betel nut, use in puente of, iv, B, 285.
 palm, i, 221, 1081; vii, C, 192.
 pepper, vii, C, 192.
 Bethylidæ, i, 688; ix, D, 288.
 Bethylinæ, i, 688.
 Betic, vi, C, 263, 279.
 Betik, vi, C, 274.
 Betis, i, s, 114; ii, A, 382; ii, C, 377; iv, C, 540, 541; v, C, 37; x, C, 56.
 Betula, iii, C, 321.
 lenta, vi, A, 15.
 lutea, vi, A, 15.
 nigra, vi, A, 15.
 papyrifera, vi, A, 15.
 Beulenkrankheit, i, 100.
 B'eus, iv, C, 527.
 Beverage made from the juice of the sugar cane, vii, A, 98.
 Beverages, consumption in various countries of the world of alcoholic, vi, A, 101.
 fermented rice as a source of, vii, A, 101.
 Manila production of distilled-spirits, vii, A, 24.
 nipa-distillate, vii, A, 29.
 nondistilled fermented, vii, A, 97.
 P. I. manufacture of malt, vi, A, 101.
 potability of P. I. distilled, vii, A, 38.
 Beyugo, iii, C, 305.
 Bhabur grass for paper stock, i, No. 5, 457.
 Bhooria, ix, D, 410.
 Bia, iii, A, 528; iv, B, 219.
 Bialata, iv, C, 532.
 Biancaea sappan, v, C, 55; ix, C, 89.
 Biang itim, iii, A, 528.
 puti, iii, A, 528.
 Biasong, vii, A, 403.
 Biat, iv, A, 532.
 luzonica, iv, A, 532.
 Biatorina, viii, C, 404.
 sublutea, viii, C, 404.
 Biayo, v, A, 174.
 Bibinka ng malagkit, iv, B, 220.
 Bibionidæ, viii, D, 305.
 Bibit parang, iii, C, 333.
 Bibliography:
 Accessory nasofrontal duct of the frontal sinus, v, B, 478.
 Acid intoxication in Asiatic cholera, vi, B, 76.
 Addison's disease and adrenal tuberculosis, vi, B, 359.
 Agenesis of the vermiform appendix, i, 1064.
 Alcyonaria, viii, D, 451; ix, D, 243; x, D, 8, 211.
 Amœbæ in the Manila water supply, in the intestinal tract of healthy persons, and in amœbic dysentery, vi, B, 276.
 Arneth's nuclear classification of the neutrophils in healthy adult males and the influence thereon of race, com-

Bibliography—Continued.

- plexion, and tropical residence, vi, B, 419.
- Associated spirochaetæ and fusiform bacilli in ulcers of the throat (Vincent's angina), of the mouth, and of the skin, and in lesions of the lungs (bronchial spirochaetosis), vi, B, 497.
- Atoxyl in the treatment of malaria, iv, B, 7.
- Atypical case of rinderpest in a carabao, ix, B, 47.
- Axillary teratoma, viii, B, 234.
- Bacilli of the dysentery group, i, 974.
- Bacteriology of leprosy, ix, B, 230.
- Benguet Igorots. A somatologic study of the live folk of Benguet and Lepanto-Bontoc, iii, A, 464.
- Benguet petrography, ii, A, 237.
- Beriberi, v, B, 61, 71; vi, B, 258, 404; vii, B, 52, 422.
- Beriberi-preventing substances, or vitamins, contained in rice polishings, viii, B, 194.
- Birds of Basilan, ii, A, 280.
- Blastomycosis of the skin, iii, B, 403.
- Calorimetry and the determination of the calorific value of Philippine and other coals from the result of proximate analysis, iv, A, 200.
- Carbohydrate reactions of the dysentery bacillus, viii, B, 131.
- Ceylonese and Philippine Psyllidæ, x, D, 267.
- Cholera and choleralike vibrios encountered in the P. I., v, B, 432.
- Cholera, Asiatic, practical experience with some enriching media recommended for bacteriological diagnosis, x, B, 144.
- Chronic ulcers occurring in the P. I., ii, B, 562.
- Cultivation of the virus of rinderpest in vitro, ix, B, 44.
- Cyprinoid fishes of the genus *Barbus* from Lake Manguao, Palawan, ix, D, 192.
- Cytoryctes variolæ Guarnieri in experimental variola and vaccinia in the monkey and in the orang-utan, i, 340.
- Davainea madagascariensis (Davaine) in the P. I., vi, B, 172.
- Dengue in Indo-China: Epidemic on board the "Manche," iv, B, 31.
- Development of the miracidium of *Paragonimus* under various physical conditions, iv, B, 183.
- Dysentery bacillus with a bacteriologic study of an epidemic of bacillary dysentery in the P. I., vi, B, 227.
- Effect of ultra-violet rays on amœbæ, and the use of these radiations in the sterilization of water, vi, B, 394.
- Entamoebiasis treatment with ipacac, emetine, and neosalvarsan at the Philippine General Hospital, ix, B, 103.

Bibliography—Continued.

- Examinations of stools and blood among the Igorots at Baguio, P. I., v, B, 514.
- Experimental balantidiasis, viii, B, 346.
- Experimental entamoebic dysentery, viii, B, 326.
- Experimental investigations regarding the etiology of dengue fever, with a general consideration of the disease, ii, B, 146.
- Experimental variola and vaccinia in Quadrumana, i, 253.
- Fiddler-crabs, vii, D, 132.
- Filaria and elephantiasis in southern Luzon, iii, B, 302.
- Filipino types: Manila students. An attempt to classify the littoral population of Luzon and adjacent islands, iv, A, 285.
- Filipino types: Racial anatomy in Taytay, iv, A, 442.
- Francisco de Carriedo y Peredo, viii, D, 208.
- Gangosa in the P. I., ii, B, 400.
- Geologic reconnaissance of Leyte, with notes on the adjacent smaller islands and southeastern Samar, iv, A, 355.
- Geologic reconnaissance of southeastern Luzon, vi, A, 479.
- Geologic reconnaissance of southwestern Luzon v, A, 113.
- Geology of the P. I., v, A, 338.
- Grillacridi delle Isole Filippine, x, D, 70.
- Histology of the skin lesions in varicella, i, 369.
- Hookworm infection in the P. I., vi, B, 243.
- Igorots of Lepanto, ix, D, 527.
- Immunity reactions with amœbæ, vi, B, 298.
- Immunity research, ii, B, 359.
- Infantile beriberi, vii, B, 88.
- Infectiveness of virulent rinderpest blood in the water leech, *Hirudo boyn-toni* Wharton, viii, B, 521.
- Influence of rice diet and of inanition on the production of multiple neuritis of fowls and the bearing thereof on the etiology of beriberi, vi, B, 199.
- Influence of the Philippine climate on white men of the blond and of the brunet type, vi, B, 463.
- Insects attacking the coconut palm, i, 224.
- Intestinal parasites encountered in five hundred autopsies, with reports of cases, viii, B, 174.
- Leprosy, x, B, 370.
- Liver in schistosomiasis, iii, B, 228.
- Malaria in the P. I., ix, B, 438.
- Membracidæ, x, D, 403.
- Methods of studying the structure of the central nervous system, iv, B, 18.
- Morphology of *Eudendrium griffini* Light, viii, D, 353.
- Morphology of the adults of the filaria found in the P. I., ix, B, 490.

Bibliography—Continued.

- Mucocele and diverticulum of the vermiform appendix of inflammatory origin, vii, B, 35.
- Muscular changes brought about by intermuscular injection of calves with the virus of contagious pleuropneumonia, vii, B, 530.
- Mycetoma, ii, B, 501.
- Noma in the P. I. with report of a case ending in recovery, viii, B, 400.
- Oesophagostomum apiostomum: Development outside of the host, viii, B, 505.
- Osseous system of *Ophiocephalus striatus* Bloch, ix, D, 47.
- Oxidation and deterioration of coal, vii, A, 313.
- Paragonimiasis in the P. I., ii, B, 61.
- Pathology of the gall bladder and biliary passages in cholera, x, B, 389.
- Pellagra with report of a probable case in the P. I., v, B, 500.
- Pelvimetry and cephalometry among Filipinos, ix, B, 496.
- Perineal litholapaxy (Keith's operation), vi, B, 238.
- Philippine ornithological literature, iii, A, 285; iv, A, 79; v, D, 203.
- Piroplasma and trypanosoma development of cattle in artificial culture media, iv, B, 165.
- Polyneuritis gallinarum. A fifth contribution to the etiology of beriberi, vii, B, 457.
- Precious coral, vi, D, 307.
- Precipitin and complement fixation reactions, iii, B, 376.
- Primary sarcoma of the small intestine, viii, B, 95.
- Pseudotypoid fever in Deli, Sumatra, x, B, 351.
- Quantitative determination of the balantidicidal activity of certain drugs and chemicals as a basis for treatment of infections with *Balantidium coli*, viii, B, 14.
- Red blood corpuscles and the hæmoglobin of healthy adult American males residing in the P. I., vi, B, 488.
- Relationship of variola and vaccinia, viii, B, 27.
- Rinderpest, i, 598; ix, B, 78.
- Rôle of *Stomoxys calcitrans* in the transmission of *Trypanosoma evansi*, vii, B, 516.
- Rôle played by insects of the dipterous family Phoridae in relation to spread of bacterial infections, x, B, 335.
- Sanitary survey of the San José Estate and adjacent properties on Mindoro, ix, B, 173.
- Schistosoma japonicum vel cattoi*, i, 89.
- Schizogony of *Trypanosoma evansi* in the spleen of the vertebrate host, vii, B, 62.
- Simultaneous method of inoculating cattle and carabaos with serum from animals

Bibliography—Continued.

- that have been recently immunized, ix, B, 133.
- Spanish Normal School, ix, D, 167.
- Specific cure of yaws with dioxy-diamido-arsenobenzol, v, B, 448.
- Sponge and sponge fisheries, iv, A, 63.
- Status thymico-lymphaticus among Filipinos, viii, B, 88.
- Stratigraphy and fossil invertebrate fauna of the P. I., viii, A, 293.
- Streptothricosis with special reference to the etiology and classification of mycetoma, iii, B, 485.
- Systolic blood pressure and the pulse rate of healthy adult males in the P. I., vi, B, 482.
- Tabanus striatus*, the horsefly of the P. I., viii, B, 220.
- Termites of Japan, viii, D, 280.
- Thalassemæ, viii, D, 263, 266.
- Theory of heredity to explain the types of the white race in North America, iii, A, 229.
- Tolerance for alkalies in Asiatic cholera, v, B, 389.
- Toxic action of saponin, i, 1042.
- Trepang, vi, D, 317.
- Treponema pertenuis* of yaws and the experimental production of the disease in monkeys, ii, B, 464.
- Trichocephaliasis, iii, B, 562.
- Trichomycosis palmellina in the P. I., ix, B, 224.
- Tropical ulcerations of the skin with particular reference to their etiology, i, 112.
- Trypanosomiasis treatment with special reference to surra, v, B, 48.
- Tsutsugamushi disease and spotted or tick fever of Montana, iii, B, 42.
- Tumors of the pituitary gland, viii, B, 105.
- Typhoid fever in the P. I., vi, B, 331; ix, B, 378.
- Typhus fever in Indo-China, iii, B, 137.
- Uncinariasis among white men in the P. I., v, B, 258.
- Wassermann reaction in syphilis, leprosy, and yaws, vi, B, 341.
- X-bodies as artefacts in glass slides, vi, B, 423.
- Bicag, i, s, 95; iii, A, 41; ix, A, 499.
- Bical, i, s, 29; v, C, 273; ix, D, 525.
- boboy, v, C, 274.
- Bicasbicas, v, C, 50.
- Bicol Valley, vi, A, 457, 472.
- Bidara laut, iv, C, 450.
- pahit, iv, C, 550.
- Bidbid, iii, A, 528.
- Bidens, ii, C, 309; iii, C, 126, 441; v, C, 398.
- bipinnata, iii, C, 126.
- pilosa, ii, C, 309; iii, C, 441; v, C, 398; vi, C, 228; vii, C, 190.
- pilosa var. bipinnata, iii, C, 126.
- tenuiflora, ix, C, 154.
- tripartita, iii, C, 126.
- Bidyañgao, v, A, 174.

- Biga, i, s, 33.
 Bigabigan, i, s, 34.
 Bigaong, iii, A, 528.
 Bigas, ix, D, 496.
 Bigbiga, iv, C, 468.
 Bignay, i, s, 77, 78; viii, A, 75; ix, A, 498.
 maching, iv, C, 391.
 pogo, i, s, 78; ix, C, 463.
 Bignoniaceae, i, s, 124, 237; iii, C, 434; iv, C, 557, 707; vi, C, 221; vii, C, 166, 352; ix, A, 558; ix, C, 141, 429.
 Bihania borneensis, vi, C, 179.
 Bihon, iv, B, 220; vii, A, 397.
 Biji, iv, C, 467.
 Bikkia, ii, C, 427; ix, C, 142.
 grandiflora, ii, C, 427.
 mariannensis, ix, C, 142.
 Bilate, vi, D, 283.
 Bilau, vi, D, 231.
 Bilen, ix, C, 50.
 Biliary passages in cholera, a study of the pathology of the gall bladder and, x, B, 385.
 Bilibid Prison, beriberi experiments at, vii, B, 290.
 intestinal helminthiasis as indicated by examinations of persons upon admission to, ix, B, 233.
 prophylactic medicine as applied to the hygiene of, iii, B, 69.
 ration of convicts at, vii, B, 42.
 Bilimbi, iv, B, 221; vii, C, 199; viii, A, 67.
 Bilimbines, ix, C, 95.
 chaca, ix, C, 109.
 Bilin, iv, C, 474.
 Bilingan, vi, A, 380.
 Biliran, petroleum near, iv, A, 355.
 solfataras on, iv, A, 345.
 sulphur in Leyte and in, iv, A, 355.
 Bilis, iii, A, 514; vii, A, 386.
 Billian, iv, C, 452, 509; vi, C, 179.
 Bilua, i, s, 80.
 Biluca, i, s, 97; iii, C, 362; ix, A, 504.
 Bitag, ix, D, 485.
 Binabudan, vi, D, 83; vii, A, 105.
 Binadayan, vi, D, 83; vii, A, 103.
 Binangonan, cement mixture of volcanic tuff and limestone from, ix, A, 98.
 limestone from, ix, A, 254.
 Orbitoides from, i, 203.
 ultimate chemical composition of limestone from Montalban and, vii, A, 333.
 Binayoyo, ix, C, 463.
 maching, ix, C, 463.
 Binayuyu, ix, A, 454.
 Bincalan, v, C, 17.
 Bindang, iv, C, 334.
 Bingas, iv, C, 300, 532, 644.
 Binloan, iv, C, 392.
 Bino, vi, A, 107.
 Binobodan, ix, D, 523.
 Binokbok, vii, A, 104.
 Bintangor, iv, C, 504.
 Bintaos, iv, C, 551.
 Binting dalaga, iv, C, 298.
 Binturong, vii, D, 23.
 Binuaing, iv, C, 522.
 susong, vii, C, 390.
 Binuca, ix, A, 444.
 Binunga, i, s, 80; vi, C, 208; ix, A, 452.
 Binutig, x, C, 401.
 Bioblasts, vii, B, 443.
 Biology of Philippine Culicidae, iii, A, 235.
 Biophytum, i, s, 67; vii, C, 160.
 sensitivum, i, s, 67; vii, C, 185; viii, C, 284; ix, A, 461.
 Biosteres longicaudatus, i, 693.
 Biotite, x, A, 84.
 Biquilla, iii, A, 528.
 Bira-an, vi, D, 129.
 Birabid, vii, A, 389.
 Biracbac, iv, C, 380.
 Birch, canoe, vi, A, 15.
 cherry, black sweet, vi, A, 15.
 red, vi, A, 15.
 yellow, vi, A, 15.
 Bird, an unrecorded from Mindanao, ii, A, 296.
 Birds, a new genus and nine new species of Philippine, ii, A, 355.
 Apo Island, i, 767.
 Bantayan Island, ii, A, 310.
 Banton Island, i, 768.
 Basilan Island, ii, A, 279.
 Batan, Camiguin, Y'Ami, and Babuyan Claro, ii, A, 337.
 Bohol Island, ii, A, 315.
 Cebu Island, ii, A, 298.
 four new Philippine, ii, A, 292.
 Mindoro Island, i, 697.
 newly discovered breeding places of Philippine sea, vi, D, 167.
 northern Luzon and Sabtan and Dalupiri, v, D, 219.
 northern Mindanao, iv, A, 67; v, D, 197.
 northern Negros, vi, D, 39.
 notes on four Luzon, i, 765.
 Palawan Island, i, 903.
 Pauai and Mount Pulog, v, D, 135.
 Polillo Island, v, D, 103.
 Siquijor Island, iii, A, 275.
 some necessary changes in the names of Philippine, iii, A, 283.
 Tablas Island, i, 771.
 See also Zoology—Aves.
 Bird's-nest fern, ix, A, 423.
 Biringi, v, C, 131.
 Bisal, iv, C, 643.
 Bischofia, i, s, 78; iv, C, 483; v, C, 356; vii, C, 161.
 javanica, i, s, 78; iv, C, 484; v, C, 356; vi, A, 423; vi, D, 244; ix, A, 444.
 trifoliata, i, 404, 678; i, s, 78; iv, C, 484, 707; v, C, 316.
 Bisco, x, C, 409.
 Biskra boil, i, 101.
 Bislot, iv, C, 371, 375.
 Bistapal, vi, C, 114.
 Bitanhol, ii, A, 440; ii, C, 378; iv, C, 268; v, C, 38.
 Bitag, ii, A, 440; iv, C, 504.
 Bitaug, vii, D, 237.
 Bitbid, iv, C, 356.
 Bithariziosis, i, 85.
 Bitilla, iii, A, 518, 528.
 Bituca, vi, C, 383.

- Bitumens, Leyte Island petroleum and residual, x, A, 241.
- Bixa, i, s, 98; vii, C, 162; ix, C, 115.
orellana, i, s, 98; iv, B, 223; v, A, 443; vii, C, 186; ix, C, 115.
- Bixaceæ, i, s, 98; vii, C, 162; ix, C, 115.
- Bixia, iv, C, 100.
sulphurea, x, D, 352.
- Blachia, iv, C, 277.
philippinensis, iv, C, 277.
- Black bass, transportation of live fish long distances and the successful transference of, v, D, 153.
- Black coloring matter of ebony, v, A, 445.
- Blackbutt, iv, C, 533.
- Blackwood, iv, C, 465.
- Bladder, unidentified larvæ of some dipterous insect developing in the deep urethra and, v, B, 515.
- Bladhia, v, C, 221.
- Blanchardiomyia fusca, viii, D, 306.
joloensis, viii, D, 306.
obturbans, viii, D, 306.
panalektoros, viii, D, 306.
- Blanco's Flora de Filipinas, additional identifications of the species described in, ii, C, 429.
- Blastocytis hominis, viii, B, 313.
- Blastomyces, i, 111; iii, B, 448.
- Blastomycosis of the skin in the P. I., iii, B, 395.
- Blastophaga nota, viii, D, 70.
- Bleaching powder for paper making, ii, A, 100.
- Blechnum, i, s, 18, 152; ii, C, 130; v, C, 320; vi, C, 78; ix, C, 42.
egregium, ii, C, 5, 130.
fraseri var. philippinense, v, C, 320.
fraseri var. philippinensis, ii, C, 130.
orientale, i, s, 18; ii, C, 130; vi, C, 78; ix, C, 42.
patersoni, i, s, 152; ii, C, 130.
patersoni var. majus, i, s, 152.
vestitum, i, s, 152; ii, C, 130.
- Blechnum, i, s, 125; iii, C, 435; vii, C, 167; ix, C, 141.
browniei, i, s, 125; iii, C, 435; vi, C, 222; vii, C, 188; ix, C, 141.
- Bledius brunneipennis, vii, D, 248.
compressicollis, vii, D, 247.
philippinus, vii, D, 248.
- Bleeding tooth shell, vii, D, 279.
- Blend of types, iv, A, 428.
- Blended ear, iv, A, 42.
- Blending type, iv, A, 273.
- Blenina, v, D, 173.
donans, v, D, 173.
quinaria, v, D, 173.
- Blepharida flavopustulata, v, D, 142.
manilensis, v, D, 142.
xanthospilota, v, D, 142.
- Blepiarda, viii, D, 144.
- Blimbing, iv, C, 472.
- Blinjoe, beriberi in tin mines at, v, B, 67.
- Bloater, ix, D, 8.
- Blond type, influence of Philippine climate on the, vi, B, 427.
- Blood, Asiatic cholera and the chemical composition of the, v, B, 395.
beriberi cases in Manila and examinations of the, i, 726.
comparison of the spleen index with regard to malarial parasites and with the microscopic examinations of the, ix, B, 181.
condition of, in cholera, iv, B, 99.
examinations at the San Jose Estate for malarial parasites of the, ix, B, 168.
examinations of healthy adult American males residing in the P. I., with regard to the hæmoglobin and red corpuscles of the, vi, B, 483.
examinations of Igorots of Baguio with regard to stools and, v, B, 505.
leucocytes in the, iv, B, 277.
malaria in natives of Taytay as indicated by examinations of the, iv, B, 273.
method of making differential counts in wet preparations of the, v, B, 233.
normal carabao, viii, B, 59.
pressure, tropical, v, B, 325; vi, B, 467.
rinderpest and the infectiveness of, ix, B, 64.
- B'lukap, iv, C, 528.
- Blumea, i, s, 139; ii, C, 428; v, C, 254, 394; vii, C, 105, 168, 250, 356; ix, C, 153.
appendiculata, v, C, 394.
balsamifera, i, 395; i, s, 139; iv, A, 127; ix, A, 457; ix, C, 430.
bicolor, vii, C, 356.
chamissoniana, v, C, 395.
chinensis, v, C, 256, 395.
confertiflora, v, C, 254.
copelandii, iii, C, 217.
hieracifolia, v, C, 257.
incisa, v, C, 256, 395.
lacera, i, s, 139.
laciniata, viii, C, 267.
leschenaultiana, v, C, 395.
longipes, v, C, 255.
mindanaensis, v, C, 256.
mollis, v, C, 395; ix, C, 153.
oxyodonta, vii, C, 251.
parvifolia, v, C, 395.
phyllostachya, v, C, 395.
ramosii, v, C, 256.
sericans, ii, C, 428; v, C, 257.
tenera, vii, C, 250.
trichophora, v, C, 395.
vanoverberghii, vii, C, 105.
wightiana, v, C, 395.
- Blumeodendron, vii, C, 384.
subrotundifolium, vii, C, 384.
- Blyxa, vii, C, 73.
octandra, vii, C, 73.
roxburghii, vii, C, 73.
- Boa, vii, C, 113.
- Boarmiinae, ii, A, 367; iii, A, 34; v, D, 176; x, D, 352.
- Bobo, ix, D, 320.

- Bobos, viii, A, 73.
 Bobog, x, A, 108.
 Boboi, i, s, 93.
 Boboy, ii, A, 440.
 Bobua, iii, C, 4.
 Bobud, vii, A, 103.
 Bocagea polyandra, iii, C, 224.
 Bocana marginata, ii, A, 373.
 Bocaue, vi, C, 105.
 Bocaui, i, s, 389; v, C, 275.
 Bocoa, v, C, 108.
 edulis, v, C, 108; ix, C, 91.
 Bodo asiaticus, v, B, 212.
 Boea swinhooi, iii, C, 378.
 Boehmeria, i, s, 49; iii, C, 179, 404; vi, C, 1, 309; vii, C, 156; viii, C, 368; ix, C, 76.
 arachnoidea, vi, C, 6.
 beyeri, vi, C, 309.
 blumei, i, s, 49; iii, C, 404; vi, C, 2, 310; viii, C, 369.
 celebica, vi, C, 5.
 cumingiana, vi, C, 2.
 cylindrica, vi, C, 6.
 cypholophoides, viii, C, 368.
 densiflora, vi, C, 5.
 heterophylla, v, C, 476; vi, C, 2; viii, C, 369.
 interrupta, v, C, 476; vi, C, 6.
 malabarica, vi, C, 6.
 moluccana, vi, C, 11.
 monticola, vi, C, 2.
 multiflora, iii, C, 179; vi, C, 4.
 nivea, iii, C, 404; v, C, 476; vi, C, 4; vii, C, 182; ix, C, 76.
 nivea tenacissima, vi, C, 4.
 platyphylla, v, C, 467; vi, C, 4.
 platyphylla var. celebica, vi, C, 5.
 platyphylla var. loochooensis, vi, C, 5.
 rugulosa, iv, C, 447.
 rupestris, vi, C, 5.
 scabrella, vi, C, 4.
 sidaefolia, vi, C, 3.
 squamigera, vi, C, 11.
 tenacissima, vi, C, 4; ix, C, 76.
 villosa, vi, C, 3, 310.
 weddelliana, vi, C, 5.
 Boelang, iv, C, 555.
 Boembang, iv, C, 513.
 Boengboelan, iv, C, 555.
 Boengo tandjoeng, iv, C, 540.
 Boengoer, iv, C, 524.
 Boeni, iv, C, 484.
 Boenninghausenia, v, C, 355.
 albiflora, i, s, 175; v, C, 355.
 Boerhaavia, iii, C, 405; vii, C, 157; ix, C, 81.
 diffusa, iii, C, 405; vii, C, 183; ix, C, 81.
 Boerlagiodendron, ii, C, 289; iii, C, 154, 252, 424; ix, C, 329; x, C, 333.
 camiguinense, iii, C, 252, 424.
 clementis, iii, C, 155; ix, C, 329.
 diversifolium, x, C, 333.
 heterophyllum, ix, C, 329; x, C, 334.
 lineare, iii, C, 253.
 luzoniense, iii, C, 252.
 mindanaense, iii, C, 154, 254.
 pectinatum, iii, C, 253, 424.
 Boerlagiodendron—Continued.
 pulcherrimum, i, s, 172; iii, C, 254.
 serratifolium, x, C, 334.
 trilobatum, ii, C, 289.
 Bogo, ii, A, 382.
 Bohera, iv, C, 530.
 Boho, i, 386; v, C, 276; ix, A, 432.
 Bohol, birds of, ii, A, 315.
 concrete cubes from Abatan River, v, A, 138.
 Bohtschi, v, B, 338.
 Boidæ, vi, D, 255.
 Boiga angulata, v, D, 213; vi, D, 263.
 cynodon, iv, A, 599; v, D, 213; vi, D, 264.
 dendrophila, iv, A, 599; v, D, 214; vi, D, 263.
 philippina, vi, D, 263.
 Boiginae, vi, D, 263.
 Boil, Aleppo, i, 100.
 Biskra, i, 101.
 Delhi or Oriental, i, 91.
 Gafsa, i, 101.
 Bois cassant, iv, C, 485.
 de rose de l'Océanie, iv, C, 499.
 de soie, iv, C, 496.
 de tambour, iv, C, 452.
 ramier, iv, C, 496.
 Bojo, v, C, 276.
 Bola, ix, A, 240.
 Bolador, iii, A, 529.
 Bolalaque, x, C, 360.
 Bolang, iv, C, 555.
 Bolarge, ix, D, 4.
 Bolargo, ix, D, 4.
 Bolbopsittatus lunulatus, v, D, 221.
 mindanensis, iv, A, 69.
 Bolelaur, v, C, 63.
 Boleophthalmus boddaerti, ix, D, 74.
 chinensis, ix, D, 74.
 glaucus, ix, D, 74.
 Boleta, viii, D, 179.
 Boletus gilvus, x, C, 95.
 lucidus, i, s, 287.
 sanguineus, i, s, 289; ix, C, 39.
 tenuis, i, s, 286.
 velutinus, i, s, 289.
 versicolor, i, s, 284.
 Bolinog, ix, C, 463.
 Bolitochara, x, D, 124.
 Bolitrium, viii, D, 390.
 crenulicolle, viii, D, 391.
 Bollogo, viii, A, 65.
 Bolo, iv, A, 240; v, C, 276; vii, D, 145.
 Bolobo, x, A, 196.
 Bolobog, vi, D, 97.
 Bolocaui, v, C, 279.
 Bolon, x, C, 233.
 Bolong onas, vii, A, 390.
 Bolongeta, i, s, 115; ii, C, 378; iv, C, 307, 547; ix, A, 500.
 Bolongita, iv, C, 310.
 Bolongsina, v, C, 271.
 Bomayas, ix, D, 484.
 Bombacaceæ, i, s, 92; iv, C, 499; vii, C, 162; ix, C, 427.

- Bombax*, i, s, 92; iv, C, 499; vii, C, 162.
ceiba, i, 387; i, s, 92; iv, C, 404; ix, A, 506.
malabaricum, i, s, 92; iv, C, 499.
pentandrum, ix, C, 110.
- Bombidae*, i, 686.
- Bombon*, vi, A, 116; viii, A, 378; ix, A, 242.
- Bombus mearnsi*, i, 686.
- Bombyceae*, ix, A, 555; ix, C, 110.
- Bombycidae*, x, D, 345.
- Bombycidendron*, iii, C, 112.
campylosiphon, ii, C, 385; iii, C, 112; iv, C, 498.
glabrescens, iii, C, 112.
parvifolium, iii, C, 112.
vidalianum, iii, C, 112; ix, C, 498.
- Bombylidae*, viii, D, 309.
- Bombyx fuscata*, x, D, 348.
mandarina, x, D, 348.
mori, v, D, 131; vi, B, 4; x, D, 348.
mori var. *mandarina*, x, D, 348.
spinula, v, D, 171.
- Bonamia semidigyna* var. *farinosa*, i, s, 173.
- Bondoc Peninsula, geology and petroleum resources of the southern part of, viii, A, 301.
- Bonduc seed, i, 1032; ii, A, 440.
- Bone lesions of smallpox, v, B, 553; viii, B, 67.
- Bong* weevil, i, 161.
- Bongas*, iv, C, 644.
- Bongat*, iii, A, 192.
- Bongoh*, iv, C, 524.
- Bongolan*, x, C, 400.
- Bonito*, iii, A, 523.
oceanic, iii, A, 528.
- Bonnaya*, i, s, 124; iii, C, 434; vii, C, 166; ix, C, 140.
brachiata, i, s, 124.
veronicaefolia, iii, C, 434; vi, C, 221; ix, C, 140.
- Bonor*, iv, C, 650.
- Bontoc*, Igorots of, i, 833; viii, D, 455.
military districts of Lepanto and, x, A, 178.
origin myths of people of, viii, D, 95.
plants collected by Father Morice Van-overbergh in, vii, C, 71; ix, C, 443.
- Bontocense*, *sertulum*, vii, C, 71.
- Bonus system for the purchase of Portland cement, viii, A, 107.
- Boo*, v, C, 275.
- Boobies*, hybridism among, vi, D, 179.
- Boo-boo*, vi, C, 172.
- Boophilus australis*, iv, B, 152.
- Boottia*, iv, C, 247.
renifolia, iv, C, 247.
- Boracho*, x, C, 413.
- Boraginaceae*, iv, C, 687; v, C, 379; vi, C, 220; vii, C, 165; ix, C, 134, 429; x, C, 340.
- Borago africana*, iv, C, 696.
indica, iv, C, 696.
zeylanica, iv, C, 696.
- Borassus flabellifer*, vi, A, 105, 172.
flabelliformis, vi, A, 105.
- Borkenkäfer* der Philippinen, vi, D, 17.
- Borneo, coal from, iii, A, 311.
ferns collected by C. J. Brooks in, vi, C, 133.
ferns of, v, C, 283; x, C, 145.
fishes of, v, D, 263.
new genera and species of ferns from, iii, C, 343.
rainfall in, vi, A, 287.
two important timber trees from, vi, C, 179.
- Bornite*, i, 624; x, A, 84.
- Borraginaceae*, i, s, 120, 228; iii, C, 123, 430; iv, C, 552.
- Bos bubalis*, vii, D, 45.
bubalus, vii, D, 45.
- Boschia griffithii*, iv, C, 499.
- Bostrychidae*, viii, D, 10.
- Bostrychus sinensis*, ix, D, 74.
- Bosung*, iv, C, 527.
- Boswellia serrata*, iv, C, 475.
- Bota-bota*, vii, C, 390.
- Botanical exploration of the P. I., present status of, x, C, 159.
garden, probable site of the first P. I., vii, C, 363.
literature, index to P. I., ii, C, 241, 345, 437; iii, C, 87; iv, C, 677; v, C, 259.
notes upon Polillo, vi, C, 185.
- Botany—Algæ:
Characeae from the P. I. (Groves), vii, C, 69.
Miscellaneous marine products (Seale), vi, D, 283.
Swamp vegetation in hot springs areas at Los Baños (Gates), ix, C, 495.
- Botany—Bryophyta:
Botanical notes upon Polillo (Robinson), vi, C, 185.
Bryological flora of the P. I. (Brotherus), iii, C, 11; v, C, 137; viii, C, 65.
Flora of Mount Pulog (Merrill and Merritt), v, C, 287, 371.
Flora of the Lamao forest reserve (Merrill), i, s, 1.
Geographical distribution of Philippine mosses (Robinson), ix, C, 199.
Musci halconenses (Brotherus), ii, C, 339.
Sphagna der Philippinen (Warnstorf), vii, C, 253.
- Botany—Ecology:
Comparative ecology of San Ramon *Polyodiaceae* (Copeland), ii, C, 1.
Factors influencing fungus succession on dung cultures (Brown and Graff), viii, C, 21.
Flora of Manila with special reference to the introduced element (Merrill), vii, C, 145.
Philippine dipterocarp forests (Brown and Matthews), ix, A, 413, 517.
Pioneer vegetation of Taal Volcano (Gates), ix, C, 391.
Relation of the substratum to the growth of *Elodea* (Brown), viii, C, 1.

Botany—Ecology—Continued.

- Swamp vegetation in hot springs areas at Los Baños (Gates), ix, C, 495.
- Vegetation of the Lamao forest reserve (Whitford), i, 373, 637.
- Vegetation of the P. I. Composition and volume of the dipterocarp forests (Whitford), iv, C, 699.

Botany, economic:

- Bedaru and billian: Two important Borneo timber trees (Foxworthy), vi, C, 179.
- Flora of Manila with special reference to the introduced element (Merrill), vii, C, 145.
- History and vernacular nomenclature of the cultivated anonas (Wester), vii, C, 109.
- Indo-Malayan woods (Foxworthy), iv, C, 409.
- Lumbayao (*Tarrietia javanica*) (Foxworthy), iii, C, 171.
- Occurrence of *Antiaris* in the P. I. (Merrill), ii, C, 111.
- Philippine dipterocarp forests (Brown and Matthews), ix, A, 413, 517.
- Philippine Dipterocarpaceae (Foxworthy), vi, C, 231.
- Philippine gymnosperms (Foxworthy), vi, C, 149.
- Philippine hats (Robinson), vi, C, 93.
- Philippine woods (Foxworthy), ii, C, 351.
- Principal insects injurious to the coconut palm (Banks), i, 143, 211.
- Relation of the substratum to the growth of *Elodea* (Brown), viii, C, 1.
- Study of caprification in *Ficus nota* (Baker), viii, D, 63.
- The almaciga tree: *Agathis alba* (Foxworthy), v, A, 173.
- Typhoons, coconuts, and beetles (Copeland), iii, A, 533.
- Vegetation of the Lamao forest reserve (Whitford), i, 373, 637.
- Vegetation of the P. I. Composition and volume of the dipterocarp forests (Whitford), iv, C, 699.

Botany—Fungi:

- Ascomycetes philippinenses (Rehm), viii, C, 181, 251, 391.
- Champignons des Philippines (Patouillard), x, C, 85.
- Enumeration of Philippine Basidiomycetes (Bresadola and Sydow), ix, C, 345.
- Factors influencing fungus succession on dung cultures (Brown and Graff), viii, C, 21.
- Fungi from northern Palawan (Sydow), ix, C, 157.
- Fungi philippinenses (Hennings), iii, C, 41.
- Fungi philippinenses (Sydow), v, C, 163.
- Infection of *Achlya* with various microorganisms (Barber), viii, B, 373.
- List of known Philippine fungi (Ricker), i, s, 277.

Botany—Fungi—Continued.

- New Philippine fungi (Sydow), viii, C, 195.
- Philippine Basidiomycetes (Graff), viii, C, 299; ix, C, 235.
- Philippine fungi with notes and descriptions of new species (Sydow), viii, C, 265, 475.

Botany, general:

- Index to Philippine botanical literature (Merrill), ii, C, 241, 345, 437; iii, C, 87; iv, C, 677; v, C, 259.
- The Pineda monument and the probable site of the first botanic garden in the P. I. (Merrill), vii, C, 363.

Botany—Lichenes:

- Lichenes insularum philippinarum (Wainio), iv, C, 651; viii, C, 99.

Botany—Morphology:

- Comparative ecology of San Ramon Poly-podiaceae (Copeland), ii, C, 1.
- Indo-Malayan woods (Foxworthy), iv, C, 409.
- Macroglossum Copeland (Campbell), ix, C, 219.
- Philippine woods (Foxworthy), ii, C, 351.
- Relation of *Rafflesia manillana* to its host (Brown), vii, C, 209.
- Water relations of the coconut palm (*Cocos nucifera*) (Copeland), i, 6.

Botany—Myxogastres:

- Philippine Myxogastres (Massee), ii, C, 113.

Botany—Phytogeography:

- Botanical notes of Polillo (Robinson), vi, C, 185.
 - Enumeration of the plants of Guam (Merrill), ix, C, 17, 97.
 - Flora of Manila with special reference to the introduced element (Merrill), vii, C, 145.
 - Flora of Mount Halcon, Mindoro (Merrill), ii, C, 251.
 - Flora of Mount Pulog (Merrill and Merritt), v, C, 287, 371.
 - Genera and species erroneously credited to the Philippine flora (Merrill), x, C, 171.
 - Geographic distribution of Philippine mosses (Robinson), ix, C, 199.
 - Philippine dipterocarp forests (Brown and Matthews), ix, A, 413, 517.
 - Present status of botanical exploration of the P. I. (Merrill), x, C, 159.
 - Relation of the substratum to the growth of *Elodea* (Brown), viii, C, 1.
 - Vegetation of the P. I. Composition and volume of the dipterocarp forests (Whitford), iv, C, 699.
- Botany—Plant physiology:
- Comparative ecology of San Ramon Poly-podiaceae (Copeland), ii, C, 1.
 - Daily growth movements of *Lagerstroemia* (Copeland), viii, C, 287.
 - Factors influencing fungus succession on

Botany—Plant physiology—Continued.

- dung cultures (Brown and Graff), vii, C, 21.
- Mechanism of curvature in the pulvini of *Mimosa pudica* (Brown), vii, C, 37.
- Phenomenon of fatigue in the stigma of *Martynia* (Brown), viii, C, 197.
- Philippine dipterocarp forests (Brown and Matthews), ix, A, 413, 517.
- Relation of *Rafflesia manillana* to its host (Brown), vii, C, 209.
- Swamp vegetation in hot springs areas at Los Baños (Gates), ix, C, 495.
- Water relations of the coconut palm (*Cocos nucifera*) (Copeland), i, 6.
- Botany—Pteridophyta:
- Bornean ferns (Copeland), iii, C, 343; v, C, 283; x, C, 145.
- Bornean ferns collected by C. J. Brooks (Copeland), vi, C, 133.
- Botanical notes of Polillo (Robinson), vi, C, 185.
- Cibotium baranetz* J. Sm. and related forms (Christ), ii, C, 117.
- Comparative ecology of San Ramon Polypodiaceæ (Copeland), ii, C, 1.
- Cyathea species novæ orientalis (Copeland), vi, C, 359.
- Fern genera new to the P. I. (Copeland), iii, C, 301.
- Ferns of southern China (Copeland), iii, C, 277.
- Ferns of the Malay-Asiatic region (Copeland), iv, C, 1.
- Flora of Manila with special reference to the introduced element (Merrill), vii, C, 145.
- Flora of Mount Pulog (Merrill and Merritt), v, C, 287, 371.
- Flora of the Lamao forest reserve (Merrill), i, s, 1.
- Hawaiian ferns (Copeland), ix, C, 435.
- Javan ferns (Copeland), viii, C, 139.
- Macroglossum Copeland (Campbell), ix, C, 219.
- New Papuan ferns (Copeland), vii, C, 67; ix, C, 1.
- New Philippine ferns (Copeland), i, s, 143, 251; iii, C, 31; iv, C, 111; vi, C, 145; vii, C, 53.
- New Sarawak ferns (Copeland), vii, C, 59.
- New species of *Cyathea* (Copeland), iii, C, 353.
- New Sumatran ferns (Copeland), ix, C, 227.
- Origin and relationships of *Taenitis* (Copeland), vii, C, 47.
- Papuan ferns collected by the Rev. Copeland King (Copeland), vi, C, 65.
- Philippine species of *Dryopteris* (Christ), ii, C, 189.
- Phyllitis in Malaya and the supposed genera *Diplora* and *Triphlebia* (Copeland), viii, C, 147.
- Pteridophyta halconense (Copeland), ii, C, 119.

Botany—Pteridophyta—Continued.

- Revision of *Tectaria* with special regard to the Philippine species (Copeland), ii, C, 409.
- Revision of the Philippine species of *Athyrium* (Copeland), iii, C, 285.
- Spiciligium filicum philippinensium novarum* aut imperfecte cognitarum (Christ), ii, C, 153; iii, C, 269.
- Steere collection of Philippine ferns (Copeland), ii, C, 405.
- Thayeria* (Copeland), vii, C, 41.
- Botany—Spermatophyta:
- Additional identifications of the species described in Blanco's flora de Filipinas (Merrill), ii, C, 429.
- Alabastra philippinensis* (Robinson), iii, C, 175; vi, C, 319.
- An interesting occurrence with sticky grass: *Eragrostis viscosa* Trin. (Banks), v, D, 85.
- Bamboos of the P. I. (Gamble), v, C, 267; viii, C, 203.
- Bedaru and billian: Two important Borneo timber trees (Foxworthy), vi, C, 179.
- Botanical notes of Polillo (Robinson), vi, C, 185.
- Collection of plants from the Batanes and Babuyan Islands (Merrill), iii, C, 385.
- Conspectus cyperacearum insularum philippinensium: cyperaceæ-caricoideæ (Kükenthal), vi, C, 57.
- Cyperaceæ of the P. I.: A list of the species in the Kew Herbarium (Clarke), ii, C, 77.
- Cyrtandraceæ novæ philippinenses (Kränzlin), viii, C, 163, 311.
- Daily growth movements of *Lagerstroemia* (Copeland), viii, C, 287.
- Dilleniaceæ novæ* (Merrill), ix, C, 517.
- Enumeratio sapindacearum philippinensium novarumque descriptio (Radlkofer), viii, C, 443.
- Enumeration of Philippine Gramineæ with keys to genera and species (Merrill), i, s, 307.
- Enumeration of Philippine Leguminosæ (Merrill), v, C, 1, 95.
- Enumeration of the plants of Guam (Merrill), ix, C, 17, 97.
- Eragrostis cilianensis* Vignolo *Lutati* (Hubbard), viii, C, 159.
- Eria* in the P. I. (Leavitt), iv, C, 201.
- Evodia triphylla* (Merrill), vii, C, 373.
- Flora of Manila with special reference to the introduced element (Merrill), vii, C, 145.
- Flora of Mount Halcon, Mindoro (Merrill), ii, C, 251.
- Flora of Mount Pulog (Merrill and Merritt), v, C, 287, 371.
- Flora of the Lamao forest reserve (Merrill), i, s, 1.
- Genera and species erroneously credited to the Philippine flora (Merrill), x, C, 171.

Botany—Spermatophyta—Continued.

- Halophila ovata*, a neglected species (Ostenfeld), iv, C, 67.
- History and vernacular nomenclature of the cultivated anonas (Wester), vii, C, 109.
- Indo-Malayan woods (Foxworthy), iv, C, 409.
- Lumbayao (*Tarrietia javanica*) (Foxworthy), iii, C, 171.
- Mechanism of curvature in the pulvini of *Mimosa pudica* (Brown), vii, C, 37.
- Meliaceae novæ (Merrill), ix, C, 531.
- Myrsinaceae novæ philippinenses (Mez), i, s, 271.
- New or noteworthy aquatic plants (Ostenfeld), ix, C, 259.
- New or noteworthy Philippine plants (Merrill), i, s, 169; iii, C, 219; iv, C, 247; v, C, 167; vii, C, 259; ix, C, 261, 293; x, C, 1, 287.
- New Philippine Acanthaceae (Clarke), i, s, 247.
- New Philippine Asclepiadaceae (Schlechter), i, s, 295.
- New Philippine Burmannia (Schlechter), i, s, 305.
- New Philippine plants from the collections of Mary Strong Clemens (Merrill), iii, C, 129.
- New species of *Eugenia* (Merrill), x, C, 207.
- New species of *Rottboellias* (Hubbard), ix, C, 257.
- New species of *Schefflera* (Merrill), x, C, 195.
- New species of *Schizostachyum* (Gamble), vi, C, 289.
- Nomenclatural and systematic notes on the flora of Manila (Merrill), vii, C, 227.
- Notes on Philippine botany (Merrill and Rolfe), iii, C, 95.
- Oaks of the P. I. (Merrill), iii, C, 317.
- Occurrence of *Antiaris* in the P. I. (Merrill), ii, C, 111.
- Orchidaceae halconenses (Ames), ii, C, 311.
- Orchids of Guam (Ames), ix, C, 11.
- Palms of Polillo (Beccari), vi, C, 229.
- Palms of the Batanes and Babuyan Islands (Beccari), iii, C, 339.
- Perrottet and the P. I. (Robinson), iii, C, 303.
- Phenomenon of fatigue in the stigma of *Martynia* (Brown), viii, C, 197.
- Philippine Anonaceae (Merrill), x, C, 227.
- Philippine Boraginaceae (Robinson), iv, C, 687.
- Philippine Chloranthaceae (Robinson), iv, C, 69.
- Philippine dipterocarp forests (Brown and Matthews), ix, A, 413, 517.
- Philippine Dipterocarpaceae (Foxworthy), vi, C, 231.
- Philippine Ericaceae (Merrill), iii, C, 369.

Botany—Spermatophyta—Continued.

- Philippine Euphorbiaceae (Merrill), vii, C, 379; ix, C, 461.
- Philippine Freycinetia (Merrill), iii, C, 307.
- Philippine Gramineae (Hackel), i, s, 263; iii, C, 167.
- Philippine gymnosperms (Foxworthy), vi, C, 149.
- Philippine hats (Robinson), vi, C, 93.
- Philippine Melastomataceae (Merrill), viii, C, 207, 335.
- Philippine Millettias (Dunn), vi, C, 315.
- Philippine orchids with descriptions of new species (Ames), iv, C, 593, 663; vi, C, 35; vii, C, 1, 125; viii, C, 407.
- Philippine palms (Beccari), ii, C, 219; iv, C, 601.
- Philippine Phyllanthinæ (Robinson), iv, C, 71.
- Philippine plants collected by the Wilkes United States Exploring Expedition (Merrill), iii, C, 73.
- Philippine Rubiaceae (Merrill), viii, C, 31; x, C, 99.
- Philippine species of *Garcinia* (Merrill), iii, C, 359.
- Philippine species of *Pandanus* (Martelli), iii, C, 59.
- Philippine Urticaceae (Robinson), v, C, 465; vi, C, 1, 299.
- Philippine woods (Foxworthy), ii, C, 351.
- Pioneer vegetation of Taal Volcano (Gates), ix, C, 391.
- Plantæ wenzelianæ (Merrill), viii, C, 363; ix, C, 353; x, C, 265.
- Potamogetons of the P. I. (Bennett), ix, C, 339.
- Preliminary revision of Philippine Combrétaceae (Merrill), iv, C, 641.
- Preliminary revision of Philippine Myrtaceae (Robinson), iv, C, 331.
- Present status of botanical exploration in the P. I. (Merrill), x, C, 159.
- Radermachera in the P. I. (Merrill), iii, C, 331.
- Relation of *Rafflesia manillana* to its host (Brown), vii, C, 209.
- Relation of the substratum to the growth of *Elodea* (Brown), viii, C, 1.
- Revision of Philippine Connaraceae (Merrill), iv, C, 117.
- Revision of Philippine Loranthaceae (Merrill), iv, C, 129.
- Revision of Philippine Piperaceae (de Candolle), v, C, 405.
- Roxburgh's *hortus bengalensis* (Robinson), vii, C, 411.
- Sapindaceae novæ philippinarum insulæ Polillo (Radlkofer), vi, C, 131.
- Scitamineae of the P. I. (Ridley), iv, C, 155.
- Sertulium bontocense*: New or interesting plants collected in Bontoc subprovince,

Botany—Spermatophyta—Continued.

- Luzon, by Father Morice Vanoverbergh (Merrill), vii, C, 71; ix, C, 443.
- Simarubacearum* genus novum philippinense (Radlkofer), vi, C, 365.
- Some genera and species new to the Philippine flora (Merrill), ii, C, 421.
- Swamp vegetation in hot springs areas at Los Baños (Gates), ix, C, 495.
- Symplocaceae* of the P. I. (Brand), iii, C, 1; iv, C, 107; vii, C, 29.
- The almáciga tree: *Agathis alba* (Foxworthy), v, A, 173.
- The Philippine species of *Begonia* (Merrill), vi, C, 369.
- Three new species of *Menispermaceae* (Diels), viii, C, 157.
- Two new Philippine grasses (Hackel), ii, C, 419.
- Urticaceae* from the Sarawak Museum (Robinson), vi, C, 291.
- Vegetation of the P. I. Composition and volume of the dipterocarp forests (Whitford), iv, C, 699.
- Water relations of the coconut palm (Copeland), i, 6.
- Botel Tobago Island, a new gecko from, vii, D, 241.
- Botete*, vii, D, 289.
- Bothriospermum*, i, s, 228; iv, C, 697.
- tenellum*, i, s, 176, 228; iv, C, 697.
- Bothroponera glabripes*, i, 689.
- Bothryocampe*, ii, A, 159.
- Botiting laot, vii, D, 290.
- Botoan, x, C, 391.
- Botocan, clays from, iii, A, 381.
- Botolan, iv, C, 75.
- Boton, v, C, 271; vii, C, 177; ix, C, 136.
- Botonbotones, iv, C, 104.
- Botoncillo, vii, C, 177.
- Botor, v, C, 136.
- tetragonoloba*, v, C, 136; ix, C, 94.
- Bototoy, vii, D, 276.
- Botrychium*, ii, C, 187; iv, C, 5.
- daucifolium*, iv, C, 7.
- japonicum*, iv, C, 7.
- lanuginosum*, iv, C, 7.
- lanuginosum* var. *nanum*, ii, C, 187.
- lunaria*, iv, C, 6.
- matricariæ*, iv, C, 6.
- obliquum*, iv, C, 6.
- simplex*, iv, C, 6.
- ternatum*, iv, C, 7.
- virginianum*, iv, C, 7.
- Botryonopa bipunctata*, viii, D, 237.
- collaris*, viii, D, 237.
- Botryosphaeria*, viii, C, 259.
- bakeri*, viii, C, 259.
- hoffmanni*, viii, C, 260.
- pruni*, viii, C, 260.
- Botrytis*, viii, C, 21.
- Bottle gourd, vii, C, 193.
- Botys licarsialis*, v, D, 180.
- Bouea burmanica*, iv, C, 487.
- macrophylla*, iv, C, 487.
- Bougainvillea*, vii, C, 157; ix, C, 81.
- spectabilis*, vii, C, 183; ix, C, 81.
- Bourbon, v, A, 23.
- Bouteloua*, i, s, 380.
- barbata*, i, s, 380.
- curtipendula*, i, s, 380; x, C, 187.
- racemosa*, x, C, 187.
- simplex*, i, s, 380; x, C, 186.
- tenuis*, i, s, 380.
- Bouton d'Orient, i, 100.
- Bovidae, v, A, 97; vii, D, 45.
- Bovine piroplasma, cultivation of, ii, B, 83.
- Bovista*, viii, C, 305.
- aspera*, ix, C, 253.
- jonesii*, viii, C, 305.
- ilacina*, viii, C, 306; ix, C, 253.
- pusilla*, viii, C, 306; ix, C, 253.
- Bovistella*, ix, C, 253.
- aspera*, ix, C, 253.
- Bowstring hemp, important as a fiber-producing plant, i, No. 5, 456.
- Box, carved, vii, D, 232.
- Boxwood, iv, C, 487.
- Bozal, vii, D, 140.
- Brabejum caliculatum*, iv, C, 148.
- lucidum*, vii, C, 330.
- Brachiararia*, i, s, 355.
- Brachida*, x, D, 127.
- Brachiolejeunea*, v, C, 311.
- repleta*, v, C, 311.
- Brachita terminata*, v, D, 225.
- Brachylia acronyctoides*, v, D, 168.
- Brachymenium*, iii, C, 18, 146; v, C, 313; viii, C, 72.
- coarctatum*, viii, C, 72; ix, C, 208.
- exile*, v, C, 146; viii, C, 72; ix, C, 208.
- nepalense*, iii, C, 18; v, C, 146, 313; viii, C, 72.
- Brachyepplus ornatus*, ix, D, 535.
- Brachyplatys*, iv, A, 554.
- complanata*, iv, A, 554.
- continua*, iv, A, 554.
- deplanatus*, iv, A, 554.
- frontalis*, iv, A, 554.
- liturifrons*, iv, A, 555.
- silphoides*, iv, A, 555.
- vahllei*, iv, A, 554.
- vanikorensis*, iv, A, 554.
- Brachypodium*, i, s, 269, 387; v, C, 332.
- silvaticum*, i, s, 174, 269, 312, 387.
- silvaticum* subsp. *luzoniense*, i, s, 269, 387; v, C, 332.
- silvaticum* var. *asperum*, i, s, 269, 387.
- Brachypterum*, v, C, 104.
- Brachypteryx brunneiceps*, vi, D, 40.
- poliogyne*, v, D, 137.
- Brachyrhyncharia*, iv, A, 579.
- Brachyrhynchinae*, iv, A, 579.
- Brachyrhynchus*, iv, A, 580.
- membranaceus*, iv, A, 580.
- tagalicus*, iv, A, 580.
- Brachysorus*, ii, C, 128.
- woodwardioides*, iii, C, 293.

- Brachysporium*, iii, C, 57.
 pini-insularis, iii, C, 57.
Brachytheciaceæ, v, C, 161; viii, C, 96; ix, C, 204.
Brachythecium, viii, C, 96.
 oxyrrhynchum, viii, C, 96.
Bracon alguéi, i, 693.
 banksi, i, 693.
 ricinicola, i, 693.
 tresignatus, i, 693.
 vau, i, 693.
Braconidæ, i, 693.
Braconinæ, i, 693.
Braconini, i, 693.
Bradburya, v, C, 109.
 plumieri, v, C, 109.
Bradlea, v, C, 73.
Bradlea philippica, iv, C, 103.
Bradlea philippensis, iv, C, 103.
Bradymerus æquecostatus, viii, D, 379.
 alternicostis, viii, D, 377.
 cæruleipennis, viii, D, 380.
 corinatus, viii, D, 379.
 corinthius, viii, D, 379.
 crenulicollis, viii, D, 379.
 cyaneipennis, viii, D, 379.
 elongatus, viii, D, 376.
 impressicollis, viii, D, 378.
 violaceus, viii, D, 379.
Bradypus, vi, D, 155.
Braganante, ix, A, 244.
Brain models and a method of modeling especially adapted for the central nervous system, iii, A, 293.
Brainea, iii, C, 302; vii, C, 47.
 insignis, iii, C, 302.
Brandy, v, A, 23.
 blackberry, vii, A, 24.
 coco palm, vii, A, 41.
 nipa palm, vii, A, 41.
 orange, vii, A, 410.
Bras-bras hitam, iv, C, 484.
Brassica, vii, C, 158; ix, C, 84.
 junceæ, iv, B, 223; vii, C, 183; ix, C, 84.
 napa, ix, C, 84.
 oleracea, ix, C, 84.
Braunfelsia, v, C, 138, 312; viii, C, 66.
 dicranoides, viii, C, 66; ix, C, 207.
 luzonensis, v, C, 138, 312; ix, C, 214.
 scariosa, v, C, 138.
Brazzania erosa, i, 662.
 praerupta, i, 662.
Brea, ii, A, 2.
 blanca, ix, C, 98.
Bread, neuritis-preventing value of rye, vii, B, 452.
 relation of beriberi and white, vii, B, 452.
Breadfruit, i, s, 43; vii, C, 193; viii, A, 64.
Breccias, suitability for wells, x, A, 286.
Breeding places of P. I. sea birds, vi, D, 167.
Brutelia, iii, C, 21; v, C, 149, 313; viii, C, 74.
 arundinifolia, iii, C, 21; v, C, 149; viii, C, 74.
 merrillii, iii, C, 21; v, C, 149, 313.
 sieberi, iii, C, 21.
Breviglume, i, s, 357.
Breyntia, i, s, 75; iii, C, 415; iv, C, 104; v, C, 356; vii, C, 161.
 acuminata, i, 391; i, s, 76; iv, C, 104.
 cernua, i, s, 75; iii, C, 415; iv, C, 105; vi, C, 208; ix, C, 426.
 cernua acutifolia, iv, C, 105.
 rhamnoides, v, C, 356; ix, C, 426.
Brick, natural cement versus, ix, A, 163.
 sand-lime, vii, A, 317.
Bridelia, i, s, 78; iv, C, 483; v, C, 356; vii, C, 161, 384; ix, C, 473.
 acuminatissima, ix, C, 473.
 glauca, ix, C, 474.
 ovata, vii, C, 385.
 platypylla, vii, C, 384.
 retusa, iv, C, 485.
 stipularis, i, 392; i, s, 78; ix, C, 426.
 subnuda, vii, C, 385.
 tomentosa, viii, C, 476.
 tomentosa var. *lancaefolia*, i, s, 78.
Bridge, a P. I. natural, vii, A, 291.
Bright's disease and its association with amoebiasis, i, 548.
British East Indies and Hongkong, exports of dried hides from the P. I. to, x, A, 352.
Briza eragrostis, viii, C, 159.
 oblonga, viii, C, 159.
Brizula, ii, C, 256.
Broderipus acrorhynchus, ii, A, 332.
Bromelia ananas, ix, C, 65.
 pigna, iii, C, 304.
Bromeliaceæ, i, s, 33; vii, C, 155; ix, C, 65.
Bromeliæfolia, ii, C, 147.
Bromheadia palustris, x, C, 189.
Bromus, i, s, 386; v, C, 332.
 luzoniensis, i, s, 387; x, C, 187.
 pallens, i, s, 386; x, C, 187.
 pauciflorus, i, s, 386.
Bronchi and trachea in plague, x, B, 289.
Bronchitis, v, B, 153.
Bronchomycosis, tropical. Observations on a new species of *Epidermophyton* found in *tinea cruris*, v, B, 197.
Bronthispa depressa, viii, D, 237.
Brooks, Bornean ferns collected by C. J., vi, C, 133.
Brothera, v, C, 139.
 leana, v, C, 139; ix, C, 209.
Broussonetia papyrifera, i, No. 5, 461.
Brownius armatus, i, 694.
Brownlowia elata, iv, C, 497.
 tabularis, iv, C, 497.
Brucea, i, s, 70; iii, C, 104; iv, C, 474; x, C, 18.
 amarissima, x, C, 18.
 luzoniensis, i, s, 70; iii, C, 104; x, C, 19.
 macrobotrys, x, C, 19.
 membranacea, i, s, 70.
 mollis, iii, C, 104; x, C, 19.
 sumatrana, iii, C, 104; x, C, 18.
Bruguiera, i, s, 102; vii, C, 163; ix, C, 118, 158.

Bruguiera—Continued.

- caryophylloides, iv, A, 206; iv, C, 527; ix, C, 189.
 conjugata, ix, C, 118.
 eriopetala, i, 675; iii, A, 535; iv, A, 206; iv, C, 527; vi, A, 50; x, C, 118.
 gymnorrhiza, i, s, 102; iii, A, 535; iv, A, 206; iv, C, 527; vi, A, 3, 50; vi, C, 213; ix, C, 118.
 parviflora, iv, A, 206; iv, C, 527; vi, A, 6, 51; vi, C, 213.
 sexangula, ix, C, 118.
 Brumus suturalis, v, D, 148.
 Brunet type, influence of P. I. climate on the, vi, B, 427.
 Brunfelsia, vii, C, 166.
 acuminata, vii, C, 202.
 americana, vii, C, 188.
 B'rus, iv, C, 527.
 Brush fibers, i, No. 5, 438.
 Bryaceæ, i, s, 12; iii, C, 18; v, C, 146, 313; viii, C, 71; ix, C, 204.
 Bryales, i, s, 11; ii, C, 339.
 Bryantia, iii, C, 68.
 Bryaxis dama, ix, D, 454.
 lævicollis, ix, D, 454.
 laticollis, ix, D, 453.
 manillensis, ix, D, 453.
 Bryocorinen, neue orientalische, x, D, 75.
 Bryological flora of the P. I., iii, C, 11; v, C, 137; viii, C, 65.
 Bryophyllum, v, C, 351; vii, C, 158; ix, C, 85.
 calycinum, iii, C, 84.
 pinnatum, v, C, 351; vi, C, 205; vii, C, 184; ix, C, 85.
 Bryophyta, i, s, 10; v, C, 310.
 Bryophytes, ix, C, 40.
 Bryum, i, s, 12; iii, C, 19; v, C, 147, 313; viii, C, 72.
 ambiguum, iii, C, 19; v, C, 147; viii, C, 72.
 argenteum, iii, C, 19; v, C, 147; viii, C, 72; ix, C, 207.
 capillaris, v, C, 148.
 chrysobasilare, iii, C, 19.
 compressidens, viii, C, 72; ix, C, 211.
 coronatum, i, s, 12; iii, C, 19; v, C, 147; viii, C, 72; ix, C, 211.
 diversifolium, v, C, 147.
 erectum, iii, C, 19; v, C, 147; viii, C, 72.
 ramosum, v, C, 148, 313; viii, C, 72; ix, C, 208.
 rubrolimbatum, v, C, 147.
 Buabua, iv, C, 356.
 Buan-buan, iii, A, 528; iv, B, 219.
 Bubalus, vii, D, 45.
 bubalis, vii, D, 45.
 kerabau ferus, vii, D, 45.
 mainitensis, vii, D, 45.
 mindorensis, ii, A, 201; ii, C, 256; vii, D, 45, 145.
 moellendorffi, vii, D, 45.
 Bubas, v, B, 433.
 Buboes, axillary plague, x, B, 279.
 cervical plague, x, B, 279.
 popliteal plague, x, B, 278.

Buboes—Continued.

- primary iliac plague, x, B, 277.
 suppuration of plague, x, B, 275.
 Bubonic plague, *see* Plague.
 Bubonidæ, iii, A, 278; iv, A, 69.
 Bubua, iv, C, 272.
 Bubud, i, 829; iv, A, 252; vi, D, 83, 239; vii, A, 101; viii, D, 104; ix, D, 476.
 Bubuleus, vi, D, 32.
 coromandus, ii, A, 283, 302, 321, 322, 339; iii, A, 277; v, D, 107, 220; vi, D, 41.
 Bucacao, i, s, 365.
 Bucaco, v, C, 279.
 Buccinidæ, viii, A, 258.
 Buccinum ventriosum, viii, A, 258.
 Bucerotidæ, iii, A, 275; iv, A, 71; v, D, 110; vi, D, 42.
 Buchananian, i, s, 84; vii, C, 161; x, C, 33.
 acuminata, x, C, 35.
 acuminatissima, x, C, 34.
 arborea, x, C, 190.
 arborescens, iii, C, 108; iv, C, 703; vi, C, 209; x, A, 355; x, C, 34.
 florida, i, 387, 638; iii, C, 108; ix, A, 504.
 florida var. arborescens, i, s, 84; ii, C, 374; iv, C, 487.
 latifolia, iv, C, 487.
 platyphylla, x, C, 33.
 reticulata, x, C, 35.
 sessilifolia, x, C, 35.
 Buchanga palawanensis, i, 908.
 Bucharis constricticollis, viii, D, 217.
 lævicollis, viii, D, 217.
 oculatus, viii, D, 217.
 Buchi buchid, ii, A, 344.
 Buchid, iii, C, 395.
 Buchnera, v, C, 386.
 urticifolia, v, C, 386.
 Bucida comintana, iv, C, 300, 644.
 Buckeye, Ohio, vi, A, 14.
 sweet, vi, A, 14.
 Bucklandia populnea, iv, C, 456.
 Bucton, i, 417.
 Bud Dajo, iii, A, 435.
 Buddleia, v, C, 378; vii, C, 164.
 asiatica, i, 428; v, C, 378.
 Budytes leucostriatus, i, 703, 908; ii, A, 290, 308, 332, 344, 349; v, D, 113.
 viridis, ii, A, 332.
 Bued River, vein gold deposits of, viii, A, 98.
 Buellia, viii, C, 111.
 lauricassiæ, viii, C, 112.
 pithecolobii, viii, C, 111.
 polyspora, viii, C, 112.
 punctiformis, viii, C, 111.
 triphragmia, viii, C, 112.
 vaccinii, viii, C, 111.
 Buellieæ, viii, C, 106.
 Buettneria, ix, C, 316.
 crenulata, ix, C, 316.
 echinata, ix, C, 316.
 Buffalos' milk, analyses of, viii, A, 151.
 Buga, vi, D, 84.
 Bugang, vi, C, 105.
 Bugaungon, iii, A, 279.
 Bugayong, v, C, 108.

- Bugna, iv, C, 95, 100, 101, 103.
 Bugnay, iv, C, 92.
 Buguing, iii, A, 528.
 Buhay, i, s, 64.
 Buhi, an unusual disease prevailing in epidemic form at, viii, B, 369.
 Buhis, vii, A, 104.
 Buitenzorg, beriberi experiments in Insane Asylum at, vii, B, 277.
 Bujuan, iii, C, 405; vi, C, 29.
 Bujucan, iv, C, 392.
 Bu-Kau, vii, D, 151.
 Bukidnons of Panay, x, A, 215.
 Bulacan, analysis of iron ore from Angat, v, A, 333.
 bacteriological examination of artesian wells in, viii, B, 443.
 coal fields of, v, A, 108.
 iron ores of, ix, A, 201.
 malaria and Anopheles surveys in, x, B, 205.
 microscopic study of the iron ores of, ix, A, 263.
 nipa palm experiments in, viii, A, 337.
 soils of, ix, A, 33.
 surra in, v, B, 42.
 Bulacbulac, i, s, 92.
 Bulai, v, C, 135.
 lava, v, C, 62.
 Bulailaua, v, C, 63, 64.
 Bulala, ix, A, 450.
 Bulan coastal plain, vi, A, 476.
 Bulankan, iv, C, 468.
 Bulauan, ix, D, 522.
 Bulbophyllum, i, s, 39; ii, C, 333; iv, C, 599, 674; vi, C, 54; vii, C, 23, 125; viii, C, 429; ix, C, 13, 70.
 adenopetalum, ii, C, 333; vii, C, 24, 126.
 aeolium, viii, C, 429.
 alagense, ii, C, 333; vii, C, 126.
 antenniferum, vi, C, 54; vii, C, 138.
 auratum, vii, C, 139.
 balaeniceps, vii, C, 126.
 bataanensis, i, 661; i, s, 39; iv, C, 599, 674; vii, C, 126.
 blumei, vii, C, 127.
 bolsteri, vii, C, 139.
 bontocense, vii, C, 135.
 braccatum, vii, C, 24, 126.
 canlaonense, vii, C, 136.
 careyanum, vii, C, 126, 140; viii, C, 430.
 cernuum, ii, C, 335.
 cheiri, vii, C, 127; viii, C, 429.
 chryseum, vi, C, 54; vii, C, 127.
 clemensæ, vii, C, 129.
 copelandii, vii, C, 127.
 cumingii, vi, C, 55; vii, C, 127; viii, C, 434.
 cuneatum, i, 661; i, s, 39; iv, C, 674; vii, C, 127.
 curranii, vii, C, 130.
 cuspidilingue, vii, C, 127.
 dasypetalum, i, 661; i, s, 39; ii, C, 333; vii, C, 24, 127; viii, C, 432.
 dearei, iv, C, 674; vii, C, 127.
 dissolutum, viii, C, 429.
 Bulbophyllum—Continued.
 elmeri, vii, C, 136.
 exile, vii, C, 127.
 fenixii, viii, C, 430.
 fimbriatum, vi, C, 55.
 gimagaanense, vii, C, 130.
 gnomoniferum, vii, C, 127.
 guamense, ix, C, 13, 70.
 halconense, ii, C, 334; vii, C, 127.
 lancipetalum, vii, C, 23, 127.
 lasianthum, vii, C, 127.
 lasioglossum, i, 661; i, s, 39; vii, C, 127.
 lepantense, vii, C, 131.
 longiflorum, vii, C, 127.
 luzonense, vii, C, 141.
 macgregorii, vii, C, 137.
 makoyanum, vi, C, 55, 197; vii, C, 127.
 marivelense, vii, C, 132.
 maxillare, vi, C, 54; vii, C, 127.
 mearnsii, viii, C, 430.
 merrittii, ii, C, 334; vii, C, 127.
 mindorensis, ii, C, 334; vii, C, 127.
 nutans, vii, C, 24, 128.
 orthoglossum, vii, C, 128.
 pauciflorum, vii, C, 132.
 penicillium, vii, C, 128.
 peramoenum, viii, C, 430.
 pleurothalloides, ii, C, 335; vii, C, 128.
 profusum, vii, C, 137; ix, C, 13, 70.
 ramosii, vii, C, 25, 128.
 reillol, viii, C, 431.
 saurocephalum, vii, C, 128.
 stellatum, vii, C, 141.
 toppingii, viii, C, 432.
 trisetum, vii, C, 142.
 uniflorum, viii, C, 429.
 vagans, ii, C, 335; vii, C, 128.
 vagans var. angustum, ii, C, 335; vii, C, 128.
 vanoverberghii, vii, C, 133.
 weberi, vii, C, 142.
 wenzelii, viii, C, 432.
 whitfordii, i, 661; i, s, 39; vii, C, 128.
 zambalense, vii, C, 134; viii, C, 433.
 zamboangense, viii, C, 433.
 Bulbostylis, i, s, 31; ii, C, 98; iii, C, 398; v, C, 334.
 barbata, i, s, 31; ii, C, 98; iii, C, 398; ix, C, 423.
 capillaris, ii, C, 98; v, C, 334.
 capillaris var. trifida, ii, C, 98.
 trifida, ii, C, 98.
 Bulbul, vi, C, 172.
 Bulgaria pusilla, v, C, 165.
 Bulgariaceæ, v, C, 165; viii, C, 192, 262.
 Bulgariastrum, viii, C, 497.
 caespitosum, viii, C, 497.
 Buli, vi, C, 114.
 Buliŋg, viii, D, 99.
 Bulla, ii, A, 395.
 ampulla, viii, A, 312; x, A, 248.
 sp., v, A, 329.
 Bullimus, vii, D, 30.
 bagobus, vii, D, 31.
 Bullock's heart, iv, B, 221; vii, C, 113; viii, A, 67.

- Bully tree, viii, A, 63.
 Buloc-buloc, iv, C, 648.
 Bulog, iv, C, 391.
 Bulolo, vi, D, 302.
 Bulong siri, v, C, 30.
 Buloy, i, s, 35.
 Bulu, iv, C, 530.
 Buluan Lake, v, A, 356.
 Bumaiyah, ix, D, 510.
 Bumug, iv, C, 357.
 Bunay, ix, D, 485.
 Buneg, iii, C, 362.
 Buñga, i, s, 32.
 macsin, i, s, 32.
 ng cauang, vi, C, 229.
 ng sipay, vi, C, 230.
 tree, iii, A, 195.
 Bungah malukut, iv, C, 523.
 Buñgan, iv, C, 334.
 Bungananes, i, 826.
 Bunganon, ix, C, 326.
 Bungas, iv, C, 644.
 Buñgayñgay, iii, A, 528.
 Bungkal, iv, C, 449.
 Bunglas, vii, C, 320.
 Bunguas, iv, C, 272.
 Bungu-bungu, iii, A, 528.
 Buñgulan, i, s, 36; x, C, 400.
 Buni, viii, D, 103.
 Bunkilan, vi, C, 28.
 Bunnayan, i, 826.
 Bunog, iii, A, 528; iii, C, 364.
 Bunsicag, v, C, 19.
 Bunsilac, v, C, 17.
 Bunsog, v, A, 174.
 Buntal, vi, C, 114; vii, B, 113.
 Buntog, iii, A, 276.
 Bunug, iii, C, 361.
 Bunut leon, iv, C, 695.
 Bunya, vii, C, 113.
 Buoy, ix, C, 91.
 Buprestides *recueillis aux îles Philippines* par
 C. F. Baker, ix, D, 83.
 Buquil, i, 806.
 Buquitquit, v, C, 116.
 Buracan, v, C, 114.
 Burauen, *solfataras* near, iv, A, 342.
 Buraus, iv, C, 643.
 Bureau of Science, library of the, v, A, 45.
 Buri, vi, C, 113.
 palm, *see* Palm, buri.
 Burial ceremony, an Ifugao, vi, D, 227.
 mounds of Camiguin Island, vi, D, 1.
 Burics, i, 851.
 Burmannia, i, s, 305; ii, C, 268; iv, C, 250.
 azurea, iv, C, 250.
 clementis, i, s, 305; ii, C, 268.
 coelestis, iv, C, 250.
 longifolia, ii, C, 254, 255, 268.
 nepalensis, i, s, 305.
 Burmanniaceae, ii, C, 268; iv, C, 250.
 Burnai, vii, A, 99, 386.
 Burning tests of P. I. Portland cement raw
 materials, ix, A, 79.
 Burrus, iv, C, 527.
 Bursa, viii, A, 266.
 spinosa, viii, A, 266.
 subgranosa, viii, A, 266.
 Bursera serrata, iv, C, 475.
 Burseraceae, i, 422; i, s, 70, 172; ii, A, 1; ii,
 C, 432; iii, C, 80, 141, 185; iv, C, 475,
 704; v, A, 179; vi, C, 206; vii, C, 160;
 vii, D, 139; viii, C, 372; ix, A, 555; ix,
 C, 98, 363; x, C, 274, 315.
 Bursaria inermis, ii, C, 430.
 Busao, iii, A, 193; viii, D, 90.
 Busaos, i, 851; ix, D, 499.
 Busensen, iii, C, 423.
 Buslugan, vi, C, 218.
 Buso, vi, D, 133.
 Busol, iii, A, 100; ix, D, 499.
 Busonia, x, D, 327.
 amentata, x, D, 328.
 mindanaensis, x, D, 328.
 scutellaris, x, D, 327.
 Buta, vii, C, 390.
 Butabuta, i, s, 82; ii, A, 325; iii, C, 8; iv,
 C, 485.
 Butadtad, iv, C, 396.
 Butarie, v, C, 32.
 Butastur indicus, i, 700, 904; ii, A, 283, 302,
 323; v, D, 108, 199.
 Butea frondosa, iv, C, 472.
 gyrocarpa, v, C, 119.
 Butek, vi, D, 82.
 Butete, iii, A, 529.
 Buteteñg saguñg, iii, A, 528.
 Butil, vii, D, 277.
 Butis butis, ix, D, 74.
 caperata, ix, D, 74.
 Butog, ii, A, 440.
 Buton agaga, ix, C, 81.
 apaca, ix, C, 81.
 Butonica speciosa, iii, C, 304.
 Butorides amurensis, ii, A, 302; iv, A, 68.
 javanica, i, 700; ii, A, 283, 312, 322, 339,
 345; iv, A, 68; v, D, 107.
 spodiogaster, ii, A, 353.
 Butpat, iv, C, 100.
 Butter, coconut, ix, A, 198.
 tree, iv, C, 539.
 Butterfish, iii, A, 529; v, D, 269; ix, D, 63.
 Butterfly fish, v, D, 283; ix, D, 71.
 Butternut, vi, A, 14.
 Buttingi, v, C, 131.
 Button factories, suggestions for establishing,
 vi, D, 303.
 Button-ball tree, vi, A, 15.
 Buttons, shells used in the manufacture of
 pearl, vi, D, 300.
 Butuan, a reconnaissance from Davao, Min-
 danao, over the divide of Sahug River
 to, including a survey from Davao to
 Mati, iii, A, 501.
 Butuhan, x, C, 391.
 Butulang, iv, C, 560.
 Buut, viii, D, 115.
 Buxaceae, i, s, 84; iv, C, 486; ix, C, 309.
 Buxbaumia, viii, C, 97.
 javanica, viii, C, 97.

- Buxbaumiaceæ, viii, C, 97; ix, C, 204.
 Buxus, i, s, 84; ix, C, 309.
 loheri, ix, C, 311.
 pachyphylla, ix, C, 310.
 rivularis, ix, C, 309.
 rolfei, i, s, 84; ix, C, 311.
 sempervirens, iv, C, 487.
 Buyo, iii, A, 192; ix, D, 509.
 buyo, iv, C, 692.
 Buyoc buyoc, iv, C, 692.
 Buzzard, the migration of the tie-wee, v, D, 199.
 Byas babaye, iii, C, 5.
 Byrsax cœnosus, viii, D, 381.
 cornutus, viii, D, 382.
 gibbifer, viii, D, 381.
 satanas, viii, D, 381.
 Bythophyton, v, C, 229.
 indicum, v, C, 229.
 Bythoscopidæ, x, D, 50, 191.
 Bythoscopinæ, x, D, 50, 318.
 Bythoscopus biarcuatus, v, D, 51.
 ferrugineus, v, D, 51.
 malayus, v, D, 51.
 unifascia, v, D, 51.
 unilineatus, v, D, 51.
 C
 Caba, iv, A, 503.
 Cabaicabai, v, C, 59.
 Cabal, i, s, 80, 100.
 Cabalcabalan, v, C, 50.
 Cabalian, Mount, iv, A, 344.
 Caballero, ii, A, 382; v, C, 52, 54; vii, C, 199; ix, C, 89.
 Caballo, ix, A, 242.
 Cabao, iii, C, 407.
 Cabasi, iii, A, 529.
 Cabatete, i, s, 88.
 Cabating, iv, C, 313.
 Cabatiti, vi, C, 209.
 Cabay cabay, v, C, 81.
 Cabcabo, v, C, 348.
 Cabeceria, vi, B, 78.
 Cabello del angel, ix, C, 133.
 Cabeza de barangay, ix, D, 478.
 de negro, vii, C, 113.
 Cabilia, vii, D, 275.
 Cabildo, viii, D, 171.
 Cabilian, v, C, 36.
 Cabitecabag, v, C, 57.
 Cablin, i, s, 40.
 Cabo negro, vi, A, 107, 196; vii, A, 112.
 Caborit, x, C, 360.
 Cabug, i, s, 310, 358.
 Cabuyao, i, s, 70; vi, A, 347; vii, A, 403; ix, A, 500.
 Cabyod, x, C, 360.
 Cacadli, iv, C, 100.
 Cacaguate, ix, C, 90.
 Cacahuate, iv, C, 461; ix, C, 90.
 Cacialia, coccinea, iii, C, 217.
 sagittata, iii, C, 217.
 Cacalum, v, C, 350.
 Cacana, iii, C, 328; iv, C, 91.
 Cacao, vi, D, 21; vii, C, 199; ix, C, 114.
 enzymes of, x, A, 123.
 insects affecting, i, 1070.
 Cacara, v, C, 136.
 erosa, v, C, 135; ix, C, 94.
 Caçatua hæmaturopygia, i, 904; ii, A, 283, 303, 312, 324; iii, A, 278; iv, A, 69; v, D, 108.
 Cacatuidæ, iii, A, 278; iv, A, 69; v, D, 108.
 Cacauate, i, s, 64; v, C, 74.
 Cachiman épineux, vii, C, 113.
 morveaux, vii, C, 113.
 Cachumba, i, 1031.
 Cacia intricata, x, D, 244.
 intricata var. disjuncta, x, D, 244.
 proteus, x, D, 243.
 ulula, x, D, 243.
 xenoceroides, x, D, 242.
 Cacoës nuciferae, viii, C, 100.
 Cacomantis, v, D, 104.
 merulinus, i, 702, 773, 905; ii, A, 285, 304, 313, 325; iii, A, 278; v, D, 136; vi, D, 42.
 Cactaceæ, vii, C, 163; ix, C, 116.
 Cacti, vii, C, 199.
 Cadena de amor, ix, C, 80.
 Cadiabung, v, C, 343.
 Cadios, v, C, 126.
 Cadjan, ix, A, 183.
 Cadlum, vii, C, 347.
 Cadra defectella, v, D, 177.
 Cæcum, adenocarcinoma and intussusception of the, x, B, 71.
 Cænopteris, ii, C, 191.
 Caesalpinia, i, s, 64; iii, C, 409; v, C, 53; ix, C, 88.
 arborea, v, C, 57.
 benguetensis, v, C, 55.
 bonduc, v, C, 54; ix, C, 88.
 bonducella, i, 1032; i, s, 64; ii, A, 440; v, C, 53.
 crista, v, C, 53; vii, C, 184; ix, C, 88.
 cucullata, v, C, 56.
 ferruginea, v, C, 57.
 glabra, v, C, 54; ix, C, 88.
 ignota, v, C, 56.
 inermis, v, C, 57; ix, C, 89.
 laevigata, iii, C, 304; v, C, 54.
 mimosoides, v, C, 55.
 nuga, i, 673; i, s, 64; iii, C, 304; v, C, 54; vi, C, 205; vii, C, 184; viii, C, 481.
 pulcherrima, iii, C, 409; v, C, 54; vi, C, 205; vii, C, 184; ix, C, 89.
 sappan, i, 1020; iii, C, 82; iv, C, 470; v, A, 447; v, C, 55; vii, C, 193; ix, C, 89.
 sepiaria, v, C, 55.
 sumatrana, v, C, 57.
 torquata, iv, C, 268; v, C, 57.
 Caesalpinioidæ, ix, C, 87.
 Cæsarean section, case report of obstructed labor and, x, B, 69.
 section, P. I. cases of, x, B, 65.
 Café, ix, C, 143.
 Cagac, ii, A, 324.

- Cagayan district, vi, A, 379.
 Province, malaria and Anopheles surveys in, x, B, 204.
 Valley, a statistical study of intestinal parasites in tobacco haciendas of the, vi, B, 77.
 Valley, coal in the, iii, A, 535.
 Valley, intestinal parasites in, v, B, 267.
 Valley, soils of, ix, A, 33.
- Cagong, vi, C, 2.
 Caguan, vi, D, 142.
 Cagucug, iv, C, 356.
 Caguindi, iv, C, 87.
 Caguio, i, s, 67; v, C, 126.
 Caguray, Mindoro, ix, B, 146.
 Cahel, iv, B, 221.
 Cahet, ix, C, 97.
 magas, ix, C, 97.
 Cahoy bod, iv, C, 392.
 cahoyan, iv, C, 86.
 dalaga, vi, C, 208.
 non, viii, B, 495.
 Caiñgan, ix, D, 492.
 Caiñgin, ii, A, 381; vii, C, 149; x, C, 373.
 deforestation resulting from the, x, A, 216.
 Caiñginero, vii, A, 12.
 Cainta, the men of, vi, D, 7.
 Cairocan, x, A, 196.
 Caja de depositos de la tesoreria general de hacienda, viii, D, 186.
 Cajan cajan, v, C, 126.
 inodorum, v, C, 126.
 Cajanus, i, s, 67; v, C, 126, 354; ix, C, 94.
 bicolor, v, C, 126.
 cajan, vii, C, 184; ix, C, 94.
 flavus, v, C, 126.
 indicus, i, s, 67; iii, C, 82; v, B, 67; v, C, 9, 126, 354; ix, C, 94.
 quinquepetalus, v, C, 81.
 volubilis, v, C, 127.
 Cajasi, iii, C, 400.
 Cajel, vi, A, 347; vii, A, 411.
 Cajeput tree, iv, C, 535.
 Cajocko, iv, C, 356.
 Caju, viii, A, 65.
 galedupa, v, C, 38, 102.
 ticcas major, iv, C, 460.
 Cajum, v, C, 102.
 Cajumayjumayan Valley, Cebu, ii, A, 390.
 Calabaza, iv, B, 222.
 Calabua, vi, C, 196.
 Calabure, iv, C, 496.
 Calactit, iv, C, 645.
 Caladium, ix, C, 65.
 bicolor, vii, C, 181.
 calocasia, ix, C, 64.
 heterophyllum, iii, C, 220.
 Calaguas, i, 818.
 Calaica, v, C, 80.
 Calamagrostis, i, s, 179, 269, 375; v, C, 330.
 arundinacea, i, s, 375.
 arundinacea var. nipponica, i, s, 174, 269, 312, 375.
 filifolia, i, s, 179, 375; v, C, 330.
- Calamagrostis—Continued.
 filifolia forma cleistogama, i, s, 180.
 nardifolia, i, s, 180.
 nipponica, i, s, 269, 375.
 setifolia, i, s, 180.
 Calamansacat, iv, C, 646.
 Calamansalay, i, 1026.
 Calamansali, iv, C, 643.
 Calamansanay, ii, C, 378; iv, C, 561; ix, A, 506.
 bark, x, A, 355.
 Calamansi, iv, B, 221; vi, A, 347; vii, A, 387, 413.
 Calamantao, iv, C, 267; v, C, 35.
 Calamaria bitorques, vi, D, 262.
 everetti, iv, A, 599; vi, D, 262.
 gervaisii, vi, D, 262.
 grayi, vi, D, 262.
 mearnsi, vi, D, 262.
 mindorensis, vi, D, 262.
 Calamasa, ix, C, 151.
 Calamay, iii, B, 186.
 Calamba, clays from, iii, A, 384.
 Calambayanga Island, iron ore on, x, A, 323.
 Calambibit, v, C, 53.
 Calambunog, iv, C, 691.
 Calamias, viii, A, 67.
 Calamina gigantea, i, s, 340.
 humilis, i, s, 332.
 mutica, i, s, 332.
 Calamintha, iii, C, 123; v, C, 333.
 repens, iii, C, 123.
 umbrosa, iii, C, 123; v, C, 333.
 Calamismis, v, C, 136.
 Calamondin, vii, A, 413.
 Calamospiza, ii, A, 263.
 Calamus, i, 664; i, s, 31; ii, C, 233; iii, C, 341, 399; iv, C, 621, 626; vi, C, 195; vii, C, 154; ix, C, 163.
 albus, iii, B, 248.
 arugda, iv, C, 622.
 blancoi, iv, C, 635.
 cumingianus, iii, C, 342.
 diepenhorstii var. exulans, iv, C, 627; vi, C, 230.
 diepenhorstii var. palimanac, iv, C, 628.
 dimorphacanthus, iii, C, 342; iv, C, 631.
 dimorphacanthus var. montalbanicus, iv, C, 631.
 dimorphacanthus var. zambalensis, iv, C, 632.
 discolor var. limoran, iv, C, 635.
 discolor var. negrosensis, iv, C, 635.
 filispadix, vi, C, 230.
 grandifolius, iv, C, 629.
 grandifolius var. saba-ang, iv, C, 631.
 halconensis, iv, C, 633.
 hookerianus, iv, C, 621; vi, C, 230.
 jenningsianus, iv, C, 623.
 merrillii, iv, C, 629.
 merrittianus, ii, C, 233; iv, C, 629.
 meyenianus, ii, C, 233.
 microcarpus, iv, C, 627; vi, C, 230.
 mindorensis, ii, C, 235; iv, C, 625.
 mitis, iii, C, 341, 399.

Calamus—Continued.

- mollis, iii, C, 342, 399; vi, C, 106.
 mollis var. major, i, 390; i, s, 31.
 mollis var. palawanicus, ii, C, 233.
 moseleyanus, ii, C, 235.
 ornatus, iv, C, 631.
 ornatus var. philippinensis, i, 417; i, s, 31; vi, C, 230.
 palustris, ii, C, 237; iv, C, 623.
 pudlus, iv, C, 627.
 reyesianus, ii, C, 237.
 rotang, iii, C, 304.
 siphonospatus, iii, C, 342; iv, C, 631.
 siphonospatus var. batanensis, iii, C, 342, 399.
 siphonospatus var. sublevis, i, s, 31.
 spinifolius, i, s, 31.
 trispermus, iv, C, 625.
 vidalianus, iv, C, 634.
 Calan, iv, B, 248.
 Calandra oryza, i, 155.
 oryzæ, viii, D, 10.
 Calandridæ, vii, D, 395.
 Calantas, ii, C, 379; iv, C, 481.
 Calanthe, i, s, 38; ii, C, 324; vii, C, 11; viii, C, 422; ix, C, 12, 70.
 angustifolia, ii, C, 324.
 curculiogoides, ii, C, 326.
 davaensis, viii, C, 422.
 furcata, i, s, 38; ii, C, 326.
 halconensis, ii, C, 324.
 hennisii, viii, C, 423.
 lacerata, vii, C, 11.
 mcgregorii, ii, C, 325.
 mindorensis, ii, C, 325.
 phajoides, ii, C, 324.
 pulchra, ii, C, 326.
 ramosii, vii, C, 12.
 triplicata, ii, C, 326; ix, C, 12, 70.
 veratrifolia, ii, C, 326.
 Calao, vi, D, 36.
 Calatit, iv, C, 643.
 Calapiin matulin, v, D, 213.
 Calapini, i, s, 122; iv, C, 648.
 Calasiao, vi, C, 115.
 Calates halomtana, ix, C, 91.
 Calathea fasciculata, iv, C, 196.
 Calatumbaga, v, C, 39.
 Calauag, i, s, 100.
 Calauas, i, 818.
 Calauinit, v, C, 54.
 Calaum, iv, C, 382.
 Calautit, iv, C, 643, 645.
 Calay, v, C, 22; x, C, 233.
 manoc, vi, C, 206.
 Calayacai, v, C, 62.
 Calayo, i, s, 87.
 Calbang, i, s, 389.
 Calcite, x, A, 84.
 Benguet, vi, A, 436.
 Calcite-quartz-manganese, alteration and enrichment in, of gold deposits, viii, A, 125.
 Calcium chloride, experiments on fowls fed on rice with the addition of calcium lactate and, viii, B, 359.

Calcium—Continued.

- hydrosilicate, sand-lime brick made with binder of, vii, A, 320.
 hydroxide-phenol, v, A, 371.
 hypochlorite, purification of water by means of, ix, A, 244.
 oxide, Portland cement affected by combined, vii, A, 144.
 Caldesia, ix, C, 259.
 parnassifolia, ix, C, 260.
 sagittarioides, ix, C, 259.
 Caldis, v, C, 126.
 Calduba obdenta, v, D, 173.
 Calentura, ii, B, 387.
 Calesiam grandis, iv, C, 489.
 Caletes apaca, ix, C, 81.
 Calgao, ix, D, 482.
 Caliacai, v, C, 129.
 Calian, iv, C, 103.
 Caliantang, i, s, 89.
 Caliaturholz, iv, C, 467.
 Calibambang, v, C, 45.
 Calibangbang, v, C, 43; vi, A, 301.
 Calibinung, iv, C, 690.
 Calibu, x, C, 369.
 Calidiopsis, vii, D, 381.
 speciosa, vii, D, 381.
 Calidris leucophæa, v, D, 107.
 Caligurgus sericosoma, i, 687.
 Calingag, i, s, 56; iv, A, 114; vi, C, 205; ix, A, 449.
 Calingas, i, 818.
 Calios, i, s, 43.
 Calipapa, iv, C, 557.
 aso, iv, C, 821.
 Caliscelidæ, x, D, 140.
 Caliscelinæ, x, D, 140.
 Calit-calit, i, s, 89.
 Callaeops periopthalmica, ii, A, 341.
 Callantra, viii, D, 323.
 Callianassa, viii, A, 293.
 dijkj, v, A, 329; viii, A, 248, 298.
 Calliandra saman, v, C, 16.
 Callicarpa, i, s, 121; ii, C, 299; iii, C, 215, 262, 430; iv, C, 553; v, C, 380; vii, C, 165, 338; ix, C, 134; x, C, 70.
 angusta, vii, C, 341.
 arborea, iv, C, 553.
 basilanensis, iii, C, 263.
 bicolor, i, s, 121.
 blancoi, i, s, 121; ix, C, 429, 513.
 caudata, ii, C, 299; v, C, 380; x, C, 71.
 cauliflora, vii, C, 338.
 denticulata, iii, C, 430.
 dolichophylla, vii, C, 339.
 elegans, vii, C, 338.
 erioclona, i, s, 121; ix, A, 450; ix, C, 350.
 formosana, i, s, 121, 176; vi, C, 221.
 lancifolia, x, C, 70.
 longifolia, x, C, 71.
 longifolia var. subglabra, vii, C, 340.
 megalantha, x, C, 71.
 ovata, iii, C, 215.
 paucinervia, ix, C, 134.
 pentandra, vii, C, 342.

Callicarpa—Continued.

- ramiflora, iii, C, 262; vii, C, 339.
 rivularis, vii, C, 340.
 stenophylla, v, C, 380; x, C, 71.
 subalbida, vi, C, 220.
 subglandulosa, x, C, 72.
 surigaensis, iii, C, 262.
 Callicostella, iii, C, 25; v, C, 157; viii, C, 83.
 papillata, iii, C, 25; v, C, 157; viii, C, 83; ix, C, 211.
 Callidea excellens, iv, A, 556.
 germari, iv, A, 557.
 nobilis, iv, A, 556.
 praslinia, iv, A, 556.
 Callimerus graciosus-pulchellus, viii, D, 303.
 schultzei, viii, D, 303.
 Callinesia fimbriolata, ix, D, 178.
 philippina, ix, D, 178.
 Calliodes rectifasciata, x, D, 353.
 Callionymidae, iv, A, 538; ix, D, 79.
 Callionymus curvicornis, ix, D, 79.
 hindsii, ix, D, 79.
 inversicoloratus, iv, A, 538.
 valenciennesi, ix, D, 79.
 Calliope calliope, i, 703.
 Calliphara, iv, A, 556.
 buquetii, iv, A, 556.
 excellens, iv, A, 556.
 nobilis, iv, A, 556.
 Calliphora erythrocephala, x, B, 320.
 vomitoria, x, B, 310.
 Callipteris, i, s, 17.
 alismaefolia, i, s, 171.
 cordifolia, ii, C, 4.
 esculenta, i, s, 17; ii, C, 4.
 pariens, iii, C, 299.
 prolifera, ii, C, 4.
 silvatica, iii, C, 297.
 Callirhipis antiqua, x, D, 273.
 bituberculata, x, D, 273.
 bowringii, x, D, 273.
 dissimilis, x, D, 274.
 helleri, x, D, 274.
 lineata, x, D, 277.
 montalbanensis, x, D, 275.
 nigriventralis, x, D, 275.
 occultus, x, D, 273.
 philippinensis, x, D, 276.
 tiaongona, x, D, 276.
 Calliscelio philippinensis, ix, D, 286.
 Callisitta, v, D, 104.
 aenochlamys, ii, A, 290.
 frontalis, i, 907.
 lilacea, ii, A, 290.
 mesoleuca, v, D, 187.
 aenochlamys, ii, A, 307; vi, D, 45.
 Callispa flavescens, viii, D, 237.
 Callistemones, vi, C, 351.
 Calliurichthys longicaudalis, iv, A, 540.
 neptunia, iv, A, 539.
 Callogong, vi, C, 125.
 Callopisma vitellinum, vi, A, 201.
 Callos, v, C, 126.
 Calucoy, i, s, 82.
 Callyna, ii, A, 372.
 costiplaga, ii, A, 372.
 Callyodon albipunctatus, iv, A, 526.
 dubius, ix, D, 70.
 hadji, iv, A, 525.
 latifasciatus, iii, A, 529.
 limbatus, ix, D, 70.
 ogos, iv, A, 527.
 rostratus, iv, A, 524.
 Calnag, iv, C, 100.
 Calobcob, iv, C, 365.
 Calobopsis albocincta, i, 689.
 pubescens, i, 689.
 Caloco, x, C, 360.
 Caloenas nicobarica, iii, A, 277.
 Calogcalog, v, C, 62.
 Calogyne, vii, C, 167.
 pilosa, ii, C, 434; vii, C, 197.
 Calomala, x, C, 44.
 Calomata, i, s, 69; vi, A, 344.
 Calonectria, iii, C, 45; viii, C, 255.
 copelandii, iii, C, 45.
 Calonut, vi, C, 14.
 Calonyction, ix, C, 131.
 aculeatum, vii, C, 189; viii, C, 505.
 album, vii, C, 189; ix, C, 131.
 bona-nox, iii, A, 265.
 Caloo, v, C, 108.
 Calopeop, iv, C, 365.
 Calopeziza viii, C, 449.
 mirabilis, viii, C, 449.
 Calophya, x, D, 261.
 luzonensis, x, D, 261.
 nigridorsalis, x, D, 262.
 Calophyllum, i, s, 96; iii, C, 420; iv, C, 291,
 504; v, C, 197; vii, C, 92, 162, 307; ix,
 C, 114, 454; x, C, 324.
 amplexicaule, v, C, 199; x, C, 326.
 auriculatum, iv, C, 291.
 blancoanum, vii, C, 92; x, C, 325.
 blancoi, iii, C, 420; iv, C, 703; v, C, 198;
 ix, A, 497; x, A, 196.
 cumingii, ix, A, 508.
 excelsum, ix, C, 115.
 ferrugineum, x, C, 324.
 glabrum, vii, C, 92.
 gracilipes, v, C, 197.
 inophyllum, i, 669; i, s, 96; ii, A, 440;
 ii, C, 391; iii, C, 78, 420; iv, C, 367,
 504; vi, C, 211; ix, C, 114, 189; x, A,
 107.
 kunstleri, vii, C, 307.
 pseudotacamahaca, i, s, 96.
 racemosum, v, C, 198.
 sp., ii, C, 391; iv, C, 713; vii, D, 237.
 spectabile, iii, C, 78; iv, C, 504.
 tomentosum, iv, C, 504.
 vanoverberghii, ix, C, 454.
 venulosum, iv, C, 292.
 wallichianum, i, 404, 637; i, s, 97; ii, A,
 440; ii, C, 391; x, A, 111.
 whitfordii, i, 638; i, s, 96; iv, C, 703; v,
 C, 198.

- Calories used for the production of 1 gram of new body substance in dogs, vi, B, 38.
- Calorimetry and the determination of the calorific value of P. I. and other coals by proximate analysis, iv, A, 171.
- Calornis panayensis, ii, A, 333.
- Calosoter amenetus, i, 691.
- Calotermes, viii, D, 272.
 formosæ, viii, D, 274.
 fucus, viii, D, 274.
 hozawæ, viii, D, 274.
 inamurai, viii, D, 272.
 koshunensis, viii, D, 273.
 kotoensis, viii, D, 274.
 ogasawaraensis, viii, D, 274.
 satsumaensis, viii, D, 274.
 satsumensis, viii, D, 273.
- Calotermitinæ, viii, D, 272.
- Calotes, v, D, 214.
- Calpandra lanceolata, iii, C, 78.
- Calubcob, iv, C, 361.
- Calubcub, iv, C, 348.
- Calucoy, ix, A, 504.
- Caluctot, x, C, 369.
- Calugcog, iv, C, 365.
- Calulit, vi, C, 17.
- Calulut, i, s, 121.
- Calumanog, iv, C, 643.
- Calumbibit, i, 1032; i, s, 64.
- Calumismis, vii, D, 275.
- Calumpang, i, s, 94; x, A, 108.
- Calumpinag, viii, B, 372.
- Calumpit, i, s, 103; ii, C, 380; iv, C, 532, 643, 644; ix, A, 450.
- Calupi, iv, C, 643.
- Calusit, iv, C, 643.
- Calutan, i, s, 91.
- Calutcalutan, i, s, 92.
- Calutit, iv, C, 644.
- Caluya Island, birds from, i, 697.
- Calvatia, ix, C, 253.
 lilacinum, ix, C, 253.
- Calvertius, vii, D, 392.
- Calves, muscular changes brought about by intermuscular injection of the virus of contagious pleuropneumonia into, vii, B, 525.
- Calycephallum grandiflorum, v, C, 242.
- Calymmodon, ii, C, 137.
- Calymperaceæ, iii, C, 13; viii, C, 68; ix, C, 204.
- Calymperes, iii, C, 14; viii, C, 68.
 clemensiae, viii, C, 69.
 orientale, vi, C, 191; viii, C, 68.
 polytrichoides, viii, C, 68.
 tenerum, iii, C, 14.
- Calypthranthes makal, iv, C, 403.
 ramiflora, iv, C, 386.
 zuzygium?, iv, C, 403.
- Calyptothecium, v, C, 154, 314; viii, C, 80.
 macgregorii, v, C, 154, 314.
 philippinense, ix, C, 206.
 ramosii, viii, C, 80.
 tumidum, v, C, 154; viii, C, 80; ix, C, 208.
- Calyptraea rugosa viii, A, 286.
- Calyptrella, v, C, 204.
- Calytranthes jambolana, iv, C, 386.
- Camachili, ix, C, 85.
- Camaching ore deposit, Bulacan, ix, A, 221.
- Camadada, iii, C, 433.
- Camagon, ii, C, 380; iv, C, 312, 545; ix, A, 449.
- Camaisa, iii, C, 305.
- Camalindo, ix, C, 87.
- Camanchile, v, C, 17; vii, C, 175.
 bark used for tanning material, x, A, 353.
- Camanchili, i, s, 61; iii, C, 305; vi, A, 17.
- Camang, ix, C, 111.
- Camangbuhu, iii, A, 516.
- Camangi, v, C, 68.
- Camansi, v, D, 109.
- Camansi, Cebu, coal at, x, A, 292.
- Camantigon, iii, A, 279.
- Camantigue leaves, iii, B, 247.
- Camantigui, iv, C, 695; ix, C, 107.
- Camaqui, ix, D, 485.
- Camarines, iron ore on Calambayanga Island, x, A, 323.
 Province, geologic reconnaissance in Caramoan Peninsula, x, A, 303.
- Camarotis, viii, C, 438.
 philippinensis, viii, C, 438.
- Camatecabag, v, C, 54, 56.
- Camatecabay, v, C, 29.
- Camatchile, vii, C, 175.
- Camates, iv, B, 221.
- Camatog, iv, C, 267; v, C, 35.
- Camatsile, v, C, 17.
- Camaya, iii, C, 425.
- Camayauan, i, s, 51.
- Camaysahan, iv, C, 289.
- Cambagaco Ridge and Vigo Valley, geologic section through, viii, A, 316.
- Cambogia binucao, iii, C, 366.
 venulosa, iii, C, 365.
- Camias, i, s, 68; iv, B, 221; viii, A, 67.
 camiasan, iv, C, 95.
- Camibiac, iii, C, 406.
- Camiguin Island, vi, A, 384.
 birds of, ii, A, 337.
 burial mounds of, vi, D, 1.
 number and intensity of shocks preceding the eruption of, viii, A, 214.
- Camiguinia, ii, A, 346.
 helenæ, iv, A, 73.
 personata, ii, A, 346; iv, A, 73.
- Caming, vii, C, 290.
- Camiring, vii, C, 290.
- Camisa, i, 807, 1026; iv, B, 250.
 de bacal, ix, A, 220.
- Camiseta, iv, B, 250.
- Camma, ix, D, 434.
 dilatata, ix, D, 424.
- Camonchiles, v, C, 17.
- Camonsil, v, C, 17; vii, C, 175.
- Camonsiles, v, C, 17.
- Camontayo, iv, C, 294.
- Camote, i, 809; i, s, 119; ii, A, 202; iii, A, 100, 202; iv, B, 222; vi, B, 136; vii, D, 138; ix, D, 496.

Camote—Continued.

- dance, i, 810.
 moro, ix, D, 502.
- Camoting cahoy, i, s, 81; iii, A, 93; iv, B, 222.
- Camotpusa, vii, D, 276.
- Camp Eldridge, epidemic of typhoid fever at, vi, B, 328.
 Gregg, vi, B, 329, 469.
 John Hay, vi, B, 431.
 Jossman, vi, B, 431, 469.
 Keithley, vi, B, 431.
 Stotsenburg, vi, B, 431, 469.
- Campanello, vii, C, 199.
- Campanile sp., v, A, 329.
- Campanilla, vi, C, 219.
- Campanulaceæ, i, s, 241; ii, C, 308; iii, C, 216; v, C, 392; vi, C, 227; vii, C, 104, 167.
- Campanulatæ, i, s, 137.
- Campanumoea, iii, C, 216; vii, C, 104.
 axillaris, vii, C, 104.
 celebica, iii, C, 216.
 truncata, vii, C, 104.
- Camphora officinalis, ix, D, 254.
- Camphorwood, iv, C, 453.
 Bornean, iv, C, 514.
- Camphyllum, viii, C, 85.
 glaucocarpus, viii, C, 85.
- Campilanes, iv, A, 240.
- Campnosperma wallichii, iv, C, 488.
 zeylanicum, iv, C, 488.
- Campochæra, ii, A, 355.
- Camponotinae, i, 689.
- Camponotus cinerascens, i, 689.
 femoratus, v, D, 73.
 gigas, i, 689.
 horrens, v, D, 127.
 maculatus subsp. pallidus, v, D, 127.
 maculatus subsp. subnudus, v, D, 127.
 mæschii, v, D, 129.
 nigricans, i, 689.
 nutans, v, D, 130.
 pallidus, i, 689.
 pennsylvanicus var. japonicus, i, 689.
 platypus, i, 689.
 pubescens, v, D, 127.
 quadrilaterus, v, D, 128.
 quadrisectus, i, 689; v, D, 73, 127.
 rubripes, v, D, 69.
 rubripes subsp. compressus, v, D, 69.
 sexguttatus, v, D, 127.
 vitreus, v, D, 127.
- Campophagidæ, ii, A, 355; iii, A, 279; iv, A, 73; v, D, 111; vi, D, 43.
- Campoplegini, i, 692.
- Camps for the treatment of tuberculosis, iv, B, 316.
- Camptandra, iv, C, 155.
- Camptoteleia, ix, D, 296.
 carinata, ix, D, 296.
 cupularis, ix, D, 298.
 excavata, ix, D, 296.
 flavipennis, ix, D, 297.
 magna, ix, D, 296.
- Campylocentrus, x, D, 377.
 falco, x, D, 377.
- Campylodontium, iii, C, 24; v, C, 155; viii, C, 82.
 flavesceus, iii, C, 24; v, C, 155; viii, C, 82.
- Campylopodium, v, C, 137; viii, C, 66.
 euphorocladum, v, C, 137; viii, C, 66.
- Campylopus, iii, C, 12; v, C, 139, 312.
 caudatus, iii, C, 12; v, C, 139.
 densinervis, v, C, 312.
 diversinervis, v, C, 140.
 foxworthyi, v, C, 139.
- Camungayon, ii, A, 382.
- Camuning, i, s, 69; iv, C, 474.
- Camut cabag, iv, C, 269.
 pusa, iv, C, 269; v, C, 57.
- Camuyao, vi, C, 247.
- Cam-xé, iv, C, 463.
- Canacan, vi, C, 272.
- Canal Zone and Mindoro, comparison of sanitary problems in, ix, B, 185.
- Cananga odorata, i, s, 53; iii, A, 65; iv, C, 450; ix, C, 83.
 virgata, x, C, 240.
- Canangium, i, s, 53; vii, C, 158; ix, C, 83.
 odoratum, i, 406; i, s, 53, 191; iii, A, 65; iv, C, 450, 717; vi, A, 333; ix, A, 444; ix, C, 83.
- Canara, x, C, 406.
- Canarem, iii, C, 426.
- Canarium, i, s, 70; iii, C, 141, 185; vii, C, 160; viii, C, 372; ix, C, 98, 160, 363; x, C, 19, 274, 315.
 ahernianum, i, 415; i, s, 70; ix, C, 365.
 asperum, iii, C, 141.
 barnesii, x, C, 22.
 bersamifolium, i, s, 71.
 calophyllum, x, C, 25.
 caudatifolium, x, C, 315.
 clementis, iii, C, 142; ix, C, 364.
 commune, ii, A, 2; iv, A, 94; iv, C, 475; ix, C, 98.
 connarifolium, x, C, 30.
 crassifolium, x, C, 274.
 cumingii, iii, C, 80; ix, C, 364; x, C, 20.
 dolichophyllum, x, C, 20.
 ellipsoideum, x, C, 26.
 euphlebium, viii, C, 372.
 fuscum, iii, C, 185.
 heterophyllum, x, C, 19.—
 indicum, ix, C, 98.
 lagunense, x, C, 21.
 lucidum, i, s, 71.
 luxurians var. monstrosum, iv, C, 307.
 luzonicum, i, s, 71; ii, A, 2; iii, C, 80, 306; iv, A, 94; iv, C, 709; v, A, 258; v, C, 71; ix, A, 448; x, C, 24.
 nitens, x, C, 24, 274, 315.
 oliganthum, x, C, 23.
 ovatum, vi, C, 206; ix, C, 93.
 pachyphyllum, ii, A, 2; vi, C, 206; ix, C, 98; x, A, 109.
 paucinervium, ix, C, 364.
 perkinsiae, vi, C, 206; x, C, 26.

Canarium—Continued.

- racemosum, iii, C, 141.
 radikoferi, i, s, 71.
 ramosii, viii, C, 374.
 ramosii var. parvum, viii, C, 375.
 reticulatum, iii, C, 141.
 sanchezii, x, C, 27.
 stenophyllum, x, C, 25.
 villosum, i, 387, 644; i, s, 71; iii, C, 80;
 iv, A, 94; iv, C, 709; v, A, 257; vii,
 D, 189; viii, C, 490; ix, A, 448; ix, C,
 364; x, A, 855; x, C, 22.
 wenzelii, ix, C, 363.
 williamsii, iii, C, 185.
- Canavalia, i, s, 67; iii, C, 410; v, C, 124; vii,
 C, 160; ix, C, 92; x, C, 13.
 ensiformis, i, s, 67; v, C, 125; vii, C, 184;
 ix, C, 93, 425.
 ensiformis var. turgida, v, C, 124.
 gladiata, v, C, 9, 126; vii, C, 184.
 lineata, iii, C, 410; v, C, 125; vii, C, 184;
 ix, C, 92, 425.
 macrobotrys, x, C, 13.
 megalantha, ix, C, 93.
 obtusifolia, i, 668; i, s, 67, 293; iii, C, 81,
 410; v, C, 124; ix, C, 92.
 turgida, iii, C, 81, 410; v, C, 124; vi, C,
 205; viii, C, 282; ix, C, 92.
 virosa, v, C, 124.
- Canawa, iv, C, 690.
- Cancer, treatment of, iv, B, 391.
- Cancon, ix, C, 132.
- Cancong, iv, B, 223.
- Cancerum oris, i, 558.
- Candamay, vi, C, 14.
- Candaroma, v, C, 28.
- Candelaria, viii, C, 99.
 callopizodes, viii, C, 99.
 fibrosa forma indica, viii, C, 99.
 indica, viii, C, 99.
- Candle nut, ii, A, 440; iv, C, 483.
- Candoli, iv, B, 219.
- Candollina barthei, iv, C, 144.
 haenkeana, iv, C, 144.
 malifolia, iv, C, 144.
- Cane, method of harvesting sugar, vii, A, 359.
- Canceelappel, vii, C, 113.
- Canella alba, vi, A, 201.
- Cangil, iv, C, 90.
- Cangu, iv, C, 519.
- Canguinsa clay-tuff, Leyte, x, A, 250.
 River, geologic section from Balinsog
 Hill to the bed of, viii, A, 318.
 sandstone, Bontoc Peninsula, viii, A, 328.
- Canidae, vi, D, 158.
- Canifii, x, C, 360.
- Canna, i, s, 37; iv, C, 197; v, C, 340, 467;
 vii, C, 156; ix, C, 69.
 coccinea, vii, C, 182.
 edulis, vii, C, 182.
 flaccida, vii, C, 182; ix, C, 69.
 glauca, iv, C, 198; vii, C, 182.
 indica, i, s, 37; iv, C, 198; v, C, 340; vi,
 C, 197; vii, C, 182; ix, C, 69.
 orientalis, iv, C, 198.

Canna—Continued.

- warecewiczii, vii, C, 182.
- Cannac, v, C, 98.
- Cannaceae, i, s, 37; iv, C, 197; v, C, 340; vi,
 C, 197; vii, C, 156; ix, C, 69.
- Canomay, iv, C, 396; vi, C, 348.
- Canomoi, i, s, 114; iv, C, 311.
- Canonucan, ix, C, 331.
- Canot-canot, vi, D, 309.
- Cansasaga, v, C, 108.
- Canscora, vii, C, 164.
- Cansilay, iv, C, 294, 337.
- Cansjera, vii, C, 265.
 grossularioides, ix, C, 463.
 malabarica, vii, C, 265.
 manillana, vii, C, 233.
 pentandra, ix, C, 462.
 rheedii, vii, C, 265; ix, C, 462.
 scandens, vii, C, 265.
- Cantao, v, D, 57.
 intermedius, v, D, 57.
 ocellatus, v, D, 57.
 rufipes, v, D, 58.
- Cantharosperrum, v, C, 3, 127; vii, C, 159;
 ix, C, 93.
 scarabaeoides, v, C, 128; ix, C, 93, 425.
 volubile, v, C, 127.
- Canthelea, v, D, 178.
 aegnusalis, v, D, 178.
- Canthium, iv, C, 560.
 arboreum, viii, C, 48.
 bipinnatum, viii, C, 48.
 didymum, iv, C, 560.
 gynochthodes, i, s, 131.
 lyciodes, viii, C, 50.
 mite, i, s, 131; viii, C, 48.
 monoflorum, viii, C, 50.
 pedunculare, i, s, 131; viii, C, 50.
 sp., ix, A, 499.
 villarii, i, s, 131.
- Canumai, vi, C, 219.
- Canyan, x, C, 360.
- Caña, vi, C, 110.
 boho, i, 857, 1078; i, s, 29, 389; v, A,
 237; v, C, 276; vii, A, 121.
 dulce, i, s, 323.
 espinosa, vi, C, 110.
 fistula, iv, C, 463; v, C, 48; ix, C, 88.
 pistola, v, C, 48.
- Cañao, i, 821; iv, A, 247; ix, D, 472.
- Caong, vi, A, 107.
- Capas, vi, C, 343.
- Capellia, ix, C, 520.
- Capitonidae, iv, A, 72; vi, D, 42.
- Capnella, viii, D, 435; ix, D, 240; x, D, 2, 209.
 capitulifera, viii, D, 435.
 fungiformis, viii, D, 445.
 gilchristi, viii, D, 451.
 imbricata, viii, D, 444.
 manaarensis, viii, D, 451.
 morula, viii, D, 451.
 parva, viii, D, 446.
 philippinensis, viii, D, 436; x, D, 160.
 philippinensis var. albida, viii, D, 443.
 philippinensis var. arborea, viii, D, 441.
 philippinensis var. mindorensis, viii, D,
 440.

Capnella—Continued.

- ramosa, viii, D, 448; x, D, 160.
 rugosa, viii, D, 451.
 spicata, viii, D, 448.
 Capnodiaceæ, viii, C, 395.
 Capnodium, viii, C, 395, 478.
 Capon, iii, C, 409; v, C, 59.
 Capotena, ii, A, 365.
 spatulata, ii, A, 365.
 Capparidaceæ, i, s, 58; iii, C, 77, 101, 182, 407; iv, C, 455; vi, C, 205; vii, C, 158, 235, 270; ix, C, 84, 425; x, C, 303.
 Capparid, i, s, 58; iii, C, 101; vi, C, 346; vii, C, 158, 235, 270; ix, C, 84; x, C, 303.
 affinis, x, C, 303.
 aurantioides, iii, C, 77.
 baducea, vii, C, 235.
 cerasifolia, iii, C, 77.
 cordifolia, vii, C, 194, 235; ix, C, 84.
 cumingii, iii, C, 101.
 grandis, iv, C, 455.
 horrida, i, s, 58; iii, C, 77; viii, C, 482; ix, C, 425.
 littoralis, vii, C, 270.
 lobbiana, vii, C, 270; x, C, 305.
 loheri, vii, C, 270.
 mariana, vii, C, 235; ix, C, 84.
 micracantha, i, s, 58; iii, C, 77, 305; ix, C, 425; x, C, 305.
 oblongata, i, s, 58.
 odorata, iii, C, 77.
 palawanensis, x, C, 304.
 sepiaria, iii, C, 77; viii, C, 499; x, C, 304.
 spinosa, ix, C, 84.
 spinosa var. mariana, vii, C, 235.
 venosa, x, C, 305.
 Capriflication in *Ficus nota*, viii, D, 63.
 Caprifoliaceæ, i, s, 137, 240; ii, C, 307; iv, C, 328; v, C, 391; x, C, 284.
 Caprimulgidæ, iv, A, 71.
 Caprimulgus, v, D, 104.
 griseatus, i, 701; ii, A, 271, 303; v, D, 219.
 jotakā, i, 904.
 macrurus, i, 904.
 manillensis, i, 701; ii, A, 303, 313, 325.
 Capriola, i, s, 309.
 dactylon, i, s, 377; ix, C, 57.
 Capritermes, viii, D, 279.
 nitobei, viii, D, 279.
 sulcatus, viii, D, 279.
 Capsella elongata, vii, D, 278.
 Capsicum, i, s, 123; iii, C, 433; vii, C, 166; ix, C, 137.
 annuum, iii, A, 300; vii, C, 188; ix, C, 137.
 annuum var. cerasiforme, ix, C, 137.
 annuum var. grossum, ix, C, 137.
 frutescens, i, s, 123; iii, C, 433; iv, B, 223; v, A, 441; vi, C, 221; vii, C, 188; ix, C, 137.
 Capsidæ, iv, A, 591; v, D, 63.
 Capsinæ, iv, A, 591.
 Captos, iii, C, 398.
 Capulus, vi, A, 411.
 sp., v, A, 329.
 Capura nigrescens, i, s, 87.
 pinnata, i, s, 87; viii, C, 459.
 purpurata, i, s, 87.
 Capurco, v, C, 50; vii, C, 176.
 Carab abuhon, ii, A, 319.
 anchel, vii, A, 24.
 itumon, ii, A, 319.
 Carabao, iv, A, 242.
 a study of the normal blood of the, viii, B, 59.
 an atypical case of rinderpest in a, ix, B, 45.
 Carabaos, composition of the milk of, viii, A, 151.
 difference in susceptibility to cattle plague among cattle and, iv, B, 425.
 simultaneous method of inoculating cattle and, ix, B, 125.
 Caracuta malayica, x, D, 299.
 Caradrina, ii, A, 371.
 quadripunctata, ii, A, 371.
 Caragumoy, vi, C, 120.
 Carail, v, C, 22.
 Caral, v, C, 22.
 Carallia, i, s, 102; iii, C, 248.
 integerrima, i, 387; i, s, 102; iv, C, 527; ix, A, 507.
 Carambola, vii, C, 199.
 Caramoan Peninsula, vi, A, 456, 469.
 geologic reconnaissance in, x, A, 303.
 Carangidæ, iii, A, 517; iv, A, 505; v, D, 270; ix, D, 62.
 Caranglang, ix, C, 332.
 Caranx, ix, D, 221.
 auriga, iv, A, 505.
 boëps, iii, A, 525; ix, D, 62.
 brevis, v, D, 271.
 butuanensis, iv, A, 506.
 calla, ix, D, 62.
 djeddaba, ix, D, 62.
 freeri, iii, A, 525.
 ignobilis, iii, A, 517.
 ira, v, D, 271.
 malabaricus, ix, D, 62.
 megalapais, v, D, 271.
 ophthalmotænia, ix, D, 62.
 rhabdotus, v, D, 270.
 semisomnus, v, D, 270.
 sexfasciatus, iii, A, 529; v, D, 270.
 speciosus, v, D, 270.
 Carapa moluccensis, i, s, 71; iv, C, 482.
 obovata, iv, C, 482.
 Carbohydrate reactions of the dysentery bacillus, viii, B, 123.
 Carbon bisulphide, viii, D, 14.
 dioxide, analyses and calorific value of Philippine coals stored in nitrogen and, vii, A, 312.
 dioxide, blood in Asiatic cholera containing, vi, B, 65.
 dioxide, evolution from Manila copal of, v, A, 220.

Carbon—Continued.

- dioxide, formation from methyl salicylate of, viii, A, 3.
 Carbonate binder, making sand-lime brick with, vii, A, 319.
 sand-lime brick with mixed silicate and, vii, A, 322.
 Carboxyl and hydroxyl, the mutual influence of, viii, A, 33.
 Carchariidæ, v, D, 263.
 Carcharodon megalodon, viii, A, table facing page 252.
 Carcinoma, the specific treatment of, iv, B, 391.
 Cardamine, i, s, 194; iii, C, 100; v, C, 350.
 angulata, iii, C, 100.
 debilis, iii, C, 101.
 flexuosa, iii, C, 100.
 heterophylla, iii, C, 100.
 hirsuta, iii, C, 100.
 parviflora, i, s, 175, 194; iii, C, 100.
 regeliana, iii, C, 100; v, C, 350.
 sylvatica, iii, C, 100.
 sylvatica var. kamschatica, iii, C, 100.
 Cardiidæ, viii, A, 277.
 Cardinal fish, iii, A, 529; v, D, 274; ix, D, 63.
 Cardiochiles philippinensis, i, 693.
 Cardiochilinæ, i, 693.
 Cardiophorus bakeri, ix, D, 446.
 elegans, ix, D, 446.
 Cardiopteryx, ii, C, 423.
 lobata var. moluccana, ii, C, 423.
 moluccana, ii, C, 423.
 rumphii var. integrifolia, ii, C, 423.
 Cardiospermum, iii, C, 418; vii, C, 161; ix, C, 107.
 halicacabum, iii, C, 418; vii, C, 186; ix, C, 107.
 halicacabum var. microcarpum, viii, C, 443.
 Cardis, v, C, 126.
 Cardita, viii, A, 279.
 boettgeri, v, A, 329; viii, A, 279.
 decipiens, viii, A, 248.
 Cardium, viii, A, 277.
 donaciforme, vii, D, 277.
 edule, vii, D, 276.
 elongatum, viii, A, 277.
 flavum, viii, A, 277.
 rugosum, v, A, 329.
 sp., viii, A, 325; x, A, 199.
 Carex, i, s, 31; ii, C, 107, 263; iii, C, 220, 399; iv, A, 23; v, C, 334; vi, C, 58; ix, C, 58.
 amboinica, ii, C, 106.
 baccans, ii, C, 108; v, C, 334; vi, C, 59.
 bengalensis, ii, C, 107.
 bengalensis var. scaberrima, ii, C, 107.
 breviculmis subsp. royleana, vi, C, 62.
 breviculmis subsp. royleana var. kingiana, v, C, 335.
 breviculmis var. kingiana, vi, C, 62.
 brunnea, i, s, 31; ii, C, 107; v, C, 335; vi, C, 63.
 brunnea var. subteiogyna, vi, C, 63.

Carex—Continued.

- capillacea, ii, C, 107.
 ceylanica, vi, C, 59.
 continua, i, 663; i, s, 31; ii, C, 107; vi, C, 59.
 cruciata, ii, C, 107; iii, C, 399.
 cryptostachys, iii, C, 220; vi, C, 62.
 cumingiana, vi, C, 61.
 cumingii, ii, C, 107; vi, C, 61.
 densiflora, ix, C, 58.
 elmeri, vi, C, 64.
 fibrata, vi, C, 61.
 filicina, ii, C, 107, 263; v, C, 335.
 filicina forma depauperata, vi, C, 59.
 filicina forma saturata, vi, C, 59.
 filicina var. ceylanica, vi, C, 59.
 fuirenoides, ii, C, 107; ix, C, 58.
 fuirenoides var. cirrhulosa, vi, C, 61.
 graeffeana, ii, C, 107; v, C, 335; vi, C, 62.
 haenkeana, x, C, 188.
 indica var. fissilis, vi, C, 59.
 japonica, vi, C, 63.
 ligata var. nexa, vi, C, 63.
 lindleyana, vi, C, 61.
 loheri, ii, C, 108; v, C, 335; vi, C, 64.
 loheri forma grandimacula, vi, C, 64.
 merrillii, vi, C, 63.
 mollicula, vi, C, 63.
 nikkoënsis, vi, C, 59.
 nodiflora, vi, C, 61.
 phacota, vi, C, 62.
 pseudo-cyperus var. haenkeana, x, C, 188.
 pycnothyrsos, vi, C, 60.
 rafflesiana, vi, C, 59; viii, C, 282.
 rafflesiana var. continua, vi, C, 60.
 rafflesiana var. scaberrima, v, C, 335; vi, C, 60.
 ramosii, vi, C, 63.
 rara subsp. capillacea, v, C, 335; vi, C, 58.
 rhizomatosa, ii, C, 108; vi, C, 61.
 rhynchachaenium, i, s, 31; ii, C, 108; vi, C, 62.
 scaberrima, ii, C, 107; vi, C, 60.
 subtransversa, ii, C, 108; vi, C, 63.
 tristachya var. poeciliformis, v, C, 335; vi, C, 62.
 turrita, ii, C, 108; vi, C, 63.
 walkeri var. turrita, vi, C, 63.
 Careya arborea, iv, C, 526.
 Cargador, v, B, 506.
 Caribud, x, C, 369.
 Carica, i, s, 100; vii, C, 163; ix, C, 116.
 papaya, i, s, 100; iv, B, 222; vii, C, 187; vii, D, 146; viii, A, 69; viii, C, 283, 483; ix, C, 116, 427; x, A, 1.
 Caricaceæ, i, s, 100; vii, C, 163; ix, C, 116, 427.
 Caricandra, ii, C, 107.
 Caricinicæ, ii, C, 107.
 Caricis sp., iii, C, 41.
 Caricoidæ, vi, C, 57.
 Caridina sp., x, D, 11.
 Carifurog, iv, C, 648.
 Carinas, i, s, 97.
 Carintha herbacea, ix, C, 143.
 Cariocan, vi, C, 283.

- Carionia triplinervia*, v, C, 209, 368.
Carisquis, v, C, 20, 23.
Carissa, ix, C, 128.
 grandiflora, ix, C, 128.
Cariuas, ix, A, 500.
Carlea oblongifolia, iii, C, 7.
Carludaria palmata, vi, C, 123.
Carmay, iv, C, 87, 101.
Carmona heterophylla, iv, C, 692.
Carmonea heterophylla, iv, C, 692.
Carnivora, vii, D, 20.
Carobcob, iv, C, 365.
Carp, ix, D, 60.
Carpesium, i, s, 243; v, C, 397.
 abrotanoides, i, s, 243.
 cernuum, i, s, 243; v, C, 397.
 cernuum var. *glandulosum*, i, s, 243.
Carpinus caroliniana, vi, A, 15.
Carpocoraria, iv, A, 560.
Carpomys, vii, D, 33.
 melanurus, vii, D, 33.
 phaeurus, vii, D, 33.
Carpophaga aenea palawanensis, i, 903.
Carpopogon giganteum, v, C, 116.
 imbricatum, v, C, 116.
 niveum, v, C, 117.
 pruriens, v, C, 117.
Carra, i, s, 74, 105; iv, C, 383; ix, A, 504.
Carriedo y Peredo, Francisco de, viii, D, 165.
Carruthersia, i, s, 118; iii, C, 261.
 imberbis, x, C, 68.
 laevis, x, C, 69.
 macgregori, iii, C, 261.
 pilosa, i, s, 118; iii, C, 261.
Carsidara, x, D, 263.
Carterii, iii, B, 470.
Carthamin, v, A, 442.
Carthamus tinctorius, v, A, 442.
Carucabagao, ix, C, 294.
Carumbium populneum var. *minus*, vii, C, 390.
Carutad, iv, C, 330.
Carvilan, v, C, 98.
Carybdea alata var. *moseri*, ix, D, 196.
 rastonii, ix, D, 196.
Carybdeidae, ix, B, 292; ix, D, 197.
Caryophyllaceae, i, s, 175; iii, C, 77, 97; v, C, 346; x, C, 302.
Caryophyllia, viii, A, 287.
 compressa, viii, A, 287.
 laogana, viii, A, 287.
 malaccensis, iv, C, 354; ix, C, 121.
Caryospermum philippinensis, v, C, 359.
Caryota, vii, C, 154; ix, C, 165.
 tremula, iv, C, 612.
 urens, vi, A, 105.
Casaarina litorea, ix, C, 71.
Casai, v, C, 20.
Casas consistoriales, viii, D, 181.
Casasaga, v, C, 108.
Casay, v, C, 15, 22.
Cascabeles, ix, C, 89.
Cascanetas, ix, C, 89.
Casearia, i, s, 99; vii, C, 163; ix, C, 326; x, C, 277, 329.
 brevipes, ix, C, 326.
Casearia—Continued.
 cinerea, i, 639; i, s, 99; ix, C, 329, 427.
 crenata, i, 655; i, s, 99.
 fuliginosa, i, 406, 640; i, s, 99; ix, C, 328.
 glomerata, iv, C, 521.
 grewiaefolia, i, s, 99; ix, C, 329.
 loheri, ix, C, 327.
 phanerophlebia, x, C, 277.
 philippinensis, x, C, 329.
 polyantha, i, s, 99; ix, C, 328.
 silvestris, viii, C, 394.
 solida, i, 643; i, s, 99; ix, C, 290.
 subcordata, ix, C, 328.
 tomentosa, iv, C, 521.
 truncata, ix, C, 329.
Casease, tests for, x, A, 126.
Cashew, i, 398; iv, B, 221; viii, A, 65.
Cashew nut, see *Nut, cashew*.
Casitas, v, C, 50.
Casla, i, 1036.
Casnonidea, viii, D, 45.
 albopilosa, viii, D, 46.
 atricapilla, viii, D, 46.
 brevicollis, viii, D, 56.
 colon, viii, D, 50.
 conceavipes, viii, D, 54.
 diversipes, viii, D, 52.
 diversipes var. *dissimilis*, viii, D, 53.
 impressifrons, viii, D, 46.
 mimica, viii, D, 43.
 mollis, viii, D, 46.
 perforata, viii, D, 47.
 serra, viii, D, 51.
 tenera, viii, D, 49.
 terminata, viii, D, 50.
 villosa, viii, D, 47.
Casoy, iv, B, 221; viii, A, 65; ix, C, 105. See also *Nut, casoy*.
Casparia, v, C, 46.
Cassava, i, s, 81; iii, A, 93; iv, B, 222; vii, C, 199.
Cassia, i, s, 63; iii, C, 409; v, C, 47; vii, C, 159; ix, C, 88.
 alata, i, s, 63; iii, C, 82, 304; v, C, 50; vii, C, 176; ix, C, 88.
 arayatensis, v, C, 51.
 condenatensis, v, C, 97; ix, C, 91.
 divaricata, v, C, 49.
 fistula, iv, C, 463; v, C, 47; ix, C, 88, 242; x, D, 137.
 florida, iv, C, 464; v, C, 51.
 glaucia, v, C, 49.
 hirsuta, v, C, 50; vii, C, 184.
 javanica, iv, C, 464; v, C, 48; vi, C, 205.
 javanica var. *pubifolia*, v, C, 48.
 longisiliqua, v, C, 50.
 mimosoides, v, C, 51; ix, C, 88.
 montana, v, C, 51.
 nodosa, iv, C, 464; v, C, 48.
 occidentalis, i, s, 63; iii, C, 57; v, C, 50; vi, C, 205; vii, C, 184; ix, C, 88.
 siamea, iv, C, 464; v, C, 51; vii, C, 184.
 sophera, v, C, 50; ix, C, 88.
 sulcata, v, C, 50.
 surattensis, v, C, 49.
 timorensis, i, s, 63; iv, C, 464; v, C, 51; viii, C, 276, 490.

- Cassia*—Continued.
 tora, i, s, 68; iii, C, 409; v, C, 49; vii, C, 184; viii, C, 508; ix, C, 88.
 xanthocoma, v, C, 51.
- Cassida*, vi, D, 107.
 obtusata, iii, A, 260.
 picifrons, iii, A, 259, 266.
- Cassidæ*, viii, A, 263.
- Cassidaria*, viii, A, 263.
 echinophora, viii, A, 263.
 sp., x, A, 199.
- Cassididæ*, vii, D, 280.
 life histories of P. I., iii, A, 261.
 new P. I., iii, A, 259.
- Cassidoloma*, vii, D, 106.
- Cassie flower*, vi, A, 350.
- Cassine glauca*, iv, C, 491.
- Cassiopea*, ix, D, 201.
 medusa, ix, D, 204.
 ornata, ix, D, 197.
 polypoides, ix, D, 203.
 polypoides var. culionensis, ix, D, 201.
 xamachana, x, D, 206.
- Cassis*, viii, A, 263.
 herklotzi, v, A, 329.
 nodulosa, v, A, 329; viii, A, 263.
 pila, v, A, 329; vi, A, 411; viii, A, 263.
- Cassiusung*, iii, A, 525.
- Cassytha*, iii, C, 407; vii, C, 158; ix, C, 84.
 filiformis, iii, C, 407; vi, C, 205; vii, C, 183; ix, C, 84, 425.
- Castalia*, vii, C, 157.
 pubescens, ix, C, 504.
- Castalius*, v, D, 166.
 ananda, v, D, 72.
 elna, v, D, 166.
 rosimon, v, D, 166.
- Castanea cooperta*, iii, C, 329.
 dentata, vi, A, 14.
 pumila, vi, A, 14.
 sinensis, iii, C, 304.
 vulgaris, iii, C, 43; v, C, 164.
- Castanonga*, x, C, 360.
- Castanopsis*, iii, C, 319; ix, C, 354.
 costata, iii, C, 329.
 glabra, ix, C, 354.
 javanica, iii, C, 319.
 philippensis, iii, C, 319; ix, C, 355.
 sumatrana, iii, C, 319.
- Castaña*, x, C, 360.
- Castilloa elastica*, vii, C, 182.
- Castiogan root*, iii, B, 247.
- Castor*, vi, D, 194.
- Castor oil plant*, vii, C, 193.
 seed of, ii, A, 440; x, A, 107.
- Castuli*, i, s, 92.
- Casuarina*, ii, C, 269; iii, C, 401; vii, C, 156; ix, C, 71.
 equisetifolia, i, 672; ii, C, 370; iii, C, 401; iv, A, 20; iv, C, 151, 401, 444; vi, A, 5; vi, C, 198; ix, C, 71.
 sumatrana, iv, C, 444.
- Casuarinacæ*, ii, C, 269, 370; iii, C, 401; iv, C, 444; vi, C, 198; vii, C, 156; ix, C, 71.
- Casumbang aso*, i, 1031.
- Casuy*, i, s, 84; iii, A, 55.
- Cat fruit*, viii, A, 74.
- Cat*, natural plague infection in a, viii, B, 423.
- Catabang*, i, s, 41; iii, C, 324, 328.
- Catacanthus*, iv, A, 563.
 cerrenoi, i, 695.
 incarnatus, iv, A, 563.
 nigripes, iv, A, 563.
 tricolor, iv, A, 563.
- Cataclastos*, i, s, 382.
- Cataclysmæ*, v, D, 176.
 conturbata, v, D, 176.
 riguata, v, D, 176.
- Catada*, ii, A, 367.
 rubricæa, ii, A, 367.
- Catalanganes*, i, 818.
- Catalanões*, i, 818.
- Catalon*, v, C, 326.
- Catalpa*, vi, A, 14.
 speciosa, vi, A, 14.
- Catalysis*, by means of uranium salts in the sunlight, ii, A, 129.
- Catana*, iii, C, 417.
- Catanda*, v, C, 50, 64.
- Catandang aso*, v, C, 49.
- Catang macsin*, ix, A, 504.
- Catapiestus mediocris*, viii, D, 405.
- Catappa*, iv, C, 530.
- Catara philippinensis*, v, D, 57.
- Catarman Volcano*, vi, A, 384.
- Catatanganes*, i, 818.
- Catchibong*, i, 1019.
- Catchubung*, i, 1019.
- Cateban*, iv, C, 445; ix, A, 502.
 bark of, x, A, 355.
- Catenularia*, viii, C, 507.
 velutina, viii, C, 507.
- Caterpillars*, myrmecophily of, v, D, 69.
- Catfish*, iii, A, 527; v, D, 266; ix, D, 9.
 sea, v, D, 266.
 smoked, ix, D, 60.
- Catharinaea*, iii, C, 21.
 flaviseta, iii, C, 21; ix, C, 209.
- Catiban*, iii, C, 323.
- Catibang*, i, s, 41.
- Catimon*, viii, A, 69.
- Catmon*, i, s, 95; ii, C, 380; iv, C, 502; v, D, 109; viii, A, 74; ix, A, 444.
- Cato*, i, s, 72; iv, C, 477; x, A, 107.
- Cato macsin*, i, s, 72.
- Catocalinæ*, x, D, 353.
- Catochrysops cnejus*, myrmecophily of caterpillars of, v, D, 69.
 pandava, v, D, 70.
- Cator*, ix, C, 100.
- Catorsa*, x, C, 360.
- Catostylus*, ix, D, 207.
 purpureus, ix, B, 293; ix, D, 207.
- Cats*, vii, D, 23.
 effect of tropical sunlight on, vi, B, 110.
- Cattle*, development in artificial culture media of a piroplasma and trypanosoma of, iv, B, 147.
 immunizing, iv, B, 353.

Cattle—Continued.

- plague, difference among cattle and carabaos in susceptibility to, iv, B, 425.
 plague, filtration experiments with virus of, iii, B, 165, 319.
 plague, observations on and methods employed in combating, iv, B, 381.
 simultaneous method of inoculating, ix, B, 125.
 tuberculosis among P. I., iv, B, 454.
 Cattocong, vi, C, 125.
 Catuche, vii, C, 113.
 Catucho, vii, C, 113.
 Catuday, v, C, 75.
 Caturay, iv, B, 223; v, C, 75; vii, C, 193; ix, C, 90.
 Catutan, vi, A, 2.
 Caua, ii, A, 324; vii, A, 27; x, A, 383.
 Cauat-cauat, vi, D, 309.
 Cauayan, i, s, 29, 388; v, C, 280.
 quilting, i, s, 29, 389; v, C, 268.
 sina, v, C, 271.
 totoo, i, s, 29, 388; vi, C, 110.
 Cauayang boo, i, s, 388.
 Caudolejeunea recurvistipula, ix, C, 40.
 Caulinia ovalis, iv, C, 67; x, C, 2.
 spinulosa, x, C, 2.
 Caustic soda and soda ash for paper making, ii, A, 99.
 Cavalla, iii, A, 515, 529; ix, D, 62.
 Cavanilla philippensis, iii, C, 804.
 Cavite, bacteriological examination of artesian wells in, viii, B, 443.
 intestinal parasites in, v, B, 267; vi, B, 211.
 Cawung, vi, A, 194.
 Cayan, ix, D, 509.
 Cayantol, iv, C, 294.
 Cayetana, i, s, 68.
 Caygo, iv, C, 471.
 Cayman skin, vi, D, 310.
 Cayococ, iv, C, 371.
 Cayogpug, iv, C, 365.
 Cayomanes, vi, A, 344.
 Cayomanis, i, s, 69.
 Cayongcong, iv, C, 92.
 Caytana, ix, A, 507.
 Cayut coran, vi, C, 8.
 Ceanothus asiaticus, ix, C, 107.
 Cebello halumtano, ix, C, 12.
 Cebollas, iv, B, 222.
 na mura, iv, B, 222.
 Cebu, analyses of coal from, ii, A, 401; vii, A, 346.
 analysis of coal gas from, i, 892.
 analysis of limestone from, ii, A, 401.
 birds collected in, ii, A, 298.
 birds observed in Bantayan Island, ii, A, 310.
 calorific value and proximate analyses of coals from, vii, A, 346.
 coal in, ii, A, 50; iii, A, 311; x, A, 291.
 concrete cubes from Carcar Bridge, v, A, 126.
 concrete cubes from Naga River Bridge, v, A, 128.

Cebu—Continued.

- efficiency of Portland cement raw materials from Naga, ix, A, 127.
 gas production of coal from, i, 892.
 geology and field relation of Portland cement raw materials at Naga, ix, A, 151.
 geology of the Compostela-Danao coal field, ii, A, 377.
 malaria and Anopheles surveys in, x, B, 205.
 mineral springs of, ix, A, 383, 395.
 outcrop and upper-bed coals of, i, 881.
 petroleum in, viii, A, 366; x, A, 281.
 physiography of, i, 1043.
 proximate analysis of coal from, i, 892.
 rainfall during 1904 and 1906 in, ii, A, 380.
 raw cement materials from, ix, A, 90.
 rhyolite in, ii, A, 407.
 temperature during 1904 and 1906 in, ii, A, 380.
 water supplies of, ix, A, 285; x, A, 144.
 Cebuanos, i, 861.
 Cechenena, ii, A, 369.
 helops, ii, A, 369.
 Cecidotrioza, x, D, 266.
 Cecropia palmata, ix, C, 76.
 Cedar, bastard, iv, C, 478, 480.
 canoe, vi, A, 13.
 Himalayan, iv, C, 442.
 Moulmein, iv, C, 481.
 red, vi, A, 14.
 white, iv, C, 478, 479; vi, A, 13.
 Cedre de Singapore, iv, C, 481.
 rouge, iv, C, 481.
 Cedrela, iv, C, 481.
 febrifuga, iii, C, 105; iv, C, 481.
 odorata, ii, C, 379; iii, C, 105.
 serrata, iv, C, 481.
 toona, ii, C, 379; iii, C, 105; iv, C, 481.
 Cedrus deodara, iv, C, 442.
 Ceiba, i, s, 93; ix, C, 110.
 pentandra, i, 398; i, s, 93; ii, A, 440; iv, C, 499; vii, C, 186; ix, C, 110, 427; x, A, 107.
 Celænomys, vii, D, 26.
 silaceus, vii, D, 26.
 Celama, v, D, 170.
 bifascialis, v, D, 170.
 tæniata, v, D, 170.
 Celantia, v, D, 60.
 Celastraceæ, i, s, 85; ii, C, 278; iii, C, 109, 238; iv, C, 490; v, C, 359; vii, C, 161; ix, A, 556; ix, C, 105, 311, 427; x, C, 319.
 Celastrus, i, s, 85; vii, C, 161.
 montanus, iii, C, 109.
 paniculata, i, s, 85; ix, C, 427.
 paniculatus, i, 392; ix, C, 178.
 senegalensis, iv, C, 491.
 Celeuthetidae, vii, D, 379.
 Celia kochi, ix, B, 384.
 Cell, the polyscopic, v, D, 79.
 Cellepora cucullina, viii, A, 290.

- Cellia*, i, 981.
 kochii, i, 981.
Celo, iii, A, 529.
Celosia, ix, C, 81.
 argentea, vii, C, 182; ix, C, 81.
 cristata, ix, C, 81.
Celtis, i, s, 42; v, C, 174.
 australis, iv, C, 445.
 crenato-serrata, v, C, 174.
 occidentalis, vi, A, 15.
 philippensis, ix, A, 444.
 philippinensis, i, 405; i, s, 42, 171.
 sinensis, x, D, 290.
Celyphidae, viii, D, 310.
Celyphus levis, viii, D, 315.
 obtectus, viii, D, 310.
 scutatus, viii, D, 310.
Cement, iii, A, 404.
 bonus system for the purchase of Portland, viii, A, 107.
 burning tests of P. I. raw materials for Portland, ix, A, 79.
 efficiency or raw materials from Naga for Portland, ix, A, 127.
 geology and field relations of Naga raw materials for Portland, ix, A, 151.
 Iwahig penal colony raw materials for, ix, A, 163.
 Manila prices of products from, vii, A, 353.
 P. I. raw materials for, iv, A, 211; vii, A, 278.
 physical and chemical properties of Portland, v, A, 367; vi, A, 207; vii, A, 135.
 summary and conclusions in regard to Portland, vii, A, 178.
 testing of Portland, iii, A, 137.
 volcanic tuff as a material for, iii, A, 391.
Cenchrus, i, s, 367; ix, C, 56.
 echinatus, i, s, 367; vii, C, 180; ix, C, 56.
 hexaflorus, i, s, 368; ii, C, 436.
 lappaceus, i, s, 385.
Cenocoelius albitarsis, i, 693.
Cenosphaera, viii, A, 281.
 affinis, viii, A, 282.
 disseminata, x, A, 224.
 minuta, x, A, 224.
Centella, i, s, 110; iii, C, 424; ix, C, 126.
 asiatica, i, s, 110; iii, C, 84, 424; vi, C, 218; vii, C, 187; ix, C, 126.
Centetes, vi, D, 193.
Centhospora, ix, C, 185.
 garciniae, ix, C, 185.
Centipeda, vii, C, 168.
 orbicularis, iii, C, 126.
Centotheca, i, s, 29, 385; iii, C, 397; ix, C, 58.
 lappacea, i, 396; i, s, 29, 385; iii, C, 397; iv, C, 248; ix, C, 58.
 latifolia, i, s, 385; vi, C, 194; vii, C, 196; ix, C, 58.
 malabarica, i, s, 385; iv, C, 248.
Central anticline, Bondoc Peninsula, viii, A, 339.
Central nervous system, method of modeling especially adapted for the, iii, A, 293.
Central nervous system—Continued.
 methods of studying the structure of the, iv, B, 9.
Centranthera, iii, C, 434; vii, C, 166.
 brunoniana, iii, C, 434.
 hispida, iii, C, 434.
Centratherum, i, s, 138; v, C, 393.
 fruticosum, i, s, 138; v, C, 393.
 muticum, v, C, 393.
Centrochares, x, D, 369.
 horrificus, x, D, 370.
Centrocoecyx viridis, ii, A, 325.
Centrolepidaceæ, ii, C, 264.
Centrolepis, ii, C, 264.
 philippinensis, ii, C, 264; v, C, 332.
Centromeria, v, D, 39.
 longipennis, v, D, 39.
Centrophthalmus clavatus, ix, D, 454.
 philippinensis, ix, D, 454.
Centropus, ii, A, 259.
 carpenteri, ii, A, 340, 356.
 javanicus, i, 702, 905; ii, A, 313, 326, 340.
 melanops, ii, A, 285, 326; iv, A, 72.
 mindorensis, i, 702; ii, A, 340, 356.
 unirufus, v, D, 111.
 viridis, i, 769, 773; ii, A, 285, 304, 313, 325, 346; iii, A, 279; v, D, 111, 220.
Centrosema, v, C, 109.
Centrosperma, i, s, 51.
 plumieri, v, C, 5, 109; vii, C, 184.
Centrostemma multiflorum, vi, C, 220.
Centrotinae, v, D, 47; x, D, 366.
Centrotoscelus, x, D, 392.
 typus, x, D, 392.
Centrotus, x, D, 389.
 antilope, x, D, 379.
 bifoliatus, x, D, 372.
 capreolus, x, D, 386.
 convergens, x, D, 385.
 crassulus, x, D, 391.
 dama, v, D, 47; x, D, 376.
 dilatatus, x, D, 390.
 erigens, x, D, 383.
 fairmairei, x, D, 385.
 leucaspis, x, D, 379.
 magellani, x, D, 389.
 oreus, x, D, 390.
 patruelis, x, D, 396.
 pygmæus, v, D, 48; x, D, 396.
 reponens, x, D, 379.
 rupicapra, v, D, 48; x, D, 378.
 tauros, x, D, 379.
 taurus, v, D, 48; x, D, 378.
 terminalis, v, D, 48; x, D, 378.
 vicarius, v, D, 48; x, D, 378.
Centrotypus, x, D, 380.
Cephalacanthidae, ix, D, 78.
Cephalacanthus orientalis, ix, D, 78.
Cephalanthus orientalis, iii, C, 436.
Cephalolini, x, D, 50.
Cephalelusaria, x, D, 50.
Cephalocroton albicans var. *genuinus*, vii, C, 286.
 discolor, vii, C, 386.
 orientalis, vii, C, 386.

- Cephalograph, an instrument for reproducing the outlines of the head and face, iv, A, 447.
- Cephalomanes, ii, C, 156.
- Cephalomedinilla, v, C, 204.
- anisophylla, v, C, 205.
- Cephalometry and pelvimetry among Filipinas, ix, B, 493.
- Cephalopholis bonack, ix, D, 65.
- stigmatopomus, iii, A, 517.
- Cephalophoneus nasutus, i, 703; ii, A, 307, 329; iii, A, 280; v, D, 219.
- validirostris, v, D, 137.
- Cephaloschefflera, iii, C, 160.
- Cephalostachyum, v, C, 272.
- capitatum, i, s, 392.
- flavescens, v, C, 272.
- mindorensis, v, C, 272.
- pergracile, v, C, 272.
- Cephalotaxus celebica, vi, C, 166.
- mannii, vi, C, 166.
- sumatrana, vi, C, 166.
- Cephalotes peronii, vii, D, 10.
- Cephaloxys hemelytra, v, D, 36.
- terpsichore, v, D, 35.
- Cephea, ix, D, 206.
- cephea, ix, D, 206.
- octostyla, ix, D, 197.
- Cephonodes, v, D, 167.
- hylas, v, D, 167.
- titan, v, D, 167.
- Cepolidæ, ix, D, 69.
- Cepurellus cervinus, viii, D, 136.
- Cepurus, viii, D, 137.
- Cerambycidæ, x, D, 35.
- Cerambycinæ, x, D, 237.
- Ceranisus incertus, i, 691.
- Ceraphron manilae, i, 690; ix, D, 287.
- Ceraphronidæ, i, 690; ix, D, 287.
- Cerastium vulgatum, i, s, 181.
- Ceratina compacta, i, 686.
- hieroglyphica, i, 686.
- imperialis, i, 686.
- philippinensis, i, 686.
- sexmaculata, i, 686.
- tropica, i, 686.
- Ceratinidæ, i, 686.
- Ceratodon, iii, C, 12; v, C, 137, 312; viii, C, 66.
- stenocarpus, iii, C, 12; v, C, 137, 312; viii, C, 66; ix, C, 207.
- Ceratophyllaceæ, vii, C, 158; ix, C, 82, 425.
- Ceratophyllum, vii, C, 158; viii, C, 20; ix, C, 82.
- demersum, vii, C, 183; ix, C, 82, 425, 503.
- Ceratophyllum fasciatus, iii, B, 45; vii, B, 120.
- silantievi, vii, B, 225.
- Ceratopsilus rufipes, ix, D, 286.
- Ceratopteris, ii, C, 2; iv, C, 26; vii, C, 152; ix, C, 46.
- thalictroides, iv, C, 27; vi, C, 192; vii, C, 179; ix, C, 46.
- Ceratospaeria philippinarum, viii, C, 186.
- Ceratostylis, i, s, 38; ii, C, 323; iv, C, 670; vi, C, 50; viii, C, 421.
- gracilis, ii, C, 323.
- Ceratostylis—Continued.
- latipetala, iv, C, 671.
- philippinensis, i, 661; i, s, 38; vi, C, 50.
- radiata, viii, C, 422.
- ramosa, ii, C, 323.
- retisquama, iv, C, 670.
- rubra, iv, C, 670.
- subulata, ii, C, 323.
- wenzelii, viii, C, 421.
- Cerbera, i, s, 117; iii, C, 428; iv, C, 552; vii, C, 164; ix, C, 129.
- ahouai, ix, C, 129.
- lactaria, ix, C, 129.
- manghas, ix, C, 129.
- odollam, i, 669; i, s, 117; iii, C, 428; vi, C, 219; ix, C, 129.
- oppositifolia, ix, C, 130.
- peruviana, ix, C, 130.
- thevetia, ix, C, 130.
- Cercerinae, i, 687.
- Cerceris vafra, i, 687.
- Cerchneis, i, 701.
- Cercidocerus curvaturatus, x, D, 235.
- flavopictus, viii, D, 147.
- heros, viii, D, 147.
- pictus, x, D, 236.
- Cercoccephala bakeri, ix, D, 460.
- elegans, ix, D, 461.
- Cercomonas hominis, i, 111; iii, B, 201.
- intestinalis, vi, B, 495.
- Cercopidæ, v, D, 49.
- Cercopinae, v, D, 50.
- Cercopithecidae, vii, D, 36.
- Cereospora, iii, C, 57; viii, C, 283, 507; ix, C, 183.
- amorphophalli, iii, C, 57; viii, C, 283.
- bakeri, viii, C, 284.
- biophyti, viii, C, 284.
- gliricidia, viii, C, 283, 508.
- helminthostachydis, iii, C, 57.
- licualae, ix, C, 183.
- litseae-glutinosae, viii, C, 284, 508.
- mangiferae, viii, C, 507.
- nicotianae, viii, C, 508; ix, C, 188.
- occidentalis, iii, C, 57.
- pantoleuca, viii, C, 284.
- personata, v, C, 166; viii, C, 283.
- pumila, viii, C, 196.
- subtorulosa, viii, C, 508.
- tabernaemontanae, viii, C, 507.
- tiglii, iii, C, 57.
- tosensis, viii, C, 284.
- ubi, viii, C, 285.
- Cereosporidium, viii, C, 283.
- helleri, viii, C, 283.
- Cereosporina, ix, C, 189.
- helicteris, ix, C, 189.
- Cereal straws, i, No. 5, 489.
- Cerebella, viii, C, 285.
- paspali, viii, C, 285.
- Cerebrospinal meningitis, isolation of Diplococcus intracellularis meningitidis from a case of, viii, B, 133.
- Cereopsius irregularis, x, D, 240.
- praetorius, x, D, 241.
- varius, x, D, 241.
- Cerethium, ii, A, 395.

- Cereus*, vii, C, 163.
 lepidota, vii, C, 187.
 triangularis, vii, C, 187.
Cerezas, viii, A, 78.
Ceriops, i, s, 102.
 candolleana, i, 676; iii, C, 306; iv, C, 528;
 vi, A, 46.
 roxburgiana, i, 675; i, s, 102; iii, A, 535;
 iv, C, 527; vi, A, 17.
 tagal, iii, C, 306; iv, A, 206; iv, C, 528;
 v, A, 440; vi, A, 6, 52, 167; vi, C, 213.
Cerithiidae, viii, A, 267.
Cerithium, viii, A, 268.
 callosa var. *semperi*, v, A, 329.
 herklotsi, viii, A, 326.
 jenkinsi, viii, A, 324.
 karangense, v, A, 329.
 moniliferum, v, A, 103.
 nodulosum, i, 631; viii, A, 269, 312; x,
 A, 248.
 palustris, viii, A, 269.
 rhizoporum, vii, D, 279.
 sp., viii, A, 269; x, A, 248.
 vicentinum, viii, A, 269.
 vulgatum, i, 631.
Cerittindae, vii, D, 279.
Cerobates sexsulcatus, x, D, 45.
Cerogria, viii, D, 45.
 dohrni, viii, D, 45.
 meloides, viii, D, 45.
Ceropalidae, i, 684.
Ceropegia, i, s, 118; viii, C, 477.
 cumingiana, i, s, 118.
Ceroplophana modiglianii, v, D, 235.
Ceropria dolorosa, viii, D, 385.
 induta, viii, D, 385.
Ceropteris, vii, C, 152.
 calomelanos, vii, C, 179, 202.
Certhiidae, iv, A, 75; vi, D, 45.
Cerura, ii, A, 370.
 liturata, ii, A, 370.
Cervantes, ix, D, 512.
Cervidae, v, A, 97; vii, D, 40.
Cervus, ii, A, 396.
 alfredi, vii, D, 40.
 culionensis, vii, D, 40.
 equinus, vii, D, 40.
 marianus, vii, D, 40.
 nigricans, vii, D, 40.
 philippinus, vii, D, 40.
 steerii, vii, D, 40.
 tavistocki, vii, D, 40.
Cerynia, v, D, 45.
 albata, v, D, 45.
 lutescens, v, D, 45.
 maria, v, D, 45.
Ceryniaria, v, D, 45.
Ceryx, iii, A, 29.
 macgregori, iii, A, 29.
Cespitularia, x, D, 164.
 coerulea, x, D, 166.
Cestichis, i, s, 38; ii, C, 320; iv, C, 597, 666;
 v, C, 341; vi, C, 37; vii, C, 7; viii, C,
 412.
 benguetensis, v, C, 341.
Cestichis—Continued.
 elemensis, iv, C, 666.
 compressa, i, 661; i, s, 38; vii, C, 8.
 cumingii, vii, C, 7.
 disticha, ii, C, 320; viii, C, 413.
 fragilis, viii, C, 412.
 gracilis, ii, C, 320; viii, C, 413.
 halconensis, ii, C, 321.
 lyonii, vi, C, 47.
 merrilli, i, 661; i, s, 38; ii, C, 321; iv, C,
 597.
 nutans, iv, C, 597.
 philippinensis, i, 661; i, s, 38; ii, C, 321.
 vestita, iv, C, 666; vi, C, 197.
Cestoda, ii, B, 29, 538.
Cestode, ix, B, 81.
 parasites of man in the P. I., report upon
 their specific identity and a description
 of a new species of *Tænia*, ii, B, 537.
Cestrum, iii, C, 434; vii, C, 166; ix, C, 138.
 diurnum, ix, C, 138.
 nocturnum, iii, C, 434; vii, C, 188; ix,
 C, 138.
 pallidum, ix, C, 138.
 parqui, iii, C, 434.
Cetaceae, vi, D, 157.
Cetoniae, x, D, 271.
Cetraria, iv, C, 657.
 straminea, iv, C, 657.
Ceylon, papain from, x, A, 8.
 the coconut and its products with special
 reference to, ix, A, 177.
*Ceylonese and Philippine Psyllidae (Homopte-
 ra)*, x, D, 257.
Ceyx bournsi, i, 769, 773; ii, A, 284, 303; vi,
 D, 41.
 euerythra, i, 904.
 melanura, v, D, 110.
 mindanensis, ii, A, 284; iv, A, 70; v, D,
 110.
 nigrirostris, vi, D, 40.
Cha, i, s, 120; iv, C, 692.
 bundoc, i, s, 120.
Chaa bundoc, iv, C, 692.
Chaang parang, v, C, 68.
Chacococcyx xanthorhynchus, i, 702.
Chacosiniæ, x, D, 357.
Chærephon, vii, D, 20.
 plicatus, vii, D, 20.
Chaerocampa elpenor, x, D, 346.
 oldenlandiae, i, 695.
 porcellus, x, D, 346.
 rafflesi, ii, A, 369.
Chærops unimaculatus, iii, A, 529.
Chaetaria luzoniensis, i, s, 373.
 trichodes, i, s, 372.
Chaetocarpus, iv, C, 483.
 castanicarpus, iv, C, 485.
Chaetochloa, i, s, 309.
 flava, i, s, 365.
 glauca var. *aurea*, i, s, 365; ix, C, 56.
 italica, i, s, 365.
Chaetocyperus setaceus, ii, C, 90.
Chaetodacus caudatus, viii, D, 321.
 caudatus var. *nubilus*, viii, D, 321.

Chaetodacus—Continued.

- cilifer, viii, D, 322.
 cucurbitæ, viii, D, 321.
 dorsalis, viii, D, 322.
 ferrugineus, viii, D, 310.
 ferrugineus var. obscuratus, viii, D, 322.
 ferrugineus var. pedestris, viii, D, 322.
 icarus, viii, D, 310.
 synnephes, viii, D, 321.
 Chaetodon adiergastos, v, D, 116.
 aureus, ix, D, 71.
 bella-maris, ix, D, 72.
 carens, v, D, 115.
 collaris, ix, D, 72.
 desmotes, ix, D, 72.
 fasciatus, ix, D, 73.
 flavirostris, v, D, 116.
 lunula, ix, D, 73.
 modestus, ix, D, 72.
 ocellatus, v, D, 283.
 prætextatus, ix, D, 71.
 raffesii, ix, D, 72.
 reticulatus, ix, D, 71.
 xanthurius, v, D, 116.
 Chaetodontidae, v, D, 283; ix, D, 71.
 Chaetomitrium, viii, C, 83.
 geheebii, viii, C, 84.
 orthorrhynchum, vi, C, 191; viii, C, 83.
 papillifolium, viii, C, 83; ix, C, 211.
 philippinense, viii, C, 83.
 seriatum, viii, C, 83.
 warburgii, vi, C, 191; viii, C, 83.
 weberi, viii, C, 83.
 Chaetomorpha crassa, vi, D, 309.
 sp., ii, B, 518.
 Chætoneuropora calignosa, x, B, 311.
 ora curvinervis, x, B, 311.
 Chaetospira imberbis, ii, C, 102.
 japonica, ii, C, 102.
 tenussima, ii, C, 102.
 umbellulifera, ii, C, 102.
 Chætura celebensis, ii, A, 285.
 gigantea, i, 905.
 sp., i, 766; ii, A, 285.
 Chaguan agaga, ix, C, 55.
 cacaguates, ix, C, 92.
 lemae, ix, C, 62.
 Chailletia deflexifolia, iii, C, 107.
 Chaimarrornis bicolor, v, D, 135.
 Chairs and other furniture, vii, D, 236.
 Chal yu, ix, D, 61.
 Chalamydothrys stercorea, viii, B, 254.
 Chalarium, v, C, 82.
 Chalcedony, x, A, 85.
 Chalcidæ, viii, D, 130.
 Chalcididae, i, 690; iii, A, 269; viii, D, 10; ix, D, 457.
 Chalcidinae, i, 691.
 Chalcidoidea, i, 690; viii, D, 63.
 Chalcidomyia apicalis, viii, D, 832.
 Chalcis albotibialis, i, 691.
 argentifrons, i, 691.
 obscurata, i, 215.
 Chalcocite, i, 624; vi, A, 437; x, A, 85.
 Chalcooecyx amethystinus, i, 905.
 malayanus, ii, A, 285; iv, A, 72.
 xanthorrhynchus, i, 905; ii, A, 285.
 Chalcophaps indica, i, 699, 763, 903; ii, A, 281, 300, 318, 339, 345; iii, A, 276; iv, A, 68; v, D, 106.
 Chalcopyrite, i, 624; vi, A, 437; x, A, 85.
 Chalcura aegineta, i, 691.
 nasua, i, 691.
 Chalis banksi, i, 691.
 obscurata, i, 691.
 prodeniae, i, 691.
 pulchripes, i, 691.
 xerxena, i, 691.
 Challesiaceæ, ii, C, 432.
 Chalybion violaceum, i, 687.
 Cham bundoc, iv, C, 692.
 Chama sp., v, A, 329.
 Chamabainia, i, s, 184; v, C, 344; vi, C, 11.
 cuspidata, i, s, 184; v, C, 344; vi, C, 11.
 squamigera, i, s, 184; vi, C, 11.
 Chamaeraphis, i, s, 368; vii, C, 154.
 aspera, i, s, 368.
 lawsoniana, vi, A, 13.
 spinescens, i, s, 368.
 thyoides, vi, A, 13.
 Chambered nautilus, vi, D, 303.
 Chamberland filters "F" filtration experiments on the virus of cattle plague with, iv, B, 37.
 Chamisso, v, C, 84.
 Champaca, iii, A, 67; iv, A, 131; iv, C, 450; vii, C, 193.
 flowers, crystalline substance contained in yellow, vi, A, 337.
 Champerea, i, s, 50; vii, C, 157, 233.
 cumingiana, i, 405, 638; i, s, 50; iv, C, 703; vii, C, 233; viii, C, 276.
 griffithiana, i, s, 50; vii, C, 233.
 griffithii, vii, C, 233.
 manillana, vii, C, 233; viii, C, 276, 489; ix, A, 500; ix, C, 181.
 Champignons des Philippines communiqués par C. F. Baker, x, C, 85.
 Chandan, iv, C, 448.
 Chandonanthus, v, C, 310.
 fragillimus, v, C, 310.
 hirtellus, v, C, 310.
 Changchun, temperature observations in, viii, B, 248.
 Chanidæ, iii, A, 519.
 Chanusiu, vii, C, 32.
 Chanos chanos, iii, A, 519; vii, A, 389; x, D, 307.
 Chaoborinae, viii, D, 307.
 Chaoborus manilensis, viii, D, 307.
 Chapelliera riparia, x, C, 288.
 Chappa, i, 99.
 Chara, vii, C, 69; ix, C, 82.
 benthami, vii, C, 70.
 brachypus, vii, C, 70.
 braunii, vii, C, 70.
 braunii forma meiocarpa, vii, C, 70.
 corallina, vii, C, 69.

Chara—Continued.

- corallina var. basilaris, vii, C, 69.
 coronata, vii, C, 70.
 flaccida, vii, C, 70.
 gymnopitys, vii, C, 70.
 gymnopitys forma tylacantha, vii, C, 70.
 gymnopus, vii, C, 70.
 hypopitys, vii, C, 70.
 zeylanica, vii, C, 70.
- Characeæ, vii, C, 69.
- Charadriidæ, iii, A, 277; iv, A, 68; v, D, 106.
- Charadrius fulvus, ii, A, 282, 300, 311, 319, 339; iii, A, 277; iv, A, 68; v, D, 106, 221.
- Charcharias acutus, v, D, 264.
 borneensis, v, D, 263.
 dussumieri, v, D, 264.
- Charcoal, Bulacan iron ores and burning of, ix, A, 243.
 tubes for, ix, A, 54.
- Charibdis crucifera, ix, D, 230.
- Charops longiventris, i, 692.
 papilionis, i, 692.
- Chartreuse, vii, A, 24.
- Charybdea philippina, ix, D, 196.
- Chasalia, x, C, 140.
 curviflora, x, C, 140.
 expansa, x, C, 141.
 lurida, x, C, 140.
 membranifolia, x, C, 124.
 obscurinervia, x, C, 141.
 rostrata, x, C, 125.
- Chatwan, iv, C, 550.
- Chauliops, iv, A, 573.
 bisontula, iv, A, 573.
 fallax, iv, A, 573.
- Chaulmoogra oil, iv, B, 331.
- Chavica lassertiana, v, C, 427.
 miniata β hirtella, v, C, 422.
 officinarum, v, C, 439.
- Check list of Philippine minerals, x, A, 81.
- Cheese from carabao's milk, viii, A, 157.
- Cheilanthes, i, s, 18; v, C, 320; vi, C, 86; vii, C, 152; ix, C, 43.
 argentea, i, s, 174.
 boltoni, iii, C, 281.
 farinosa, i, s, 18; v, C, 320.
 fordii, iii, C, 281.
 mysurensis, iii, C, 281.
 setigera, ii, C, 215.
 tenuifolia, i, 399; i, s, 18; vi, C, 86; ix, C, 43.
- Cheilosia, viii, C, 379.
 homaliifolia, viii, C, 379.
 javanica, vii, C, 381; viii, C, 380.
- Cheiropleura, i, s, 21.
 bicuspis, i, s, 21; ii, C, 6.
- Cheirostylis, ii, C, 314.
 griffithii, ii, C, 314.
 octodactyla, ii, C, 314.
- Chelone imbricata, vi, D, 291.
 mydas, vi, D, 292.
- Cheloninae, i, 693.
- Chelonus albicinctus, i, 693.
 semihyalinus, i, 693.

Chelyophora, viii, D, 327.

Chemicals, pulp- and paper-making, ii, A, 99.

Chemistry—Acids, alkalies, and salts:

Salt industry and resources of the P. I. (Cox and Dar Juan), x, A, 375.

Chemistry, analytical:

Detection and determination of coconut oil (Gibbs and Agcaoili), iii, A, 371.

Determination of aldehydes in distilled liquors (del Rosario), v, A, 29.

Interference of hydrogen peroxide with the milk tests for formaldehyde (Gibbs), vii, A, 77.

Mechanical analysis of soil (Pratt), vi, A, 35.

Rapid clinical method for determining the ammonia coefficient of urines (Bacon), iv, A, 153.

Red lead (West), viii, A, 429.

Chemistry, biological:

Enzymes of cacao (Brill), x, A, 123.

Excreta of the python (Bacon), iv, A, 165.

Lard from wild and domestic P. I. hogs and the changes in the constants produced by feeding copra cake (Gibbs and Agcaoili), v, A, 33.

Physiologically active constituents of certain P. I. medicinal plants (Bacon), i, 1007.

Rapid clinical method for determining the ammonia coefficient of urines (Bacon), iv, A, 153.

Chemistry—Botany:

Arrow poisons (Bacon), iii, A, 41.

Bamboo for paper pulp in Bataan Province, Luzon (McGregor), vii, A, 121.

Coconut and its products, with special reference to Ceylon (Pratt), ix, A, 177.

Coconut and its relation to the production of coconut oil (Walker), i, 58.

Cuteh (Foxworthy), iii, A, 534.

Economic possibilities of the mangrove swamps of the P. I. (Bacon and Gana), iv, A, 205; (Williams), vi, A, 45.

Enzymes of cacao (Brill), x, A, 123.

Nipa palm as a commercial source of sugar. A consideration of the principal difficulties encountered in collecting and preserving nipa palm sap (Pratt, Thurlow, Williams, and Gibbs), viii, A, 377.

Oleoresins of *Pinus insularis* Endl. (Brooks), v, A, 229.

Papain: Its commercial preparation and digestive properties (Pratt), x, A, 1.

Philippine citrus-fruits; their commercial possibilities and a chemical study of a few of the most important varieties (Gibbs and Agcaoili), vii, A, 403.

Philippine firewood (Cox), vi, A, 1.

Philippine fruits: Their composition and characteristics (Pratt and del Rosario), viii, A, 59.

Chemistry—Botany—Continued.

Physiologically active constituents of certain P. I. medicinal plants (Bacon), i, 1007.

Roselle (Pratt), vii, A, 201.

Rubber vine (Bacon), iv, A, 166.

Chemistry—Cellulose and paper:

Bamboo for paper pulp in Bataan Province, Luzon (McGregor), vii, A, 121.

Fibers and fibrous substances: Their suitability for paper making (Richmond), i, No. 5, 433; i, 1075; ii, A, 81; v, A, 233.

Philippine citrus-fruits; their commercial possibilities and a chemical study of a few of the most important varieties (Gibbs and Agcaoili), vii, A, 403.

Chemistry—Cement and other building materials:

Bonus system for the purchase of Portland cement (Reibling), viii, A, 107.

Burning tests of P. I. Portland cement raw materials (West and Cox), ix, A, 79.

Concrete construction in Manila and the P. I. (Reibling), v, A, 117.

Effect of *Litsea chinensis* on the hardening of lime mortar (Cox), iii, A, 409.

Efficiency of Portland cement raw materials from Naga, Cebu (Reibling and Reyes), ix, A, 127.

Natural cement versus brick; Iwahig penal colony raw materials (Reibling), ix, A, 163.

Philippine raw cement materials (Cox), iv, A, 211.

Physical and chemical properties of Portland cement (Reibling and Reyes), v, A, 367; vi, A, 207; vii, A, 135.

Portland cement testing (Reibling and Salinger), iii, A, 137.

Sand-lime brick and artificial sandstones in the P. I. (Cox, Reibling, and Reyes), vii, A, 317.

Volcanic tuff as a construction and a cement material (Cox), iii, A, 391.

Chemistry—Dyes and textile:

Cutch (Foxworthy), iii, A, 534.

Natural dyes and coloring matters of the P. I. (Brooks), v, A, 439.

Tensile strength of machine- and hand-stripped abacá fiber (Bacon), iv, A, 163.

Chemistry—Fats, fatty oils, and soaps:

Coconut and its products, with special reference to Ceylon (Pratt), ix, A, 177.

Coconut and its relation to the production of coconut oil (Walker), i, 58.

Commercial utilization of some P. I. oil-bearing seeds (Richmond and del Rosario), ii, A, 439.

Copra spoilage on a large scale (Pratt), viii, A, 439.

Detection and determination of coconut oil (Gibbs and Agcaoili), iii, A, 371.

Chemistry—Fats—Continued.

Keeping qualities and the causes of rancidity in coconut oil (Walker), i, 117.

Lard from wild and domestic P. I. hogs and the changes in the constants produced by feeding copra cake (Gibbs and Agcaoili), v, A, 33.

Oil-bearing seeds and their properties (Brill and Agcaoili), x, A, 105.

Purification of coconut oil (Richmond), iii, A, 45.

Sprouting coconut, copra, and coconut oil (Walker), iii, A, 111.

Chemistry—Fermented and distilled liquors:

Alcohol industry of the P. I. (Gibbs), vi, A, 99, 147.

Alcohol industry of the P. I. Part II. Distilled liquors; their consumption and manufacture (Gibbs and Holmes), vii, A, 19.

Alcohol industry of the P. I. Part III. Fermented beverages which are not distilled (Gibbs, Agcaoili, Beyer, Garvan, and Christie), vii, A, 97.

Determination of aldehydes in distilled liquors (del Rosario), v, A, 29.

Industrial alcohol and its possibility as a source of power in the P. I. (Cox), iv, A, 232.

Whisky (rye, Bourbon, and Scotch), brandy (cognac), and gin (Holmes), v, A, 23.

Chemistry—Foods:

Composition of carabaos' milk (Dovey), viii, A, 151.

Composition of Horlick's malted milk (Richmond and Musgrave), iii, A, 87.

Composition of various milks and the adaptability for infant feeding (Agcaoili), viii, A, 141.

Food and drug inspection (Gibbs), iii, A, 44.

Interference of hydrogen peroxide with the milk tests for formaldehyde (Gibbs), vii, A, 77.

Lard from wild and domestic P. I. hogs and the changes in the constants produced by feeding copra cake (Gibbs and Agcaoili), v, A, 33.

Philippine citrus-fruits; their commercial possibilities and a chemical study of a few of the most important varieties (Gibbs and Agcaoili), vii, A, 403.

Philippine fruits: Their composition and characteristics (Pratt and del Rosario), viii, A, 59.

Roselle (Pratt), vii, A, 201.

Soja-bean curd, an important oriental food product (Gibbs and Agcaoili), vii, A, 47.

Some Filipino foods (Gibbs, Agcaoili, and Shilling), vii, A, 383.

Chemistry—Fuels, gas, tar, and coke:

Calorimetry, and the determination of the

Chemistry—Fuels—Continued.

- calorific value of P. I. and other coals from the results of proximate analysis (Cox), iv, A, 171.
- Chemical and physical characteristics of P. I. coal (Cox), vii, A, 1.
- Coal in the Cagayan Valley (Ferguson), iii, A, 535.
- Industrial alcohol and its possibility as a source of power in the P. I. (Cox), iv, A, 232.
- Oxidation and deterioration of coal (Cox), vii, A, 297.
- Philippine coals and their gas-producing power (Cox), i, 877.
- Philippine coals as fuel (Cox), iii, A, 301.
- Philippine firewood (Cox), vi, A, 1.
- Proximate analysis of P. I. coals (Cox), ii, A, 41.
- Relationship between the external appearance and the ash content of P. I. coal (Cox), iii, A, 91.

Chemistry, general and physical:

A solution of oxalic acid and uranium salts as a chemical photometer (Bacon), v, A, 281.

Absorption spectra of ortho- and para-nitrophenol and para-nitrosophenol. New evidence of the quinoid structure of these compounds in alkaline solution (Gibbs and Pratt), vii, A, 371.

Absorption spectra of phenoquinone, 2, 5-dianilinoquinone, 2,5-dianilinoquinoneanil, and 2,5-dianilinoquinonedianil (azophenine) (Pratt and Gibbs), viii, A, 51.

Absorption spectra of various phthalides and related compounds (Pratt), viii, A, 399; (Pratt and Brill), ix, A, 105.

Action of sunlight upon methyl alcohol (Gibbs), vii, A, 57.

Catalysis by means of uranium salts in the sunlight (Bacon), ii, A, 129.

Compounds which cause the red coloration of aniline: I. The effect of oxygen and ozone and the influence of light in the presence of oxygen (Gibbs), v, A, 9.

Compounds which cause the red coloration of aniline: II. The effect of sunlight in the absence of oxygen and oxidizing influences and a comparison with the behavior of mono- and dimethylaniline (Gibbs), v, A, 419.

Diethylsuccinosuccinate (ethylidioxidyhydroteraphthalate): A study of its constitution, some derivatives, and absorption spectra (Gibbs and Brill), x, A, 51.

Effect of tropical sunlight on the atmosphere, with some notes on radioactive phenomena in the P. I. (Bacon), v, A, 267.

Methyl salicylate, I: The separation of salicylic acid from methyl salicylate and the hydrolysis of the ester (Gibbs), iii, A, 101.

Chemistry, general and physical—Continued.

Methyl salicylate, II: Solubility in water at 30° (Gibbs), iii, A, 357.

Methyl salicylate, III: The coloration of methyl salicylate and some allied compounds in the sunlight (Gibbs, Williams, and Pratt), vii, A, 79.

Methyl salicylate, IV: The saponification of methyl salicylate, methyl benzoate, and the methyl ether of methyl salicylate (Gibbs, Williams, and Galajikian), viii, A, 1.

Mutual influence of hydroxyl and carboxyl and some related groups in the ortho position (Gibbs and Pratt), viii, A, 33.

Optical efficiency of tinted glasses in relieving eye strain (Pratt), viii, A, 193.

Oxidation of phenol. The effect of some forms of light and of active oxygen upon phenol and anisole (Gibbs), iv, A, 133.

The two phthaloximes: A study of their absorption spectra and constitution (Pratt and Gibbs), viii, A, 155.

Chemistry—Glass and ceramics:

Laguna clays (Cox), iii, A, 377.

Occurrence, composition, and radioactivity of the clays from Luzon, P. I. (Cox), ii, A, 413.

Chemistry, inorganic:

Composition of the fine ejecta and a few other inorganic factors of Taal Volcano (Cox), vi, A, 93.

Red lead (West), viii, A, 429.

Silver oxide and silver suboxide (Lewis), i, 439.

Chemistry—Leather and glue:

Economic possibilities of the mangrove swamps of the P. I. (Bacon and Gana), iv, A, 205; (Williams), vi, A, 45.

Fishery resources of the P. I. Part IV, miscellaneous marine products (Seale), vi, D, 283.

Leather industry of the P. I. (Gana), x, A, 349.

Chemistry, mineralogical and geological:

Composition of the fine ejecta and a few other inorganic factors of Taal Volcano (Cox), vi, A, 93.

Occurrence, composition, and radioactivity of the clays from Luzon, P. I. (Cox), ii, A, 413.

Chemistry, organic:

Absorption spectra of ortho- and para-nitrophenol and para-nitrosophenol. New evidence of the quinoid structure of these compounds in alkaline solution (Gibbs and Pratt), vii, A, 371.

Absorption spectra of phenoquinone, 2, 5-dianilinoquinone, 2,5-dianilinoquinoneanil, and 2,5-dianilinoquinonedianil (azophenine) (Pratt and Gibbs), viii, A, 51.

Absorption spectra of various phthalides

Chemistry, organic—Continued.

- and related compounds (Pratt), viii, A, 399; (Pratt and Brill), ix, A, 105.
- Action of organic peroxides on the photographic plate (Brooks), iv, A, 451.
- Action of sodium alcoholates on alcohols (Bacon), iv, A, 166.
- Action of sodium on acetone (Bacon and Freer), ii, A, 67.
- Action of sunlight upon methyl alcohol (Gibbs), vii, A, 57.
- Coconut and its products, with special reference to Ceylon (Pratt), ix, A, 177.
- Commercial utilization of some Philippine oil-bearing seeds (Richmond and del Rosario), ii, A, 439.
- Composition of carabaos' milk (Dovey), viii, A, 151.
- Composition of various milks and their adaptability for infant feeding (Agcaoili), viii, A, 141.
- Compounds which cause the red color in phenol (Gibbs), iii, A, 361.
- Compounds which cause the red coloration of aniline, I: The effect of oxygen and ozone and the influence of light in the presence of oxygen (Gibbs), v, A, 9.
- Compounds which cause the red coloration of aniline, II: The effect of sunlight in the absence of oxygen and oxidizing influences and a comparison with the behavior of mono- and dimethylaniline (Gibbs), v, A, 419.
- Diethylsuccinosuccinate (Ethylidioxidihydroterephthalate): A study of its constitution, some derivatives, and absorption spectra (Gibbs and Brill), x, A, 51.
- Enzymes of cacao (Brill), x, A, 123.
- Excreta of the python (Bacon), iv, A, 165.
- Formation of certain alkaloidal periodides (Holmes), vi, A, 253.
- Methyl salicylate, I: The separation of salicylic acid from methyl salicylate and the hydrolysis of the ester (Gibbs), iii, A, 101.
- Methyl salicylate, II: Solubility in water at 30° (Gibbs), iii, A, 357.
- Methyl salicylate, III: The coloration of methyl salicylate and some allied compounds in the sunlight (Gibbs, Williams, and Pratt), vii, A, 79.
- Methyl salicylate, IV: The saponification of methyl salicylate, methyl benzoate, and the methyl ether of methyl salicylate (Gibbs, Williams, and Galajikian), viii, A, 1.
- Mutual influence of hydroxyl and carboxyl and some related groups in the ortho position (Gibbs and Pratt), viii, A, 33.
- Nipa palm as a commercial source of sugar. A consideration of the principal difficulties encountered in collecting and preserving nipa palm sap

Chemistry, organic—Continued.

- (Pratt, Thurlow, Williams, and Gibbs), viii, A, 377.
- Oleoresins of *Pinus insularis* Endl. (Brooks), v, A, 229.
- Oxidation of phenol. The effect of some forms of light and of active oxygen upon phenol and anisole (Gibbs), iv, A, 133.
- Philippine citrus-fruits; their commercial possibilities and a chemical study of a few of the most important varieties (Gibbs and Agcaoili), vii, A, 403.
- Quinine esters of phenylarsinic acid derivatives (Oechslein), vi, A, 23.
- Roselle (Pratt), vii, A, 201.
- Sprouting coconut, copra, and coconut oil (Walker), iii, A, 111.
- Terpene oils of Manila elemi (Clover), ii, A, 1.
- Terpenes and essential oils (Bacon), iii, A, 49; iv, A, 93; v, A, 257.
- Terpenes and essential oils, II: Ylang-ylang oil (Bacon), iii, A, 65.
- The two phthaloximes: A study of their absorption spectra and constitution (Pratt and Gibbs), viii, A, 165.
- Chemistry—Paints, varnishes, and resins:
- Commercial utilization of some Philippine oil-bearing seeds (Richmond and del Rosario), ii, A, 439.
- Destructive distillation of Manila copal (Brooks), v, A, 203.
- Manila copal (Freer), v, A, 171; (Richmond), v, A, 177.
- Oleoresins of *Pinus insularis* Endl. (Brooks), v, A, 229.
- Oxidation of Manila copal by the air (Brooks), v, A, 219.
- Chemistry—Petroleum, asphalt, and wood products:
- Philippine turpentine (Richmond), iv, A, 231.
- Philippine wood oils (Clover), i, 191.
- Tayabas petroleum (Richmond), v, A, 1.
- Chemistry—Pharmacology:
- Arrow poisons (Bacon), iii, A, 41.
- Essential oils (Brooks), vi, A, 333.
- Fluctuation in the value of ylang-ylang oil and some of its causes (Brooks), vi, A, 355.
- Food and drug inspection (Gibbs), iii, A, 44.
- Method of using magnesium sulphate for the anæsthetization of marine animals (Griffin), v, D, 86.
- Papain: Its commercial preparation and digestive properties (Pratt), x, A, 1.
- Physical and chemical properties of the oleoresin of *Aspidium* with respect to the detection of adulterations (DuMez), viii, B, 523.
- Physiologically active constituents of certain Philippine medicinal plants (Bacon), i, 1007.

Chemistry—Pharmacology—Continued.

- Proposed modification of ylang-ylang oil standards (Gibbs), x, A, 99.
 Proprietary medicines in the orient (Gibbs) iii, A, 411.
 Terpene oils of Manila elemi (Clover), ii, A, 1.
 Terpenes and essential oils (Bacon), iii, A, 49; iv, A, 93; v, A, 257.
 Terpenes and essential oils, II: Ylang-ylang oil (Bacon), iii, A, 65.
 Toxic action of saponins (Bacon and Marshall), i, 1037.
 Two compounds of emetine which may be of service in the treatment of entamoebiasis (DuMez), x, B, 73.

Chemistry—Radioactivity:

- Crater lakes of Taal Volcano (Bacon), ii, A, 115.
 Effect of tropical sunlight on the atmosphere, with some notes on radioactive phenomena in the P. I. (Bacon), v, A, 267.
 Occurrence, composition, and radioactivity of the clays from Luzon, P. I. (Cox), ii, A, 413.
 Rubber vine (Bacon), iv, A, 166.
 Waters of the crater lakes of Taal Volcano, with a note on some phenomena of radioactivity (Bacon), i, 433.

Chemistry—Soils and fertilizers:

- Coconut and its relation to the production of coconut oil (Walker), i, 58.
 Mechanical analysis of soil (Pratt), vi, A, 35.
 Philippine guano (Cox), vii, A, 195.
 Philippine soils and some of the factors which influence them (Cox), vi, A, 279.
 Soils of the Island of Luzon (Cox and Argüelles), ix, A, 1.

Chemistry—Sugar, starch, and gums:

- Extraction test of a modern sugar central (Thurlow and Pratt), vii, A, 357.
 Nipa palm as a commercial source of sugar. A consideration of the principal difficulties encountered in collecting and preserving nipa palm sap (Pratt, Thurlow, Williams, and Gibbs), viii, A, 377.
 Starch production in the P. I. (Bacon), iii, A, 93.
 Sugar-cane experiments (Tempongko), viii, A, 159.

Chemistry—Water, sewage, and sanitation:

- Bacteriological examination of certain artesian wells (Barber), viii, B, 443.
 Biological study of the water supply of the P. I. (Edwards), iii, B, 121.
 Boiler waters of Iloilo Province (Heise), x, A, 75.
 Crater lakes of Taal Volcano (Bacon), ii, A, 115.
 Medical survey of the town of Taytay. Chemical analyses of Taytay waters (Richmond and Gana), iv, B, 217.

Chemistry—Water—Continued.

- Vitality of the cholera vibrio in Manila waters (Schöbl), ix, B, 479.
 Water supplies in the P. I. (Cox, Heise, and Gana), ix, A, 273; (Heise), x, A, 135.
 Water supply for the city of Iloilo (Heise), x, A, 65.
 Waters of the crater lakes of Taal Volcano, with a note on some phenomena of radioactivity (Bacon), i, 433.
 Chenaphe carteri, iii, B, 461.
 Chenendopora, viii, A, 289.
 major, viii, A, 290.
 Chengal, iv, C, 503, 516.
 Chengal (Penak), iv, C, 508.
 Chenghei, iv, C, 512.
 Chenopodiaceae, iii, C, 405; v, C, 175, 346;
 vii, C, 157; ix, C, 80.
 Chenopodium, iii, C, 405; v, C, 175, 346;
 vi, C, 19; vii, C, 157; ix, C, 80.
 acuminatum, iii, C, 405.
 album, ix, C, 80.
 ambrosioides, v, C, 346; vii, C, 182;
 ix, C, 80.
 polyspermum, v, C, 175.
 Cheribilla apaca, ix, C, 94.
 Cherimolia, vii, C, 112.
 Cherimoya, vii, C, 112.
 Cherimoyer, vii, C, 112.
 Chermin ayer, iv, C, 562.
 Cherry, vi, A, 14.
 Chersydrus granulatus, vi, D, 255, 311; x, D, 251.
 Chert, x, A, 85.
 Cherts, P. I., v, A, 327; viii, A, 245.
 northwestern Pangasinan radiolarian, vii, A, 268.
 Chestnut, vi, A, 14.
 Indian rose, iv, C, 505.
 Cheyletus, x, B, 347.
 Chi yu, ix, D, 62.
 Chibia menagei, i, 775.
 palawanensis, i, 908.
 Chicago slag, an interpretation of a, vii, A, 149.
 sunlight in, v, A, 301.
 Chicharo, v, C, 108.
 Chichirica, ix, C, 129.
 Chickrassia, iv, C, 478.
 Chico, vii, C, 199; viii, A, 63; ix, C, 127.
 mamey, iii, C, 304; vii, C, 199; viii, A, 73.
 Chik yu, ix, D, 60.
 Chilades, v, D, 166.
 laius, v, D, 72, 166.
 putli, v, D, 166.
 trochilus, v, D, 72, 166.
 Chilasa, ii, A, 369.
 Children, increase in weight as an index to growth with special reference to, vi, B, 40.
 observations upon cholera in, iv, B, 363.
 Chilimoya, vii, C, 112.
 Chilocarpus, viii, C, 388.

- Chilocorus cerberus*, v, D, 148.
 ruber, viii, D, 241.
Chilomenes sexmaculatus, v, D, 148.
Chilophylla, vii, D, 16.
 hirsuta, vii, D, 16.
Chiloscyllium indicum, vi, D, 312.
Chiltonia mihiwaka, x, D, 252.
China, ferns of southern, iii, C, 277.
China filiformis, i, s, 375.
Chinangta, ix, D, 477.
Chinela, iv, B, 250.
Chinelas, vi, C, 105.
Chinese coal, iii, A, 311.
 ear, iv, A, 42.
Chinquapin, vi, A, 14.
Chintah, iv, C, 473.
Chionachne, i, s, 263, 320.
 barbata, i, s, 320.
 biaurita, i, s, 263; 320.
Chionanthus ghaeri, ix, C, 268.
Chionaspis, i, 232.
 candida, i, 222, 232; *see also* i, 787.
 inday, i, 787.
 salicis, i, 232.
Chione, viii, A, 272.
 chlorotica, viii, A, 273.
 pulcherrima, viii, A, 273.
Chionyphe, ii, B, 489.
Chirimollo, vii, C, 112.
Chirimoya, vii, C, 112.
Chirimoyo, vii, C, 112.
Chirita, viii, C, 168, 328.
Chirodota dubia, vi, D, 313.
 incongrua, vi, D, 313.
 panaensis, vi, D, 314.
 rigida, vi, D, 313.
 variabilis, vi, D, 313.
Chironomidae, vii, B, 498.
Chiropsalmus, ix, D, 197.
 quadrigatus, ix, B, 291, 292; ix, D, 197.
 quadrumanus, ix, D, 198.
Chiroptera, vii, D, 7.
Chirozetes arotes, x, D, 230.
Chisocheton, i, s, 72; iii, C, 145, 234, 412; iv, C, 478.
 clementis, iii, C, 145.
 cumingianus, i, s, 72; iii, C, 145.
 curranii, iii, C, 234.
 divergens, iv, C, 478.
 fulvus, iii, C, 146.
 pentandrus, i, s, 72.
 philippinum, i, 415.
 philippinus, i, s, 72; iii, C, 412; iv, C, 478.
 tetrapetalus, i, 405; i, s, 72.
Chisochiton cumingianus, ix, A, 449; x, A, 107.
 philippinus, ix, A, 449.
 tetrapetalus, ix, A, 504.
Chlute, ix, C, 129.
Chlamydobacteriaceae, iii, B, 459.
Chlamydoalanus, iii, C, 329.
Chlamydoconta, v, D, 318.
Chlamys, viii, A, 275.
 sp., viii, A, 275.
Chloradenia discolor, vii, C, 386.
Chloranthaceae, i, s, 40; ii, C, 269; iv, C, 69; v, C, 342; vi, C, 199; vii, C, 259; x, C, 3.
Chloranthus, i, s, 40; ii, C, 269; iv, C, 69; v, C, 342; vii, C, 259; x, C, 3.
 brachystachys, i, 664; i, s, 40; ii, C, 269; iv, C, 69; v, C, 342; vi, C, 199.
 henryi, vii, C, 260; x, C, 4.
 inconspicuus, iv, C, 69.
 officinalis, i, s, 40; ii, C, 269; iv, C, 69.
 oldhami, vii, C, 260.
 philippinensis, vii, C, 259.
 salicifolius, iv, C, 69.
 verticillatus, x, C, 3.
Chlorepyris flavipennis, ix, D, 285.
Chloride of lime for paper making, ii, A, 100.
Chloridæ, i, s, 376; ix, C, 57.
Chlorine content of artesian wells in Panay, x, A, 67.
Chlorion lobatum, i, 687.
Chloris, i, s, 377; iii, C, 220; vii, C, 154; x, C, 288.
 barbata, i, s, 377; vii, C, 180.
 crinita, i, s, 378; x, C, 187.
 cynodontoides, iii, C, 220.
 dolichostachya, i, s, 378; x, C, 187.
 incompleta, ix, C, 170; x, C, 288.
 inflata, i, s, 378.
 longifolia, i, s, 377.
 mearnsii, iii, C, 220; x, C, 288.
 petraea, i, s, 378; x, C, 187.
 radiata, i, s, 378.
 rhachitricha, i, s, 377.
 rufescens, i, s, 378; x, C, 187.
 tener, i, s, 378; x, C, 187.
 truncata, i, s, 378; x, C, 187.
Chlorite, x, A, 85.
Chloroform, treatment of strychnine poisoning with, v, B, 547.
Chlorophora tinctoria, v, A, 440.
Chlorophyllum esculentum, ix, C, 243.
Chloropidae, viii, D, 311.
Chlorops ochracea, viii, D, 330.
 vittipennis, viii, D, 311.
Chloropsis flavipennis, ii, A, 306; iv, A, 74.
 palawanensis, i, 906.
Chloroxylon swietenia, iv, C, 473.
Chnocophora glauca, iv, C, 60.
 lurida, iv, C, 45.
Chocolate, vii, A, 399.
Chærodon oligacanthus, v, D, 281.
Chærops ommopterus, ix, D, 70.
 palawanensis, iv, A, 523.
 schenlieni, ix, D, 70.
Cholera, v, B, 175; ix, A, 342.
 autopsy and diagnosis of Asiatic, ix, B, 361.
 chemical composition of the blood in Asiatic, v, B, 395.
 choleralike vibrios and, v, B, 403.
 cockroaches and ants as carriers of the vibrios of Asiatic, ix, B, 1.
 discussion of the papers by Doctors Heiser and Marshall on, iii, B, 184.
 discussion on the suppression of an epidemic of, iv, B, 59.

- Cholera—Continued.
 discussion on the treatment of Asiatic, iv, B, 141.
 effect of the concentration of solution in the treatment of collapse in Asiatic, v, B, 391.
 experiments on *Aphiochaeta ferruginea* with the vibrio of, x, B, 309.
 indications of acid intoxications in Asiatic, vi, B, 53.
 injections of hypertonic saline solutions with a simple and rapid method of intraabdominal administration in the treatment of, iv, B, 99, 141.
 investigations carried on by the biological laboratory in relation to the suppression of the recent outbreak of, ii, B, 413.
 Manila waters and the vitality of the vibrio of, ix, B, 479.
 observations concerning carriers of, x, B, 11.
 observations upon children having, iv, B, 363.
 pathology of the gall bladder and biliary passages in, x, B, 385.
 practical experience with some enriching media recommended for bacteriological diagnosis of Asiatic, x, B, 127.
 reaction of culture media in relation to the morphology of the organism producing, iv, B, 341.
 relation to cholera control of carriers of, x, B, 1.
 spirillum of, ix, B, 467.
 statistics and some considerations with regard to the cause of the frequent re-appearance of, iii, B, 89.
 studies of, iii, B, 107.
 suppression of a provincial outbreak of, iv, B, 107.
 suppression of an epidemic of, iv, B, 43.
 suspension on slides of, vii, B, 163.
 tolerance for alkalies in Asiatic, v, B, 363.
 treatment of Asiatic, iv, B, 81.
Cholepus, vi, D, 155.
Chondrilla dentata, iii, C, 218.
Chondrosium simplex, i, s, 380.
Chonemorpha, iii, C, 121; iv, C, 314.
 elastica, iv, C, 314.
 elliptica, iii, C, 121.
 griffithii, iv, C, 314.
 macrophylla, iii, C, 121.
Chop suey, vi, D, 303.
Chorea and *amœbiasis*, i, 570.
Choriandra, iii, C, 141.
Choripetalum porteanum, v, C, 376.
Choristachæ, ii, C, 83.
Chosga, ix, C, 102.
Chouk, iv, C, 444.
Chrestoteleia bakeri, ix, D, 286.
Chriodes oculatus, i, 692.
Christangayo, ix, C, 81.
Christensenia, ii, C, 186; iv, C, 11.
 aesculifolia, iv, C, 11.
 cumingiana, ii, C, 186; iv, C, 11.
Christiopteris, i, s, 20, 157.
 sagitta, i, s, 20, 157.
Chrochiphora, v, D, 180.
 testulalis, v, D, 180.
Chromatopterum delicatum, viii, D, 330.
 elegans, viii, D, 330.
 pubescens, viii, D, 330.
Chromite, vi, A, 437; x, A, 85.
Chromocryptus albomaculatus, i, 692.
Chrotomys, vii, D, 27.
 whiteheadi, vii, D, 27.
Chrysalis, *myrmecophilous lycænid*, v, D, 73.
Chrysanthemum, ix, C, 153.
 indicum, vii, C, 190; ix, C, 153.
Chrysaora stage, ix, B, 292; ix, D, 198.
Chrysididæ, i, 685; viii, D, 287.
Chrysidinæ, i, 685.
Chrysis, i, 685.
 aspera, viii, D, 290.
 atrata, viii, D, 291.
 bakeri, viii, D, 290.
 bidenticulata, viii, D, 289.
 comottii var. *igniceps*, viii, D, 291.
 diademata, viii, D, 291.
 fuscipennis, i, 688; viii, D, 291.
 fuscipennis var. *sumptuosa*, i, 688.
 laevicollis, viii, D, 291.
 lusca, viii, D, 291.
 luzonica, viii, D, 290.
 miri, i, 685, 688; viii, D, 290.
 oculata, i, 688.
 palawanensis, viii, D, 291.
 philippinensis, viii, D, 288.
 sauteri, viii, D, 289.
 singalensis, viii, D, 290.
 triacantha, i, 688.
Chrysisidæ, i, 688.
Chrysisinæ, i, 688.
Chrysobalanus splendens, x, C, 307.
Chrysobothris bistrispunctata, ix, D, 84.
Chrysochloris, vi, D, 187.
Chrysocladium, v, C, 153, 314.
 rufifolioides, v, C, 153, 314.
Chrysocolaptes erythrocephalus, i, 906.
 hæmatribon, v, D, 111, 136.
 lucidus, ii, A, 286, 326; iv, A, 72.
 montanus, iv, A, 72.
 rufopunctatus, ii, A, 326; iv, A, 72.
 samarensis, ii, A, 326.
 xanthocephalus, vi, D, 42.
Chrysoconops aurites, viii, D, 307.
 conopus, viii, D, 307.
Chrysocoris, iv, A, 557.
 dilaticollis, iv, A, 557.
 germari, iv, A, 557.
Chrysodema adjuncta, ix, D, 83.
 eximia, ix, D, 83.
Chrysoglossum, ii, C, 316.
 villosum, ii, C, 316.
Chrysogonum philippinense, iii, C, 125.
Chrysomela bifasciata, v, D, 226.
Chrysomelidæ, viii, D, 127, 215.
Chrysomeliden, v, D, 139.

- Chrysomeliden und Coccinelliden der Philip-
 pinen, v, D, 223; viii, D, 215.
 Chrysomphalus, i, 230.
 aonidium, i, 231.
 aonidium, i, 221.
 ficus, i, 230.
 prosimus, i, 221, 230.
 Chrysomya dux, viii, D, 309.
 Chrysomyza ænea, viii, D, 321.
 Chrysopelea ornata, iv, A, 600; v, D, 214; vi,
 D, 264.
 Chrysopera, v, D, 174.
 combinans, v, D, 174.
 Chrysophara, iv, A, 556.
 Chrysophyllum, ii, A, 202.
 philippense, iii, C, 304.
 roxburghii, ii, C, 257; iv, C, 539.
 Chrysopida nigrita, viii, D, 219.
 Chrysopilus correctus, viii, D, 313.
 ferruginosus, viii, D, 312.
 Chrysopogon, i, s, 338.
 aciculatus, i, s, 338.
 parviflorum var. spicigerus, i, s, 336.
 subulatus, i, s, 338.
 tener, i, s, 337.
 villosulus, i, s, 336.
 violascens, i, s, 336.
 Chrysopraxe, x, A, 85.
 Chrysops cincta, viii, D, 308.
 dispar, viii, D, 308.
 manilensis, viii, D, 308.
 signifer, viii, D, 312.
 Chrysotile, x, A, 86.
 Chrysozona lunulata, viii, D, 308.
 Chuchumeco, ix, C, 94.
 Chukrassia tabularis, iv, C, 478.
 Chuncoa, iv, C, 532.
 Chunra, x, D, 324.
 niveosparsa var. lagunensis, x, D, 326.
 niveosparsa var. palawanensis, x, D, 326.
 niveosparsa var. philippinensis, x, D, 325.
 puncticosta, x, D, 325.
 Chupa, iv, A, 256; iv, B, 226; vii, A, 99; ix,
 C, 138.
 Chuti, ix, C, 129.
 Chyliza elegans, viii, D, 330.
 selecta, viii, D, 311.
 Cibotium, ii, C, 117, 145; iv, C, 63.
 assamicum, iv, C, 63.
 baranetz, ii, C, 117; iv, C, 63.
 baranetz var. lampongense, iv, C, 64.
 baranetz var. setosum, iv, C, 64.
 cumingii, ii, C, 118, 145; iv, C, 64.
 glaucescens, ii, C, 117.
 sumatranum, ii, C, 118; iv, C, 63.
 Cicada conica, v, D, 36.
 farinosa, v, D, 37.
 mannifera, v, D, 35.
 quadriloberculata, v, D, 34.
 sanguinea, v, D, 36.
 sanguinolenta, v, D, 36.
 taurus, x, D, 378.
 virescens, v, D, 35.
 Cicadaria, v, D, 34.
 Cicadidæ, v, D, 33, 57.
 Cicadinæ, v, D, 33.
 Cicca, iv, C, 87; vi, C, 322.
 acidissima, iv, C, 87.
 decandra, iv, C, 77.
 disticha, iv, B, 221; iv, C, 87; vi, C, 322;
 vii, C, 193; viii, A, 72.
 pentandra, iv, C, 74.
 Cicini, x, D, 50.
 Cicer arietinum, v, C, 136.
 Cichlanthus, iv, C, 139.
 philippensis, iv, C, 139.
 Cicindela clara subsp. aenula, ii, A, 77.
 clara subsp. rugothoracica, ii, A, 77.
 clara subsp. suavissima, ii, A, 77.
 suavis, ii, A, 78.
 Cicindelidæ, new P. I., ii, A, 77; iii, A, 273.
 Ciconiidae, iv, A, 68; v, D, 107.
 Cicutariæ, ii, C, 410.
 Cigarette beetle, i, 1070; viii, D, 1.
 Cigarrillos, v, C, 136.
 Cigars injured by the cigarette beetle, viii,
 D, 6.
 Ciliates, iii, B, 191; iv, B, 266; v, B, 270.
 water and human stools containing flagel-
 lates and, vi, B, 155.
 Cimex acutus, iv, A, 569.
 amethystinus, iv, A, 564.
 angustatus, iv, A, 569.
 carbonarius, iv, A, 588.
 cingulatus, iv, A, 577.
 cruciatus, iv, A, 562.
 guttigerus, iv, A, 560.
 koenigii, iv, A, 577.
 lectularius, i, 1072; iv, B, 286, 294.
 membranaceus, iv, A, 567.
 mormodicæ, iv, A, 567.
 nigripes, iv, A, 563.
 nobilis, iv, A, 556.
 pugnator, iv, A, 568.
 punctum, iv, A, 563.
 pustulatus, iv, A, 556.
 rotundatus, iv, B, 294.
 rubens, iv, A, 564.
 servus, iv, A, 572.
 silphoides, iv, A, 555.
 superstitiosus, iv, A, 577.
 trigonus, iv, A, 568.
 vahlhi, iv, A, 554.
 Cimicidæ, iv, B, 239.
 Cinchona philippica, x, C, 194.
 Cinder cones, southwestern Luzon, v, A, 90.
 Cinetus, ix, D, 311.
 maquilingensis, ix, D, 311.
 Cingum, iv, C, 562.
 Cinnabar, x, A, 86.
 Benguet, vi, A, 438.
 Cinnamomo, ix, C, 117.
 Cinnamomum, i, s, 56; ix, D, 254.
 camphora, iv, C, 453.
 mercadoi, i, 411, 637; i, s, 56; iv, A, 114;
 iv, C, 703; vi, C, 205; ix, A, 449.
 mindanaense, v, A, 257.
 zeylanicum, iv, A, 115; v, A, 257; vii, C,
 183.
 Cinnryris aurora, i, 907; ii, A, 332.
 flagrans, v, D, 104.
 guimarasensis, vi, D, 46.

Cinnyris—Continued.

- henkei, iii, A, 283; v, D, 104, 220.
 jugularis, i, 703; ii, A, 290, 308, 314, 331;
 iii, A, 280; iv, A, 76; v, D, 113.
 juliae, ii, A, 290.
 sperata, i, 775; ii, A, 331; iii, A, 280;
 iv, A, 76; v, D, 113.
 whiteheadi, ii, A, 349; iii, A, 283.
- Cintractia, i, s, 281; iii, C, 41.
 axicola, i, s, 281; iii, C, 41.
 cyperi-polystachyi, iii, C, 41.
 merrillii, iii, C, 41.
- Cionus reitteri, x, D, 28.
- Cipadessa fruticosa, iv, C, 478.
- Circe gibbea, vii, D, 276.
 undatina, vii, D, 275.
- Circus melanoleucos, iv, A, 68.
 melanoleucus, ii, A, 312, 322.
- Cirihuelas, viii, A, 75.
- Cirrhitidae, ix, D, 69.
- Cirrhitties aureus, ix, D, 69.
 oxycephalus, ix, D, 69.
- Cirrhopetalum antenniferum, vii, C, 138.
 auratum, vii, C, 139.
 chryseum, vi, C, 54; vii, C, 127.
 cumingii, vi, C, 55; vii, C, 127.
 makoyanum, vi, C, 55.
 maxillare, vii, C, 127.
 nutans, vii, C, 128.
 thoursii, vii, C, 127.
- Cirsium, v, C, 399.
 luzoniense, v, C, 399.
 wallichii, v, C, 399.
- Ciruelas, vii, C, 199.
- Cirujano administrante, viii, B, 49.
- Cirullas, viii, A, 75.
- Cissampelos, i, s, 52; vii, C, 158.
 discolor var. cardiophylla, iii, C, 77.
 pareira, i, s, 52; iii, C, 77; vi, C, 201;
 vii, C, 183; ix, C, 425.
- Cissus, i, s, 89; vii, C, 162.
 adnata, i, s, 89; vi, C, 210.
 flexuosa, iii, C, 240.
 geniculata, i, 392; i, s, 89; iii, C, 80.
 japonica, i, 392; i, s, 89.
 ochracea, iii, C, 110.
 pedata, ii, C, 432.
 repens, i, 392; i, s, 89; ix, C, 427.
 rostrata, i, s, 89.
 trifolia, ix, A, 461; ix, C, 427, 499, 505,
 513.
- Cistelomorpha, viii, D, 57.
 anaematica, viii, D, 59.
 calida, viii, D, 59.
 distincticornis, viii, D, 57.
 flavovirens, viii, D, 60.
 hypoxantha, viii, D, 60.
 rufiventris, viii, D, 60.
 semipellita, viii, D, 57.
 subcostulata, viii, D, 57.
- Cisticola, v, D, 104.
 cisticola, ii, A, 329, 343, 348.
 cursitans, ii, A, 329.
 exilis, i, 703; ii, A, 307, 314, 329, 343; v,
 D, 136.
- Citibaeus aurata, viii, D, 314.
- Citron, vii, A, 403.
- Citrullus vulgaris, iv, B, 222; vii, C, 189; viii,
 A, 70; ix, C, 429.
- Citrus, i, s, 70; iii, C, 412; viii, D, 299; ix,
 C, 97.
 acida, ix, C, 98.
 aurantium, iv, B, 221; iv, C, 474; vi, A,
 347; vii, A, 411; vii, C, 193; ix, C, 97.
 aurantium var. decumana, ix, C, 97.
 aurantium var. mandarinum, iii, C, 305.
 aurantium var. sinensis, ix, C, 97.
 bergamina, ix, C, 98.
 decumana, iv, B, 221; vi, A, 349; vii, A,
 403; vii, C, 185; viii, A, 68; ix, C, 97.
 hystrix, i, 406, 638; i, s, 70; iii, C, 412;
 iv, C, 703; vi, A, 349; vii, A, 403; ix,
 A, 500; ix, C, 98.
 hystrix var. acida, ix, C, 98.
 lima, vii, A, 412; vii, C, 185; ix, C, 98.
 limetta, vii, A, 403.
 limonum, vii, A, 403.
 medica, iv, B, 221; vii, A, 403; ix, C, 98.
 mitis vii, A, 387, 413.
 nobilis, iv, C, 474; vii, A, 404; ix, C, 98;
 ix, D, 251.
 papillaris, vi, A, 347.
 reticulata, vi, A, 347; vii, A, 405.
 vulgaris, iv, C, 474.
- Citrus fruits, vii, A, 403.
 oils, vi, A, 346.
- Citta nigricans, v, C, 116.
- Cittocinclu cebuensis, ii, A, 307.
 nigra, i, 907.
 nigrorum, vi, D, 40.
- Citula armatus, v, D, 272.
- Civet, vii, D, 22; viii, A, 74.
- Cixiinae, ix, D, 174, 269.
- Cixius pustulatus, v, D, 39.
- Cladium, ii, C, 102, 262; iii, C, 399; v, C, 171;
 vii, C, 74; ix, C, 59; x, C, 288.
 aromaticum, ix, C, 59.
 bicolor, vii, C, 202; ix, C, 65.
 cyperoides, vii, C, 74.
 distichum, ii, C, 102; v, C, 172.
 ensigerum, ii, C, 263.
 filiforme, v, C, 172; ix, C, 60.
 gaudichaudii, ix, C, 59.
 jamaicense, ix, C, 59.
 latifolium, ii, C, 262; iii, C, 399.
 mariscoides, ix, C, 59.
 meyenii, ix, C, 59.
 philippinense, v, C, 171.
 riparium, v, C, 172; x, C, 288.
 riparium var. crassum, v, C, 172.
 undulatum, ii, C, 103; v, C, 172.
- Cladoderris, i, s, 282; ix, C, 236, 350; x, C, 88.
 blumei, i, s, 282.
 crassa, i, s, 282; ix, C, 236.
 dendritica, i, s, 283; ix, C, 236; x, C, 88.
 dendritica forma adulta, i, s, 283.
 dendritica forma hymenio scabro, i, s, 283.
 dendritica forma junior, i, s, 283.
 elegans, ix, C, 236, 350.
 infundibuliformis, i, s, 283.

- Cladodes rugosa*, vii, C, 383.
Cladogynos, vii, C, 386.
 orientalis, vii, C, 386.
Cladonia, i, 661.
Cladosporium, viii, C, 507; ix, C, 40.
 clemensiae, ix, C, 40.
 fasciculatum, ix, C, 40.
 oplismeni, viii, C, 507.
Cladotrix dichotama, iii, B, 458.
 fosteri, iii, B, 461.
 invulnerabilis, iii, B, 468.
 mordoré, iii, B, 467.
Clam, duck-bill, vii, D, 277.
 green, vii, D, 276.
 hard shell, vii, D, 275.
 little-neck, vii, D, 276.
 minute sand, vii, D, 277.
 razor, vii, D, 278.
 ridged sand, vii, D, 276.
 rock, vii, D, 276.
 sand, vii, D, 275.
 surf, vii, D, 275.
 tongue, vii, D, 278.
 Venus, vii, D, 277.
 waved Venus, vii, D, 277.
Clamungog, iv, C, 692.
Claoxylon, i, s, 79, 204; ii, C, 278; iii, C, 416;
 v, C, 357; ix, C, 100.
 elongatum, i, s, 204.
 mariannum, ix, C, 100.
 purpureum, i, s, 204; v, C, 357.
 rubescens, i, 641.
 rubescens var. *meyenianum*, i, s, 79; iii,
 C, 416.
 rubescens var. *oblanceolatum*, i, s, 79.
Clarias magur, iii, A, 529.
Clastobryum, v, C, 155, 315; viii, C, 81.
 indico, viii, C, 81.
 merrillii, viii, C, 81.
 robustum, v, C, 155, 315.
Clausena, i, s, 69; ii, C, 431; v, C, 180; vii, C,
 160; ix, C, 294.
 anisata, iv, A, 130.
 anisum-olens, i, 411; i, s, 69; iii, C, 305;
 iv, A, 130; vi, A, 344; ix, A, 507.
 grandifolia, ix, C, 294.
 mollis, v, C, 181.
 warburgii, i, s, 69; ii, C, 431.
 worcesteri, v, C, 180.
Clavaria, i, s, 284.
 hypoxylon, i, s, 281.
 pusio, ix, C, 352.
 surculus, i, s, 284.
Clavariales, i, s, 284.
Clavis, vi, C, 58.
Clavularia, x, D, 157.
 auricula, x, D, 205.
 celebensis, x, D, 159.
 inflata, x, D, 168.
 inflata var. *luzoniana*, x, D, 155.
 longissima, x, D, 159.
 violacea, x, D, 156, 205.
 viridis, x, D, 159.
Clay, analyses of Bulacan residual, ix, A, 254.
 Benguet, brick, vi, A, 444.
 bricks from Iwahig, ix, A, 166.
Clay—Continued.
 Caramoran Peninsula, x, A, 318.
 Danao, ix, A, 90.
 products, Manila prices of, vii, A, 353.
 products, Mountain Province, x, A, 201.
 products, southwestern Luzon, v, A, 111.
 southeastern Luzon, vi, A, 479.
 Tanauan, iv, A, 355.
Clays, viii, A, 238.
 analyses of P. I., v, A, 149.
 analyses of standard fire, ii, A, 424.
 chemical composition of some Laguna and
 Romblon, ii, A, 102.
 Laguna, iii, A, 377.
 northwestern Pangasinan, vii, A, 264.
 occurrence, composition, and radioactivity
 of Luzon, ii, A, 413.
 P. I., v, A, 326, 335.
 physical properties of P. I., ii, A, 429.
Clay-tuff, Canguinsa, x, A, 250.
Cleidion, ix, C, 474.
 javanicum, ix, C, 475.
 lanceolatum, ix, C, 474.
Cleistanthus, i, s, 39; vi, C, 54; vii, C, 156.
 ionosmum, i, s, 39.
 kunstleri, vi, C, 54, 197.
Cleistanthus, iii, C, 187, 416; iv, C, 483; vi,
 C, 323; vii, C, 386; ix, C, 475.
 angustifolius, vii, C, 386.
 apiculatus, iii, C, 189.
 blancoi, iii, C, 187, 189, 193; vi, C, 327.
 bridelifolius, iii, C, 191; vi, C, 323; ix,
 C, 475.
 collinus, iv, C, 485.
 cupreus, i, s, 172; iii, C, 191.
 decipiens, iii, C, 195.
 everettii, iii, C, 194; vi, C, 327.
 ferrugineus, iii, C, 187, 193.
 gracilis, vi, C, 327.
 integer, iii, C, 196.
 isabellinus, vi, C, 325.
 laevis, iii, C, 193.
 megacarpus, vi, C, 323.
 mindanaensis, vi, C, 324.
 misamisensis, vi, C, 325.
 myrianthoides, vi, C, 325.
 myrianthus, iii, C, 190; vi, C, 324.
 orgyalis, iii, C, 187, 189.
 ovatus, iii, C, 194, 416.
 pallidus, iii, C, 187, 193.
 patulus, iii, C, 187, 193.
 pilosus, vi, C, 326.
 quadrifidus, iii, C, 197.
 robinsonii, ix, C, 476.
 samarensis, ix, C, 475.
 trichocarpa, vi, C, 323.
 venosus, iii, C, 192.
 vidalii, iii, C, 193; vi, C, 327.
Cleistopyris minimus, ix, D, 285.
 minor, ix, D, 285.
 philippinensis, ix, D, 285.
Cleistoloranthus, iv, C, 150; v, C, 345; vii,
 C, 79.
 verticillatus, iv, C, 150; v, C, 345; vii,
 C, 78.

- Clematis*, iii, C, 98; v, C, 347; x, C, 303.
aristata, v, C, 348.
leschenaultiana, v, C, 348; x, C, 303.
leschenaultiana var. *subglabrifolia*, x, C, 303.
macgregorii, v, C, 347.
meyeniana, iii, C, 98.
smilacifolia, vi, C, 201.
Clemens, new Philippine plants from the collections of Mary Strong, iii, C, 129.
Clemensia, iii, C, 143.
macrantha, iii, C, 144.
Clementia, viii, A, 271.
papyra, v, A, 329.
papyracea, viii, A, 272.
sp., viii, A, 271, 326.
Cleodora, ii, A, 160.
Cleome, iii, C, 182; ix, C, 85.
gynandra, iii, C, 182.
pentaphylla, iii, C, 182.
viscosa, vii, C, 183; ix, C, 85.
Cleonimidae, i, 691.
Cleonyminae, i, 691.
Cleoporus cruciatus, viii, D, 221.
Cleorina senecioicarpa, v, D, 223.
morosa, v, D, 223.
philippinensis, v, D, 223.
Cleridae, viii, D, 10.
Cleriden, zwei neue philippinische, viii, D, 303.
Clerodendron, i, s, 122; ii, C, 299; iii, C, 431; vii, C, 98, 245, 341; ix, C, 135, 385; x, C, 72.
blancoanum, vi, C, 220.
blancoi, i, s, 122, 173; vi, C, 220.
brachyanthum, vi, C, 221; vii, C, 98.
calamatosum, vii, C, 195.
capsulare, vii, C, 245.
commersonii, vi, C, 221; vii, C, 245; viii, C, 475; ix, C, 135.
cumingianum, vii, C, 98; ix, C, 385.
elliptifolium, vii, C, 341.
fragens, vii, C, 195; viii, C, 267.
inermis, i, 669; i, s, 122; vii, C, 245; ix, C, 135.
infortunatum, vii, C, 98.
intermedium, i, 408; i, s, 122; iii, C, 305, 431; vi, C, 221; viii, C, 267, 392, 477; x, C, 73.
klemmei, vii, C, 342.
macrostegium, vii, C, 99.
minahassae, vi, C, 220; viii, C, 475; ix, C, 429.
mindorense, vii, C, 342.
multibracteatum, vii, C, 98.
neriifolium, vii, C, 245; ix, C, 135.
paniculatum, iii, C, 305.
puberulum, x, C, 72.
quadriloculare, i, s, 122; vii, C, 342; ix, A, 450.
simile, vii, C, 342.
thompsonae, vii, C, 189.
trichotomum, iii, C, 432.
vanoverberghii, vii, C, 98.
villosum, vii, C, 98, 342; x, C, 193.
Clerodendron—Continued.
wenzelii, ix, C, 385.
Clethra, i, s, 111; ii, C, 292; v, C, 371.
canescens, i, s, 111.
lancifolia, i, 655; i, s, 111; ii, C, 292.
luzonica, v, C, 371.
Clethraceae, i, s, 111; ii, C, 292; v, C, 371.
Cletharra, v, D, 173.
albonotata, v, D, 173.
valida, v, D, 173.
Cletus, iv, A, 568.
acutus, iv, A, 568.
bistillatus, iv, A, 568.
pugnator, iv, A, 568.
trigonus, iv, A, 568.
Clanthus, v, C, 75.
binnendyckianus, i, s, 171; v, C, 75; vi, C, 205.
Climacandra obovata, v, C, 217.
Climate, P. I., v, B, 541; vi B, 431.
San Jose Estate, ix, B, 149.
vegetation of the Lamao forest reserve as influenced by, i, 378.
white men of the blond and brunet type as influenced by P. I., vi, B, 427.
Climatic conditions in Manila, v, B, 543.
Climbing perch, iii, A, 529; v, D, 274.
Clitoria, v, C, 109; ix, C, 92.
philippensis, iii, C, 305; v, C, 109.
plumieri, v, C, 109.
ternatea, iii, C, 305; v, C, 109; vii, C, 184; viii, C, 284; ix, C, 92.
Clonorchis, ix, B, 236.
sinensis, viii, B, 172.
Cloresmaria, iv, A, 566.
Closterocerus brownii, i, 691, 694.
Clothes and their relation to temperature, vi, B, 128.
Clothing, Taytay, iv, B, 250.
tropical climate, vii, B, 107.
Clovia, v, D, 49.
bigoti, v, D, 49.
conifer, v, D, 49.
frenulata, v, D, 49.
vittifrons, v, D, 49.
Clupeidae, iii, A, 514; v, D, 264; ix, D, 11.
Cluytia androgyna, iv, C, 72.
Clypeoclypeus communis, viii, A, 240.
Clypeosphaeriaceae, iii, C, 48; viii, C, 258.
Clytra philippinensis, viii, D, 215.
Clytus, i, 1067.
Cnecodes suturalis, v, D, 141.
Cnemodasus, viii, D, 374.
rectangulus, viii, D, 374.
tenuipes, viii, D, 375.
Cneorum tricoecum, iii, C, 187.
Cnestis, i, s, 61; iv, C, 127.
corniculata, iv, C, 127.
diffusa, iv, C, 127.
erecta, iv, C, 125.
glabra, iv, C, 125.
polyphylla, iv, C, 127.
ramiflora, i, 392; i, s, 61; iv, C, 127.
trifolia, iv, C, 125.
volubilis, iv, C, 125.

- Cnicus, iii, C, 76.
 argyranthus, v, C, 399.
 wallichii, i, s, 177; v, C, 399.
- Coal, v, A, 333.
 Australian, ii, A, 50; iii, A, 311.
 Batan Island, ii, A, 50; iii, A, 311.
 bituminous, x, A, 84.
 Bornean, iii, A, 311.
 Cagayan Valley, iii, A, 535.
 Calubian, iv, A, 355.
 Caramoan Peninsula, x, A, 318.
 Cebu, ii, A, 50; iii, A, 311.
 chemical and physical characteristics of
 P. I., vii, A, 1.
 Chinese, iii, A, 311.
 Eastern Cordillera, v, A, 79, 108; vi, A, 473.
 Gatho upland, vi, A, 476.
 geology of the Compostela-Danao field,
 ii, A, 377.
 Japanese, ii, A, 50; iii, A, 311.
 Mindoro, ii, A, 51.
 Mountain Province, x, A, 201.
 Negros, ii, A, 51.
 oxidation and deterioration of, vii, A, 297.
 persistence of P. I. beds, x, A, 289.
 Polillo, ii, A, 51; iii, A, 311.
 Ragay hills, vi, A, 472.
 relationship between the external appearance and the ash content of P. I.,
 iii, A, 91.
 Rizal, ii, A, 51.
 Samar, ii, A, 51.
 Sibuguey, iii, A, 483; vi, A, 365.
 Southeastern Cordillera, vi, A, 460, 478.
 Surigao, ii, A, 51.
 Tayabas, ii, A, 51.
 Tres Reyes, vi, A, 365.
 Wyoming, ii, A, 51.
 Zamboanga, ii, A, 51.
- Coals, analyses of some available P. I. and
 some foreign, iv, A, 227.
 analyses of typical, vii, A, 351.
 averages of analyses of Cebu, ii, A, 401.
 calorific value and proximate analyses of
 Cebu, vii, A, 346.
 calorimetry and the determination of the
 calorific value of P. I. and other,
 iv, A, 171.
 fuel value of P. I., iii, A, 301.
 gas-producing power of P. I., i, 877.
 order of decrease in ash content in P. I.,
 iii, A, 91.
 proximate analysis of P. I., ii, A, 41.
 steaming tests of P. I. and other, iii,
 A, 311.
- Cobotium assamicum, ii, C, 117.
 baranetz, ii, C, 117.
- Cobra de capella, iv, B, 204.
 hooded, iv, B, 204.
 king, iv, B, 204.
- Cocencæ, i, 719.
- Coccidæ, i, 212, 230, 787; iv, B, 236.
- Coccidencyrtus manilæ, i, 691, 695.
- Coccidophilus, vii, D, 106.
- Coccinellidæ, viii, D, 241.
- Coccinelliden, v, D, 146, 223; viii, D, 215.
- Coccobacillus acridiorum on locusts in the
 P. I., x, B, 163.
- Coccomyces, viii, C, 403.
 canarii, viii, C, 403.
- Coccomytilus, i, 233.
- Coccotrema, viii, C, 103.
 antarctica, viii, C, 103.
 cucurbitula, viii, C, 103.
- Coccotrypes, vi, D, 21.
 graniceps, vi, D, 21.
 pygmæus, vi, D, 17.
- Cocculus, vii, C, 81.
 blumei, vii, C, 266.
 celebicus, vii, C, 266.
 laurifolius, vii, C, 81.
 thunbergii, ix, D, 256.
- Coccus, experiments with the Okata-Kokubo,
 i, 722.
- Cochin-China diarrhœa worm, iii, B, 191.
- Cockroaches, plague bacilli inoculated into
 the body cavity of, vii, B, 521.
 vibrios of Asiatic cholera carried by,
 ix, B, 1.
- Coco distillates, cost of production and selling
 price of the various grades of, vi, A,
 162; viii, A, 30.
- Cocoa and cocoa products, vii, A, 399.
- Coconut, iv, B, 222; vi, D, 25; vii, C, 192.
 butter, ix, A, 198.
 chemical analyses of soils suitable for
 the, ix, A, 41.
 Davao, i, 80.
 desiccated, ix, A, 189.
 detection and determination of the oil,
 iii, A, 371.
 insects injurious to, i, 1069.
 its relation to the production of the oil,
 i, 58.
 keeping qualities and the causes of ran-
 cidity in the oil, i, 117.
 leaf-miner beetle of, viii, D, 127.
 oil of, iii, A, 111; ix, A, 187.
 palm, *see* Palm.
 products in Ceylon from, ix, A, 177.
 purification of the oil, iii, A, 45.
 relation of the production of coconut
 oil to the nut, i, 58.
 skipper, i, 212.
 slug-caterpillar, i, 216.
 test for lumbang oil in the oil, ii, A,
 442.
 weevil, four-spotted, i, 163.
 weevil, shot-hole, i, 159.
- Coconuts, San Ramon, i, 60.
 sprouting, iii, A, 111.
 typhoons, beetles, and, iii, A, 533.
- Cocos, vii, C, 154; ix, C, 63.
 nucifera, i, 3, 6, 143, 230, 398; i, No. 5,
 461; i, 671, 1081; iii, C, 305; iv, B, 222;
 vi, A, 105, 147; vi, C, 107, 195; vi, D, 25;
 vii, A, 41; vii, C, 181; viii, C, 501; viii,
 D, 127; ix, C, 63, 166, 250.

- Codeine, vi, A, 257.
 Codiaenum, i, s, 81; vii, C, 161; ix, C, 101, 476.
 cuneifolium, ix, C, 477.
 hirsutum, ix, C, 476.
 luzonicum, i, 641; i, s, 81; ix, C, 477.
 variegatum, vi, C, 208; vii, C, 185; ix, C, 101.
 Codium tenue, vi, D, 309.
 Codol, viii, A, 75.
 Codonopsis truncata, vii, C, 104.
 Coelachne, i, s, 376.
 brachiata, i, s, 376.
 hackeli, i, s, 174, 376.
 pulchella, i, s, 376.
 pulchella var. brachiata, i, s, 376.
 Coelenterata, viii, A, 285. *See also Zoölogy—Coelenterata.*
 Coleophora inæqualis, v, D, 230.
 newporti, v, D, 229.
 octopunctata, v, D, 229.
 personata, v, D, 147.
 schultzei, v, D, 148.
 sexguttata, v, D, 230.
 vidua, v, D, 147.
 Coelioxys manilae, i, 686.
 philippinensis, i, 686.
 Coelocarpus, iii, C, 232.
 Coelococcus, ix, C, 63.
 amicarum, ix, C, 63.
 carolinensis, ix, C, 63.
 Coelogorgia, x, D, 167.
 Coelogyne, i, s, 38; iv, C, 664; v, C, 340; vi, C, 40; ix, C, 11, 71.
 cinnamomea, iv, C, 665.
 guamensis, ix, C, 11, 71.
 integerrima, iv, C, 665; v, C, 340; vi, C, 40.
 marmorata, vi, C, 40.
 merrilli, vi, C, 40.
 rochussenii, iv, C, 664.
 sparsa, i, 661; i, s, 38.
 Coelorrhachis, ix, C, 258.
 biaurita, i, s, 313.
 muricata, i, s, 328.
 Coelospermum abernianum, x, C, 126.
 Coelostegia griffithii, iv, C, 499.
 Coenobius basalis, viii, D, 217.
 discoidalis, viii, D, 217.
 manilensis, viii, D, 217.
 sulcicollis, viii, D, 217.
 Coenosia picierus, viii, D, 310.
 Coeur de boeuf, vii, C, 113.
 Coffea, iv, C, 561; v, C, 389; vii, C, 167; ix, C, 143.
 arabica, i, s, 282; iii, C, 42; v, C, 164, 389; vii, C, 188; viii, C, 476; ix, C, 143.
 liberica, i, s, 282; ix, C, 143.
 luçoniensis, x, C, 131.
 tetrandra, v, C, 243.
 volubilis, i, s, 137; ii, C, 434.
 Coffee tree, vi, A, 15.
 Cognac, v, A, 23; vii, A, 24.
 Cogon, i, 620, 1075; i, s, 26, 311, 322; ii, A, 390; v, A, 252; vi, A, 386; vi, C, 100; vii, A, 122; vii, C, 149; viii, A, 303; ix, A, 419; x, C, 373.
 paper making from, ii, A, 108.
 Cogon—Continued.
 suitability for paper material, i, No. 5, 457.
 Cogonales, ix, C, 322.
 Cohol, vii, D, 280.
 Coir fiber, ix, A, 194.
 Coix, i, s, 320; iii, C, 394; v, C, 325; vii, C, 153; ix, C, 50.
 agrestis, i, s, 320.
 heteroclita, x, C, 288.
 lachryma, i, s, 320.
 lachrymae-iouis, i, s, 320.
 lachryma-jobi, i, s, 320; iii, C, 394; v, C, 325; vi, C, 194; vii, C, 180; viii, C, 279; ix, C, 50.
 lachryma-jobi var. ma-yuen, i, s, 321; vii, A, 98.
 Colales, ix, C, 86.
 Colansi, iii, A, 278.
 Colasposoma rugiceps, viii, D, 220.
 sp., v, D, 140.
 Coldenia, iv, C, 693; vii, C, 165.
 procumbens, iv, C, 693; vii, C, 196.
 Coleoptera as food, vii, A, 384.
 Chrysomeliden und Coccinelliden der Philippinen, viii, D, 215.
 eine neue Gattung der Discolomidae, vii, D, 105.
 Lagriiden und Alleculiden der Philippinen, viii, D, 43.
 Lamellicornia von den Philippinen, v, D, 183.
 Coleopteren aus den Philippinen, nebst zwei neuen Arten aus niederländisch Ostindien, v, D, 139.
 fauna der Philippinen, vi, D, 331; x, D, 271.
See also Zoölogy—Insecta—Coleoptera.
 Coleosporium, iii, C, 42; viii, C, 476.
 bletiae, iii, C, 42.
 merrillii, iii, C, 42; viii, C, 476.
 Coleus, i, s, 123, 234; iii, C, 432; v, C, 382; vii, C, 165, 344; ix, C, 136.
 amboinicus, vii, C, 344.
 aromaticus, vii, C, 344.
 blumei, vii, C, 189; ix, C, 136.
 crispipilus, v, C, 382.
 formosana, iii, C, 433.
 macranthus, i, s, 234; v, C, 382.
 macranthus var. crispipila, i, s, 235; v, C, 382.
 multiflorus, i, 663; i, s, 123.
 pubescens, iii, C, 432.
 suganda, vii, C, 344.
 zschokkei, v, C, 382.
 Colis, i, s, 108.
 Colisiman, iv, C, 648.
 Colitis, bacillary, ix, B, 457.
 entamoebic, ix, B, 455.
 Colladoa distachya, i, s, 330.
 Collaea mollis, v, C, 127.
 Colletotrichum, viii, C, 282; ix, C, 188.
 arecae, ix, C, 188.
 euchroum, viii, C, 282.
 pandani, viii, C, 282.
 papayae, viii, C, 283.

- Collocalia fuciphaga*, iv, A, 71; v, D, 221.
isonota, v, D, 138.
marginata, v, D, 110.
sp., v, D, 136.
trogodytes, iii, A, 278; iv, A, 71; v, D, 220.
unicolor amelis, ii, A, 339.
whiteheadi, v, D, 138.
Colo, vii, A, 403.
Colobathrinæ, iv, A, 573.
Colocasia, vii, C, 155; ix, C, 64.
antiquorum, iv, B, 222; vii, D, 146; ix, C, 64.
esculentum, vii, C, 181; ix, C, 64; ix, D, 498.
Colochirus anceps, vi, D, 315.
coeruleus, vi, D, 314.
cucumis, vi, D, 314.
cylindricus, vi, D, 315.
quadrangularis, vi, D, 315.
quadrangulus, vi, D, 286.
tuberculosus, vi, D, 315.
viridis, vi, D, 314.
Cologyptus kiefferi, ix, D, 287.
Colona serratifolia, i, s, 91; vi, C, 210.
Colonictyon aculeatum, vii, C, 199.
Colorado veins, gold deposit, viii, A, 99.
Coloration of methyl salicylate and some allied compounds in the sunlight, vii, A, 79.
Coloring matters of the P. I., natural dyes and, v, A, 439.
Colpomeria flava, i, 692.
Coltrichia benguetensis, ix, C, 236.
Colubridæ, vi, D, 255.
Colubrina, i, s, 88; iii, C, 419; vii, C, 162; ix, C, 107.
asiatica, i, s, 88; iii, C, 80, 419; vi, C, 209; ix, C, 107, 452.
Colubrina, vi, D, 256.
Colugo, vi, D, 205.
Columba griseigularis, ii, A, 338.
griseogularis, vi, D, 41.
Columbia, i, s, 91; vii, C, 162, 297; x, C, 323.
longipetiolata, x, C, 324.
macgregorii, vii, C, 297.
megacarpa, vii, C, 298.
serratifolia, i, s, 91, 172; vii, C, 298; viii, D, 297; ix, A, 462.
subaequalis, vii, C, 297.
subintegra, x, C, 323.
Columbidae, v, D, 105; vi, D, 41.
Colung-colung, v, C, 62.
Comandancia, ix, D, 465.
Comandante politico militar, ix, D, 470.
Comb, vii, D, 234.
Combatus laudator, x, D, 84.
novitius, x, D, 84.
Combretaceæ, i, 428; i, s, 103, 212; ii, C, 378; iii, C, 83, 116, 422; iv, C, 300, 523, 641, 707; v, C, 202; vi, C, 213; vii, C, 163; ix, A, 558; ix, C, 119.
Combretum, i, s, 103, 212; iii, C, 116; iv, C, 300, 648; vii, C, 163.
acuminatum, iv, C, 648.
confusum, iii, C, 116; iv, C, 649.
Combretum—Continued.
costatum, iv, C, 648.
distillatorium, iv, C, 649.
extensum, iv, C, 300, 649.
laxum, iv, C, 649.
micropetalum, iv, C, 649.
ovalifolium, iv, C, 649.
rotundifolium, iv, C, 649.
sexalatum, i, s, 212; iii, C, 106; iv, C, 649.
squamosum, i, 409; i, s, 103; iv, C, 649.
squamosum var. luzonicum, iv, C, 649.
sundaicum, iii, C, 116; iv, C, 649.
wallichii, iv, C, 649.
Comcompitis, v, C, 30.
Comedones, formation of, v, B, 465.
Comibaena diffecta, x, D, 349.
Commelina, i, s, 34; iii, C, 400; vii, C, 155; ix, C, 66.
axillaris, ix, C, 66.
benghalensis, iii, C, 400; ix, C, 66.
cristata, ix, C, 66.
gigantea, x, C, 294.
moluccana, ii, C, 266.
nudicaulis, vii, C, 232.
nudiflora, i, 396; i, s, 34; iii, C, 400; vi, C, 196; vii, C, 181; ix, A, 461; ix, C, 66, 423, 510, 513.
Commelinaceæ, i, s, 34; ii, C, 266; iii, C, 400; vi, C, 196; vii, C, 155, 232; ix, A, 555; ix, C, 66, 423; x, C, 266, 292.
Commersonia, i, s, 93.
platyphylla, i, s, 93.
Comon, v, C, 37.
Comparator, a new, ii, A, 139.
Complement fixation reactions, a study of the precipitin and, iii, B, 357.
Complexion, Arneth count as influenced by, vi, B, 410.
blood pressure and pulse rate as influenced by, vi, B, 475.
Compositæ, i, s, 138, 242; ii, C, 308, 428; iii, C, 124, 217, 439; iv, C, 563; v, C, 252, 393; vi, C, 228; vii, C, 105, 168, 250, 355; ix, A, 461, 555; ix, C, 152, 430; x, C, 194.
Compostela, coal at, x, A, 292.
Compostela-Danao coal field, geology of the, ii, A, 377.
Compounds, red color in phenol caused by, iii, A, 361.
red coloration of aniline caused by, v, A, 9, 419.
Conamomum, iv, C, 155.
Concejal, ix, D, 465.
Concepcion, ix, D, 515.
Conceveiba tomentosa, vii, C, 386.
Conceveibum javanense, vii, C, 383.
Conchocele, viii, A, table facing page 252.
Conchophyllum, i, s, 298; vii, C, 164.
copelandii, i, s, 293.
imbricati, i, s, 293.
Concrete construction, crushed stone available for Manila, iv, A, 463.
construction, Manila and P. I., v, A, 117.

- Condenser, a new type of laboratory, vii, A, 417.
- Condessa, vii, C, 113.
- Condiman, ix, D, 501.
- Condiments utilized by natives of Taytay, iv, B, 223.
- Condissa, vii, C, 113.
- Condol, vii, C, 193; viii, A, 75.
- Condor, ix, C, 180.
- Conglomerate, v, A, 326; viii, A, 240.
- Compostela-Danao coal region basal, ii, A, 392.
- Ilocos Norte eruptive, ii, A, 153.
- Mountain Province, x, A, 199.
- northwestern Pangasinan, vii, A, 270.
- southwestern Luzon marine, v, A, 69.
- Conicera atra, x, B, 311.
- Conidæ, vii, D, 280; viii, A, 255.
- Coniferæ, i, s, 24; v, A, 219; vi, C, 152.
- Conig, v, A, 442.
- Coniogramme, ii, C, 171; vi, C, 85; vii, C, 50.
- fraxinea, ii, C, 4, 171.
- fraxinea var. copelandi, ii, C, 171.
- serrulata, ii, C, 4.
- Coniophora, x, C, 86.
- Coniosporium, iii, C, 57; viii, C, 283; ix, C, 188.
- circumscissum, iii, C, 57; viii, C, 283.
- punctiforme, ix, C, 188.
- vinosum, viii, C, 283.
- Coniothyrium, iii, C, 55.
- coffeae, iii, C, 56.
- gmelineae, iii, C, 55.
- oroxyli, iii, C, 55.
- Conjunctivitis, catarrhal, v, B, 304.
- Connaraceæ, i, s, 61; iv, C, 117, 704; vi, C, 205; vii, C, 158; viii, C, 372; ix, A, 556; ix, C, 425.
- Connariopsis sp., iv, C, 472.
- Connarus, i, s, 61; iv, C, 118; vii, C, 158; ix, C, 168.
- bracteatus, iv, C, 120.
- culionensis, iv, C, 120.
- ferrugineus, iv, C, 128.
- foliosus, iv, C, 128.
- hallieri, iv, C, 122.
- igneus, iv, C, 128.
- mindanaensis, iv, C, 122; vi, C, 205.
- monocarpus, iv, C, 122.
- neurocalyx, i, s, 61; iv, C, 121.
- obliquus, iv, C, 126.
- obtusifolius, iv, C, 121.
- paniculatus, iv, C, 126.
- polyanthus, iv, C, 119.
- rolfei, iv, C, 119.
- stellatus, iv, C, 119.
- subinaequifolius, iv, C, 124.
- trifoliatus, iv, C, 119.
- whitfordii, iv, C, 123; vi, C, 205.
- Conocephalus, i, s, 47; iii, C, 404; ix, C, 355.
- acuminatus, ix, C, 356.
- diffusus, ix, C, 355.
- diffusus var. obtusus, ix, C, 356.
- erectus, v, C, 507.
- grandifolius, iii, C, 404; v, C, 507.
- ovatus, v, C, 508.
- Conocephalus—Continued.
- suaveolens, v, C, 508.
- violaceus, i, 409; i, s, 47; v, C, 508; v, D, 113; vi, C, 199.
- Conops, viii, D, 322.
- Conorhinus megistus, vii, B, 53.
- Conotrachelus nenuphar, i, 155.
- Conpiso, ii, A, 312.
- Conquistas, vii, A, 108.
- Conspectus cyperacearum insularum philippinensium: Cyperaceæ-Caricoidæ, vi, C, 57.
- Consulado, viii, D, 183.
- Contortæ, i, s, 115.
- Conus, ii, A, 395; vi, A, 371; viii, A, 255.
- achetinus, viii, A, 256.
- acutangulus, v, A, 329; viii, A, 255.
- arenatus, viii, A, 256.
- djarianensis, viii, A, 256.
- flavidus, viii, A, 312; x, A, 248.
- gloria-maris, viii, A, 255.
- hardi, viii, A, 255.
- hochstetteri, viii, A, 313; x, A, 248.
- imperialis, viii, A, 256.
- insculptus, viii, A, 248.
- loroisii, viii, A, 248, 313; x, A, 248.
- odengensis, v, A, 329; viii, A, 256.
- ornatissimus, viii, A, 330.
- palabuanensis, viii, A, 248.
- palembuanensis, viii, A, 255.
- parvulus, viii, A, 255.
- sinensis, v, A, 329; vi, A, 411; viii, A, 248.
- sonde, viii, A, 256.
- sp., x, A, 199.
- striatellus, viii, A, 313; x, A, 248.
- stritellum, v, A, 329.
- sulcatus, v, A, 329; vi, A, 411.
- sulcatus var. philippinensis, viii, A, 256.
- vimineus, v, A, 329; viii, A, 255.
- Convolvulaceæ, i, s, 119, 173; ii, C, 435; iii, C, 429; iv, C, 320; v, C, 225, 379; vi, C, 220; vii, C, 165, 244; ix, A, 556; ix, C, 131, 428; x, C, 193.
- dentatus, ii, C, 435.
- Convolvuli, vii, C, 199.
- Convolvulus acetosaeifolius, iii, C, 429.
- batatas, ix, C, 131.
- bufalinus, iii, C, 122.
- caespitosus, vii, C, 244.
- gemellus, i, s, 120; ix, C, 132.
- hederaceus, ix, C, 132.
- hirtus, vii, C, 244.
- hispidus, iii, C, 122.
- littoralis, iii, C, 429.
- martinicensis, iii, C, 123.
- peltatus, ix, C, 133.
- pennatus, ix, C, 133.
- pes-caprae, ix, C, 132.
- reptans, vii, C, 244; ix, C, 132.
- sphaerostigma, x, C, 193.
- stoloniferus, iii, C, 429.
- tiliaefolius, ix, C, 133.
- uniflorus, iii, C, 123.
- vitifolius, iii, C, 122.
- Convulsions, infantile, v, B, 152.

- Conyza*, i, s, 139; iii, C, 217; v, C, 394.
 bifoliata, v, C, 395.
 chinensis, iii, C, 439.
 japonica, iii, C, 217; v, C, 394.
 patula, iii, C, 439; ix, C, 154.
 viscidula, i, s, 139; v, C, 394..
Coobran, ix, D, 480.
Cookia anisodora, ii, C, 431.
 animum-olens, ii, C, 431.
Copa-copa, v, C, 129.
Copaifera, i, 199.
Copal, destructive distillation of Manila, v, A, 203.
 Manila, v, A, 177.
 oxidation of Manila, v, A, 219.
 study of Manila, v, A, 171.
Copnobia granulata, viii, C, 404.
Copper, v, A, 332; x, A, 86.
 Caramoan Peninsula, x, A, 317.
 Loboo Mountains, v, A, 107.
 northwestern Pangasinan, vii, A, 274.
 southeastern Luzon, vi, A, 477.
 sulphate for purification of water, ix, A, 343.
Copra, ix, A, 180.
 cake, lard from wild and domestic Philippine hogs and the changes in the constants produced by feeding, v, A, 33.
 experiments on drying, i, 127.
 insects affecting, i, 223.
 large-scale spoilage of, viii, A, 439.
 ten years' exports of coconut oil and, vi, A, 148.
 the sprouting coconut and coconut oil and, iii, A, 111.
Coprinus, i, s, 290; ix, C, 250; x, C, 98.
 ater, i, s, 290.
 bryanti, i, s, 290.
 concolor, i, s, 290.
 confertus, i, s, 290; ix, C, 250.
 deliquescent, ix, C, 250.
 fimbriatus, ix, C, 250.
 flos-lactus, ix, C, 250.
 friesii, x, C, 98.
 nebulosus, ix, C, 251.
 ornatus, i, s, 290.
 plicatilis, viii, C, 22; ix, C, 251.
 pseudo-plicatus, i, s, 290.
 revolutus, i, s, 290.
 rimosus, i, s, 290.
 stercorarius, viii, C, 22; ix, C, 251.
 volutus, i, s, 290.
Coproporus brunnicollis, x, D, 123.
 philippinus, x, D, 123.
 punctipennis, x, D, 123.
Copsychus, v, D, 104.
 mindanensis, i, 703, 774; ii, A, 288, 307, 313, 328; iii, A, 279.
Coptops, x, D, 243.
Coptosapelta, iv, C, 323.
 flavescens, iv, C, 323.
Coptosoma, iv, A, 555.
 cineta, iv, A, 555.
 cinctum, iv, A, 555.
 erosum, iv, A, 556.
Coptosoma—Continued.
 globosus, iv, A, 555.
 nepalense, iv, A, 556.
Coptotermes, viii, D, 276.
 formosanus, viii, D, 276, 284.
 gestroi, viii, D, 276, 283.
Coptotermittinae, viii, D, 276.
Cora, ix, C, 352.
 gyrolophia, ix, C, 352.
 pavonia, ix, C, 352.
Coracao de boi, vii, C, 113.
Coraciidae, iv, A, 70; v, D, 109.
Coral, Batanes Islands, iii, A, 21.
 Bondoc Peninsula recent, viii, A, 323.
 northwestern Pangasinan, vii, A, 270.
 precious, vi, D, 305.
 reefs, Ilocos Norte raised, ii, A, 163.
 reefs, Mindanao, v, A, 359.
Corallinaceae, viii, A, 281.
Coralline limestones, Loboo Mountains, v, A, 85.
 limestones, southwestern volcanic region, v, A, 99.
Corallium boshuensis, vi, D, 306.
 confusum, vi, D, 306.
 elatius, vi, D, 306.
 inutile, vi, D, 306.
 japonicum, vi, D, 305.
 johnsoni, vi, D, 306.
 konojoi, vi, D, 306.
 maderense, vi, D, 306.
 nobilis, vi, D, 305.
 pusillum, vi, D, 306.
 reginae, vi, D, 306.
 rubrum, vi, D, 305.
 secundum, vi, D, 306.
 stylasteroides, vi, D, 306.
 sulcatum, vi, D, 306.
Corazon, vii, C, 113.
 de Santa Maria, ix, C, 65.
Corbula scaphoides, viii, A, 248.
 socialis, viii, A, 330.
 tunicata, v, A, 329.
Corchorus, i, s, 90; vii, C, 162; ix, C, 109.
 acutangulus, i, s, 90; vii, C, 186; ix, C, 109.
 capsularis, iii, C, 78; vii, C, 186.
 olitorius, iii, C, 78; vii, C, 186.
Cordage fibers, i, No. 5, 438.
Cordia, i, s, 120; iv, C, 688; vii, C, 165; ix, C, 134.
 banalo, iv, C, 689.
 blancoi, i, 394, 676; i, s, 120; iii, B, 300; iv, C, 688.
 blancoi mollis, iv, C, 689.
 cumingiana, iv, C, 689.
 dichotoma, iv, C, 688.
 fragrantissima, iv, C, 552.
 ignota, iv, C, 689.
 leschenaultii, iv, C, 688.
 myxa, iv, C, 552, 688; ix, C, 429.
 octandra, iv, C, 552.
 olitoria, iv, C, 690.
 paniculata, iv, C, 688.
 propinqua, iv, C, 689.
 retusa, iv, C, 692.

Cordia—Continued.

- sebestena, iv, C, 688.
 speciosa, iv, C, 688.
 subcordata, iv, C, 689; vi, C, 220; ix, C, 134.
 Cordillera, eastern Luzon, v, A, 75, vi, A, 457, 472.
 Mindanao, v, A, 355.
 southeastern Luzon, vi, A, 452.
 western Luzon, v, A, 65.
 Cordilleras, P. I., v, A, 311.
 Cordon de San Francisco, ix, C, 47.
 Cordyline, vii, C, 155; ix, C, 67.
 hyacinthoides, ix, C, 67.
 terminalis, vi, D, 235; vii, C, 181; ix, C, 67.
 Cordyloblaste, iii, C, 3.
 Coreinæ, iv, A, 565.
 Coreopsis, ix, C, 153.
 drummondii, iii, C, 126.
 tinctoria, ix, C, 153.
 Coreopsis, vii, C, 202.
 Corethra manillensis, i, 991.
 Corethrinæ, i, 991.
 Coreus hyalinus, iv, A, 570.
 ædymerus, iv, A, 567.
 scabrator, iv, A, 568.
 Coriaria, i, s, 205; v, C, 357.
 intermedia, i, s, 205; v, C, 357.
 japonica, i, s, 205.
 thyifolia, i, 1029.
 Coriariaceæ, i, s, 205; v, C, 357.
 Coriolopsis copelandi, ix, C, 238.
 dermatodes, ix, C, 239.
 melleo-flavus, ix, C, 239.
 Coriolus, i, s, 284; x, C, 95.
 clemensiae, ix, C, 240.
 currani, ix, C, 240.
 hirsutus, x, C, 95.
 murinus, ix, C, 240.
 subvernicipes, ix, C, 242.
 versicolor, i, s, 284.
 vinosus, x, C, 95.
 Corizaria, iv, A, 570.
 Corizinæ, iv, A, 570.
 Corizus, iv, A, 570.
 crassicornis, iv, A, 570.
 dilatipennis, iv, A, 570.
 gracilis, iv, A, 570.
 hyalinus, iv, A, 570.
 sculus, iv, A, 570.
 truncatus, iv, A, 570.
 variegatus, iv, A, 570.
 Corkwood, iv, C, 498, 550; vii, C, 113.
 Cormigonus mariannensis, ix, C, 142.
 Corn, its relation to pellagra, v, B, 489.
 insects of sorghum and, i, 1069.
 Corn-fed hogs, constants of lards from, v, A, 37.
 Cornaceæ, i, s, 111; iv, C, 537; ix, A, 555.
 Cornet fish, ix, D, 62.
 Cornularia, x, D, 157.
 australis, x, D, 205.
 cornucopiæ, x, D, 205.
 crassa, x, D, 205.
 glauca, x, D, 205.

Cornularia—Continued.

- minuta, x, D, 160, 203.
 parva, x, D, 205.
 tubiporoides, x, D, 205.
 Cornulariella modesta, x, D, 158.
 Cornulariidae, x, D, 157.
 Corone, ii, A, 258.
 philippina, i, 704; ii, A, 291, 309, 314, 333, 337, 349; iii, A, 281; v, D, 114, 220.
 Coronilla emerus, v, C, 74.
 sesban, vii, C, 235.
 Corossol, vii, C, 112.
 Corossolier, vii, C, 112.
 Corregidor, viii, D, 199.
 Corriente sugar, vii, A, 364.
 Corrosion, water as the cause of boiler, ix, A, 377.
 Cortex saponarius, v, C, 25.
 Corticium, i, s, 283.
 hydnatium, i, s, 283.
 Corundum, x, A, 86.
 Corvidæ, ii, A, 261; iii, A, 281; iv, A, 77; v, D, 114.
 Corvina catalea, ix, D, 68.
 Corvus corax sinuatus, ii, A, 261.
 philippinus, ii, A, 333.
 pusillus, i, 704, 908.
 samarensis, iv, A, 77.
 Corydalla lugubris, ii, A, 332.
 Corymbites, ix, D, 448.
 Corynebacterium, ix, B, 220.
 Corynelia, viii, C, 402.
 clavata, viii, C, 402.
 uberata, viii, C, 402.
 Coryneliaceæ, viii, C, 402.
 Corynodes indagaceus, v, D, 140.
 Corypha, vii, C, 154.
 elata, vi, A, 107, 167; vi, C, 106; vii, B, 113; viii, C, 196, 508.
 taliera, vi, A, 167.
 umbraculifera, i, No. 5, 461; i, 1081; vi, A, 167; vi, C, 113.
 Corysanthes, i, s, 37.
 merrilli, i, 661; i, s, 37.
 Coscomoris, iv, A, 557.
 sellatus, iv, A, 557.
 Cosecha, vi, A, 380.
 Così, ii, A, 324.
 Cosmina prolata, viii, D, 309.
 Cosmocoris distanti, iv, A, 557.
 pulcherrimus, iv, A, 558.
 Cosmodesmus, ix, D, 252.
 Cosmopsaktria, v, D, 35.
 doryca, v, D, 35.
 inermis, v, D, 35.
 Cosmos, iii, C, 126; ix, C, 153.
 caudatus, iii, C, 126; vii, A, 104; vii, C, 190; ix, C, 510.
 sulfureus, iii, C, 126; vi, C, 228; vii, C, 199; ix, C, 153.
 Cosmoscarta, v, D, 50.
 heros, v, D, 50.
 inclusa, v, D, 50.
 Cossidæ, v, D, 168.
 Cossus, v, D, 168.
 acronyctoides, v, D, 168.

Cossus—Continued.

- ligniperda, v, D, 168.
 Cossyphus striatus, viii, D, 396.
 Costmary, iii, B, 247.
 Costus, i, s, 37; iv, C, 191; vii, C, 156.
 arabicus, iv, C, 192.
 clemensae, iv, C, 193.
 crispiflorus, iv, C, 192.
 foeniculaceus, iv, C, 192.
 glabratus, iv, C, 192.
 loureiri, iv, C, 192.
 nigricans, i, s, 36; ii, C, 435.
 nipalensis, iv, C, 192.
 sericeus, iv, C, 192.
 speciosus, iv, C, 192; vi, C, 197.
 speciosus var. argyrophyllus, iv, C, 192.
 speciosus var. sericea, i, s, 37.
 vaginalis, iv, C, 192.
 warburghii, iv, C, 171.
 Cota, first distillation of vino de coco at, vii, A, 36.
 Cotabato district, vi, A, 370.
 Plain, v, A, 346.
 region, iii, A, 492.
 River, v, A, 346.
 Cotonaspis, ix, D, 184.
 minima, ix, D, 184.
 Cotingcotingan, iv, C, 695.
 Cotmoe, iv, C, 643.
 Cotmon, vi, C, 210.
 Coto, ix, D, 486.
 Cottas, iii, A, 485.
 Cotton, vii, C, 193.
 paper made from, i, No. 5, 438.
 Cotton-seed meal, fertilization value of some Philippine seed cakes with that of, ii, A, 449.
 oil, maximum and minimum prices of, x, A, 105.
 Cotton-spinner, vi, D, 283.
 Cotton tree, silk, iv, C, 499.
 Cottonwood, vi, A, 14.
 Cotylanthra, i, s, 223.
 tenuis, i, s, 223.
 Cotylebium melanoxylon, iv, C, 513.
 Cotyledon pinnata, ix, C, 85.
 Cotylelobium flavum, iv, C, 513.
 philippinense, vi, C, 282.
 Couthovia celebica, i, s, 172.
 Cow, milk poisoning due to a type of Staphylococcus albus occurring in the udder of a healthy, ix, B, 515.
 pea, vii, C, 193; x, C, 372.
 Crab louse, i, 1072.
 Crab, salted, ix, D, 4.
 Crabro quadriceps, i, 687.
 venans, i, 687.
 Crabronidae, i, 687.
 Crabroninae, i, 687.
 Cracca, v, C, 70.
 mariana, ix, C, 90.
 purpurea, v, C, 69.
 Crambione, ix, D, 211.
 Cranberry, analyses of United States and P. I. grown roselle and, vii, A, 202.
 Craniorrhinus leucocephalus, iv, A, 71.
 waldeni, vi, D, 42.

- Craspedodictyum, vi, C, 84; vii, C, 50.
 grande, vi, C, 84.
 quinatum, vi, C, 85.
 Crassatellites, i, 204; v, A, 105.
 Crassulaceae, i, s, 59, 175; iii, C, 84; v, C, 351; vi, C, 205; vii, C, 158; ix, C, 85.
 Crataeva religiosa, iv, C, 455; ix, C, 425.
 Crater lakes of Taal Volcano, i, 433; ii, A, 115.
 Crateromys, vii, D, 33.
 schadenbergi, vii, D, 33.
 Craticheumon manilae, i, 692.
 Cratoxylon, i, s, 96; iv, A, 23; iv, C, 292, 504.
 arborescens, iv, C, 293.
 biflorum, iv, C, 292.
 blancoi, i, 405; i, s, 96; iv, C, 293; ix, C, 427.
 blancoi var. apiculatum, iv, C, 294.
 celebicum, iv, C, 293.
 chinense, iv, C, 292.
 floribundum, i, s, 96; iv, C, 293.
 formosum, iv, C, 294; vi, C, 211.
 glaucum, iv, C, 504.
 hornschuchii, iv, C, 293.
 ligustrinum, iv, C, 292.
 micradenium, iv, C, 293.
 neriifolium, iv, C, 504.
 polyanthum, iv, C, 292.
 sumatranum, iv, C, 293.
 Crawfordia luzoniensis, i, s, 176.
 Cremastogaster bicolor, i, 689.
 crassicornis, i, 689.
 deformis, v, D, 124.
 longiclava, i, 689.
 modigliani var. clemensae, v, D, 125.
 ochracea, i, 689.
 rogenhoferi, v, D, 124.
 semperi, i, 689.
 simoni, i, 689; v, D, 124.
 subnuda subsp. politula var. ruginota, v, D, 124.
 subnuda subsp. politula var. tagala, v, D, 124.
 Cremnops collaris, i, 693.
 Crème de café, vii, A, 24.
 de coco, vii, A, 24.
 de menthe, vii, A, 24.
 Crenatae, ii, C, 410.
 Crenothrix, x, A, 146.
 Crepis, ii, C, 309; iii, C, 442; v, C, 401; vii, C, 168.
 japonica, ii, C, 309; iii, C, 442; v, C, 401; vii, C, 196.
 Crescent body, parthenogenesis of the female, v, B, 179.
 Crescentia, vii, C, 166; ix, C, 141.
 alata, vii, C, 188; ix, C, 141.
 cajute, vii, C, 188.
 Cresols, vii, A, 91.
 Cricket, tree, i, 1070.
 Crinia rubrescens, iv, A, 581.
 Criniger frater, i, 906.
 palawanensis, i, 907.
 Crinipellis, x, C, 97.
 fragilis, x, C, 97.
 galeatus, x, C, 97.

- Crinocerus scabrator*, iv, A, 568.
scabripes, iv, A, 568.
Crinum, i, s, 35; vii, C, 155; ix, C, 67.
asiaticum, i, 673; i, s, 35; vi, C, 196; ix, C, 67.
latifolium, vii, C, 194.
zeylanicum, vi, C, 196; vii, C, 194.
Crioceria 4-notata, v, D, 226.
Criocerus semipunctata, v, D, 139.
Criollas, vi, D, 7.
Crista pectinata, viii, A, 324.
Cristata, iii, C, 70.
Cristobal, Mount, v, A, 86.
Croaker, iii, A, 518; v, D, 279; ix, D, 68.
Crocidura, vii, D, 5.
beatus, vii, D, 5.
edwardsiana, vii, D, 5.
etrusca, vii, D, 5.
grandis, vii, D, 5.
grayi, vii, D, 5.
halconus, vii, D, 6.
luzoniensis, vii, D, 5.
mindorus, vii, D, 6.
Crocisa emarginata, i, 686.
lamprosoma, i, 686.
nitidula, i, 686.
Crocodile skin, vi, D, 310.
Crocodilus palustris, vi, D, 310; ix, D, 313.
porosus, vi, D, 310; x, D, 315.
Crocoite, x, A, 86.
Cro-Magnon ear, iv, A, *38.
type, iv, A, 309, 420.
Crossostephium, vii, C, 168.
Crossotarsus, vi, D, 26.
comatus, vi, D, 26.
lecontei, vi, D, 17.
Crotalaria, i, s, 64; iii, C, 409; v, C, 59; vii, C, 159; ix, C, 89; x, C, 18.
acicularis, v, C, 61.
albida, v, C, 61.
angulosa, v, C, 62.
assamica, v, C, 62.
bracteata, v, C, 63.
calycina, iii, C, 80; v, C, 60.
chinensis, v, C, 61.
ferruginea, v, C, 61.
ferruginea var. major, v, C, 61.
formosana, v, C, 60.
humifusa, v, C, 61.
incana, iii, C, 409; v, C, 63; vii, C, 184.
junceae, v, C, 62.
laburnifolia, v, C, 64.
linifolia, v, C, 60; vii, C, 196.
macrophylla, v, C, 130.
nervosa, v, C, 91.
orixensis, x, C, 18.
pallida, v, C, 60.
prostrata, v, C, 61.
pumila, v, C, 60.
quinquefolia, i, s, 64; v, C, 64; vi, C, 206; vii, C, 196; ix, C, 89.
radiata, v, C, 63.
retusa, i, 669; i, s, 64; v, C, 62.
Crotalaria—Continued.
saltiana, v, C, 62; ix, C, 89.
sericea, v, C, 64.
sessiliflora, iii, C, 81; v, C, 60.
stenophylla, v, C, 60.
striata, v, C, 62; ix, C, 89.
tuberosa, v, C, 129.
verrucosa, i, s, 64; iii, C, 80; v, C, 62; vii, C, 184.
Crotalidæ, iii, B, 162.
Crotalinæ, iii, B, 152; vi, D, 267.
Crotalus horridus, iv, C, 667.
Croton, i, s, 78; iv, C, 278, 483; ix, C, 451.
appendiculatus, vii, C, 400.
ardisioides, iv, C, 278.
argyratus, iv, C, 278.
camaza, iii, C, 305.
caudatus, ix, C, 452.
colubrinoides, ix, C, 451.
consaguineus, i, s, 78.
grandifolium, vii, C, 238.
grandifolius, vii, C, 394.
leiophyllus, i, s, 78.
longipedunculatus, vii, C, 410.
moluccanum, ix, C, 103.
moluccanus, vii, C, 401.
paniculatus, vii, C, 400.
tigilum, i, 1025; iii, C, 305; vi, C, 208; vii, C, 193, 390; vii, D, 147.
variegatum, ix, C, 101.
Croton oil plant, vii, C, 193.
Crotons, vii, C, 193.
Cruciferae, i, s, 194; iii, C, 160; v, C, 350; vii, C, 158; ix, C, 84.
Crudia, v, C, 39.
bantamensis, v, C, 39.
blancoi, iv, C, 468; v, C, 39.
spicata, v, C, 39.
subsimplificifolia, v, C, 39.
Crunemys, vii, D, 26.
fallax, vii, D, 26.
melanius, vii, D, 26.
Crusiseta, iii, A, 33.
basipuncta, iii, A, 33.
Crustacea, see Zoology—Crustacea.
Cryphaeaceae, v, C, 151, 314; viii, C, 74; ix, C, 204.
Cryphalinæ, vi, D, 20.
Cryphalus, vi, D, 20.
squamulosus, vi, D, 20.
Crypsinus, ii, C, 140.
Cryptarcha bakeri, ix, D, 541.
Cryptaspidia, x, D, 401.
impressa, x, D, 402.
obtusiceps, x, D, 403.
pubera, x, D, 401.
tagalica, x, D, 402.
Crypteronia, i, s, 102.
cumingiana, i, 643.
cumingii, i, 411; i, s, 102.
paniculata, i, s, 102; iv, C, 524.
Cryptinæ, i, 692.
Cryptini, i, 692.

- Cryptobium abdominale*, vii, D, 252.
abdominale var. *rubiginosum*, vii, D, 252.
banksi, vii, D, 252.
Cryptocarpa, iv, C, 454.
quinquestila, ii, C, 371.
Cryptocarya, i, s, 58, 192; ii, C, 274; iv, C, 254; vi, C, 179; x, C, 271.
acuminata, i, s, 192; ii, C, 274.
ampla, iv, C, 258.
bicolor, iv, C, 255.
everettii, iv, C, 257; vi, C, 205.
glauca, iv, C, 258; x, C, 272.
lauriflora, iv, C, 254; vi, C, 179; ix, A, 449.
luzoniensis, i, 405, 646; i, s, 58; iv, C, 254.
palawanensis, iv, C, 256.
pallida, iv, C, 256.
parvifolia, x, C, 271.
Cryptocentrus filifer, ix, D, 76.
venustus, ix, D, 76.
Cryptodactylus philippinensis, ix, D, 84.
Cryptodromia tuberculata, x, D, 158.
Cryptogonus orbiculus, v, D, 148.
Cryptogramma squamosa, vii, D, 277.
Cryptolopha cebuensis, ii, A, 305.
flavicularis, ii, A, 305.
nigrorum, v, D, 136; vi, D, 39.
olivacea, iv, A, 73; vi, D, 43.
Cryptomeria japonica, ix, C, 47.
Cryptorrhynchus lapathi, i, 160.
Cryptosphaeria, viii, C, 258.
crepiniana, viii, C, 258.
philippinensis, viii, C, 258.
Cryptospora, viii, C, 259.
bambusae, viii, C, 187, 259.
bambusae blumeanae var. *bakeriana*, viii, C, 187.
Cryptostegia, vii, C, 164.
grandiflora, vii, C, 188.
Cryptostylis, ii, C, 313.
arachnites, ii, C, 313; vi, C, 198.
Cryptotermes, viii, D, 274.
Cryptotympana, v, D, 34.
acuta, vi, D, 34.
pustulata, v, D, 34.
varicolor, v, D, 34.
Crysocolaptes haematribon, v, D, 104.
Cryptodromia tuberculata, viii, D, 119.
Ctenidium, iii, C, 29; viii, C, 85.
glaucocarpum, iii, C, 29.
luzonense, viii, C, 85.
lychnites, ix, C, 209.
Ctenocephalus canis, iii, B, 44; vii, B, 121.
felis, vii, B, 121.
Ctenolophon parvifolius, iv, C, 449.
Ctenoplectra vagans, i, 686.
Ctenopsylla musculi, vii, B, 120.
Cuak cuak, ii, A, 322.
Cuartel de España (Manila), epidemic of typhoid fever in, vi, B, 324.
Cubal-cubal, iii, A, 517.
Cubi, vi, A, 423.
Cubi tahiran, vii, C, 386.
Cubilla blancoi, i, s, 172; viii, C, 446.
Cubium sara, vii, D, 284.
Cubomedusae, ix, B, 292.
Cucharita, ix, C, 81.
Cucubitariaceae, iii, C, 49.
Cuculidae, iii, A, 278; iv, A, 72; v, D, 111; vi, D, 42.
Cucullaea, viii, A, 278.
holoserica, viii, A, 279.
Cuculus canorus, ii, A, 825, 340.
Cucumaria canescens, vi, D, 313.
citrea, vi, D, 312.
conjungens, vi, D, 312.
longipeda, vi, D, 312.
maculata, vi, D, 312.
mirabilis, vi, D, 313.
versicolor, vi, D, 312.
Cucumber tree, vi, A, 14.
Cucumis, vii, C, 167; ix, C, 151.
melo, iv, B, 222; vii, C, 189; viii, A, 69.
sativus, vii, C, 189; ix, C, 151.
Cucurbita, vii, C, 167; ix, C, 151.
hispida, ix, C, 150.
lagenaria, ix, C, 151.
leucantha, ix, C, 151.
maxima, iv, B, 222; vii, C, 189; ix, C, 151.
pepo, vii, B, 40.
Cucurbitaceae, i, s, 137, 241; iii, C, 84, 267, 439; iv, C, 329; v, C, 391; vi, C, 108, 227; vii, C, 104, 167, 352; ix, C, 150, 429, 458.
Cudiapi, geologic section of South Mount, viii, A, 318.
syncline, viii, A, 344.
Cudlasan, i, s, 321.
Cudrania, vii, C, 156.
javanensis, viii, C, 285.
javanica, viii, C, 508.
Cudsud, x, C, 102.
Cueldasan, i, s, 321.
Cuius-cuius, iv, C, 447.
Cuk-cuk, iii, A, 279.
Culacling, i, 417.
Culahao, iii, A, 278.
Culalis, ix, C, 86.
Culase, x, A, 381.
Culasi, iv, C, 647, 648, 629.
Culex, i, 986; iv, B, 293; x, B, 189.
aestuans, i, 986; iii, A, 250.
alis, viii, D, 307.
annulifera, i, 986.
annuliferus, i, 986; iv, B, 234; viii, D, 307.
annulioris, viii, D, 307.
annulipes, i, 989.
anxifer, i, 986; iii, A, 250.
argentinotus, iv, A, 547; iv, B, 234; viii, D, 307.
auropunctis, viii, D, 307.
cantator, ii, B, 517.
concolor, i, 986; iv, B, 234; viii, D, 307.
crassipes, i, 984.
dives, i, 989.
fasciatus, i, 984.
fatigans, i, 782, 986, 1072; ii, B, 2, 104, 517; iii, A, 250; iii, B, 294; iv, A, 546;

Culex—Continued.

- iv, B, 25, 135, 234, 279; viii, D, 307; ix, B, 483.
 fragilis, i, 987; viii, D, 307.
 gelidus, i, 987.
 gelidus var. cuneatus, i, 987; iii, B, 299.
 hirsuteron, i, 987.
 hirsuteros, i, 987.
 hirsutus, viii, D, 307.
 impellens, i, 987; viii, D, 307.
 japonicus, i, 1000.
 lazarensis, iii, A, 249.
 ludlowi, viii, D, 307.
 ludlowii, ix, B, 164.
 luteolateralis, i, 987; iii, A, 254.
 macleayi, i, 986; iii, A, 250.
 marinus, ii, B, 517.
 microannulatus, i, 988; ii, B, 515; iii, A, 235; iii, B, 299; iv, A, 547; iv, B, 239; viii, D, 307.
 mucidus, i, 983.
 nero, i, 989.
 obturbans, i, 983.
 pallipes, i, 986; iii, A, 250.
 pipiens, i, 988; ii, B, 106.
 pungens, i, 986; iii, A, 250.
 quasiunivittatus, i, 988.
 rizali, i, 999; viii, D, 307.
 rubrithorax, i, 988; viii, D, 307.
 salinarius, ii, B, 517.
 salinus, ii, B, 517.
 scutellaris, i, 985.
 sitiens, viii, D, 307.
 skusei, i, 986.
 solicitans, ii, B, 517.
 spencerii, i, 986.
 stimulans, ii, B, 106.
 tæniorhynchus, ii, B, 517.
 tarsalis, ii, B, 106.
 taytayensis, iv, A, 545; iv, B, 234; viii, D, 307.
 tigripes, i, 988; viii, D, 307.
 vagans, i, 988; viii, D, 307.
 ventralis, i, 983.
 vishnui, viii, D, 307.
 Culiati, i, s, 25; vi, C, 176.
 Culibra, iii, B, 295.
 Culicicapa ceylonensis, v, D, 136.
 helianthea, i, 906.
 Culicidæ, iv, B, 24, 238; viii, D, 306.
 biology of P. I., iii, A, 235.
 four new P. I., iv, A, 545.
 list and descriptions of new species of P. I., i, 977.
 new genus and species of, i, 779.
 Culicinae, i, 983; viii, D, 306.
 Culicmanoc, v, C, 97.
 Culion, beriberi among lepers at, v, B, 87.
 hospital and treatment of inmates for beriberi, vi, B, 230.
 leper colony, death rate in, vi, B, 230.
 leper colony, objection of inmates to undermilled red rice, vi, B, 138.
 leper colony, treatment of the retrogressive skin lesions of leprosy with basic fuchsin in, x, B, 357.
 Culis, ix, A, 449.

- Cullenia excelsa, iv, C, 500.
 Cultellus, viii, A, 270.
 maximus, v, A, 329; viii, A, 271.
 Culture media, their reaction in relation to the morphology of the cholera organism, iv, B, 341.
 Cumac, iv, C, 289.
 Cumingia philippinensis, iv, C, 499.
 Cumpang, iv, C, 452.
 Cunalon, v, A, 446.
 Cunding, x, C, 10.
 Cunoniaceæ, i, s, 60; ii, C, 275; iii, C, 101; x, C, 7.
 Cupang, i, No. 5, 439; i, s, 62; ii, A, 84; ii, C, 381; iv, C, 462; v, C, 33; ix, A, 432.
 Cupania richii, iii, C, 79.
 spinosa, iii, C, 109.
 Cupaniopsis patentivalvis, viii, C, 446.
 Cupeup, iv, C, 365.
 Cupi, ix, C, 150.
 corymbosa, ix, C, 150.
 Cupia auriculata, ii, C, 427.
 Cupressus torulosa, iv, C, 443; vi, C, 169.
 Cuprite, i, 624; x, A, 86.
 Curebita maxima, vii, C, 199.
 Curculigo, ii, C, 267; iii, C, 401; ix, C, 67.
 glabra, ii, C, 267; vi, C, 196.
 orchoides, ix, C, 67.
 recurvata, iii, C, 401.
 Curculionidæ, viii, D, 10; x, D, 23.
 Curculioninæ, x, D, 220.
 Curcuma, i, s, 36; iv, C, 166; vii, C, 156; ix, C, 69.
 domestica, iv, C, 167.
 longa, iii, B, 300; iv, C, 167; v, A, 262, 442; vii, C, 182; ix, C, 69.
 longiflora, iv, C, 166.
 speciosa, iv, C, 166.
 zedoaria, i, 399; i, s, 36; ii, C, 435; iv, A, 132; iv, C, 166; v, A, 261; vii, C, 192.
 zerumbet, iv, C, 166.
 Curcus oil, ii, A, 440.
 Curd of soja-bean, an important oriental food product, vii, A, 47.
 Cureng, iii, C, 406.
 Curetis, x, D, 297.
 acuta, x, D, 297.
 angulata, x, D, 298.
 bulis, x, D, 298.
 bulis var. malayica, x, D, 299.
 japonica, x, D, 297.
 paracuta, x, D, 297.
 thetis, v, D, 70.
 truncata, x, D, 297.
 tsushimana, x, D, 297.
 Curgia, v, D, 172.
 nonagrica, v, D, 172.
 Curibot, x, A, 395.
 Currania, iv, C, 112; v, C, 319; vi, C, 147.
 gracilipes, iv, C, 112; v, C, 319.
 oyamensis, vi, C, 147.
 Curraniodendron, v, C, 177; x, C, 5.
 apoense, x, C, 5.
 dedaeoides, v, C, 177; x, C, 5.
 Curtilla africana, vii, A, 384.

- Curvature in the pulvini of *Mimosa pudica*, mechanism of, vii, C, 37.
- Cusaram, iv, C, 383.
- Cuspidata, vii, C, 254.
- Custard-apple, iv, B, 221; vii, C, 112; viii, A, 66.
- broad-leaved, vii, C, 112.
- undulated, vii, C, 113.
- Cutambak, iv, A, 514.
- Cutaneous reaction in leprosy, iv, B, 323.
- plague, *see* Plague, cutaneous.
- Cutch, iii, A, 534.
- tree, iv, C, 459.
- Cutcut, iii, A, 518.
- Cutlass fish, v, D, 272.
- Cuyagin, iv, C, 392.
- Cuyunos, i, 861.
- Cyamobolus charpentieri, x, D, 234.
- palawanicus, viii, D, 140.
- sturmi, x, D, 233.
- sturmi var. definitus, x, D, 233.
- Cyanbenzylidene phthalide, viii, A, 409.
- Cyaniris puspa, v, D, 72.
- Cyanocephalus, ii, A, 259.
- Cyanocitta, ii, A, 259.
- Cyanomyias, ii, A, 346.
- cœlestis, ii, A, 287; iv, A, 73; vi, D, 40, 43.
- helenæ, iv, A, 73.
- Cyanophyceæ, ix, C, 496.
- Cyanotis, i, s, 34, 282; ii, C, 266; vii, C, 155; ix, C, 66; x, C, 266.
- axillaris, i, s, 34; ix, C, 66.
- capitata, vi, C, 196.
- cristata, i, s, 34; ix, C, 66; x, C, 267.
- moluccana, ii, C, 266.
- pedunculata, x, C, 266.
- uniflora, i, s, 34.
- Cyanthillium pubescens, iii, C, 439.
- villosum, iii, C, 439.
- Cyathea, i, s, 22, 144, 251; ii, C, 145, 180; iii, C, 270, 353, 389; iv, C, 28, 111; v, C, 316; vi, C, 69, 133, 145, 359; viii, C, 139.
- adenochlamys, iv, C, 54.
- affinis, vi, C, 360.
- albosetacea, iv, C, 55.
- alderwereltii, iv, C, 50.
- alternans, iv, C, 33.
- ampla, vi, C, 361.
- andersoni, iv, C, 56.
- aneitensis, iv, C, 39.
- arachnoidea, i, s, 251; iv, C, 39.
- arthropoda, vi, C, 134.
- assimilis, iv, C, 49; vi, C, 361.
- atropurpurea, iii, C, 354; iv, C, 36; viii, C, 140.
- auriculifera, vi, C, 364.
- batjanensis, iv, C, 45.
- betchei, vi, C, 360.
- biformis, vi, C, 364; viii, C, 140.
- boninsimensis, iv, C, 38.
- borneensis, vi, C, 135.
- botryocarpa, vi, C, 364.
- brooksi, vi, C, 135.
- brunoniana, iv, C, 57.
- Cyathea—Continued.
- brunonia, iv, C, 32.
- burbidgei, iv, C, 55.
- callosa, iii, C, 355; iv, C, 50.
- calocoma, iv, C, 53.
- caudata, i, 663; i, s, 22, 144; iv, C, 53; viii, C, 478.
- celebica, iv, C, 51.
- chinensis, iii, C, 355; iv, C, 55.
- christii, i, s, 144; ii, C, 145, 181; iv, C, 49.
- clementis, iv, C, 59.
- confucii, iii, C, 355; iv, C, 60.
- contaminans, iv, C, 60; v, C, 316; vi, C, 69.
- crenulata, iv, C, 46.
- crinita, iv, C, 40.
- cumingii, vi, C, 360.
- curranii, iii, C, 356; iv, C, 52.
- cyclodonta, iv, C, 56.
- decipiens, iv, C, 57.
- deorsilobata, vi, C, 359.
- dimorpha, iv, C, 34.
- dulitensis, iv, C, 33.
- elmeri, iv, C, 54.
- extensa, iii, C, 355; iv, C, 61.
- fauriei, iv, C, 60.
- fenicis, iii, C, 354, 389; iv, C, 61.
- ferruginea, ii, C, 181; iv, C, 48.
- formosana, iv, C, 35.
- foxworthyi, iii, C, 355; iv, C, 46.
- fructuosa, iv, C, 34.
- fuliginosa, iv, C, 43; v, C, 316.
- fusca, vi, C, 69, 364; ix, C, 1.
- glabra, iv, C, 35; vi, C, 135; viii, C, 139.
- glauca, iv, C, 50.
- halconensis, iii, C, 270; iv, C, 51.
- hancockii, iv, C, 37.
- haviglandi, iv, C, 45.
- hemichlamydea, vi, C, 361.
- henryi, iv, C, 38.
- heterochlamydea, iv, C, 42.
- hewittii, vi, C, 134; viii, C, 140.
- hookeri, iv, C, 32.
- hymenodes, iv, C, 47.
- inciso-serrata, vi, C, 361.
- inquinans, iv, C, 43.
- integra, iv, C, 35; vi, C, 145, 191.
- javanica, iv, C, 44.
- junghuhniana, iv, C, 58.
- kingii, iv, C, 56.
- korthalsii, iv, C, 47.
- lanaensis, iii, C, 271; iv, C, 47; vi, C, 136.
- latebrosa, iv, C, 52.
- leichardtiana, vi, C, 360.
- lepifera, iv, C, 40.
- leucocarpa, vi, C, 362.
- leucophaea, iv, C, 53.
- leucotricha, iv, C, 54.
- loheri, ii, C, 180; iv, C, 42.
- loheri var. tonglonensis, ii, C, 180; iv, C, 43.
- longipinna, vi, C, 363.

Cyathea—Continued.

- lurida, iv, C, 45.
 margarethae, iv, C, 38.
 marianna, ix, C, 41.
 mearnsii, iii, C, 356; iv, C, 57.
 melanopus, iv, C, 48; vi, C, 362.
 melanorachis, iv, C, 38.
 mertensiana, iv, C, 59.
 mindanaensis, iv, C, 34.
 mitrata, iii, C, 354; iv, C, 42.
 modesta, iv, C, 48.
 muluccana, iv, C, 32; vi, C, 134.
 negrosiana, ii, C, 181; iv, C, 49.
 obscura, iv, C, 37; vi, C, 135.
 oinops, iv, C, 44.
 orientalis, iv, C, 47.
 ornata, iv, C, 59.
 paraphysata, vi, C, 135.
 philippinensis, iv, C, 34.
 philippinensis var. nuda, iv, C, 111.
 podophylla, iv, C, 33.
 polensis, vi, C, 362.
 polypoda, iv, C, 35.
 propinqua, vi, C, 360.
 pustulosa, iv, C, 51.
 raciborskii, iv, C, 45.
 ramispina, iv, C, 36.
 recommutata, iv, C, 36; vi, C, 134.
 rheosora, iv, C, 34.
 ridleyi, iv, C, 36.
 robinsonii, vi, C, 145.
 rufopannosa, ii, C, 180; iv, C, 41.
 runensis, iv, C, 58.
 saccata, iv, C, 58.
 sangirensis, iv, C, 37.
 scabriseta, ix, C, 2.
 schizochlamys, iv, C, 44.
 sinuata, iv, C, 32.
 spinulosa, i, s, 144; ii, C, 145; iii, C, 356;
 iv, C, 57.
 squamulata, iv, C, 37; vi, C, 135.
 stipulata, vi, C, 362.
 strigosa, iv, C, 41.
 subdimorpha, viii, C, 140.
 subglandulosa, iv, C, 46.
 subsessilis, vi, C, 359.
 suluensis, iv, C, 35.
 sumatrana, iv, C, 44.
 teysmannii, iv, C, 51.
 tomentosa, iv, C, 40.
 trichodesma, iv, C, 55.
 trichophora, vi, C, 363.
 tripinnata, i, s, 251; ii, C, 145; iv, C, 39.
 truncata, iv, C, 39; vi, C, 360.
 vaupelii, vi, C, 360.
 walkerae, iv, C, 47.
 wallacei, iv, C, 48.
 woodlarkensis, ix, C, 1, 8.
 zollingeriana, iv, C, 41.
 Cyatheaaceae, i, s, 22; ii, C, 2, 145; iii, C, 389;
 iv, C, 28; v, C, 316; vi, C, 69, 191; ix,
 C, 41.
 Cyathocalyx, i, s, 55.
 globosus, i, 405, 638; i, s, 55; iv, C, 703;
 ix, A, 504.

Cyathocalyx—Continued.

- virgatus, x, C, 240.
 zeylanicus, iv, C, 450.
 Cyathophorella, viii, C, 84.
 adianthoides, viii, C, 84.
 spinosa, viii, C, 84.
 Cyathula, i, s, 51; vii, C, 157.
 prostrata, i, s, 51; vii, C, 183.
 Cyathus, i, s, 292; ix, C, 159, 251; x, C, 98.
 byssisedus, ix, C, 251.
 elmeri, ix, C, 159, 251.
 montagnei, i, s, 292; ix, C, 251; x, C, 98.
 plicatulus, ix, C, 252.
 plicatus, ix, C, 252.
 poeppigii, v, C, 163; ix, C, 252.
 sulcatus, ix, C, 252.
 Cybium solanderi, vii, D, 285.
 Cycadaceae, i, s, 24; iii, C, 394; vi, C, 150,
 192; vii, C, 153; ix, C, 47.
 Cycadales, i, s, 24; vi, C, 150.
 Cycas, i, s, 24; iii, C, 394; vi, C, 151; vii, C,
 153; ix, C, 47.
 cairnsiana, vi, C, 151.
 circinalis, i, 421, 672; i, s, 24; iii, A, 96;
 iii, C, 394; vi, C, 151, 192; ix, C, 47.
 hypoleuca, vi, C, 152.
 revoluta, vi, C, 151.
 rumphii, vi, C, 152.
 Cyclea, i, s, 52.
 Cyclobalanus, iii, C, 324.
 Cyclocarpae, iv, C, 651.
 Cycloclypeus, ii, A, 397; iv, A, 486.
 annulatus, vi, D, 61.
 communis, v, A, 315; vi, D, 57; viii, A,
 312; x, A, 248.
 lineatus, v, D, 211; vi, D, 258.
 Cycloderma, viii, C, 305.
 depressum, viii, C, 305.
 Cyclomyces, x, C, 95.
 eichoriaceus, x, C, 95.
 spadiceus, x, C, 95.
 tabacinus, x, C, 95.
 Cyclopeltis, ii, C, 123.
 mirabilis, iii, C, 346.
 presliana, ii, C, 3, 123; vi, C, 191.
 semicordata, ii, C, 206.
 Cyclophorus, ii, C, 141, 176; iii, C, 392; v, C,
 323; vi, C, 91; vii, C, 152; ix, C, 43.
 acrostichoides, iii, C, 393; vi, C, 191.
 adnascens, iii, C, 392; vi, C, 91, 191; ix,
 C, 43.
 angustatus, ii, C, 141.
 assimilis, iii, C, 283.
 lauterbachii, vi, C, 91.
 lingua, ii, C, 176.
 nummularifolius, vi, C, 191.
 sticticus, v, C, 323.
 stigmosus, vi, C, 91.
 Cyclopodia dubia, viii, D, 311.
 Cycloporcellus barbatus, ix, C, 242.
 microcycus, ix, C, 241.
 Cycloseris, i, 627; viii, A, 288.
 decipiens, i, 627; viii, A, 288; x, A, 199.
 hidalgi, i, 627; v, A, 329.
 sp., viii, A, 326.

- Cyclostemon*, i, s, 76; iii, C, 197, 415; iv, C, 483; vii, C, 387; ix, C, 369, 477.
bordenii, i, 387; i, s, 76; iii, C, 198; vii, C, 387; ix, A, 499; ix, C, 477.
calcicola, ix, C, 478.
cumingii, i, 676; i, s, 76; iii, C, 198; vii, C, 388.
ellipsoideus, ix, C, 369, 481.
falcatus, iii, C, 415.
gitingensis, ix, C, 369.
globosus, ix, C, 478.
grandifolius, iii, C, 197.
griffithii, iv, C, 485.
littoralis, iii, C, 198.
maquilingensis, ix, C, 477.
megacarpus, vii, C, 387.
microphyllum, i, 637; iv, C, 703.
microphyllus, i, 405; i, s, 76; ix, A, 499; ix, C, 479.
mindanaensis, ix, C, 479.
mindorensis, ix, C, 479.
monospermus, i, 644; i, s, 76; ix, C, 480.
palawanensis, ix, C, 480.
ramiflorus, vii, C, 387.
subcrenatus, vii, C, 388.
Cyclotermes, viii, D, 278.
Cylas turcippennis, x, D, 45.
Cylindrolobus, iv, C, 221.
Cylindrosporium, viii, C, 505.
exiguum, viii, C, 505.
Cylista piscatoria, i, s, 66; ii, C, 433; v, C, 106.
Cyllocoraria, iv, A, 591.
Cymbidium, i, s, 39.
aloifolium, i, 419; i, s, 39.
finlaysonianum, vi, C, 198.
Cymbifolia, vii, C, 258.
Cymbopogon, i, s, 339.
citratu, v, C, 167; ix, C, 53.
nardus, i, s, 339.
nardus var. *hamatulus*, i, s, 339.
schoenanthus, i, s, 339.
Cymodocea, x, C, 2.
rotundata, x, C, 2.
Cynanchum carnosum, iii, C, 121.
caudatum, ix, D, 256.
odoratissimum, ix, C, 131.
schlechterianum, vi, C, 220.
Cyniglossus melanopterus, ix, D, 78.
Cynipides nouveaux, des Philippines, ix, D, 183.
Cynipoidea, i, 690.
Cynocephalus, vii, D, 7.
philippinensis, vi, D, 142.
volans, vi, D, 140, 205; vii, D, 7.
Cynodon, i, s, 28, 377; vii, C, 154; ix, C, 57.
arcuatus, i, s, 28, 377.
dactylon, i, s, 28, 377; vii, C, 180; viii, C, 279, 495; ix, C, 57, 422, 509.
linearis, i, s, 377.
tener, i, s, 378; x, C, 187.
Cynoglossum, iii, C, 123; iv, C, 696; v, C, 379.
denticulatum, iv, C, 697.
Cynoglossum—Continued.
furcatum, iii, C, 123; iv, C, 696; v, C, 379.
micranthum, iii, C, 123; iv, C, 696.
Cynoglossus abbreviatus, ix, D, 78.
borneensis, v, D, 288.
kapwasensis, v, D, 288.
macrolepidotus, v, D, 288.
Cynometra, i, s, 63; iv, C, 266; v, C, 35; vii, C, 159; ix, C, 87; x, C, 13.
acutiflora, v, C, 35.
alternifolia, iv, C, 267; v, C, 38.
bijuga, v, C, 36; ix, C, 87.
cauliflora, v, C, 35.
copelandii, x, C, 13.
densiflora, iv, C, 267; v, C, 35.
inaequifolia, i, s, 63; iii, C, 82; iv, C, 468; v, C, 36.
luzoniensis, iv, C, 266; v, C, 37.
mimosoides, v, C, 36.
oblongata, v, C, 37.
ramiflora, iv, C, 468; v, C, 37; ix, C, 87.
ramiflora subsp. *bijuga*, v, C, 36.
ramiflora var. *heterophylla*, v, C, 36.
ramiflora var. *mimosoides*, v, C, 36.
simplicifolia, i, 405; i, s, 63; iv, C, 266; v, C, 37.
warburgii, v, C, 37.
Cynomolgus cagayanus, vii, D, 36.
mindanensis, vii, D, 37.
mindanensis var. *apoensis*, vii, D, 37.
philippinensis, ii, B, 451, 485; iii, B, 373; iv, B, 150, 410; v, B, 32, 435; vii, B, 223.
suluensis, vii, D, 37.
Cynopithecus, vii, D, 37.
niger, vii, D, 37.
Cynopterus, vii, D, 7.
latidens, vii, D, 8.
luzoniensis, vii, D, 8.
marginatus var. *cumingii*, vii, D, 8.
marginatus var. *nigrescens*, vii, D, 8.
marginatus var. *philippensis*, vii, D, 8.
Cynorhynchus aegyptius, ix, C, 57.
Cynorta cavifrons, v, D, 224.
citrina, v, D, 224.
discoidea, viii, D, 228.
longicornis, v, D, 224.
quadriplagiata, v, D, 225.
4-plagiata, viii, D, 227.
signifera, viii, D, 227.
Cynosurus indicus, i, s, 378; ix, C, 57.
Cyornis lemprieri, i, 906.
mindorensis, ii, A, 356; v, D, 111.
philippinensis, i, 702, 769, 773; ii, A, 286, 304, 313, 327, 366; iii, A, 279; v, D, 111, 220.
Cypa, ii, A, 370.
decolor, ii, A, 370.
Cyperaceae, i, s, 29, 171; ii, C, 77, 262, 422; iii, C, 220, 397; iv, C, 250; v, C, 171, 333; vi, C, 57, 105, 194; vii, C, 74, 154, 231; viii, C, 363; ix, C, 58, 264, 423; x, A, 197; x, C, 188, 288.

Cyperaceae-Caricoideae, conspectus cyperacearum insularum philippinensium, vi, C, 57.

Cyperus, i, s, 30; ii, C, 81, 262; iii, C, 398; v, C, 333; vii, C, 154; ix, C, 59.

albus, ii, C, 81.

altus, ii, C, 86.

anabaptistus, ii, C, 86.

anomalus, ii, C, 89.

aphyllus, ii, C, 78.

atratus, ii, C, 79.

auricomus, ii, C, 86.

bancanus, i, s, 30; ii, C, 83.

bispicatus, ii, C, 86.

breviflorus, ii, C, 87.

bulboso-stolonifer, ii, C, 85.

caespitosus, ii, C, 86.

calacaryensis, ii, C, 83.

calopterus, ii, C, 89.

cephalophorus, ii, C, 89.

complanatus, ii, C, 96.

compressus, ii, C, 84; iii, C, 398; vii, C, 181; ix, C, 59, 423.

cuadriflorus, ii, C, 88.

cumingii, ii, C, 86.

curvatus, ii, C, 85.

cuspidatus, ii, C, 82.

cylindrostachys, ii, C, 88.

dehiscens, ii, C, 86.

difformis, ii, C, 82; vii, C, 181; ix, C, 59.

diffusus, i, s, 30; ii, C, 83, 262; vi, C, 195; vii, C, 181; ix, C, 423.

digitatus, ii, C, 86.

dilutus, ii, C, 88; vii, C, 231.

distans, ii, C, 84; iii, C, 398; v, C, 333; vii, C, 181; ix, C, 423.

elatus, ii, C, 86.

elegans, ii, C, 83.

eleusinoides, ii, C, 84.

eragrostis, ii, C, 79.

exaltatus, ii, C, 86.

ferax, ii, C, 89; ix, C, 63.

ferox, ii, C, 89.

firmus, ii, C, 89.

flabelliformis, vii, C, 181; ix, C, 59.

flavescens, ii, C, 80.

flavidus, ii, C, 82.

globosus, ii, C, 80.

grabowskianus, ii, C, 88.

gymnoleptus, ii, C, 79.

haenkeanus, ii, C, 88.

haenkei, ii, C, 89.

haspan, ii, C, 82; iii, C, 398; vi, C, 195; vii, C, 181.

hexastachyus, ii, C, 85.

holciflorus, ii, C, 89.

holophyllus, ii, C, 89.

humilis, ii, C, 84.

hydra, ii, C, 85.

imbricatus, ii, C, 89.

involveratus, ii, C, 85.

iria, ii, C, 83; viii, C, 267.

iria var. paniciformis, ii, C, 83.

jüngendus, ii, C, 80.

junghuhnii, ii, C, 81.

Cyperus—Continued.

kegelianus, ii, C, 103.

laevissimus, ii, C, 85.

lagorensis, ii, C, 83.

leucocephalus, ii, C, 82.

longifolius, ii, C, 83.

luzonensis, ii, C, 81.

macrosciadion, ii, C, 86.

malaccensis, i, 673; i, s, 30; ii, C, 84; vi, C, 105.

manilensis, ii, C, 87.

micranthus, ii, C, 87.

microcephalus, ii, C, 88.

minutiflorus, ii, C, 87.

moestus, ii, C, 83.

monostachyus, ii, C, 97.

mucronatus, ii, C, 80.

multiflorus, ii, C, 87.

nilagiricus, ii, C, 81.

nitens, ii, C, 79.

nitidulus, ii, C, 89.

nuttallii, ii, C, 83.

odoratus, ii, C, 80.

ovatus, ii, C, 89.

paniciformis, ii, C, 83.

paniculatus, i, s, 333; ii, C, 80.

pennatus, ii, C, 89; iii, C, 398; ix, C, 62.

philippensis, ii, C, 87.

pilosus, i, s, 30; ii, C, 84; vi, C, 195.

piptolepis, ii, C, 85.

polystachyus, i, s, 282; ii, C, 80; viii, C, 266.

pubisquama, i, s, 171; ii, C, 83.

pumilus, ii, C, 79.

pygmaeus, ii, C, 81.

racemosus, ii, C, 86.

radiatus, ii, C, 85; iii, C, 398; vii, C, 181; ix, C, 423.

rotundus, ii, C, 85; vii, C, 181; viii, C, 266, 475; ix, C, 59.

rufus, ii, C, 88.

sanguinolentus, ii, C, 79.

scirpoides, ii, C, 83.

scoparius, ii, C, 84.

septatus, ii, C, 83.

solutus, ii, C, 82.

sorostachys, ii, C, 82.

sorzogonensis, ii, C, 83.

spaniphyllus, ii, C, 84.

spicatus, ii, C, 87.

stolonifer, ii, C, 85.

strigosus, ii, C, 86.

stuppeus, ii, C, 88; iii, C, 398; ix, C, 62.

subrotundus, ii, C, 82.

sulcinus, ii, C, 80.

tenellus, ii, C, 81.

teretifructus, ii, C, 80.

trachirrhachis, ii, C, 80.

umbellatus, ii, C, 88.

umbellatus var. laxata, ii, C, 87.

uncinatus, ii, C, 82.

venustus, ii, C, 85.

verticillatus, ii, C, 86.

vulgaris, ii, C, 80.

xanthopus, ii, C, 84.

zollingeri, ii, C, 85.

- Cypholophus*, vi, C, 11, 313.
brunneolus, viii, C, 369.
lutescens, vi, C, 12; viii, C, 369.
macrocarpus, vi, C, 11.
macrocephalus, vi, C, 11.
microphyllus, vi, C, 12.
moluccanus, vi, C, 11.
prostratus, vi, C, 12.
Cypraea, i, 628; vi, A, 371.
erosa, viii, A, 330.
paniculus, i, 628; v, A, 329.
poraria, v, A, 329.
smithi, viii, A, 248.
Cypress, bald, vi, A, 13.
Himalayan, iv, C, 443.
Cyprinidae, iv, A, 494; v, D, 265; ix, D, 60.
Cyprinoid fishes, two new species of the genus
Barbus from Lake Manguao, ix, D, 187.
Cyprinus carpio, ix, D, 60; x, D, 307.
Cypripediæ, vi, C, 38.
Cypselidæ, ii, A, 325; iii, A, 278; iv, A, 71.
Cypselus pacificus, ii, A, 339, 346.
subfurcatus, ii, A, 346.
Cypsilurus simus, ix, D, 60.
Cyrena suborbicularis, vii, D, 276.
Cyrtandra, i, s, 125, 225; ii, C, 300; iii, C, 434; iv, A, 23; v, C, 386; vi, C, 222; viii, C, 171, 315, 389; x, C, 75.
alnifolia, viii, C, 329; ix, C, 385; x, C, 75.
antoniana, viii, C, 175.
arborescens, viii, C, 174.
arbuscula, viii, C, 326.
atropurpurea, x, C, 75.
attenuata, viii, C, 390.
bataanensis, viii, C, 330.
benguetiana, viii, C, 332.
chavis-insectorum, viii, C, 318.
chiritoides, viii, C, 327, 390.
compressa, viii, C, 177.
cretacea, viii, C, 328.
cumingii, ii, C, 300; iii, C, 434; x, C, 75.
currantii, viii, C, 176; ix, C, 386.
cyclopum, viii, C, 317.
dispar, viii, C, 317.
fenestrata, viii, C, 174.
ferruginea, x, C, 75.
florulenta, viii, C, 173.
fusconervia, viii, C, 389.
garnotiana, viii, C, 319.
geantha, viii, C, 323.
glabra, viii, C, 317.
glauescens, viii, C, 328, 390.
gracilentia, viii, C, 175.
humilis, viii, C, 390.
hypochrysea, viii, C, 172.
hypochrysoides, viii, C, 319.
hypoleuca, viii, C, 171.
ilicifolia, viii, C, 332.
incisa, i, s, 125; viii, C, 173.
infantæ, viii, C, 327.
kränzlinii, x, C, 76.
lagunæ, viii, C, 175.
limnophila, viii, C, 323.
livida, viii, C, 322.
Cyrtandra—Continued.
longipedunculata, x, C, 77.
lysiosepala, viii, C, 176.
mcgregorii, viii, C, 328.
mirabilis, viii, C, 321.
miserrima, viii, C, 316.
mollis, i, s, 225.
nana, x, C, 79.
nervosa, viii, C, 178.
oblongata, x, C, 78.
oblongifolia, viii, C, 177.
pachyneura, viii, C, 174.
pachyphylla, viii, C, 316.
pallidifolia, viii, C, 172.
parvifolia, ii, C, 300.
plectranthiflora, viii, C, 332; x, C, 78.
populifolia, viii, C, 174, 329.
radiciflora, viii, C, 170, 322.
ramosii, viii, C, 177.
rex, x, C, 75.
rhizantha, viii, C, 170.
roseo-alba, viii, C, 178.
saligna, viii, C, 324.
scandens, viii, C, 319.
stenophylla, viii, C, 325.
strongiana, viii, C, 325.
tagaleurium, viii, C, 176.
tayabensis, viii, C, 320.
tecomiflora, viii, C, 322.
triflora, viii, C, 176, 319.
trivialis, viii, C, 331.
tubiflora, viii, C, 177.
umbellata, viii, C, 330.
umbellifera, iii, C, 435.
vanoverberghii, viii, C, 174.
verrucosissima, viii, C, 173.
villosissima, i, s, 225.
wenzellii, ix, C, 385.
williamsii, viii, C, 315.
Cyrtandræ novæ philippinenses, viii, C, 163, 311.
Cyrtanotum arcuatum, viii, D, 311.
Cyrtopodacæ, viii, C, 74; ix, C, 204.
Cyrtosperma, ii, C, 422; ix, C, 65.
chamissonis, ix, C, 65.
edule, ix, C, 65.
griffithii, ii, C, 422.
Cyrtostomus jugularis, ii, A, 331.
Cyrtotrachelus sp., i, 161.
Cysticercus cellulosa, ii, B, 542; viii, B, 170.
Cystodium, vi, C, 69.
Cystorchis, ii, C, 313; vi, C, 39.
aphylla, ii, C, 313.
javanica, vi, C, 39, 198.
variegata var. *purpurea*, vi, C, 39.
Cythea crinita, ix, C, 2.
Cytherea javana, v, A, 329.
sp., viii, A, 325.
ventricola, viii, A, 272.
Cytisus cajan, v, C, 126; ix, C, 94.
pinnatus, v, C, 101.
pseudo-cajan, v, C, 126.
quinquepetalus, ii, C, 433; v, C, 81.
volubilis, v, C, 127.
Cytoryctes vaccina, i, 269.
variola, i, 262; viii, B, 26.

- Cytoryctes variolae* in experimental variola and vaccinia in the monkey and in the orang-utan, i, 333.
- Cytospora calami*, v, C, 166.
- D**
- Daan, v, C, 22.
- Dab-dub, v, C, 111.
- Dacite, Benguet, ii, A, 243.
- Dacites, P. I., v, A, 323.
- Dacnotillus simoni*, ix, D, 455.
- Dacrycarpus*, vi, C, 155.
- Dacrydium*, ii, C, 257; vi, C, 153.
- beccarii*, ii, C, 258.
- elatum*, ii, C, 257; vi, C, 154.
- falciforme*, ii, C, 257; vi, C, 158.
- falciformis*, vi, C, 153.
- junghuhnii*, vi, C, 154.
- Dactylipalpus*, vi, D, 18.
- quadrato collis*, vi, D, 18.
- transversus*, vi, D, 18.
- Dactylispa cladophora*, v, D, 146.
- dimidiata*, viii, D, 238.
- infuscata*, viii, D, 238.
- vittula*, viii, D, 238.
- Dactyloctenium*, i, s, 379; vii, C, 154; ix, C, 57.
- aegyptiacum*, i, s, 379; vi, C, 194; ix, C, 40, 57.
- aegyptium*, vii, C, 180; ix, C, 423, 513.
- Dactylometra*, ix, D, 198.
- quinquecirrha*, ix, B, 292; ix, D, 198.
- Dacus longicornis*, viii, D, 322.
- Dadaan, ix, D, 522.
- Dadalia, i, s, 285.
- Dadanese, ix, C, 113.
- Dadangsi, ix, C, 110.
- apaca*, ix, C, 113.
- Dadap, iv, C, 472.
- Dadar, v, C, 497.
- Dadayags, i, 818.
- Dadayas, i, 818.
- Dæda, v, D, 46.
- puncticlava*, v, D, 47.
- Daedalea*, ix, C, 243, 349; x, C, 94.
- biennis*, x, C, 92.
- deplanata*, i, s, 285.
- elegans*, i, s, 285.
- flavida forma polyporoidea*, ix, C, 349.
- imponens*, ix, C, 243.
- inconcinna*, i, s, 285.
- lurida*, ix, C, 349.
- novoguineensis*, x, C, 94.
- philippinensis*, x, C, 94.
- pruinosa forma trametoidea*, ix, C, 349.
- quercina*, i, s, 285.
- repanda*, i, s, 285.
- sanguinea*, i, s, 289.
- subconfragosa*, ix, C, 349.
- tenuis*, i, s, 285.
- Daemia (Doemia)*, vii, C, 243.
- Daemonorops*, i, s, 31; ii, C, 238; iii, C, 305, 342, 399; iv, C, 636.
- calapparius*, iv, C, 637.
- clemensianus*, iv, C, 636.
- curranii*, ii, C, 238; iv, C, 636.
- elongatus*, ii, C, 240.
- Daemonorops*—Continued.
- gaudichaudii*, i, s, 31; iii, C, 342, 399; viii, C, 484.
- lamprolepis*, iv, C, 637.
- loherianus*, iv, C, 637.
- margaritae var. palawanicus*, iv, C, 636.
- ochrolepis*, vi, C, 230.
- ochrolepis var. radulosus*, iv, C, 636.
- Dagam, vi, C, 283.
- Dagang, vi, C, 256.
- na puti*, vi, C, 258.
- Dago, ix, C, 68.
- apaca*, ix, C, 68.
- Dagum, vi, C, 258.
- Dagupan, meteorological data for, vii, A, 259.
- Dahlia, vii, C, 202.
- Dahoe, iv, C, 488.
- Dahun palay, iv, B, 203.
- Daing, vii, A, 389.
- puti*, iii, A, 517.
- Daitanag, v, C, 100.
- Dal, v, B, 163.
- Dala, ix, D, 320.
- Dalag, iii, A, 516; iv, B, 219, 229.
- Dalaga, x, C, 402.
- Dalagdag, v, C, 53.
- Dalahira, v, B, 337.
- Dalak, iii, A, 516.
- Dalandan, vii, A, 411.
- Dalbergia*, i, s, 65; iii, C, 410; iv, A, 23; v, C, 95; vii, C, 159; ix, C, 91; x, C, 14.
- arbores*, v, C, 101.
- condenatensis*, v, C, 97.
- cassiodores*, iii, C, 82; v, C, 98.
- condenatensis*, ix, C, 91.
- cultrata*, iv, C, 464.
- cumingiana*, v, C, 8, 98.
- cumingii*, v, C, 98.
- discolor*, v, C, 98.
- ferruginea*, i, s, 65; iii, C, 82, 410; v, C, 97.
- heterophylla*, v, C, 105.
- lanceolaria*, v, C, 98.
- latifolia*, iv, C, 465.
- limonensis*, v, C, 97.
- luzoniensis*, v, C, 97.
- mimosella*, v, C, 98.
- minabassae*, i, s, 171; v, C, 7, 97.
- monosperma*, v, C, 97.
- oliveri*, iv, C, 465.
- ougeinensis*, iv, C, 462.
- parviflora*, v, C, 98.
- pinnata*, v, C, 96.
- pinnata var. badia*, v, C, 96.
- polyphylla*, v, C, 8, 96.
- reticulata*, x, C, 14.
- scandens*, v, C, 104.
- sissoo*, iv, C, 465.
- spinosa*, v, C, 98.
- stipulacea*, v, C, 97.
- subalternifolia*, x, C, 14.
- tamarindifolia*, v, C, 96.
- timoriensis*, v, C, 104.
- torta*, i, 673; i, s, 66; v, C, 97; ix, C, 91.
- volubilis*, v, C, 98.
- zollingeriana*, v, C, 98.

- Dalchina teredon*, ix, D, 253.
Daldal, iii, C, 428.
Daldalag, iii, A, 529.
Daldinia, i, s, 280; iii, C, 50; viii, C, 260.
 asphalatum, iii, C, 51.
 concentrica, i, s, 280; iii, C, 50; v, C, 164;
 viii, C, 260.
 gollani, v, C, 164.
 luzonensis, viii, C, 280.
 vernica, i, s, 280.
Dalea, i, s, 64; v, C, 68.
 alopecuroides, v, C, 68.
 glandulosa, i, s, 64; v, C, 68.
 nigra, i, s, 64; v, C, 68.
Daleng, iii, A, 202.
Daliao, x, C, 403.
Daligan, viii, A, 67.
Dalinas, i, s, 54.
Dalindingan, i, s, 98; iv, C, 514; vi, C, 261;
 ix, A, 432, 522.
 isak, vi, C, 265; ix, A, 439, 539.
Dalindingin, i, 413.
Dalingsem, iv, C, 521.
Dalinias, iv, C, 298.
Dalinsi, ii, C, 381; iv, C, 532, 644, 645.
Dalipey, ix, D, 487.
Dalisai, iv, C, 530.
Dalisay, iv, C, 643.
Dalit, ii, C, 111.
Dalonog, vi, C, 20.
Dalonot, vi, C, 14; ix, A, 456.
Dalpada, iv, A, 560.
 aspersa, iv, A, 560.
 simplicipes, iv, A, 560.
 tagalica, iv, A, 560.
Daltonia, v, C, 156, 315; viii, C, 82.
 angustifolia, ix, C, 211.
 angustifolia var. *strictifolia*, viii, C, 82.
 revoluta, v, C, 156, 315.
Dalugdug, ii, A, 440; v, C, 53.
Daluncadios, vi, C, 28.
Dalunot, i, s, 42, 49; vi, C, 14.
Dalupiri Island, birds from, v, D, 219.
Dalusong bayad, x, C, 360.
Dalutan, iii, C, 324.
Daluyduy, v, C, 124.
Dama de noche, vii, C, 199; ix, C, 138.
Damacolon, iii, A, 191.
Damalalian, vi, C, 253.
Damalina cyanella, viii, D, 308.
 semperi, viii, D, 308.
Damalis immeritus, viii, D, 308.
 nigellus, viii, D, 308.
 vitripennis, viii, D, 308.
Damapana ciliata, v, C, 77.
 sensitiva, v, C, 76.
Damar hitam, iv, C, 512.
 laut, iv, C, 517.
 laut numero satu, iv, C, 519.
Dambuhala, iv, C, 356.
Damilang, vi, C, 278.
Daminsil, iv, C, 645.
Dammar, iv, C, 442.
 daghin, v, A, 175.
 malajoe, iv, C, 519.
 mata koetjing, iv, C, 515.
Dammar—Continued.
 minyak, v, A, 178.
 poetih, iv, C, 515.
 puti, v, A, 173.
 sila, iv, C, 519.
Dammara, iv, C, 520.
 alba, v, A, 173; vi, C, 167.
 australis, v, A, 178.
 celebica, vi, C, 168.
 orientalis, v, A, 173, 178; vi, C, 167.
 rumphii, v, A, 173; vi, C, 167.
Damnacanthus, iv, C, 323.
 indicus, iv, C, 323.
Damol, x, C, 220.
Dampol, iv, C, 92, 101.
Dampul, iv, C, 91.
Damsel fish, iv, A, 517.
Damudlao, ii, A, 332.
Danaea, ix, C, 220.
Danag, v, A, 442.
Danao, analyses of raw sand-lime brick ma-
 terials near, vii, A, 346.
 clay from, ix, A, 90.
Dancalan, i, s, 96; iii, C, 362.
Dangat, iii, A, 529.
Dangay, iv, C, 268; v, C, 38.
Dangi, vi, C, 283.
Dañgla, vi, D, 235.
Danglin, i, s, 90; v, C, 124.
Dañgola, vi, D, 244.
Danguel, vi, C, 14.
Dangui, i, s, 98.
Danigsahasa, iv, A, 517.
Danlig, vi, C, 272.
Danthonia luzoniensis, i, s, 179, 342.
Danumna, vii, A, 105.
Dao, i, s, 84; iv, C, 720; viii, B, 372; ix,
 A, 512.
Daochus, viii, D, 389.
Dae, iv, C, 488.
Daog, ix, C, 114.
Daok, ix, C, 114.
Dapa, iii, A, 516.
Dapdap, i, s, 66; iv, C, 472; v, C, 111.
Daphne, v, C, 366.
 luzonica, v, C, 366.
Daphniphyllum, ii, C, 278; iv, C, 483; v, C,
 356.
 glaucescens, ii, C, 278; v, C, 356.
 sp., ix, A, 499.
Dapiau, iii, C, 340, 399.
Dapog, x, C, 359.
Dapsic, vi, C, 2.
Dapug, x, C, 360.
Darac, v, B, 90, 101; vii, B, 295.
Darago, iii, A, 191.
Darantasia, v, D, 170.
 cuneiplena, v, D, 170.
Darbanus nigrolineatus, iv, A, 589.
Dariangao, v, C, 22.
Daroo, vi, C, 179.
Daroodaroo, iv, C, 492, 542.
Daroparpar, vii, D, 275.
Daru, iv, C, 492, 543; vi, C, 179.
Daryao, x, C, 403.
Dasa, vi, C, 104.

- Dasia griffini*, x, D, 104.
 olivacea, x, D, 104.
 semicincta, x, D, 104.
Dasianthera luzonensis, x, C, 327.
Dasyatidae, v, D, 264.
Dasyatis kuhlii, iii, A, 529; v, D, 264.
Dasyroclerus banksi, viii, D, 304.
Dasychira, ii, A, 370; v, D, 169.
 horsfieldi, v, D, 169.
 pubibunda, v, D, 169.
 thwaitesi, ii, A, 370.
Dasyrotopha speciosa, vi, D, 39, 44.
Dasylophus, v, D, 221.
 superciliosus, v, D, 111.
Dasymaschalon, x, C, 235.
 blumei, x, C, 237.
 cleistogamum, x, C, 237.
 clusiflorum, x, C, 237.
 clusiflorum var. *megalanthum*, x, C, 237.
 coelophloeum, x, C, 237.
 lomentaceum, x, C, 237.
 longiflorum, x, C, 237.
 macrocalyx, x, C, 237.
 oblongatum, x, C, 237.
 scandens, x, C, 238.
Dasyproctus philippinensis, i, 687.
Dasypus, viii, B, 501.
Dasyscypha, viii, C, 500.
 merrillii, viii, C, 500.
Dataog, i, s, 96.
Date, Chinese, iv, C, 496.
 palm, see *Palm*, date.
Datels, v, C, 30.
Datiles, viii, A, 73.
Datilis, ii, A, 382.
Datisceae, i, s, 100; iv, C, 522, 707.
Datiu, ii, A, 344.
Datu, vi, D, 129.
Datura, iii, C, 434; vii, C, 166; ix, C, 138.
 alba, i, 1019; iii, C, 434; vii, C, 196; ix, C, 138, 429.
 fastuosa, i, 669, 1019; iii, C, 434; ix, C, 138.
 fastuosa var. *alba*, ix, C, 138.
Daua, i, s, 365.
Dauag, v, C, 56.
Dauer, v, C, 27, 53.
Daug, i, s, 58; v, C, 29.
 manoc, v, C, 29.
Daugat, iv, A, 507.
Daulon, vi, D, 240.
Daun durian, iv, C, 499.
Dava, i, s, 310, 365.
Davainea madagascariensis, vi, B, 165.
 proglottina, vi, B, 167.
Davallia, i, s, 16, 147; ii, C, 125, 167; iii, C, 390; v, C, 318; vi, C, 81; vii, C, 64, 152; viii, C, 148; ix, C, 43.
 achilleaefolia, ii, C, 166.
 brevipes, i, s, 147; ii, C, 4.
 chaerophylla, vii, C, 67.
 ciliata, iii, C, 33.
 decurrens, ii, C, 4, 167; ix, C, 230.
 denticulata, ii, C, 4; v, C, 318; vi, C, 81, 191.
Davallia—Continued.
 divaricata, i, s, 148; ii, C, 125; vi, C, 81.
 dubia, iii, C, 301.
 embolostegia, i, s, 147; ii, C, 125.
 exaltata, i, s, 158.
 frederici et pauli, i, s, 159.
 gymnocarpum, vii, C, 68.
 heterophylla, ix, C, 44.
 kingii, vi, C, 147.
 lobbiana, ix, C, 230.
 longipinnula, vi, C, 82.
 macraeana, ix, C, 441.
 pallida, i, s, 148; ii, C, 4.
 papuana, vi, C, 81.
 pentaphylla, vi, C, 81.
 pusilla, ii, C, 168.
 reineckeii, i, s, 158.
 repens, vii, C, 49.
 retusa, ix, C, 45.
 solida, i, 663; i, s, 148; ii, C, 4; iii, C, 390; ix, C, 43.
 solida var. *latifolia*, i, s, 16.
 sumatrana, ix, C, 230.
 vestita, ii, C, 168.
 viscidula, vii, C, 68.
Davalliæ, vii, C, 48.
Davalloides, iii, C, 33; vi, C, 147; vii, C, 48.
 grammatosorum, iii, C, 34.
 gymnocarpum, iii, C, 34.
 hirsutum, iii, C, 33.
 kingii, vi, C, 147.
 viscidulum, vii, C, 68.
Davao, Bagobos of the Gulf of, vi, D, 127.
 coconuts from, i, 80.
 reconnaissance over the divide of Sahug River to Butuan and a survey between Mati and, iii, A, 501.
 soils of, i, 59.
 upland of, v, A, 354.
Dawa, i, s, 310; iv, C, 495.
Dawsonia, iii, C, 22.
 superba, iii, C, 22; ix, C, 210.
Dawsoniaceæ, iii, C, 22; ix, C, 204.
Daya, vi, D, 88.
Dayakot, vii, A, 103, 105.
Dayap, iv, B, 221; vii, A, 412.
 na monti, i, s, 200.
Dayas, ix, D, 522.
Deadalia, i, s, 285.
Deam, iii, A, 204; ix, D, 495.
Death rate, Manila compared with large cities, iii, B, 277.
 rate, P. I. malarial morbidity and, x, B, 235.
Debis diana, ix, D, 261.
 sicelis, ix, D, 260.
Debregeasia, v, C, 344, 467; vi, C, 18, 314.
 angustifolia, vi, C, 18.
 edulis, vi, C, 19.
 longifolia, i, s, 175; v, C, 344; vi, C, 18.
Decaspermum, i, s, 103; iii, C, 423; iv, C, 336; v, C, 366; vi, C, 346; ix, C, 120.
 blancoi, i, 655; i, s, 103; iv, C, 336; vi, C, 346.
 fruticosum, vi, C, 346; ix, C, 120.

Decaspermum—Continued.

- paniculatum, i, 655; iii, C, 423; iv, C, 337; v, C, 366; vi, C, 214, 346; ix, C, 120.
 rubrum, iv, C, 336, 404.
 Decurrentes, ii, C, 410.
 Dedea, v, C, 178.
 apoensis, x, C, 5.
 media, v, C, 178.
 minor, v, C, 178.
 Deer, vii, D, 40.
 Deeringia, i, s, 51, 282; iii, C, 405; vii, C, 157.
 baccata, i, s, 51; ix, C, 424.
 celesioides, i, s, 51.
 indica, i, s, 51; iii, C, 405.
 Deer's and sharks' teeth, viii, A, 242.
 Deguay, ix, C, 454.
 Deguelia, v, C, 107.
 robusta, iv, C, 468.
 timoriensis, v, C, 104.
 Dehaasia, i, s, 193; iv, C, 454.
 triandra, i, s, 193.
 Deilemera, iii, A, 31; v, D, 164.
 browni, iii, A, 31.
 evergista, v, D, 164.
 gratia, v, D, 164.
 Deiuches yeh, iv, A, 576.
 Del, iv, C, 446.
 Delgamma, ii, A, 373.
 pangonia, ii, A, 373.
 Delhi or Oriental boil, i, 91.
 Deli, Sumatra, pseudotyphoid fever in, x, B, 345.
 Delima aspera, i, s, 94.
 hutan, iv, C, 560.
 Delimas, iv, C, 459.
 Delonix, v, C, 52; vii, C, 159; ix, C, 88.
 regia, v, C, 52; vii, C, 184; ix, C, 88.
 Delphacinae, ix, D, 273.
 Deltoidinae, ii, A, 373.
 Dematiaceae, iii, C, 57.
 Demiegretta sacra, ii, A, 312, 321, 339; v, D, 107, 220.
 Demodecidae, v, B, 471.
 Demodex folliculorum, v, B, 463.
 folliculorum var. hominis, v, B, 471.
 Dendrelaphis caeruleatus, iv, A, 55; v, D, 213; vi, D, 261.
 caudolineatus, iv, A, 598; vi, D, 261.
 fuliginosus, iv, A, 55; vi, D, 261.
 modestus, vi, D, 261.
 terrificus, vi, D, 261.
 Dendrobiinae, viii, C, 426.
 Dendrobium, i, s, 38; ii, C, 328; iii, C, 305; iv, C, 598, 672; v, C, 341; vi, C, 52; vii, C, 14, 156; viii, C, 169, 423; ix, C, 13, 71, 174.
 aciculare, viii, C, 424.
 acuminatissimum, viii, C, 424.
 acuminatum, i, s, 38; iv, C, 672; vi, C, 53; viii, C, 426.
 alagensis, ii, C, 328.
 albayense, vii, C, 14.
 aloifolium, vii, C, 15.
 angulatum, vi, C, 53; ix, C, 13.

Dendrobium—Continued.

- angustifolium, vii, C, 14.
 atropurpureum, iv, C, 599; vi, C, 198.
 basilanense, vii, C, 14.
 brongniartii, vii, C, 15.
 calopogon, ix, C, 13.
 clemensiae, vii, C, 16.
 comatum, vi, C, 53; ix, C, 13.
 crumenatum, vi, C, 198.
 dactyloides, ix, C, 14.
 dearei, iv, C, 599, 673.
 distichum, vii, C, 17.
 epidendropsis, iv, C, 598.
 filiforme, vii, C, 17.
 furcatum, viii, C, 425.
 gerlandianum, viii, C, 424.
 guamense, ix, C, 14, 71.
 hasseltii, ix, C, 13.
 heterocarpum, v, C, 341.
 hymenanthum, iv, C, 598; vi, C, 198.
 indivisum, vi, C, 52, 198; vii, C, 17.
 jenkinsii, vii, C, 18.
 kentrophyllum, vii, C, 18.
 longicollis, vii, C, 17.
 lunatum, vi, C, 52; vii, C, 17.
 luzonense, viii, C, 426.
 lyonii, iv, C, 672; vi, C, 53.
 macgregorii, vii, C, 17.
 macraei, i, 661; i, s, 38.
 marivelense, vii, C, 18.
 merrillii, iv, C, 599; vii, C, 15.
 metachilinum, x, C, 188.
 mindanaense, viii, C, 423.
 ornithoflorum, viii, C, 426.
 parciflorum, vii, C, 18.
 parthenium, iv, C, 673.
 pergracile, viii, C, 423.
 philippinensis, viii, C, 424.
 platycaulon, vi, C, 52.
 polytrichum, ii, C, 328; viii, C, 424.
 ramosii, vii, C, 18.
 robinsonii, viii, C, 425.
 sagittatum, iv, C, 599.
 salaccense, ii, C, 328.
 sanderae, iv, C, 673.
 scopa, vi, C, 52; ix, C, 13, 71.
 secundum, iv, C, 599.
 setifolium, ii, C, 328.
 tenellum, ii, C, 317.
 uncatum, viii, C, 423.
 uniflorum, i, s, 39.
 vanoverberghii, viii, C, 425.
 ventricosum, vii, C, 19.
 verruculosum, viii, C, 426.
 victoriae-reginae, ii, C, 328.
 victoriae-reginae var. exile, ii, C, 328.
 Dendrocalamus, i, s, 389; iii, C, 168; v, C, 270; viii, C, 204.
 curranii, v, C, 271; vi, C, 194.
 flagellifer, i, s, 388.
 giganteus, i, s, 392; v, C, 271.
 latiflorus, i, s, 392; v, C, 271.
 membranaceus, i, s, 389.
 parviflorus, iii, C, 168; v, C, 272.
 sericeus, i, s, 389.
 strictus, i, s, 389.

- Dendrochilum*, ii, C, 316; iv, C, 594, 665; v, C, 340; vi, C, 41; vii, C, 26; viii, C, 410.
anfractoides, iv, C, 665; v, C, 340.
arachnitis, ii, C, 316; v, C, 340.
aurantiacum, viii, C, 411.
auriculare, iv, C, 595.
bicallosum, ii, C, 317; iv, C, 596; vi, C, 41.
bicallosum var. *minor*, ii, C, 317; vi, C, 41.
cagayanense, vi, C, 41.
canvallariaeforme, vii, C, 26.
cinnabarinum, iv, C, 597; v, C, 340.
confusum, vi, C, 41.
copelandii, vii, C, 26.
cymbiforme, vi, C, 41.
exile, ii, C, 317; vii, C, 27.
filiformis, viii, C, 410.
glumaceum, ii, C, 317.
graciliscapum, viii, C, 410.
graminifolium, iv, C, 594.
hastatum, ii, C, 317; iv, C, 593.
hutchinsonianum, ii, C, 317; iv, C, 595.
junceum, ii, C, 318.
loheri, v, C, 340.
longibulbum, vii, C, 26.
luzonense, iv, C, 594.
macgregorii, vi, C, 42.
magnum, ii, C, 317.
maleolens, vii, C, 26.
merrillii, iv, C, 593.
microchilum, vii, C, 26.
mindorensis, ii, C, 317.
ocellatum, iv, C, 596.
oliganthum, ii, C, 318; iv, C, 593; vii, C, 26.
parvulum, iv, C, 594.
philippinense, iv, C, 595.
pulogense, iv, C, 594; v, C, 340.
pumilum, ii, C, 317; iv, C, 596; vii, C, 26.
ramosii, viii, C, 410.
recurvum, ii, C, 318.
sphacelatum, iv, C, 593.
strictiforme, iv, C, 597.
tenellum, ii, C, 318; iv, C, 593.
tenue, iv, C, 594; vii, C, 27.
tenuifolium, iv, C, 594; v, C, 340.
turpe, iv, C, 593.
uncatum, v, C, 340.
vanoverberghii, vii, C, 27.
venustulum, iv, C, 595; v, C, 341; vii, C, 26.
weberi, viii, C, 410.
whitfordii, vi, C, 42.
williamsii, ii, C, 317.
woodianum, ii, C, 318.
- Dendrocnide*, v, C, 477.
Dendrocolla zollingeri, ii, C, 287.
Dendroconche, vi, C, 91.
annabellæ, vi, C, 91.
Dendrocycyna arcuata, ii, A, 283, 312, 322, 345; iii, A, 277.
guttulata, ii, A, 283.
vagans, ii, A, 322.
Dendroglossa, iii, C, 31.
normalis, iii, C, 32.
- Dendrokara*, ix, D, 272.
monstroza, ix, D, 272.
torva, ix, D, 273.
- Dendrolirium*, iv, C, 216.
ornatum, iv, C, 217.
rugosum, iv, C, 212.
sulcatum, ii, C, 332.
- Dendrolobium*, v, C, 80.
cumingianum, v, C, 80.
umbellatum, iii, C, 81; v, C, 80.
- Dendromyia scintillans*, viii, D, 307.
Dendronephthya, ix, D, 240; x, D, 2.
- Dendrophis pictus*, iv, A, 598; v, D, 213; vi, D, 259.
punctulata, vi, D, 260.
- Dendrophthoe*, ii, C, 271; iii, C, 183.
haenkeana, iv, C, 144.
incarnata, iv, C, 148.
luzonensis, iv, C, 135.
malifolia, iv, C, 144.
pentapetala, iv, C, 133.
philippensis, iv, C, 139.
- Dendurien*, iv, C, 499.
- Dengue, experimental investigations regarding the etiology of, ii, B, 93.
 Manche epidemic of, iv, B, 21.
 study of the blood in, i, 513.
- Dennstaedtia*, i, s, 16, 148; ii, C, 125, 168; iii, C, 34; v, C, 318; vi, C, 82; vii, C, 50.
cuneata, i, s, 16; ii, C, 4.
cuneata var. *obtusa*, vii, C, 63.
dennstaedtioides, ii, C, 126.
dennstaedtioides var. *arthrotricha*, iii, C, 34.
erythrorachis, i, s, 148; ii, C, 4.
flaccida, ii, C, 126, 169.
formosae, iv, C, 62.
hooveri, ii, C, 169.
merrillii, ii, C, 126.
samoensis, vi, C, 82.
scabra, ii, C, 125; v, C, 318.
scandens, ii, C, 125; iii, C, 301.
smithii, i, 665; i, s, 16, 148; ii, C, 4, 168.
williamsi, i, s, 148; ii, C, 4, 168.
- Dentalium*, viii, A, 293.
sp., v, A, 329; vi, A, 411.
tenuistriatum, vii, A, 264.
tumidum, viii, A, 292.
- Dentella*, iii, C, 435; vii, C, 167.
repens, iii, C, 435.
- Dentex filiformis*, iv, A, 512.
- Deodar*, iv, C, 442.
- Depuracion*, vi, A, 381.
- Derbe moesta*, v, D, 39.
- Derbinæ*, v, D, 39; ix, D, 269, 433.
- Dercetes*, viii, D, 225.
soluta, viii, D, 225.
- Dermacentor occidentalis*, iii, B, 5.
sp., iv, B, 237.
- Dermoptera*, vi, D, 141; vii, D, 7.
- Derosphaerus rotundicollis*, viii, D, 403.
simillimus, viii, D, 403.
- Derris*, i, s, 66; iii, C, 410; v, C, 102; vii, C, 82, 159, 273; ix, C, 91, 168, 361.
atro-violacea, x, C, 14.

Derris—Continued.

- cebuensis, vii, C, 273.
 cumingiana, v, C, 104.
 cumingii, iv, C, 468; v, C, 8, 104.
 diadelpha, v, C, 103.
 discolor, v, C, 107.
 elegans, v, C, 105.
 elliptica, i, s, 66; ii, C, 433; v, C, 106;
 vii, C, 83; viii, C, 278.
 ferruginea, v, C, 106.
 floribunda, v, C, 103.
 leytenensis, ix, C, 361.
 lianoides, v, C, 8, 106.
 malaccensis, v, C, 106.
 micans, v, C, 8, 106; vii, C, 273.
 mindorensis, v, C, 8, 106; vii, C, 273.
 montana, v, C, 106.
 multiflora, i, s, 66; v, C, 104.
 multiflora var. longifolia, v, C, 104.
 oblongifolia, vii, C, 82.
 palawanensis, ix, C, 361.
 philippinensis, v, C, 8, 104.
 pinnata, v, C, 96.
 polyantha, i, 1028; v, C, 8, 103; ix, C,
 425.
 robusta, iv, C, 468.
 scandens, v, C, 104.
 sinuata, i, s, 66; v, C, 103.
 subalternifolia, x, C, 14.
 thyrsoiflora, v, C, 103.
 trifoliata, v, C, 105; vi, C, 206; ix, C, 91.
 uliginosa, i, 673; i, s, 66; iii, C, 76, 82,
 410; v, C, 105; ix, C, 91.
Deseaspermum paniculatum, i, s, 103.
Deschampsia, v, C, 330.
 caespitosa, v, C, 330.
 flexuosa, v, C, 330.
 Desiccated coconut, ix, A, 189.
 Desmodium, i, s, 65; ii, C, 276; iii, C, 102,
 409; iv, C, 267; v, C, 78, 354; vii, C,
 273; ix, C, 90.
 bolsteri, iii, C, 102; v, C, 83.
 buergeri, v, C, 85.
 capitatum, i, s, 65; ii, C, 276; iii, C, 81;
 v, C, 84; viii, C, 478; ix, C, 160.
 cephalotes, ii, C, 433; v, C, 81.
 chamissonis, v, C, 82.
 cumingianum, v, C, 80.
 diversifolium, v, C, 87.
 elegans, v, C, 80.
 gangeticum, i, s, 65; iii, C, 81; v, C, 87;
 vii, C, 196; viii, C, 481; ix, C, 90.
 gangeticum var. neaei, v, C, 87.
 gardneri, iii, C, 81, 409; v, C, 82.
 gyrans, v, C, 86.
 gyroides, iii, C, 103; v, C, 86.
 heterocarpum, v, C, 84; vi, C, 206.
 heterophyllum, v, C, 85; ix, C, 90.
 kingianum, v, C, 88.
 lasiocarpum, v, C, 88; vii, C, 184.
 latifolium, i, s, 65; v, C, 88.
 latifolium var. virgatum, v, C, 87.
 laxiflorum, i, s, 65; v, C, 81.
 laxum, v, C, 82.
 leptopus, iii, C, 81, 409; v, C, 82.
 malacophyllum, v, C, 84.

Desmodium—Continued.

- microphyllum, v, C, 86, 354.
 ormocarpoides, ii, C, 276; v, C, 82.
 ovalifolium, v, C, 85.
 parvifolium, v, C, 85.
 pilosiusculum, v, C, 88.
 podocarpum, v, C, 83.
 polycarpum, v, C, 84.
 polycarpum var. ovalifolia, i, 664; i, s, 65;
 v, C, 85.
 procumbens, v, C, 82; vii, C, 184; viii,
 C, 506.
 pseudotriquetrum, v, C, 87.
 pulchellum, i, s, 65; iii, C, 81; v, C, 79;
 vii, C, 196; ix, A, 461; ix, C, 425.
 quinquepetalum, ii, C, 433; v, C, 81.
 recurvatum, v, C, 81.
 reniforme, v, C, 88.
 retroflexum, iv, C, 267; v, C, 85.
 scalpe, v, C, 83.
 scorpiurus, i, s, 65; iii, C, 409; v, C, 81;
 vii, C, 184; ix, C, 425.
 sinuatum, v, C, 83, 354.
 spirale, v, C, 82.
 strangulatum var. sinuatum, v, C, 83.
 timoriense, v, C, 90.
 triflorum, i, s, 65, 278; iii, C, 81; v, C,
 85; vi, C, 206; vii, C, 184; viii, C, 478;
 ix, C, 91, 426.
 trifoliastrium, vii, C, 273.
 triquetrum, v, C, 86; vii, C, 196.
 triquetrum subsp. pseudotriquetrum, v, C,
 87.
 umbellatum, i, s, 65; iii, C, 81, 409; v,
 C, 80; ix, C, 91, 162.
 virgatum, iii, C, 103; v, C, 87; viii, C,
 481.
 viscidum, v, C, 90.
 Desmos, x, C, 234.
 chinensis, x, C, 235.
 chryseus, x, C, 235.
 costatus, x, C, 235.
 dasymaschalus, x, C, 237.
 dinhensis, x, C, 235.
 hahnii, x, C, 235.
 hancei, x, C, 235.
 longiflorus, x, C, 237.
 subbiglandulosus, x, C, 235.
 teysmannii, x, C, 235.
 Desmothea, v, C, 144.
 apiculata, v, C, 144.
 Desmotrichum angustifolium, vii, C, 14.
 Desoplana, ix, C, 47.
 Desquey Island, iii, A, 12.
 Desvoidia fusca, i, 983.
 obturbans, i, 983.
 panalectros, i, 983.
 Desvoidya, i, 983.
 fusca, i, 983.
 fusca joloensis, i, 983; ii, B, 516; iii, A,
 240.
 joloensis, ii, B, 516; iii, A, 237.
 panalectros, i, 983.
 Detonina apiospora, i, s, 279.

- Deuteromycetæ, i, s, 292.
 Deuteromycetes, v, C, 166.
 Deutzia, iv, A, 23; v, C, 351.
 pulchra, i, s, 175; v, C, 351.
 Devandanda, ix, D, 272.
 Devas, iii, C, 428.
 Dexia, viii, D, 309.
 Dextrose, destruction of, viii, A, 386.
 enzyme destruction of, viii, A, 385.
 Deyeuxia quadriseta, i, s, 180, 375.
 Dharmma, x, D, 52.
 Dharti, vi, A, 161.
 Dhobie itch, v, B, 203.
 Diacalpe, v, C, 316.
 aspidioides, v, C, 316.
 Diacamma geometricum, i, 689.
 geometricum var. *viridipurpureum*, i, 689.
 rugosum subsp. *geometricum*, v, D, 122.
 rugosum subsp. *geometricum* var. *viridi-*
 purpurea, v, D, 122.
 versicolor, i, 689.
 Diachlorus flavipennis, viii, D, 308.
 Diadema diagoras, x, D, 290.
 Diadora, x, D, 289.
 australis, x, D, 290.
 japonica, x, D, 289.
 japonica var. *chinensis*, x, D, 290.
 persimilis, x, D, 292.
 subviridis, x, D, 290.
 subviridis var. *intermedia*, x, D, 290.
 yankowskyi, x, D, 290.
 Dialium indum, iv, C, 465.
 laurinum, v, C, 136.
 Diallage, x, A, 86.
 Dianella, i, s, 34; ii, C, 266; iii, C, 401; v, C, 337; ix, C, 66.
 caerulea, ii, C, 266; v, C, 337; vi, C, 196.
 ensifolia, i, s, 34; ii, C, 266; iii, C, 401;
 v, C, 337; ix, C, 66.
 philippensis, iii, C, 305.
 Diaphorina citri, viii, D, 299.
 Diaphorus æneus, viii, D, 309.
 manilae, i, 690.
 maurus, viii, D, 309.
 palida, i, 690.
 philippinensis, i, 690.
 tagala, i, 690.
 Diapriidæ, i, 690; ix, D, 301.
 Diaspinæ, i, 230.
 Diatase, tests for, x, A, 130.
 Diatomaceæ, v, D, 93.
 Diatora prodeniæ, i, 692.
 Diatrypææ, viii, C, 189.
 Diatrype, iii, C, 50; viii, C, 275.
 macounii, viii, C, 190.
 megale, viii, C, 189.
 mindanaensis, iii, C, 50.
 russodes, ix, C, 162.
 Diatrypeææ, iii, C, 50.
 Diatrypella, viii, C, 487.
 psidii, viii, C, 487.
 Dibamus argenteus, x, D, 107.
 novæ-guinææ, x, D, 108.
 Diblemma samarense, ix, C, 233.
 Diboithrocephalus latus, ii, B, 541; iii, B, 553;
 ix, B, 173.
 Dibubut, iii, C, 396.
 Dicæidæ, ii, A, 307, 337; iii, A, 280; iv, A, 75; v, D, 113; vi, D, 46.
 Dicæum besti, iii, A, 280; iv, A, 75.
 cinereigulare, ii, A, 330; iii, A, 280; iv, A, 75.
 davao, iv, A, 75.
 dorsale, ii, A, 307; vi, D, 46.
 everetti, ii, A, 330.
 flaviventer, ii, A, 307.
 flavum, ii, A, 343.
 hæmatostictum, vi, D, 46.
 hypoleucum, ii, A, 290.
 intermedium, i, 775.
 mindanense, iv, A, 76.
 pallidior, ii, A, 307.
 papuense, i, 703, 907; ii, A, 290, 307, 330, 349; iv, A, 75.
 pygmæum, ii, A, 308, 330; iii, A, 280; v, D, 113, 220.
 sibuyanicum, i, 775.
 xanthopygium, v, D, 113.
 Dicaulocephalus feae, v, D, 234.
 fruhstorferi, v, D, 235.
 Dicera, iii, C, 150.
 Dicercomorpha argenteoguttata, ix, D, 83.
 Dicerma pulchellum, v, C, 79.
 Dichanthium, i, s, 338.
 Dichapetalaceæ, i, s, 74; iii, C, 106; vii, C, 279.
 Dichapetalum, i, s, 74; iii, C, 106; vii, C, 279.
 ciliatum, vii, C, 279.
 luzoniense, iii, C, 106; vii, C, 281.
 robinsonii, vii, C, 280.
 tricapitulare, i, s, 74; ii, C, 432.
 Dichelostylis, ii, C, 92.
 Dichocrociinæ, ii, A, 375.
 Dichondra, v, C, 225.
 evolvulacea, v, C, 225.
 repens, v, C, 225.
 Dichonema erectum, i, s, 283.
 Dichroa febrifuga, i, s, 175.
 Dichrocephala, i, s, 243; ii, C, 809; v, C, 394.
 chrysanthemifolia, i, s, 177, 243; v, C, 394.
 latifolia, v, C, 394.
 Dichrostachys cinerea, iv, C, 461.
 Dichrotrichum, ii, C, 300; viii, C, 169, 314;
 x, C, 80.
 asperifolium, x, C, 81.
 brevipes, x, C, 81.
 chorisepalum, ii, C, 300; viii, C, 315.
 crassiacule, viii, C, 169.
 minus, viii, C, 314.
 pauciflorum, x, C, 80.
 praelongum, viii, C, 170.
 Dicksonia, ii, C, 145, 183; iv, C, 62; vi, C, 69;
 vii, C, 49.
 blumei, iv, C, 62.
 chrysotricha, ii, C, 145.
 coniifolia, ii, C, 184; iii, C, 301.
 copelandi, ii, C, 183; iii, C, 301.
 delicata, vi, C, 82.

Dicksonia—Continued.

- javanica, iv, C, 62.
 papuana, vi, C, 69.
 straminea, ii, C, 184; iii, C, 301.
- Dictiptera, vii, C, 166.
- Diccoidæ, ii, A, 300.
- Dicotyledonæ, i, s, 40.
- Dictyledons, iv, C, 444.
 fiber produced from, i, No. 5, 437.
- Diceranaceæ, i, s, 11; ii, C, 339; iii, C, 11; v, C, 137, 312; viii, C, 65; ix, C, 204.
- Diceranella, viii, C, 66.
 coarctata, viii, C, 66; ix, C, 207.
- Diceranodontium, viii, C, 67.
 dicticyon, viii, C, 67; ix, C, 206.
- Diceranolejeunea recurvistipula, ix, C, 40.
- Diceranoloma, i, s, 11; iii, C, 12; v, C, 138; viii, C, 66.
 blumei, i, 662; i, s, 11; ii, C, 339; v, C, 139; viii, C, 66; ix, C, 211.
 braunii forma mindanense, iii, C, 12; viii, C, 66.
 brevisetum, iii, C, 12; v, C, 139.
 leucophyllum var. kurzii, v, C, 139.
 ramosii, v, C, 138.
- Diceranomyia saltans, viii, D, 307.
- Diceranopteris, i, 663; i, s, 22.
 dolosa, i, s, 22, 257.
 flagellaris, i, s, 22.
- Dicrocephala latifolia, ii, C, 309.
- Dicrocoelium lanceolatum, ii, B, 31.
- Diceronychus bakeri, ix, D, 449.
 cinnamomeus, ix, D, 449.
- Dieruridæ, iii, A, 275; iv, A, 77; v, D, 113; vi, D, 46.
- Dierurus, v, D, 221.
 balicassius, i, 704; v, D, 113.
 mirabilis, ii, A, 299, 309, 314; vi, D, 46.
 striatus, ii, A, 291, 332; iv, A, 77.
- Dictyocline griffithii, iii, C, 278.
- Dictyomitra, viii, A, 243, 282.
 affinis, x, A, 224.
 philippinensis, viii, C, 446.
 rhomboidea, vi, C, 182; viii, C, 446.
 sphaerocarpa, viii, C, 446.
 tenuis, viii, A, 282.
- Dictyophara, v, D, 64.
 lineata, v, D, 38.
- Dictyopharinæ, v, D, 38.
- Dictyophora, i, s, 292; v, D, 38; viii, C, 304.
 albivitta, v, D, 38.
 campanulata, viii, C, 304.
 despecta, v, D, 38.
 europaea, v, D, 38.
 hastata, v, D, 38.
 irpicina, viii, C, 304.
 lepthorina, v, D, 38.
 merulina, viii, C, 304.
 pallida, v, D, 38.
 percarinata, v, D, 38.
 phalloidea, viii, C, 304.
 phalloidea campanulata, i, s, 292.
 rhomboidea, vi, C, 209.
 speciosa, i, s, 292; viii, C, 304.
- Dictyopteris chattagramica, ii, C, 191.
- Dictyosperma alba, ix, C, 64.
- Dictyothyrium, ix, C, 178, 184.
 giganteum, ix, C, 178.
- Dictyræa micantha, v, A, 329.
- Didea, viii, D, 313.
- Diderium pseudoperisporioides, viii, C, 254.
- Didiscus, ii, C, 292.
 saniculaefolius, ii, C, 292.
- Didymella, viii, C, 483; ix, C, 164.
 acutata, ix, C, 164.
 caricae, viii, C, 483.
 pandanicola, ix, C, 164.
- Didymium, ii, C, 114.
 barteri, ii, C, 114.
 clavus, ii, C, 114.
 farinaceum, ii, C, 114.
 gyrocephalum, ii, C, 115.
 macrospermum, ii, C, 114.
- Didymocarpus, viii, C, 167, 328.
 gracilipes, viii, C, 167.
 marginata, x, C, 193.
 ophirensis, x, C, 193.
 pallida, viii, C, 167.
 reptans, x, C, 192.
- Didymochalaena truncatula, ii, C, 3.
- Didymochiton gaudichaudianum, iii, C, 79.
- Didymoplexis, vii, C, 156.
- Didymosphaerella striatula, viii, C, 271.
- Didymosphaeria, viii, C, 271, 483; ix, C, 165.
 minutella, viii, C, 186; ix, C, 165.
 minutelloides, viii, C, 186.
 striatula, viii, C, 483.
- Diectomis, i, s, 335.
- Diemenia racemosa, x, C, 307.
- Dienia congesta, vi, C, 44.
- Diestota, x, D, 124.
- Diet, beriberi experiments at Bilibid Prison, vii, B, 292.
 Filipino people's nutrition and, iv, B, 195.
- Dietary, the eradication of beriberi from the Philippine Scouts by means of a simple change in their, vi, B, 133.
- Diethylsuccinosuccinate (ethylidioxidihydroteraphthalate): A study of its constitution, some derivatives, and absorption spectra, x, A, 51.
- Dietopsis, viii, D, 57.
 sericans, viii, D, 57.
- Dietyophorinæ, ix, D, 173.
- Dietyus ampicollis, viii, D, 422.
 luzonicus, viii, D, 422.
- Dieuches, iv, A, 576.
 syriacus, iv, A, 576.
 uniguttatus, iv, A, 576.
- Digalesus, ix, D, 303.
 flavipes, ix, D, 303.
- Digestive system of Hydrocorax, vi, D, 81.
- Digitaria, i, s, 346; iii, C, 396; v, C, 168, 326; vii, C, 163; ix, C, 54.
 barbata, i, s, 348.
 biformis, i, s, 346.
 ciliaris, v, C, 168; ix, C, 54.
 consanguinea, i, s, 347; iii, C, 396; vi, C, 194; viii, C, 279; ix, C, 54, 423.
 filiformis, i, s, 348; x, C, 187.

Digitaria—Continued.

- glumaepatula, i, s, 377.
 inaequalis, i, s, 346.
 lanosa, i, s, 379.
 longiflora, i, s, 347; v, C, 326; x, C, 188.
 mariannensis, ix, C, 54.
 microbachne, ix, C, 54.
 pedicellaris, i, s, 312, 348.
 radicata, i, s, 346.
 sanguinalis, i, s, 346; iii, C, 396; v, C, 327; vii, C, 180; ix, C, 54.
 serotina, i, s, 348.
 setosa, i, s, 348; x, C, 187.
 stricta, i, s, 363; ix, C, 54.
 violascens, i, s, 347; iii, C, 396; vii, C, 180.
 Digotnalit, iv, C, 337.
 Digrammaria, ii, C, 415.
 Dilac, i, s, 77; ix, A, 504.
 Diladila, i, s, 63, 76; v, C, 36; ix, A, 504.
 Dilao, v, A, 442.
 Dilap, x, C, 41.
 Dilapitha, ix, D, 293.
 albipes, ix, D, 293.
 nitida, ix, D, 294.
 Dilas, iii, A, 613.
 Dilis, iii, A, 529; iv, B, 219, 229; vii, A, 386.
 Dillenia, i, s, 95; ii, C, 380; iii, C, 420; iv, C, 502; vii, C, 162, 305; ix, C, 181, 321, 517.
 aurea, iv, C, 502.
 bolsteri, vii, C, 305.
 cauliflora, ix, C, 517.
 fischeri, ix, C, 518.
 indica, ii, C, 380; iv, C, 502.
 luzoniensis, i, s, 95.
 megalantha, ix, C, 519.
 monantha, ix, C, 321.
 papyracea, ix, C, 520.
 philippinensis, i, s, 95; ii, C, 380; iii, C, 420; iv, C, 502, 707; v, D, 109; vi, C, 210; vii, C, 306; viii, A, 74; viii, C, 494; ix, A, 444, 527; ix, C, 518.
 pulchella, ix, C, 322.
 reifferscheidia, ix, A, 449.
 sibuyanensis, ix, C, 322, 519.
 speciosa, iv, C, 502.
 Dilleniaceae, i, s, 94, 208; ii, C, 282, 380; iii, C, 205, 420; iv, C, 502, 707; v, C, 361; vi, C, 210; vii, C, 91, 162, 305; ix, A, 556; ix, C, 321, 375, 453, 517.
 Dilo, ii, A, 444.
 Diluario, i, 1031.
 Diludia obliqua, ii, A, 370.
 Dimax laevipennis, viii, D, 235.
 media, viii, D, 235.
 Dimeria, i, s, 25, 321; vii, C, 153; ix, C, 50, 262.
 chloridiformis, ix, C, 50, 263.
 ciliata, ix, C, 262.
 fuscescens, ix, C, 263.
 ornithopoda, i, s, 321; ix, C, 51.
 ornithopoda var. teneris, i, s, 25, 321; ix, C, 51.
 pilosissima, i, s, 321; ix, C, 50.
 tenera, i, s, 321.
 Dimeriella, viii, C, 478.
 cyathearum, viii, C, 478.
 Dimerina, viii, C, 269.
 graffii, viii, C, 269.
 Dimerium, viii, C, 254.
 Dimerosporina, viii, C, 269; ix, C, 161.
 dinochloae, ix, C, 161.
 pusilla, viii, C, 269.
 Dimerosporium, iii, C, 44.
 mindanaense, ii, C, 44.
 pangerangense, viii, C, 403.
 Dimorpha, vi, C, 364.
 Dimorphocalyx, i, s, 82; iv, C, 278; v, C, 192.
 denticulatus, iv, C, 278.
 longipes, i, 410, 638; i, s, 82; iv, C, 703; viii, C, 381.
 luzoniensis, v, C, 192.
 Dinanpulay, ix, D, 522.
 Dindymus, iv, A, 576.
 bicolor, iv, A, 576.
 mundus, iv, A, 577.
 pulcher, iv, A, 576.
 Dinglas, iv, C, 300, 532, 644; vi, C, 214.
 Dingwa, iii, A, 200.
 Dinidor amethystinus, iv, A, 564.
 Dinidorinae, iv, A, 565.
 Dinkalan, ii, A, 440.
 Dinochloa, i, s, 29, 312, 392; v, C, 278; viii, C, 206; ix, C, 188.
 aguiarii, v, C, 280.
 dielsiana, i, s, 391; v, C, 274.
 diffusa, i, 389; i, s, 29, 391.
 elmeri, v, C, 280.
 major, i, s, 391.
 pubiramea, v, C, 279.
 scandens, i, s, 392; v, C, 278; vi, C, 194; viii, C, 206; ix, C, 161.
 scandens var. angustifolia, i, s, 392; v, C, 279; viii, C, 206.
 scandens var. pubiramea, v, C, 279.
 tjankorreh, i, 641; i, s, 29, 392; v, C, 278.
 tjankorreh var. angustifolia, i, s, 392.
 Dinoderus brevis, viii, D, 10.
 Dinodon, v, D, 213.
 Dinomyrmex gigas, i, 689.
 Dinuguan, x, C, 399.
 Diñur, v, A, 174.
 Diocalandra discors, x, D, 45.
 Diochaes fimbriatus, x, D, 240.
 mindanaonis, x, D, 240.
 Dioclea, i, s, 67; v, C, 4, 119.
 reflexa, v, C, 119.
 umbrina, v, C, 8, 119.
 Diodontidae, vii, D, 290.
 Dioedus, viii, D, 389.
 Dioica triandra tricoeca, ix, C, 102.
 Dionaea, vii, C, 39.
 Dione sp., v, A, 329.
 Diopsidae, viii, D, 310.
 Diopsis subnotata, viii, D, 328.
 Diorite, Baguio mineral district, vi, A, 430.
 Benguet and Mancayan, ii, A, 224, 240.
 Eastern Cordillera, v, A, 77.
 Loboo Mountains, i, 621; v, A, 85.
 Mountain Province, x, A, 193.

Diorite—Continued.

- northwestern Pangasinan, vii, A, 262.
 porphyry, Compostela-Danao coal region,
 ii, A, 391.
 Diorites, P. I., v, A, 168, 323.
 quartz, v, A, 169, 323.
 Dioscorea, i, s, 35; ii, C, 267; iii, C, 401;
 v, C, 339; ix, C, 68.
 aculeata, ix, C, 68.
 aculeata var. *tiliafolia*, ix, C, 68.
 alata, vii, C, 192; vii, D, 146, 176; viii,
 C, 267; ix, C, 68.
 bolojonica, v, C, 123.
 bulbifera, ix, C, 68, 424.
 daemona, i, s, 35; iv, B, 222; vii, D, 146.
 divaricata, i, s, 35; ii, C, 436.
 fasciculata, viii, C, 501; ix, C, 68.
 fasciculata var. *lutescens*, ix, C, 68.
 glabra, ix, C, 68.
 luzonensis, v, C, 339; ix, C, 424.
 nummularia, ii, C, 267.
 papuana, ix, C, 68.
 pentaphylla, i, 409; i, s, 35; iii, C, 401.
 sativa, ix, C, 68.
 sp., i, s, 171; iii, A, 96; viii, C, 285.
 spinosa, ix, C, 68.
 Dioscoreaceae, i, s, 35, 171; ii, C, 267, 436;
 iii, C, 401; v, C, 339; vi, C, 196; vii, C,
 155; ix, C, 68, 424.
 Diospyros, i, s, 114; iii, C, 213, 425; iv,
 C, 305; vii, C, 164; ix, C, 333; x, C,
 335.
 affinis, iv, C, 546; ix, C, 336.
 ahernii, iv, C, 305.
 alvarezii, x, C, 335.
 assimilis, iv, C, 545.
 buxifolia, iv, C, 305.
 camarinensis, x, C, 336.
 candolleana, iv, C, 546.
 canomoi, i, 1028; i, s, 114; iii, A, 41;
 iv, C, 311; v, A, 446.
 carthai, iii, C, 426.
 chloroxylon, iv, C, 547.
 copelandi, i, s, 114.
 crumenata, iv, C, 546.
 currani, iv, C, 306.
 dendo, iv, C, 543.
 discolor, i, s, 115; ii, C, 383; iii, C,
 304, 425; iv, C, 543; vi, C, 219; viii,
 A, 70; ix, A, 449; ix, C, 159; x, C,
 336.
 ebenaster, iii, C, 305; iv, C, 543; vii,
 C, 187.
 ebum, iv, C, 545.
 ehretioides, iv, C, 546.
 embryopteris, iv, C, 543, 546.
 everettii, iv, C, 307.
 fasciculiflora, ix, C, 334.
 foliolosa, iv, C, 544, 546.
 foveo-reticulata, iv, C, 308.
 gardneri, iv, C, 543, 546.
 haplostylis, iv, C, 543.
 hirsuta, iv, C, 543.
 humilis, iv, C, 546.
 inclusa, iv, C, 308.
 insignis, iv, C, 543, 546.

Diospyros—Continued.

- kaki, iv, C, 546.
 korthalsiana, iv, C, 310.
 kurzii, iv, C, 546.
 lanceaefolia, iv, C, 544.
 lotus, iv, C, 546.
 malacapai, iv, C, 544.
 maritima, iii, C, 426; iv, C, 311; vi, C,
 219; x, C, 337.
 martabanica, iv, C, 546.
 melanoxylon, iv, C, 545.
 mespiliformis, iv, C, 543.
 microphylla, iv, C, 305, 546.
 microrhombus, iv, C, 543.
 mindanaensis, iv, C, 309, 712.
 mirandae, ix, C, 335.
 montana, iv, C, 310, 543, 546.
 montana var. *parva*, iv, C, 310.
 nigra, iii, A, 520; iii, C, 305.
 nilagrica, iv, C, 546.
 nitida, i, 411; i, s, 115; iv, C, 545; v,
 A, 446; vi, C, 219.
 oocarpa, iv, C, 546.
 oppositifolia, iv, C, 544, 546.
 ovalifolia, iv, C, 546.
 pauciflorus, iii, C, 213.
 phanerophlebia, iv, C, 310.
 philippinensis, i, s, 115.
 pilosa, iv, C, 544.
 pilosanthera, i, 404, 637; i, s, 115; ii,
 C, 378, 383; iii, C, 426; iv, C, 547,
 703; ix, A, 504; ix, C, 337.
 plicata, ix, C, 336.
 poncei, x, C, 336.
 pyrrhocarpa, iv, C, 546.
 quaesita, iv, C, 546.
 ramiflora, iv, C, 543.
 reticulata, iv, C, 306.
 sabtanense, iii, C, 426.
 subrigida, iv, C, 310.
 sylvatica, iv, C, 543, 546.
 tessellaria, iv, C, 543.
 thwaitesii, iv, C, 546.
 tomentosa, iv, C, 545, 547.
 toposia, iv, C, 546.
 triflora, ix, C, 333.
 truncata, iv, C, 543; ix, C, 334.
 tupru, iv, C, 543, 546.
 undulata, iv, C, 546.
 virginiana, vi, A, 16.
 whitfordii, iv, C, 311.
 Dioxydiamidoarsenobenzol, specific cure of
 yaws with, v, B, 433.
 Dipentene, iv, A, 110.
 Diphaca cochinchinensis, v, C, 76.
 Diphocaulobium, vii, C, 17.
 Diphthalyl, viii, A, 412.
 Diphtheria bacillus, ix, B, 467.
 Diplachne, i, s, 381; vii, C, 154.
 fusca, i, s, 381; ix, C, 501.
 Diplacrum, ii, C, 106; vii, C, 154; ix, C, 60.
 caricinum, ii, C, 106; ix, C, 60.
 Diplanthera, ix, C, 49; x, C, 3.
 tridentata, ix, C, 49.
 uninervis, ix, C, 49; x, C, 3.

- Diplaziopsis, ii, C, 121, 130.
 javanica, ii, C, 130.
- Diplazium, i, s, 17, 149, 254; ii, C, 127, 162; iii, C, 273, 297; ix, C, 437.
 accedens, iii, C, 299.
 acrotis, iii, C, 290.
 acuminatum, ii, C, 129; vii, C, 62.
 affine, iii, C, 294.
 arborescens, ix, C, 5.
 asperum, ii, C, 129; viii, C, 142.
 atratum, ii, C, 163; iii, C, 293.
 bantamense, ii, C, 129; iii, C, 299.
 bolsteri, i, s, 254; iii, C, 296.
 brachysoroides, ii, C, 127; iii, C, 296.
 bulbiferum, ii, C, 4, 162; iii, C, 297; ix, C, 5.
 caudatum, iii, C, 293.
 christii, vii, C, 62.
 cordifolium, iii, C, 300.
 crenatoserratum, ii, C, 163.
 cultratum, i, s, 150.
 cyatheaeifolium, i, s, 151.
 davaoense, i, s, 151; iii, C, 295.
 deltoideum, i, s, 171; iii, C, 273, 295.
 dolichosorum, i, s, 151; ii, C, 4, 163; iii, C, 294.
 ebum, iii, C, 293.
 elatum, vii, C, 63.
 fraxinifolium, ii, C, 130, 171.
 fruticosum, i, s, 150; ii, C, 4; iii, C, 294.
 grammitoides, i, s, 150; iii, C, 290.
 inconspicuum, iii, C, 298.
 integrifolium, iii, C, 300.
 japonicum, i, s, 174; ii, C, 127, 162.
 latifolium, i, s, 151.
 malaccense, vii, C, 63.
 marginatum, iii, C, 294.
 maximum, iii, C, 278.
 melanopodium, iii, C, 295.
 merrilli, ii, C, 128; iii, C, 300.
 meyenianum, ii, C, 4; iii, C, 295.
 oldhami, ii, C, 127.
 oligosorum, ii, C, 128; iii, C, 293.
 ovatum, iii, C, 300.
 palauanense, i, s, 150; ii, C, 129; iii, C, 299.
 palawanense, ii, C, 121.
 pallidum, ii, C, 4.
 petersenii, iii, C, 290.
 petiolare, ii, C, 163; iii, C, 297; vii, C, 63.
 polypodioides, i, s, 17, 151; ii, C, 4; iii, C, 294.
 porphyrorachis, ii, C, 128.
 proliferum, iii, C, 299; ix, C, 229.
 sandwichense, ix, C, 438.
 schkuhrii, vii, C, 62.
 silvatica, iii, C, 297.
 silvaticum, ii, C, 162.
 smithianum, ii, C, 163; iii, C, 294.
 sorsogonense, ii, C, 4, 128.
 swartzii, iii, C, 299.
 sylvaticum, i, s, 17, 150.
 tabacinum, i, s, 149; iii, C, 299.
 tenerum, ii, C, 4; iii, C, 297.
 vestitum, i, s, 151; ii, C, 188.
- Diplazium—Continued.
 whitfordi, i, s, 150, 254; iii, C, 296.
 williamsi, i, s, 150, 254; ii, C, 4; iii, C, 297.
 woodii, ii, C, 129; iii, C, 296.
 xiphophyllum, i, s, 150.
 zeylanicum, ii, C, 128.
- Diploclinium cumingianum, vi, C, 388.
- Diplococcus intracellularis meningitidis from a case of cerebrospinal meningitis occurring in a native of the P. I., viii, B, 133.
 pneumoniae, vii, B, 201, 206.
- Diploconus bakewellii, ix, D, 447.
 erythronotus, ix, D, 447.
 obscurus, ix, D, 447.
 philippinensis, ix, D, 447.
 politus, ix, D, 447.
 umbilicatus, ix, D, 446.
- Diplodia, iii, C, 56; ix, C, 185.
 cococarpa var. malaccensis, ix, C, 185.
 fructus-pandani, iii, C, 56.
 gmelinae, iii, C, 56.
 hibisci, iii, C, 56.
- Diplodiscus, iii, C, 202.
 paniculatus, iii, C, 202; ix, A, 444; x, A, 196.
- Diplogonoporus grandis, ii, B, 541.
- Diploprion bifasciatum, ix, D, 66.
- Diplopterygium, ii, C, 179.
- Diplora, viii, C, 147.
 cadieri, viii, C, 148.
 integrifolia, viii, C, 149.
- Diplospora fasciculiflora, x, C, 113.
 singularis, i, s, 131.
- Diplycosia, i, s, 219; ii, C, 293; iii, C, 378; v, C, 211, 371; vi, C, 355; x, C, 52.
 fasciculiflora, x, C, 52.
 luzonica, iii, C, 378; v, C, 371.
 merrittii, ii, C, 293; iii, C, 378; vi, C, 355.
 microphylla, i, s, 221; iii, C, 372.
 opaca, vi, C, 355.
 parvifolia, v, C, 211; x, C, 52.
 scandens, i, s, 219; iii, C, 378.
- Dipodium, vi, C, 55.
 paludosum, vi, C, 55.
- Dipsas orientalis, x, D, 292.
 saepestriata, x, D, 295.
- Diptera, *see* Zoölogy—Insecta—Diptera.
- Dipteris, i, s, 15; ii, C, 124; iii, C, 390; vi, C, 77.
 conjugata, i, 663; i, s, 15; ii, C, 3; iii, C, 390; vi, C, 77.
 conjugata var. alpina, ii, C, 255.
- Dipterocarp forests of the P. I., iv, C, 699; ix, A, 413, 517.
- Dipterocarpaceae, i, s, 97; ii, C, 285, 372; iii, C, 114; iv, C, 506, 707; v, A, 175; v, C, 8; vi, C, 211, 231; ix, A, 414, 555; x, A, 196.
- Dipterocarpus, i, s, 97; iii, C, 114; vi, C, 242.
 affinis, iv, C, 709; vi, C, 246.
 alatus, iv, C, 513, 721.
 anisoptera vidaliana, i, 201.

Dipterocarpus—Continued.

- baudii, vi, C, 245.
 blancoi, vi, C, 251.
 elongatus, vi, C, 246.
 eurhynchus, iv, C, 513.
 fulvus, iii, C, 114; vi, C, 249.
 gracilis, iv, C, 513; vi, C, 248.
 grandiflorus, i, 195, 412, 637; i, s, 97; ii, C, 285, 372; iii, C, 114; iv, A, 121; iv, C, 513, 703; vi, C, 251; ix, A, 425, 546.
 griffithii, vi, C, 251.
 guiso, ii, C, 384; vi, C, 273.
 hasseltii, iv, C, 513; vi, C, 248.
 hispidus, vi, C, 249.
 insularis, iv, C, 513.
 laevis, iv, C, 514, 721.
 lasiopodus, ii, C, 373; vi, C, 245.
 littoralis, iv, C, 513.
 lowii, iv, C, 513.
 macrocarpus, vi, C, 245.
 malaanonan, ii, C, 386; iii, C, 115; vi, C, 270.
 mangachapoi, vi, C, 282.
 mayapis, ii, C, 389; vi, C, 256.
 motleyanus, vi, C, 251.
 pilosus, vi, C, 211, 244.
 plagatus, ii, C, 396; vi, C, 262.
 polysperma, ii, C, 394.
 polyspermus, vi, C, 277.
 pterygocalyx, vi, C, 251.
 retusus, iv, C, 513.
 speciosus, vi, C, 250.
 tampurau, iv, C, 513.
 thurifer, ii, C, 389; vi, C, 256.
 trinervis, iv, C, 513; vi, C, 247.
 tuberculatus, i, 384; iv, C, 514, 721; ix, A, 414.
 turbinatus, iv, C, 509, 514; vi, C, 249.
 turbinatus var. andamanicus, vi, C, 247.
 velutinus, i, s, 97; iii, C, 114; vi, C, 249.
 vernicifluus, i, 195, 387, 638; i, s, 97; ii, C, 373; iii, C, 114; iv, A, 121; iv, C, 514, 703; vi, C, 211, 248; ix, A, 432.
 warburgii, vi, C, 245.
 zeylanicus, iv, C, 514.

Dipterous family Phoridae, spread of bacterial infections by insects of the, x, B, 309.
 insect, larvæ of, developing in the deep urethra and bladder of man, v, B, 515, 517.

Dipylidium caninum, v, B, 508.

Diquinine ester of dibenzarsinic acid, vi, A, 28.

Diquit-diquit, v, C, 87.

Diraan, iii, C, 324.

Dirhinus anthracia, i, 691.

auratus, i, 691.

Dischidia, i, s, 118, 298; iii, C, 428; vii, C, 164; ix, C, 131.

collyris, i, s, 300.

copelandii, i, s, 298.

hirsuta, i, s, 299; vi, C, 220.

lanceolata, i, s, 118.

merrillii, i, s, 299.

myrtilus, i, s, 299; iii, C, 428.

nummularia, i, s, 299.

Dischidia—Continued.

oiantha, iii, C, 428; vi, C, 220.

pectenoides, i, 400; i, s, 118.

platyphylla, i, s, 300; iii, C, 429; vi, C, 220.

puberula, ix, C, 131.

purpurea, i, s, 118.

raffesiana, i, s, 300.

ridleyana, i, s, 298.

rosea, i, s, 300; viii, C, 277.

ruscifolia, i, s, 300.

Dischidiopsis, i, s, 119.

philippinensis, i, s, 119, 173.

Discocalyx, i, s, 113, 274; ii, C, 297; v, C, 221, 373; vii, C, 325; ix, C, 126.

cybianthoides, i, 664; i, s, 113, 275; ix, C, 127.

effusa, v, C, 222.

insignis, v, C, 221; vii, C, 326.

ladronica, ix, C, 127.

linearifolia, vi, C, 218.

longifolia, vii, C, 325.

macrophylla, v, C, 222; vii, C, 326.

maculata, vii, C, 326.

megacarpa, ix, C, 126.

merrillii, i, s, 274.

montana, v, C, 222; vii, C, 326.

philippinensis, v, C, 373.

Discoeyclina, vi, D, 61.

Discodothis, viii, C, 495.

filicium, viii, C, 495.

lobata, viii, C, 495.

Discogenia, vii, D, 106.

Discolia aureipennis, i, 688.

erratica, i, 688.

modesta, i, 688.

Discolichenes, iv, C, 651.

Discoloma, vii, D, 106.

Discolomidae (Coleoptera), eine neue Gattung der, aus der orientalischen Region, vii, D, 105.

Discomedusa philippina, ix, D, 197.

Discomyces, iii, B, 459.

bovis, iii, B, 460.

maduræ, iii, B, 460.

Discomycetes, viii, C, 191; ix, C, 157.

Discomyza maculipennis, viii, D, 311.

obscurata, viii, D, 332.

Disease, epidemic at Buhí of an unusual, viii, B, 369.

Diseases, arranged by complexion types, vi, B, 452.

water-borne, ix, A, 341.

Dispensary, free, of the Philippine Medical School, iii, B, 352.

Disphinctus, v, D, 63.

falleni, v, D, 63.

philippinensis, v, D, 63.

reuteri, v, D, 63.

sahlbergii, v, D, 63.

stáli, v, D, 63.

Displacements and malformations due to amebiasis, i, 567.

Disporum, i, s, 182; v, C, 338.

pullum, i, s, 174, 182; v, C, 338.

uniflorum, v, C, 338.

- Diss, v, C, 43.
 Dissection work, a new accessory for, v, D, 131.
 Dissochaeta, iii, C, 207.
 celebica, iii, C, 207.
 cumingii, iii, C, 83.
 intermedia, iii, C, 207.
 pepericarpa, x, C, 192.
 Dissomphalis tibialis, i, 688; ix, D, 285.
 Dissoura episcopus, ii, A, 282, 321; iv, A, 68; v, D, 107.
 Disteira cincinnatii, vi, D, 264.
 cyanocincta, vi, D, 265.
 fasciata, vi, D, 264.
 longiceps, vi, D, 265.
 ornata, vi, D, 265.
 semperi, vi, D, 265.
 spiralis, vi, D, 265.
 Distemon, v, C, 467; vi, C, 11.
 indicus, vi, C, 11.
 Distichophyllum, v, C, 156.
 mittenii, v, C, 156; ix, C, 211.
 Distillation of Manila copal, the destructive, v, A, 203.
 Distilled liquors, consumption and manufacture of, vii, A, 19.
 liquors, determination of aldehydes in, v, A, 29.
 liquors, whisky, brandy, and gin, v, A, 23.
 Distilleries, their classification and analyses of their products, vii, A, 25.
 Distira ornata, iv, A, 609.
 Distoma hepaticum, ii, B, 31.
 pulmonale, ii, B, 18.
 pulmonar, ii, B, 31.
 pulmonis, ii, B, 31.
 pulmonum, ii, B, 31.
 ringeri, ii, B, 18, 31.
 ringers, ii, B, 31.
 westermani, ii, B, 31.
 westermanii, ii, B, 18, 31.
 westermanni, ii, B, 31.
 Distomi ringeri, ii, B, 31.
 Distomum cerebrale, ii, B, 31.
 pulmonale, ii, B, 31.
 pulmonis, ii, B, 19.
 ringeri, ii, B, 31.
 westermani, ii, B, 31.
 westermanni, ii, B, 31.
 Distreptus spicatus, i, s, 139.
 Distroto, ix, D, 465.
 Dita, i, s, 116; ii, A, 84, 382; ii, C, 382; iv, C, 550; ix, A, 462.
 bark of, i, 1008; iii, A, 44.
 Ditaa, ii, A, 382.
 bark of, i, 1008.
 Ditadit, iii, C, 429.
 Ditaïn, i, 1009.
 Ditaman, iii, C, 8.
 Ditamine, i, 1013.
 Ditan, i, 417.
 Dithideales, i, s, 279.
 Dithiophthalimide, ix, A, 108.
 Ditrachum, iii, C, 11; viii, C, 66.
 difficile, iii, C, 11; viii, C, 66.
 Dittelsma rarak, iv, C, 493.
 Diuata, iii, A, 192; vii, A, 109.
 Diurnal variation of the radioactivity of the atmosphere at Manila by the active deposit method, determination of the, x, A, 37.
 Diuwata, viii, D, 89.
 Diverticulum and mucocele of the vermiform appendix of inflammatory origin, vii, B, 29.
 Diwata, vi, D, 133; ix, D, 473.
 Djalitri, iv, C, 551.
 Djeloetoeng, iv, C, 551.
 Djempina, iv, C, 515, 541.
 Djiuluton, iv, C, 551.
 Dobsonia, vii, D, 10.
 Doda, x, D, 51.
 Dodonaea, ix, C, 107.
 viscosa, iii, C, 80; iv, C, 493; viii, C, 447; ix, C, 107.
 viscosa var. angustifolia, viii, C, 447.
 viscosa var. vulgaris, viii, C, 447.
 viscosa var. vulgaris forma burmanniana, viii, C, 447.
 viscosa var. vulgaris forma repanda, viii, C, 447.
 Doekoek, iv, C, 529.
 ageng, iv, C, 529.
 Dogdoguay, ix, C, 454.
 Dograna, x, D, 377.
 falco, x, D, 377.
 Dogs, experiments on, vi, B, 6.
 exposure to sun, vi, B, 106.
 susceptibility to pneumonic plague, vii, B, 227.
 Dohrniphora abdominalis, x, B, 311.
 Dolariu, i, s, 126.
 Doldol, ii, A, 440.
 Dolichandrone, iv, C, 557; vii, C, 166.
 longissima, iv, C, 557.
 rheedii, iv, C, 557.
 spathacea, i, 674; iv, C, 557.
 Dolichoderidae, i, 689.
 Dolichoderus bituberculatus, i, 689; v, D, 127.
 patens subsp. puriventris, v, D, 127.
 semirugosus, v, D, 127.
 tuberculatus, i, 689.
 Dolicholus, v, C, 128.
 Dolichopodidae, viii, D, 309.
 Dolichos, v, C, 3, 134; vii, C, 160; ix, C, 94.
 acinaciformis, v, C, 125.
 biflorus, v, C, 135.
 bulbosus, iii, C, 305; v, C, 135.
 catiang, v, C, 133.
 conspersus, vii, C, 235.
 crassus, v, C, 128.
 ensiformis, v, C, 125; ix, C, 93.
 erosus, v, C, 135; ix, C, 94.
 falcatus, iii, C, 82; v, C, 6, 135.
 giganteus, v, C, 116; ix, C, 92.
 gladiatus, v, C, 126.
 hirsutus, v, C, 123.
 lablab, iv, B, 222; v, C, 5, 9, 134; vii, C, 185; ix, C, 94.
 lablab var. lignosa, v, C, 135.

Dolichos—Continued.

- lineatus, v, C, 125; ix, C, 92.
 luteolus, v, C, 134.
 luteus, v, C, 133; ix, C, 94.
 obtusifolius, v, C, 125.
 phaseoloides, v, C, 123.
 pilosus, v, C, 134.
 pruriens, v, C, 117; ix, C, 92.
 punctatus, vii, C, 235.
 repens, v, C, 134.
 rotundifolius, v, C, 125.
 scarabaeoides, v, C, 128; ix, C, 93.
 sesquipedalis, v, C, 133.
 sinensis, v, C, 133.
 tetragonolobus, v, C, 136; ix, C, 94.
 trilobus, v, C, 135.
 uniflorus, v, C, 135.
 uniflorus var. glaber, v, C, 135.
- Doliidæ**, viii, A, 264.
- Doliophis**, iv, B, 204.
 bilineatus, iv, A, 600; vi, D, 266.
 philippinus, vi, D, 266.
- Dolitan**, x, C, 60.
- Dolium**, viii, A, 264.
 costatum, v, A, 329; vi, D, 55; viii, A, 264.
 hochstetteri, viii, A, 264.
- Dollinera**, iii, C, 102; v, C, 83.
- Domba**, ii, A, 444.
- Dominico**, x, C, 381.
- Domsal**, iv, C, 451.
- Donacia wiepkeni**, v, D, 139.
- Donatia**, vii, C, 249.
- Donax**, i, s, 37; iv, C, 193; ix, C, 69.
 arundastrum, i, 408; i, s, 37; iv, C, 193.
 cannaeformis, iv, C, 193; vi, C, 107, 197; ix, C, 69.
- Donia**, v, C, 76.
- Donkeys**, dissemination of pneumonic plague by, vii, B, 225.
- Doon**, iv, C, 514.
- Doona congestiflora**, iv, C, 514.
 gardneri, iv, C, 514.
 zeylanica, iv, C, 514.
- Dopatrium**, vii, C, 166.
- Dorax radians**, vii, D, 277.
- Dordura**, v, D, 175.
 aliena, v, D, 175.
- Dorosomatidæ**, iii, A, 529.
- Dorstenia pubescens**, v, C, 520.
- Doryetini**, i, 694.
- Dorylas (Pipunculus)**, viii, D, 309.
- Doryopteris**, iii, C, 281; vi, C, 86; vii, C, 49.
 ludens, vi, C, 86.
 papuana, vi, C, 86.
 pedata, vi, C, 86.
- Dosinia**, ii, A, 395; viii, A, 273.
 boettgeri, v, A, 329; viii, A, 273.
 plana, v, A, 329.
 sp., viii, A, 325; x, A, 199.
- Dotal**, vi, D, 83.
- Dothidea**, viii, C, 280.
 perisporioides, i, s, 278.
 pterocarpi, viii, C, 280, 397.
- Dothideaceæ**, iii, C, 45; v, C, 165; viii, C, 183, 256, 395; ix, C, 169.
- Dothidella**, viii, C, 280, 398.
 albizziae, viii, C, 280.
 canarii, viii, C, 398.
 yapensis, viii, C, 278.
- Dracaena**, i, s, 35; iii, C, 400.
 angustifolia, i, 405, 641; i, s, 35; iii, C, 72, 305, 400; vi, C, 196.
 ensifolia, ix, C, 66.
 maingayi, vi, C, 196.
 multiflora, vi, C, 196.
- Draco mindanensis**, x, D, 89.
- Dracontomelum**, i, s, 84; ii, C, 388; iii, C, 108; x, C, 33.
 celebicum, iii, C, 108.
 cumingianum, i, 387; i, s, 84; iv, C, 488, 707; ix, A, 444; x, C, 33.
 dao, iii, C, 108; iv, C, 488, 707; ix, A, 512.
 edule, x, C, 33.
 mangiferum, i, s, 84; iii, C, 108; iv, C, 488.
 sinense, iii, C, 108.
- Dragonel**, ix, D, 79.
- Drasterius sulcatus**, ix, D, 442.
- Drepana punctata**, ix, D, 71.
- Drepananthus**, iii, C, 137.
 longiflorus, vi, C, 201.
 philippinensis, iii, C, 137; vi, C, 202.
 ramuliflorus, vi, C, 202.
- Drepane punctata**, v, D, 282; ix, D, 71.
- Drepanidæ**, v, D, 282; ix, D, 71.
- Drillia**, i, 628.
 allioni, i, 628.
 weberi, i, 628; v, A, 329.
- Drimycarpus racemosus**, iv, C, 488.
- Drimys**, i, s, 53; ii, C, 272; v, C, 349.
 piperita, i, s, 53; ii, C, 272; v, C, 349.
- Drinking customs of the Subanuns**, vii, A, 114.
- Drinks and drinking among the Mandaya, Manobo, and Mangguangan tribes**, vii, A, 106.
- Dromiidæ**, viii, D, 119.
- Drosera**, ii, C, 274; iv, C, 263.
 burmanni, iv, C, 263.
 peltata, ii, C, 275; v, C, 350.
 spatulata, ii, C, 274.
- Droseraceæ**, ii, C, 274; iv, C, 263; v, C, 350.
- Drosophila ampelophila**, x, B, 310.
 ananassæ, viii, D, 311.
 hypocausta, viii, D, 311.
- Drosophilidæ**, viii, D, 311.
- Drugs, treatment of trypanosomiasis by**, v, B, 22, 27.
- Drum**, iii, A, 528.
- Drupadia**, ii, A, 368.
 moorei, ii, A, 368.
- Dryinidæ**, ix, D, 285.
- Dryininæ**, i, 688.
- Dryinus**, ix, D, 285.
 brownii, i, 688.
 stantoni, i, 688.
- Drymaria**, v, C, 346.
 cordata, iii, C, 77; v, C, 346.
- Drymoglossum**, vii, C, 47.

- Drynaria*, i, s, 21; iii, C, 36, 393; v, C, 323;
 vi, C, 91, 139; vii, C, 41, 152; ix, A, 423.
acuminata, ix, C, 8.
delavayi, iii, C, 36.
descensa, iii, C, 36.
quercifolia, i, 400; i, s, 21; ii, C, 6; iii,
 C, 36, 393; vi, C, 91, 139, 191; ix, C,
 172.
reducta, iii, C, 36.
rigidula, ii, C, 6; v, C, 323; vi, C, 91.
sinica, iii, C, 36.
sparsisora, vi, C, 91.
Dryobalanops, iv, C, 509; vi, C, 253.
aromatica, iv, C, 514.
beccarii, iv, C, 514.
kayanensis, iv, C, 514.
Dryocalamus philippinus, iv, A, 596; vi, D,
 259.
tristrigatus, iv, A, 597.
Dryococyx harringtoni, i, 906.
Dryophiops philippina, vi, D, 264.
Dryophis prasinus, iv, A, 600; iv, B, 203; v,
 D, 214; vi, D, 264.
Dryopidae et Heteroceridae des Philippines, x,
 D, 131.
Dryopteris, ii, C, 122, 189, 192; iii, C, 31, 389;
 iv, C, 111; v, C, 316; vi, C, 72, 145;
 vii, C, 152; viii, C, 140; ix, C, 43.
abrupta, ii, C, 192.
acanthocarpa, vi, C, 136.
acromanes, ii, C, 200.
adenophora, ii, C, 192; iii, C, 389; vi, C,
 75; vii, C, 54.
adnata, viii, C, 140.
amboinensis, ii, C, 202.
angusta, ix, C, 3.
angustipes, vii, C, 60.
aoristisora, ii, C, 405; vi, C, 147.
aquatilis, vi, C, 75; vii, C, 59.
aquatiloides, vii, C, 59.
arbuscula, iii, C, 345; vi, C, 74.
arida, ii, C, 195; vi, C, 74.
athyriocarpa, iii, C, 344.
bakeri, ii, C, 405; ix, C, 4.
balabacensis, ii, C, 213; vii, C, 54.
basilaris, ii, C, 196.
basisora, vi, C, 73.
beddomei, ii, C, 208; v, C, 316.
bipinnata, ix, C, 2.
bordenii, ii, C, 204.
boryana, ii, C, 211.
brooksii, iii, C, 345.
brunnea, ii, C, 214; v, C, 317.
canescens, ii, C, 159, 198, 405; vi, C, 191.
canescens var. *achrostichoides*, iii, C, 345.
canescens var. *degeneri*, ii, C, 199.
canescens var. *lobatum*, ii, C, 198.
canescens var. *subsimplicifolia*, ii, C, 199;
 vi, C, 147.
cavalerii, iii, C, 277.
chamaeotaria, ii, C, 203.
chrycomae, ii, C, 212.
cochleatae, ii, C, 212.
compacta, vi, C, 137.
confusa, vi, C, 146.
copelandii, ii, C, 216.
Dryopteris—Continued.
crenata, ii, C, 214; v, C, 283.
crinipes, ix, C, 228.
cucullata, ii, C, 194; v, C, 317; vi, C, 74;
 ix, C, 43.
cucullata var. *mucronata*, ii, C, 195.
cuspidata, ii, C, 205; iii, C, 81; vi, C,
 136.
cuspidata var. *epigea*, iii, C, 278.
decipiens, iii, C, 277.
depauperata, ix, C, 44.
dichotricha, vi, C, 74; vii, C, 54.
dissecta, ii, C, 214, 409, 418; iii, C, 389;
 v, C, 317; vi, C, 76, 192; vii, C, 54;
 ix, C, 43.
dissidens, ii, C, 411.
diversiloba, ii, C, 199.
diversiloba subvar. *lanceola*, ii, C, 200.
diversiloba subvar. *rhombea*, ii, C, 200.
diversiloba var. *aerostichoides*, ii, C, 200.
eatoni, iii, C, 277.
erubescens, ii, C, 210; vi, C, 73.
erythrosora, ii, C, 211; iii, C, 277.
exigua, vi, C, 146.
extensa, ii, C, 204.
falcatipinnula, vi, C, 74.
ferox, ii, C, 193.
ferox var. *calvescens*, ii, C, 193; v, C,
 283.
filix mas, ii, C, 212; iii, C, 277; viii, B,
 523.
filix mas var. *parallelogramma*, ii, C, 212;
 v, C, 317; vi, C, 363.
flaccida, ii, C, 210.
foxii, ii, C, 208, 405.
glabrior, v, C, 283.
glandulosa, ii, C, 205.
gongyloides, iii, C, 389; ix, C, 43.
gongyloides, ii, C, 195.
gracilescens, iii, C, 300; v, C, 317.
granulosa, ii, C, 217.
gymnogrammoides, ii, C, 198.
haenkeana, ix, C, 43.
hallieri, ix, C, 228.
heleopteroides, ii, C, 212; v, C, 317.
heterocarpa, ii, C, 198.
hewittii, iii, C, 344.
hirtipes, ii, C, 212; v, C, 317.
hispidula, ii, C, 195.
hosei, x, C, 146.
immersa, ii, C, 208.
immersa var. *ligulata*, ii, C, 208.
intermedia, ii, C, 215.
intermedia var. *mannii*, ii, C, 215.
intermedia var. *microloba*, ii, C, 215.
invisa, ii, C, 194.
jaculosa, vii, C, 60.
kingii, vi, C, 73.
lacera, iii, C, 277.
lastraea, ii, C, 409.
latipinna, ii, C, 194.
lineata, ii, C, 206; vi, C, 75; ix, C, 4.
loheriana, ii, C, 207; vi, C, 74.
luerssenii, ii, C, 208, 405; v, C, 317.
luzonica, ii, C, 196; iii, C, 390; vi, C, 192.
luzonica var. *polyotis*, ii, C, 197.

Dryopteris—Continued.

- luzonica var. puberula, ii, C, 197.
marginata, ii, C, 212.
megaphylla, ii, C, 192.
melanophlebia, vi, C, 147.
merrillii, ii, C, 201.
mesodon, vii, C, 54.
metteniana, ii, C, 210.
microloncha, ii, C, 202; iii, C, 390.
mindanaensis, ii, C, 194.
mirabilis, vi, C, 137; ix, C, 4.
motleyana, ii, C, 208.
moulmeinensis, ii, C, 205.
oblanceolata, ix, C, 3.
obscura, ii, C, 214.
orientalis, ii, C, 207; vi, C, 80.
orientalis var. webbiana, ii, C, 207.
otaria, ii, C, 203.
oyamensis, vi, C, 147.
paleata, ix, C, 223.
paraphysata, vi, C, 74.
parasitica, ii, C, 197; iii, C, 390; vi, C, 75; vii, C, 60, 179; ix, C, 43.
parasitica var. falcata, ii, C, 197.
paucisora, vi, C, 136.
penangiana var. calvescens, v, C, 283.
philippina, ii, C, 202; vi, C, 146.
pilosum, ii, C, 141.
polycarpa, ii, C, 202; vi, C, 75.
porphyricola, vii, C, 60.
preslii, ii, C, 214.
procurrens, ii, C, 198.
prolifera, ii, C, 206; vi, C, 75.
pteroides, ii, C, 204.
purpurascens, ii, C, 213; vii, C, 54.
quadriaurita, ii, C, 209; vi, C, 73.
ramosii, ii, C, 203.
reptans, ii, C, 190.
rhodolepis, ii, C, 216.
rizalensis, ii, C, 216.
rubida, ii, C, 207; iii, C, 31; vi, C, 136.
sabaei, iii, C, 277.
sagenioides, ii, C, 211.
sagittifolia, ix, C, 3.
salicifolia, vi, C, 75; vii, C, 59.
sarawakensis, viii, C, 140.
schultzei, ix, C, 3.
sessilipinna, vi, C, 145.
setigera, ii, C, 215; iii, C, 390; v, C, 317; vi, C, 73.
setosa, ii, C, 215.
simplicifolia, ii, C, 206; vi, C, 147.
smithianum, ii, C, 138.
sparsa, ii, C, 213; iii, C, 277, 390; vii, C, 54.
spenceri, ii, C, 206.
spinulosa, ii, C, 216; viii, B, 523.
stenobasis, ii, C, 207.
stenogramme, ii, C, 206.
stipellata, vii, C, 60.
subarborea, ii, C, 214.
sumatrana, vii, C, 60.
syrmatica, ii, C, 210.
syrmatica var. petiolosa, ii, C, 210.
tenerrima, iv, C, 111.

Dryopteris—Continued.

- todayensis, ii, C, 193.
triphylla, ii, C, 207; vi, C, 75, 136.
triphylla var. elata, ii, C, 207.
truncata, ii, C, 192; vi, C, 74.
tuberculata, vi, C, 73.
uniauriculata, ix, C, 3.
unita, ii, C, 194.
urophylla, ii, C, 205; iii, C, 31; vi, C, 75.
urophylla var. pustulosa, ii, C, 205.
varia, ii, C, 212.
vile, ii, C, 191.
viscosa, ii, C, 211; iii, C, 344.
wariensis, vi, C, 73.
xiphioides, ii, C, 201.
Dryostachyum, i, s, 165; ii, C, 141; iii, C, 36; v, C, 285; vi, C, 92; vii, C, 42.
drynarioides, i, s, 165.
pilosum, i, s, 165; ii, C, 6; iii, C, 36; vi, C, 141.
splendens, i, s, 165; ii, C, 141; v, C, 285; vi, C, 141.
Dryox digna, viii, D, 311.
spreta, viii, D, 311.
Duabanga, iv, A, 23.
grandiflora, iv, C, 524.
moluccana, iv, C, 524.
sonneratioides, iv, C, 524.
Duca, ii, A, 382; v, C, 38.
Ducatan, iv, C, 256.
Duck, scaup, ii, A, 295.
Ducks' eggs, vii, A, 391.
Duclap, i, s, 88.
Duelitan, ix, A, 497.
Duct of the frontal sinus, occurrence of an accessory nasofrontal, v, B, 475.
Ductulan, iv, C, 357.
Ductung ahas, i, s, 117.
Dudos, x, A, 107.
Duffero stone, iii, B, 247.
Dugan, iv, C, 401.
Dugayon, iv, C, 337.
Dugealon, vi, A, 379.
Dugdug cahilao, ix, C, 73.
Duglo, i, s, 67; v, C, 116.
Dugo-dugo, v, C, 103.
Dugong, vii, D, 45.
dugon, vii, D, 46.
dugong, x, D, 215.
indicus, vii, D, 45.
Dugongidae, vii, D, 45.
Duguan, i, s, 55; ii, C, 381; iv, C, 452; ix, A, 444.
Duhat, i, s, 105; iii, C, 305; iv, C, 387; viii, A, 70.
Duko, vi, C, 253.
Dulaueng, v, C, 48.
Duloc-duloc, iv, C, 648.
Dulunot, vi, C, 14.
Duma, vi, A, 165.
Dumagas, i, 806.
Dumagat, i, 806.
Dumangas, i, 806.
Dumasia, v, C, 110.
villosa, v, C, 110.

- Dumpilas, iii, A, 513.
 Dun, iv, C, 514.
 Dunbaria, v, C, 3, 127; vii, C, 159, 235.
 consersa, vii, C, 235.
 cumingiana, v, C, 8, 127.
 horsfieldii, v, C, 127.
 merrillii, v, C, 8, 127.
 punctata, vii, C, 235.
 Dundubia, v, D, 35.
 immacula, v, D, 35.
 mannifera, v, D, 35.
 nigrimacula, v, D, 35.
 quadrituberculata, v, D, 34.
 sobria, v, D, 35.
 vaginata, v, D, 35.
 varians, v, D, 35.
 Dundubiaria, v, D, 34.
 Dundunosen, v, C, 349.
 Dungao, ix, A, 439.
 Dunga-Dungan formation of Ilocos Norte, ii, A, 158.
 Duñgon, i, s, 94; ii, A, 382; ii, C, 382; iv, C, 500, 502; vi, A, 423; vi, C, 284; ix, A, 444.
 duñgon, vi, C, 284.
 late, i, s, 94; ii, C, 383; iv, C, 500.
 Dungula, ii, A, 382.
 Duodenal ulcers, ix, B, 458.
 Duportella, x, C, 87.
 raimundoi, x, C, 88.
 velutina, x, C, 87.
 Duranparang, v, C, 68.
 Duranta, vii, C, 165.
 repens, vii, C, 189; ix, C, 136.
 Duraring, vii, C, 802.
 Durian, iv, C, 500; viii, A, 74.
 Durio zibethinus, iv, C, 500; viii, A, 74.
 Durogo, x, C, 399.
 Duso, i, s, 68.
 Dussana, x, D, 52.
 Dussumieria acuta, ix, D, 11.
 elopsoides, ix, D, 11.
 hasseltii, ix, D, 11.
 Duthiella, v, C, 157.
 complanata, v, C, 157.
 wallichii, v, C, 157.
 Duuad, ii, A, 344.
 Duung, ii, A, 321.
 Duvasi, vi, A, 161.
 Duymeria aurigaria, ix, D, 69.
 flagellifera, ix, D, 69.
 Duyong, vi, C, 258, 283.
 Duyuk-duyuk, x, C, 338.
 Dyaks, i, 862.
 Dyera, iv, C, 551.
 costulata, iv, C, 551.
 lowii, iv, C, 551.
 Dyes, P. I. natural, v, A, 439.
 treatment of trypanosomiasis with aniline and other, v, B, 23.
 Dynamometer tests on blonds and brunets in the P. I., vi, B, 439.
 Dynastidæ, i, 143.
 Dynopsylla, viii, D, 295.
 cornuta, viii, D, 295; x, D, 263.
 minor, x, D, 263.
 Dyscerus andrewesi, vii, D, 393.
 aphya, vii, D, 393.
 cervinus, vii, D, 393.
 consimilis, vii, D, 393.
 crasirostris, vii, D, 393.
 cribratus, vii, D, 394.
 cruciatus, vii, D, 393.
 elongatus, vii, D, 394.
 fruhstorferi, vii, D, 394.
 jordani, vii, D, 394.
 lateralis, vii, D, 394.
 linnei, vii, D, 394.
 macilentus, vii, D, 392.
 notatus, vii, D, 394.
 proximus, vii, D, 394.
 sexpunctatus, vii, D, 394.
 sparsus, vii, D, 394.
 sparsutus, vii, D, 394.
 unifasciatus, vii, D, 392.
 virgatus, vii, D, 394.
 Dysdercus, iv, A, 577.
 cingulatus, iv, A, 577.
 ellanoræ, iv, A, 578.
 koenigii, iv, A, 577.
 poecilus, iv, A, 578.
 Dysenteries, P. I. amœbic and bacillary, ix, B, 205.
 Dysentery, an unusual case of amœbic, iv, B, 303.
 bacilli, types of, i, 951.
 bacilli, variability of certain strains of, viii, B, 539.
 bacillus of, vi, B, 215.
 bacillus of, carbohydrate reactions of, viii, B, 123.
 Balantidium coli as the cause of, vi, B, 147.
 entamœbic, ix, A, 342.
 epidemiology in Japan, i, 485.
 experimental entamœbic, viii, B, 253.
 relationship of tropical liver abscess to amœbic, v, B, 219.
 spontaneous occurrence in monkeys of bacillary, v, B, 481.
 study of amœbic, vi, B, 259.
 treatment of bacillary, ix, B, 241.
 tropical infantile, iii, B, 31.
 Dysgonia tineta, v, D, 175.
 Dysophylla auricularia, vi, C, 221.
 Dysoxylon sp., ix, A, 449.
 turezinanowii, i, 646.
 Dysoxylum, i, s, 72; iii, C, 148; iv, C, 273, 478; v, C, 185; v, D, 110; vii, C, 160, 278; viii, C, 375, 503; ix, C, 304, 366, 450, 538.
 alliaceum, ix, C, 305.
 altissimum, i, s, 72; vi, C, 207.
 amooroides, iv, C, 479.
 arborescens, viii, C, 378.
 bailloni, iv, C, 479.
 biflorum, v, C, 185.
 binectariferum, iv, C, 479.
 cauliflorum, iii, C, 79; viii, C, 377.
 caulostachyum, viii, C, 377.
 costulatum, viii, C, 376.

Dysoxylum—Continued.

- cumingianum, i, 404; i, s, 72; iii, C, 149;
 viii, C, 377; ix, C, 538.
 euphlebiun, ix, C, 305.
 flavescens, ix, C, 368.
 floribundum, ix, C, 450.
 forsteri, ix, C, 451.
 hamiltonii, iv, C, 479.
 klemmei, iv, C, 273.
 latifolium, ix, C, 367.
 laxum, vii, C, 278.
 leytense, viii, C, 376.
 longiflorum, ix, C, 538.
 loureiri, iv, C, 479.
 muelleri, ix, C, 451.
 nagellianum, viii, C, 376.
 palawanense, ix, C, 538.
 pallens, ix, C, 368.
 pallidum, ix, C, 366.
 pauciflorum, vii, C, 278.
 platyphyllum, viii, C, 375.
 pyriforme, iii, C, 149; ix, C, 368.
 ramiflorum, viii, C, 377.
 ramosii, ix, C, 539.
 robinsonii, ix, C, 540.
 rostratum, ix, C, 304.
 rubrum, i, s, 72.
 thyrsoidum, iv, C, 274.
 triangulare, iii, C, 148.
 turezaninowii, i, s, 72; iv, C, 479; v, C, 185.
 venosum, v, C, 185; vi, C, 207.
 verruculosum, viii, C, 377; ix, C, 539.
 vrieseanum, ix, C, 539.
 wenzelii, ix, C, 367, 540.
- Dysphania, v, D, 177.
 militaris, v, D, 177.
 palmyra, v, D, 177.
- Dysteria, v, D, 318.
- Dystheatias fuscovenosa, ix, D, 174.
 punctata, ix, D, 174.
- Dytiscidae, x, B, 241.
- E**
- Eagle, monkey-eating, ii, A, 297.
 Eaglewood, iv, C, 523.
 Ear, Alpine, iv, A, 432.
 B. B. B., iv, A, 433.
 East Indian, iv, A, 44.
 Iberian, iv, A, 430.
 primitive, iv, A, 429.
 Earias, ii, A, 371; v, D, 170.
 chromataria, ii, A, 371.
 clorana, v, D, 170.
 frondosana, v, D, 170.
 gossypii, v, D, 170.
 insulana, v, D, 170.
 siliquana, v, D, 170.
 simillima, v, D, 170.
 smardinana, v, D, 170.
 tristrigosa, v, D, 170.
 Ears, classification of types of, iv, A, 27.
 Ilongot and Maṅṅyan, viii, D, 357.
 Malecon Morgue, v, D, 191.
 Negrito, vi, D, 107.
- Earthquakes, important P. I., viii, A, 224.
 Masbate, vi, A, 401.
 relation of, in the P. I. to the geologic
 structure, viii, A, 199.
 Easchynanthus curtisii, viii, C, 165.
 radicans, viii, C, 166.
 East Indian ear, iv, A, 44.
 Ebano, iv, C, 544.
 Ebbenhout, iv, C, 546.
 Ebenaceae, i, 1028; i, s, 114; ii, C, 378; iii,
 C, 213, 425; iv, C, 305, 543, 704; v, A,
 445; vi, C, 219; vii, C, 164; ix, A, 556;
 ix, C, 333; x, C, 335.
 Ebenales, i, s, 113.
 Ebeo, x, C, 275.
 Ebermaiera debilis, ii, C, 302.
 elongata, ii, C, 302.
 Ebhul, x, D, 393.
 carinatus, x, D, 393.
 Ebnel, iv, C, 280.
 Ebony, ii, C, 383; iv, C, 546.
 artificial, iv, C, 544.
 black, iv, C, 544.
 green, iv, C, 547.
 mountain, iv, C, 467.
 streaked, iv, C, 545.
 the black coloring matter of, v, A, 445.
 Ebus, vi, C, 114.
 Ebwa, iii, A, 210.
 Eecoptopterus sexspinosus, vi, D, 25.
 Ecdysanthera schrieckii, vii, C, 334.
 Echigo oil field, Japan, stratigraphy of the,
 viii, A, 314.
 Echinocarpus dasycarpus, iv, C, 496.
 Echinochloa, i, s, 354.
 colona, i, s, 354; ix, C, 55.
 crus-galli, i, s, 354.
 stagnina, i, s, 354.
 Echinococcus, ii, B, 542.
 granulosus, ii, B, 542.
 teniaeformis, viii, B, 422.
 Echinocucumis adversaria, vi, D, 318.
 Echinodermata, ii, A, 163; viii, A, 291. *See*
 also Zoology—Echinodermata.
 Echinodiscus echinatus, v, C, 99.
 Echinoidea, viii, A, 291.
 Echinolytrum dipsaceum, ii, C, 93.
 Echinopla striata, v, D, 128.
 Echitamine hydrochloride, i, 1016.
 Echitammonium hydroxide, i, 1016.
 Echites affinis, vii, C, 334.
 caryophyllata, vii, C, 334.
 caudata, vii, C, 333.
 coriacea, vii, C, 333.
 manubriata, vii, C, 333.
 paniculata, vii, C, 333.
 procumbens, i, s, 118; ii, C, 435.
 repens, ii, C, 435.
 scholaris, ii, C, 382.
 spiralis, i, s, 118; ii, C, 435.
 trifida, ii, C, 377.
 Echlurus uncinatus, viii, D, 255.
 Echokimemia, v, B, 338.
 Echokinesia, v, B, 338.

- Echolalia, v, B, 338.
 Eclipta, iii, C, 441; vii, C, 168, 251; ix, C, 153.
 alba, iii, C, 441; vii, C, 190, 251; ix, C, 153, 430, 510.
 zippeliana, vii, C, 251.
 Ecnig, i, 851.
 Ecology of San Ramon Polypodiaceæ, comparative, ii, C, 1.
 Economic entomology, problems in, i, 1067.
 geology of the Baguio mineral district, vi, A, 429.
 possibilities of mangrove swamps, vi, A, 45.
 Ectatops, iv, A, 576.
 limbata, iv, A, 576.
 seminiger, iv, A, 576.
 Ectinoderus, iv, A, 586.
 bipunctatus, iv, A, 586.
 longimanus, iv, A, 586.
 nitidus, iv, A, 587.
 philippinensis, iv, A, 587.
 Ectomocoris, iv, A, 586.
 flavomaculatus, iv, A, 586.
 quadriguttatus, iv, A, 586.
 Ectrichodia hæmatogastra, iv, A, 586.
 Ectrichodiinæ, iv, A, 586.
 Ectropothecium, i, 662; i, s, 13; iii, C, 26; v, C, 158; viii, C, 86; ix, C, 215.
 assimile, v, C, 158; viii, C, 86; ix, C, 214.
 callichroides, iii, C, 26; v, C, 159.
 campylotheicum, iii, C, 27.
 cyperoides, i, s, 13; ix, C, 211.
 elegantipinnatum, viii, C, 86.
 luzoniae, v, C, 159; viii, C, 86.
 mariannarum, ix, C, 41.
 meyenianum, i, s, 13; ii, C, 342; iii, C, 27.
 micropyxis, v, C, 158; viii, C, 86; ix, C, 214.
 monumentorum, iii, C, 26; v, C, 158; viii, C, 86.
 rizalense, iii, C, 26.
 scaturiginum, ix, C, 4.
 subintorquatum, iii, C, 27; viii, C, 86; ix, C, 214.
 verrucosum, viii, C, 86.
 Ectrychotes, iv, A, 586.
 hæmatogastra, iv, A, 586.
 pilicornis, iv, A, 586.
 Edentata, vi, D, 157.
 Edessa amethystina, iv, A, 564.
 punctum, iv, A, 563.
 Edolisoma, ii, A, 355.
 alterum, ii, A, 305.
 cærulescens, ii, A, 305.
 elusum, ii, A, 288.
 mindanense, ii, A, 288.
 Edolisoma panayense, vi, D, 43.
 Eel, v, D, 265.
 rice-paddy, iii, A, 529.
 smoked, ix, D, 9.
 Eelworm, iii, B, 199.
 Efficiency of tinted glasses in relieving eye strain, viii, A, 193.
 Effusæ, i, s, 357.
 Egenolfia, ii, C, 191.
 appendiculata, ii, C, 198.
 Eggplant, iv, B, 222.
 Eggs, incubated ducks' and hens', vii, A, 390.
 Egretta garzetta, i, 700; ii, A, 282, 302, 321; v, D, 107.
 Egropa, x, D, 138.
 inusta, x, D, 137.
 jacobsoni, x, D, 137.
 Ehretia, i, s, 120; iii, C, 430; iv, C, 552, 690; v, C, 379; vii, C, 165.
 acuminata, iv, C, 552, 690.
 beurreria, iv, C, 691.
 blancoi, iv, C, 691.
 buxifolia, i, s, 120; iv, C, 692; v, A, 445.
 formosana, iv, C, 69.
 heterophylla, iv, C, 692.
 javanica, iv, C, 553.
 laevis, iv, C, 553; v, C, 379.
 laevis var. timoriensis, iv, C, 691.
 microphylla, i, s, 120; iii, C, 430; iv, C, 692.
 mollis, iv, C, 691.
 navesii, iv, C, 691.
 onava, iv, C, 690.
 philippinensis, i, s, 120; iii, C, 430; iv, C, 691; v, C, 379.
 polyantha, iv, C, 690.
 retusa, iv, C, 692.
 setosa, iv, C, 691.
 virgata, iv, C, 690.
 wallichiana, iv, C, 553.
 Ehrharta stipoides, i, s, 371.
 Eijserhout, iv, C, 452, 535.
 Ejecta of Taal Volcano, vi, A, 93.
 Eju, vi, A, 196.
 El Tor vibrio, v, B, 403, 428.
 Elachertinae, i, 691.
 Elaeagnaceæ, i, s, 101; v, C, 366; vi, C, 346; ix, C, 427.
 Elaeagnus, i, s, 101; v, C, 366; vi, C, 346.
 alingara, vi, C, 346.
 angustifolia, vi, C, 346.
 cumingii, iii, C, 305; vi, C, 346.
 latifolia, i, s, 101; vi, C, 346.
 perrottetii, vi, C, 346.
 philippensis, iii, C, 305; v, C, 366; vi, C, 346; ix, C, 427.
 Elaeis, vii, C, 154.
 guineensis, vii, C, 181.
 Elaeocarpacæ, i, s, 90, 172; ii, C, 280; iii, C, 149, 244; iv, C, 288, 496; vii, C, 295; viii, C, 383; ix, C, 108, 371, 427; x, C, 41.
 Elaeocarpus, i, s, 90; ii, C, 280; iii, C, 149, 244; iv, C, 288; vii, C, 295; viii, C, 383; ix, C, 108, 371; x, C, 41.
 affinis, ix, C, 372.
 argenteus, ii, C, 280; viii, C, 489; ix, C, 373.
 bataanensis, x, C, 41.
 calomala, x, C, 43.
 cumingii, i, s, 172; iv, C, 289.
 curranii, iv, C, 288.
 dolichopetalus, ix, C, 372.
 foxworthyi, iii, C, 244.
 grandiflorus, vii, C, 295.

Elaeocarpus—Continued.

- isotrichus, x, C, 42.
 joga, ix, C, 108.
 lancaefolius, iv, C, 496; x, C, 44.
 lanceolatus, vii, C, 295.
 leytenis, viii, C, 383.
 luzonicus, iv, C, 289.
 merrittii, ii, C, 280.
 mindanaensis, iii, C, 150.
 mollis, ix, C, 373.
 monocera, i, s, 90.
 multiflorus, iv, C, 290; viii, C, 384.
 oblongus, i, 406; i, s, 90; x, C, 44.
 obtusus, i, s, 90.
 octopetalus, iii, C, 149.
 oliganthus, x, C, 42.
 pendulus, ii, C, 280.
 philippinensis, x, C, 44.
 pustulatus, vii, C, 295.
 ramiflorus, ix, C, 371; x, C, 43.
 subglobosus, iv, C, 290.
 teysmannii, ix, C, 374.
 verruculosus, vii, C, 296.
 villosiusculus, ix, C, 374; x, C, 42.
 wenzelii, ix, C, 371.
 Elanus hypoleucus, i, 700; ii, A, 312, 323.
 Elaphe erythrura, iv, A, 597; v, D, 213; vi, D, 260.
 melanura, iv, A, 597.
 oxycephala, iv, A, 597; vi, D, 260.
 philippina, iv, A, 597; vi, D, 260.
 radiata, iv, A, 597.
 Elaphoglossum, i, s, 21, 166; ii, C, 142, 176; iii, C, 275; v, C, 323; vi, C, 92.
 callaefolium, i, s, 166.
 conforme, i, s, 21; vi, C, 92.
 copelandi, ii, C, 176.
 crassicaule, ix, C, 440.
 decurrens, ii, C, 142.
 fauriei, ix, C, 440.
 gorgoneum, ix, C, 440.
 laurifolium, ii, C, 176; v, C, 323.
 merrillii, iii, C, 275.
 petiolatum, ii, C, 176; v, C, 285.
 sordidum, vi, C, 92.
 spathulatum, x, C, 186.
 Elaphropeza exul, viii, D, 309.
 Elapinae, vi, D, 265.
 Elasmidae, i, 691; ix, D, 461.
 Elasmognatha cephalotes, i, 692.
 Elasmus ashmeadi, ix, D, 462.
 elegans, ix, D, 461.
 lutens, ix, D, 461.
 philippinensis, i, 691; ix, D, 461.
 Elassogaster sepsoides, viii, D, 321.
 unimaculatus, viii, D, 321.
 Elastotema, viii, C, 327.
 Elateridae des files Philippines, ix, D, 441.
 Elateriospermum paucinervium, vii, C, 382.
 Elatinaceae, ii, C, 431; vii, C, 162.
 Elatostema, i, s, 48; iii, C, 404; v, C, 344, 508; vi, C, 30, 295, 299, 320; vii, C, 157, 310; viii, C, 327; ix, C, 76.
 acrophilum, v, C, 523; vi, C, 306, 320.
 angustatum, v, C, 533; vi, C, 305.

Elatostema—Continued.

- apoense, v, C, 534.
 banahaense, v, C, 526; vi, C, 307.
 baruringense, v, C, 541; vi, C, 297.
 benguetense, v, C, 539.
 brongniartianum, v, C, 538; vi, C, 303.
 bulbothrix, vi, C, 295.
 calcareum, ix, C, 77.
 carinoi, v, C, 532; vi, C, 307.
 caudatum, v, C, 542.
 cheirophyllum, v, C, 518.
 contiguum, v, C, 536.
 cupreo-viride, v, C, 528.
 cuspidiferum, v, C, 542.
 delicatulum, v, C, 520.
 delicatum, v, C, 520.
 discolor, vi, C, 301.
 edule, v, C, 531.
 falcatum, v, C, 505.
 filicaule, v, C, 516; vi, C, 302.
 glaucescens, v, C, 521; vi, C, 295.
 glaucescens β delicatula, v, C, 520.
 glomeratum, vi, C, 302.
 halconense, v, C, 540; vi, C, 297.
 hastatum, v, C, 525.
 heterophyllum, v, C, 517; vi, C, 296.
 hookerianum, v, C, 533; vi, C, 31, 302.
 inaequifolium, v, C, 516.
 insigne, v, C, 504.
 integrifolium, v, C, 542.
 laciniatum, v, C, 497.
 lagunense, v, C, 527; vi, C, 296, 307.
 lanaense, v, C, 528.
 laxum, v, C, 502.
 lineare, v, C, 534; vi, C, 296.
 lineolatum, v, C, 542; vi, C, 304.
 lithoneurum, vi, C, 296, 307.
 longifolium, i, s, 48; v, C, 534; vi, C, 303.
 longipedunculatum, v, C, 515; vi, C, 307.
 lutescens, vi, C, 304.
 luzonense, v, C, 512; vi, C, 297.
 machaerophyllum, v, C, 505.
 macrophyllum, i, s, 49; vi, C, 296.
 manillense, v, C, 501.
 merrillii, vi, C, 305.
 mesargyreum, v, C, 504.
 microphyllum, v, C, 523; vi, C, 320.
 oblanceolatum, v, C, 524.
 obliquifolium, vi, C, 302, 320.
 obovatum, v, C, 520; vi, C, 31, 296.
 obtusiusculum, v, C, 537; vi, C, 31.
 obtusum, v, C, 520.
 obtusum β delicatulum, v, C, 520.
 oppositifolium, v, C, 495.
 ovatum, v, C, 495.
 palawanense, v, C, 526; vi, C, 296.
 paludosum, vi, C, 296.
 papillosum, v, C, 495.
 pedunculatum, ix, C, 78.
 philippinense, v, C, 524; vi, C, 199.
 pictum, v, C, 504.
 pinnatinervium, v, C, 515; vi, C, 199, 296.
 platyphyllum, iii, C, 404; v, C, 531.
 plumbeum, v, C, 535; vi, C, 31.

Elatostema—Continued.

- podophyllum, v, C, 540; vi, C, 297, 300.
 polioneurum, v, C, 505.
 proceridioides, vi, C, 297.
 pulchellum, v, C, 522.
 purpureum, vi, C, 306.
 reptans, v, C, 538.
 rigidum, v, C, 503.
 robustum, v, C, 504.
 rostratum, v, C, 504; vi, C, 295.
 rostratum var. manillense, v, C, 501.
 rupestre, v, C, 534.
 scapigerum, v, C, 542; vi, C, 307.
 scriptum, v, C, 529.
 sesquifolium, v, C, 542.
 sessile, v, C, 467.
 sessile var. brongniartianum, i, s, 48;
 v, C, 521.
 sessile var. minus, v, C, 538.
 sessile var. punctatum, vi, C, 303.
 sikkimense, v, C, 514; vi, C, 30, 297.
 sinuatum, v, C, 497, 519; vi, C, 30.
 spinulosum, v, C, 530.
 stenophyllum, ix, C, 76.
 subgnosum, v, C, 541; vi, C, 297.
 surculosum, v, C, 514; vi, C, 297.
 thalioides, v, C, 542; vi, C, 297.
 thibaudiaefolium, v, C, 504.
 tomentosum, v, C, 535.
 ulmifolium, v, C, 534; vi, C, 303.
 variabile, v, C, 514; vi, C, 307.
 variegatum, v, C, 538; vi, C, 31.
 viridescens, v, C, 525; vi, C, 31, 305.
 vittatum, v, C, 504.
 whitfordii, i, s, 48; v, C, 530.
 Elatostematoides, v, C, 497; vi, C, 30, 295.
 falcatum, v, C, 505.
 gracilipes, v, C, 503.
 insigne, v, C, 504.
 laxum, v, C, 502.
 machaerophyllum, v, C, 505.
 manillense, v, C, 501; vi, C, 30, 200.
 mesargyreum, v, C, 504.
 mindanaense, v, C, 502.
 pictum, v, C, 504.
 rigidum, v, C, 503.
 robustum, v, C, 504; vi, C, 295.
 rostratum, v, C, 503.
 thibaudiaefolium, v, C, 504; vi, C, 295.
 Elattostachys, iii, C, 418.
 verrucosa, iii, C, 418; viii, C, 447.
 Elcysma, x, D, 357.
 caudata, x, D, 358.
 translucida, x, D, 358.
 westwoodii, x, D, 357.
 Electroscop, ix, A, 55.
 Elemi, iii, A, 49; v, A, 171.
 Manila, iv, A, 93.
 terpene oils of Manila, ii, A, 1.
 Eleocharis, ii, C, 89; iii, C, 398; vii, C, 154;
 ix, C, 60, 264.
 acicularis, ix, C, 264.
 affata, ii, C, 90; iii, C, 398.
 atropurpurea, ii, C, 90; ix, C, 60.
 capitata, ii, C, 90; vii, C, 181; ix, C, 60.

Eleocharis—Continued.

- chaetaria, ii, C, 90.
 equisetina, ii, C, 89.
 esculenta, ii, C, 89.
 microcarpa, ii, C, 91.
 ochreate, ii, C, 90.
 pellucida, ii, C, 91.
 plantaginea, ix, C, 60.
 plantaginoides, ix, C, 60.
 retroflexus, vi, C, 195.
 setacea, ii, C, 90.
 subprolifera, ii, C, 90.
 tristachyus, ii, C, 99.
 variegata, ii, C, 90.
 variegata var. laxiflora, ii, C, 90.
 Eleocharoides, ii, C, 91.
 Eleogenus, ii, C, 90.
 Eleotrid, ix, D, 74.
 Eleotridae, ix, D, 74.
 Elephant, iv, C, 474.
 grass, i, 1076.
 Elephantiasis, cases in southern Luzon, iii, B,
 293.
 palliative treatment of, iii, B, 311.
 Elephantopus, i, s, 138; iii, C, 440; v, C, 393;
 vii, C, 168; ix, C, 153.
 mollis, i, 395; i, s, 138; iii, C, 441; v, C,
 393; vi, C, 228; vii, C, 175; ix, C, 153.
 scaber, i, s, 139; vii, C, 175; ix, C, 154.
 spicatus, i, s, 139; iii, C, 440; vii, C, 175;
 ix, C, 154.
 Elephant's-ear sponge, Philippine, iv, A, 60.
 Elephas, i, 209.
 indicus, i, 209.
 Eletariopsis, iv, C, 155.
 Eleusine, i, s, 29, 378; iii, C, 397; v, C, 330;
 vii, C, 154; ix, C, 57.
 aegyptiaca, i, s, 379.
 barbata, i, s, 378.
 corocana, i, s, 379.
 indica, i, s, 29, 378; iii, C, 397; v, C, 330;
 vi, C, 194; vii, C, 180; viii, C, 285; ix,
 C, 57, 423, 513.
 mucronata, i, s, 377.
 polydactyla, i, s, 379.
 verticillata, i, s, 379.
 Eleutherine, vii, C, 233.
 americana, vii, C, 201.
 palmaefolia, vii, C, 182.
 palmifolia, vii, C, 233.
 philippinensis, vii, D, 9.
 plicata, vii, C, 233.
 Elfvingia, i, s, 285.
 elmeri, ix, C, 237.
 tornata, i, s, 285.
 Elidina, i, 689.
 Elis albicollis, i, 689.
 annulata, i, 689.
 aureicollis, i, 689.
 aurulenta, i, 689.
 grossa, i, 689.
 luctuosa, i, 689.
 quadrifasciata, i, 689.
 reticulata, i, 689.
 Elixir, vii, A, 24.

- Ellampus bakeri*, viii, D, 287.
 marginellus, viii, D, 287.
Ellatostachys verrucosa, iv, C, 493.
Ellertonia macgregori, iii, C, 261.
Ellipanthus, i, s, 61; iv, C, 124.
 calophyllus, iv, C, 124.
 helferi, iv, C, 124.
 luzoniensis, i, 405, 638; i, s, 61; iv, C, 124, 703.
 mindanaensis, iv, C, 124.
 tomentosus, iv, C, 124.
Elisiophyllum, i, s, 228; v, C, 386.
 pinnatum, v, C, 386.
 reptans, i, s, 228.
Elm, red, vi, A, 15.
 rock, vi, A, 15.
 white, vi, A, 15.
 winged, vi, A, 15.
Elmeria bifida, iv, C, 179; ix, C, 444.
 pinetorum, iv, C, 180.
Elmerina, ix, C, 350; x, C, 93.
 cladophora, ix, C, 350; x, C, 93.
 foliacea, x, C, 93.
 setulosa, ix, C, 350.
Elmeriobryum, viii, C, 86; ix, C, 205.
 philippinense, viii, C, 86.
Elodea, viii, C, 1.
 canadensis, viii, C, 3.
 formosa, iv, C, 294.
Elops saurus, iii, A, 528.
Elymnias, iii, A, 27.
 malis, iii, A, 28.
 palmifolia, iii, A, 27.
Elymniinae, iii, A, 27.
Elytranthe, i, s, 50.
 ampullacea, i, s, 50; iv, C, 146.
 cumingii, iv, C, 141.
Elytraria, vii, C, 166.
 tridentata, vii, C, 188.
Emballonura, vii, D, 12.
 discolor, vii, D, 12.
 monticola, vii, D, 12.
Emballonuridae, vii, D, 12.
Embelia, i, s, 113; ii, C, 297; v, C, 223, 377; vii, C, 326.
 bataanensis, i, s, 113.
 coriacea, v, C, 223.
 halconensis, ii, C, 297; v, C, 358.
 myrtillus, iv, C, 149; x, C, 192.
 nigro-punctata, vii, C, 326.
 philippinensis, v, C, 377.
 portearia, v, C, 375; vi, C, 219.
 ribes, x, C, 192.
 viridiflora, vii, C, 327.
 whitfordii, i, s, 113.
Embolanthera, iv, C, 263.
 spicata, iv, C, 263.
Emboli and amœbiasis, i, 568.
Emerus, v, C, 75.
 sesban, vii, C, 235.
Emesaria, iv, A, 583.
Emesinae, iv, A, 583.
Emetine bismuthous iodide, treatment of dysentery with, x, B, 77.
Emetine—Continued.
 hydrochloride and ipecac, results obtained in cases of dysentery treated with, x, B, 76.
 mercuric iodide, treatment of dysentery with, x, B, 76.
 treatment of entamœbiasis with, ix, B, 93.
 two compounds which may be of service in the treatment of entamœbiasis, x, B, 73.
Emilia, i, s, 189, 243; iii, C, 217, 442; v, C, 399; vii, C, 168.
 flammea, i, 395; i, s, 139, 244; iii, C, 217.
 javanica, iii, C, 217.
 pinnatifida, i, s, 243; v, C, 399.
 prenanthoidea, iii, C, 217.
 sagittata, iii, C, 217.
 sonchifolia, i, 396; i, s, 139, 244; iii, C, 442; vi, C, 228; vii, C, 190; ix, C, 430.
Emillettia, v, C, 72.
Emmenopterys, iv, C, 324.
Emoia ruficauda, x, D, 98.
Empadu, iv, C, 507.
Emphusis, x, D, 380.
 bakeri, x, D, 381.
Emphysomera aliena, viii, D, 313.
Empididae, viii, D, 309.
Emulsin, tests for, x, A, 126.
Enalson, iii, A, 206.
Enantiophyllum, ii, C, 427.
Enargite, x, A, 86.
Encargado, vii, A, 22; ix, A, 244.
Encaustes gigantea, viii, D, 159.
 malayang, viii, D, 160.
 palawanica, viii, D, 159.
 tagala, viii, D, 160.
Enchenopa luconica, x, D, 395.
Encyrtidae, i, 691.
Encyrtinae, i, 691.
Endelus bakeri, ix, D, 88.
 diabolicus, ix, D, 88.
 modiglianii, ix, D, 88.
 weyersi, ix, D, 88.
Endespermum scandens, v, C, 96.
Endiandra, i, s, 58; iv, C, 454.
 coriacea, i, 412, 644; i, s, 58; iv, C, 707.
Endogonia, iv, C, 698.
Endophyllachora, viii, C, 397.
Endospermum, i, s, 82; ix, C, 481.
 borneense, ix, C, 481.
 ovatum, ix, C, 481.
 peltatum, i, 387; i, s, 82; iv, C, 707.
Endotricha, v, D, 178.
 flammealis, v, D, 178.
 puncticostalis, v, D, 178.
Endotrichella, iii, C, 23; v, C, 152, 314; viii, C, 76.
 elegans, iii, C, 23; v, C, 152, 314; viii, C, 76.
 gracilescens, viii, C, 76.
 perplicata, viii, C, 77.
 pilifera, viii, C, 77.
 serricuspis, iii, C, 23.
 wallisii, iii, C, 23.
Endotrichinae, v, D, 178.

- Endoxyla, iii, C, 50.
 mangiferae, iii, C, 50.
- Endymia apicalis, x, D, 29.
 effusa, viii, D, 145.
 geminata, viii, D, 144.
 marmorata, viii, D, 144.
 philippinica, viii, D, 143; x, D, 30.
 vipio, viii, D, 144.
- Enetlog, x, C, 393.
- Eng, iv, C, 509.
- Englehardtia, i, s, 41; ii, C, 270.
 serrata, iv, C, 445.
 spicata, i, s, 41; ii, C, 270.
 subsimplicifolia, i, 644; i, s, 41.
- Englerula, viii, C, 482.
 medinillae, viii, C, 482.
- Engraulidæ, iii, A, 513; ix, D, 11, 59.
- Engraulis russelli, ix, D, 59.
- Enhalus, ix, C, 50.
 acoroides, ix, C, 50.
- Enhydra, vii, C, 168, 251.
 fluctuans, vii, C, 251.
- Enicoptera proditrix, viii, D, 324.
- Enicospilus ashbyi, i, 692.
 pacificus, i, 692.
- Enmonodia, v, D, 175.
 hypopyroides, v, D, 175.
 pudens, v, D, 175.
- Enmosa viaja, ix, C, 80.
- Enneamera neglecta, viii, D, 237.
 nigra, viii, D, 236.
 thoracica, viii, D, 236.
- Enoki, x, D, 290.
- Enol and keto forms of diethylsuccinosuccinate, x, A, 53.
- Enrichment and alteration in calcite-quartz-manganese gold deposits, viii, A, 125.
- Enrila dichotoma, iv, C, 287.
- Entada, i, s, 62; iii, C, 229; v, C, 32; ix, C, 86.
 parvifolia, iii, C, 229; v, C, 9, 33.
 phaseoloides, ix, C, 86.
 polystachya, v, C, 33.
 pursaetha, v, C, 32.
 scandens, i, 418, 1021; i, s, 62; ii, A, 440; iii, C, 229, 305; v, C, 32; vi, C, 206; viii, A, 135; ix, C, 86.
- Entameba, viii, B, 169; ix, B, 446.
 africana, viii, B, 287.
 brasiliensis, viii, B, 254.
 butschlii, viii, B, 254.
 coli, i, 911; iii, B, 200; iv, B, 265; vi, B, 212, 260; viii, B, 276; ix, B, 81, 93.
 dysenteriae, i, 912; ii, B, 6.
 hartmanni, viii, B, 254.
 histolytica, i, 911; iii, B, 200, 417; iv, B, 265; vi, B, 212, 260, 384; viii, B, 2, 286, 335; ix, B, 81, 93.
 minuta, vi, B, 262; viii, B, 254.
 muris, vi, B, 268.
 nipponica, vi, B, 262; viii, B, 254.
 nuttalli, vi, B, 268.
 phagocytoides, vi, B, 263; viii, B, 254.
 ranarum, vi, B, 268.
- Entameba—Continued.
 testudinis, vi, B, 268.
 tetragena, vi, B, 262; viii, B, 286; ix, B, 97.
 tropicalis, vi, B, 263; viii, B, 254.
 undulans, vi, B, 261; viii, B, 254.
 williamsi, viii, B, 254.
- Entamebiasis, patients of the Philippine General Hospital with, ix, B, 81.
 treatment with ipecac, emetine, and neosalvarsan, ix, B, 93.
 two compounds of emetine which may be of service in the treatment of, x, B, 73.
- Entamoebic dysentery, *see* Dysentery, entamoebic.
- Entangor, iv, C, 504.
- Entedon magnus, ix, D, 462.
 manilensis, ix, D, 463.
- Entedoninae, i, 691.
- Enteritis, i, 559; v, B, 152.
- Enterolobium, v, C, 4, 15; vii, C, 159; ix, C, 85.
 saman, v, C, 9, 15; vi, C, 107; vii, C, 184; viii, B, 198; ix, C, 85.
- Enteromorpha intestinalis, vi, D, 309.
 sp., ii, B, 518.
- Entodon, iii, C, 24; viii, C, 82.
 longidens, iii, C, 24; viii, C, 82; ix, C, 214.
- Entodontaceæ, ii, C, 341; iii, C, 24; v, C, 155, 315; viii, C, 81; ix, C, 204.
- Entoganum, iii, C, 234.
- Entomology, problems in P. I. economic, i, 1067. *See also* Zoölogy—Insecta.
- Entriana curtispindula, x, C, 187.
- Enumeratio sapindacearum philippinensium novarumque descriptio, viii, C, 443.
- Enzymes, cacao, x, A, 123.
 coconut, iii, A, 111.
- Eofurius, x, D, 85.
 pygmaeus, x, D, 86.
- Eophylon lobbii, i, s, 223.
 tepellum, i, s, 223.
- Epachridaceæ, x, C, 191.
- Epaltes, iii, C, 126; vii, C, 168.
 australis, iii, C, 126.
- Epania longicollis, x, D, 35.
- Epel, iv, C, 461.
- Epepeotus, x, D, 240.
- Eperua decandra, ii, C, 384; v, C, 40.
 falcata, v, C, 41.
 rhomboidea, ii, C, 395; v, C, 41.
- Ephelis, viii, C, 281.
 caricina, viii, C, 281.
 pallida, v, C, 166.
- Ephestia cautella, v, D, 177.
- Ephippidæ, iii, A, 529; v, D, 282; ix, D, 71.
- Ephippus orbis, v, D, 282; ix, D, 71.
- Ephydra pleuralis, viii, D, 311.
- Ephydridæ, viii, D, 311.
- Epicharis loureiri, iv, C, 479.
- Epichloë, i, s, 278.
 warburgiana, i, s, 278.

- Epierates inornatus*, vi, D, 268.
Epicrocis ægnusalis, v, D, 178.
Epidaus, iv, A, 589.
 maculiger, iv, A, 589.
 transversus, iv, A, 589.
Epidelus wallacei, ix, D, 83.
Epidemiology of dysentery in Japan, i, 485.
Epidendræ, vi, C, 38.
Epidendrum fasciola, ix, C, 71.
 vanilla, iii, C, 305.
Epidermophyton cruris, v, B, 203.
 inguinale, v, B, 203.
 perneti, v, B, 203.
 rubrum, v, B, 203.
Epidote, vi, A, 438; x, A, 86.
Epiechinus, birmanus, x, D, 22.
 lagunæ, x, D, 21.
Epiurus nasicornis, ix, D, 429.
Epilachna pusillanima, v, D, 146.
 vigintiocto-punctata, v, D, 146.
Epilobium, iii, C, 209; v, C, 369.
 himalayense, v, C, 369.
 philippinense, iii, C, 209; v, C, 369.
 platystigmatosum, iii, C, 210.
Epimys, vii, D, 28.
 albigularis, vii, D, 28.
 calcis, vii, D, 28.
 datae, vii, D, 28.
 ephippium, vii, D, 28.
 everetti, vii, D, 28.
 gala, vii, D, 28.
 kelleri, vii, D, 28.
 luteiventris, vii, D, 29.
 luzonicus, vii, D, 29.
 magnirostris, vii, D, 29.
 mindanensis, vii, D, 29.
 mindorensis, vii, D, 29.
 neglectus, vii, D, 29.
 negrinus, vii, D, 29.
 norvegicus, vii, B, 119; vii, D, 29.
 pantarensis, vii, D, 29.
 querceti, vii, B, 119; vii, D, 30.
 rattus, vii, B, 119; vii, D, 30.
 tagulayensis, vii, D, 30.
 todayensis, vii, D, 30.
 tyrannus, vii, D, 30.
 vulcani, vii, D, 30.
 vulcani apicis, vii, D, 30.
 vulcani vulcani, vii, D, 30.
 zamboangæ, vii, D, 30.
Epinephelus albimaculatus, iv, A, 509.
 boenaek, ix, D, 65.
 coromandelicus, iv, A, 510.
 dermopterus, ix, D, 65.
 gilberti, ix, D, 66.
 merra, iii, A, 517; ix, D, 65.
 moara, ix, D, 65.
 septemfasciatus, ix, D, 65.
 sexfasciatus, v, D, 275.
Epipactis, iv, C 663; viii, C, 409.
 clausa, iv, C, 663.
 pusilla, iv, C, 664.
 rubicunda, iv, C, 664.
Epiplemidæ, v, D, 175.
Epipremnum elegans, i, s, 111.
Epipsylla, x, D, 258.
 albolineata, viii, D, 298.
 pulchra, viii, D, 297.
Epirhizanthæ cylindrica, i, s, 203.
Epistenia ania, i, 691.
 feretius, i, 691.
Epocaos, i, 826.
Epulis gravis, ii, B, 489.
Epura rhomboidea, i, s, 63.
Epyris, ix, D, 288.
 apertus, ix, D, 285.
 filiformis, ix, D, 288.
 philippinensis, ix, D, 285.
 tagala, i, 688.
Equisetaceæ, ii, C, 150; v, C, 324.
Equisetum, ii, C, 150; v, C, 324.
 ramosissimum, ii, C, 150; v, C, 324.
Equula insidiator, ix, D, 63.
 ruconia, v, D, 272; ix, D, 63.
Equulidæ, v, D, 272; ix, D, 63.
Eragrostis, i, s, 382; iii, C, 168, 397; v, C, 330;
 vii, C, 154, 229; viii, C, 159; ix, C, 57.
 amabilis, i, s, 383.
 aurea, i, s, 384.
 brownei, i, s, 384.
 cilianensis, viii, C, 159.
 ciliata, i, s, 383.
 cumingii, i, s, 384.
 distans, i, s, 384; v, C, 330.
 elegantula, i, s, 384.
 elongata, i, s, 383.
 interrupta, i, s, 383; vii, C, 180.
 interrupta var. koenigii, i, s, 383.
 interrupta var. tenuissima, i, s, 384.
 japonica, i, s, 384.
 lasioclada, i, s, 382.
 luzoniensis, i, s, 384.
 major, i, s, 385; viii, C, 159.
 mangalorica, vii, C, 229.
 megastachya, i, s, 385; viii, C, 159.
 megastachya var. β cilianensis, viii, C, 160.
 minor, viii, C, 159.
 minutiflora, i, s, 383.
 multiflora, viii, C, 159.
 nigra, i, s, 384.
 pilosa, i, s, 383; vii, C, 180; ix, C, 57.
 plumosa, i, s, 383; ix, C, 57.
 polymorpha, i, s, 384.
 reflexa, iii, C, 168.
 rubens, i, s, 384.
 spartinoides, i, s, 385.
 tenella, i, s, 383; iii, C, 397; ix, C, 57.
 tenella var. viscosa, i, s, 383.
 tenella var. viscosa subvar. contracta, vii, C, 229.
 tenuissima, i, s, 384.
 unioloides, i, s, 384; vii, C, 180.
 viscosa, i, s, 383; v, D, 85.
 zeylanica, i, s, 384; iii, C, 168.
Eranthemum, i, s, 126; ii, C, 302; iii, C, 435;
 ix, C, 142.
 bicolor, i, s, 126; vii, C, 248.
 crenulatum, x, C, 193.
 crenulatum var. angustifolium, x, C, 193.

Eranthemum—Continued.

- curtatum, i, s, 126; ii, C, 302; iii, C, 435;
vi, C, 222.
pulchellum, vii, C, 248.
zollingerianum, i, s, 173.

Erax integer, viii, D, 313.

Ercheia, v, D, 174.

- cyllaria, v, D, 174.
cyllota, v, D, 174.

Eremochloa, i, s, 331.

- ciliaris, i, s, 312, 331.
leersioides, i, s, 174, 331.

Eremus decorata, viii, D, 137.

- decorata var. zamboangana, viii, D, 137.
philippinus, x, D, 65.
proxima, viii, D, 137.

Eria, i, s, 39; ii, C, 329; iv, C, 201, 673; v, C, 341; vi, C, 36; vii, C, 20; viii, C, 427.

- aëridostachya, ii, C, 329; iv, C, 213.
anceps, iv, C, 219.
armeniaca, iv, C, 217.
bambusifolia, iv, C, 203.
bidens, iv, C, 217.
binabayensis, ii, C, 329; iv, C, 223; viii, C, 428.
bontocensis, viii, C, 427.
brachystachya, iv, C, 221.
bracteolata, viii, C, 428.
bractescens, iv, C, 209.
bractescens var. latipetala, iv, C, 210.
clemensiae, iv, C, 220.
cochleata, ii, C, 331.
compacta, iv, C, 208.
copelandii, iv, C, 203.
copelandii var. fusiformis, iv, C, 204.
currantii, iv, C, 210.
cylindrostachya, iv, C, 211.
cymbiformis, ii, C, 330; iv, C, 224.
dillwynii, iv, C, 209.
elmeri, iv, C, 208; viii, C, 427.
fastigatifolia, iv, C, 221; viii, C, 428.
ferox, ii, C, 329.
floribunda, iv, C, 209.
fragrans, ii, C, 331.
fusca, iv, C, 222.
gigantea, iv, C, 218.
graciliscapa, iv, C, 205.
graciliscaposa, i, 661; i, s, 39.
halconensis, ii, C, 330.
hutchinsoniana, ii, C, 330; iv, C, 204, 227.
iridifolia, iv, C, 217.
javanica, iv, C, 212.
kingii, iv, C, 218.
leytensis, viii, C, 427.
longibracteata, iv, C, 219; vii, C, 20.
longicurris, iv, C, 205.
longilabris, iv, C, 210.
lyonii, iv, C, 212.
major, iv, C, 218.
mearnsii, iv, C, 218.
merrillii, ii, C, 331; iv, C, 213.
merrittii, ii, C, 331; iv, C, 207.
odorifera, iv, C, 223; viii, C, 428.
oligantha, ii, C, 329.
ornata, iv, C, 217; v, C, 341.

Eria—Continued.

- ovata, ii, C, 332; iv, C, 207.
philippinensis, iv, C, 204, 673; v, C, 341;
viii, C, 427.
polyura, i, s, 39; iv, C, 203.
profusa, iv, C, 210.
prorepens, ii, C, 332.
racemosa, iv, C, 206.
ramosii, iv, C, 224.
retroflexa, iv, C, 206.
rigens, iv, C, 207.
rugosa, ii, C, 331; iv, C, 212.
scortechinii, iv, C, 218.
stellata, iv, C, 212.
striolata, ii, C, 331.
sulcata, ii, C, 332.
tenuifolia, ii, C, 330.
tricuspidata, iv, C, 218.
vanoverberghii, vii, C, 20.
ventricosa, iv, C, 211; v, C, 341.
ventricosa var. benguetensis, iv, C, 212.
vulpina, ii, C, 332; iv, C, 222.
wenzelii, viii, C, 428.
whitfordii, iv, C, 215.
woodiana, ii, C, 332; iv, C, 205.

Eriachne, i, s, 375.

- gracilis, i, s, 376.
pallescens, i, s, 376.
triseta, i, s, 376.

Erianthus, ix, C, 51.

- irritans, i, s, 325.

Ericaceae, i, s, 111, 219; ii, C, 292; iii, C, 160, 255, 369; iv, C, 304; v, C, 211, 371; vi, C, 355; vii, C, 96, 321; x, C, 52.

Ericales, i, s, 111.

Erigeron, iii, C, 441; v, C, 394; vii, C, 168.

- linifolius, iii, C, 441; v, C, 394; vi, C, 228; vii, C, 190; ix, C, 430.
molle, v, C, 395; ix, C, 153.

Erinaceidae, vii, D, 4.

Erinaceus, vi, D, 161, 193.

Erinella, viii, C, 500.

- cognata, viii, C, 501.
philippinensis, viii, C, 500.

Eriobotrya, i, s, 60; iii, C, 102.

- ambigua, i, 655; i, s, 60.
japonica, ix, C, 85.

oblongifolia, iii, C, 102.

Eriocaulon, ii, C, 265; v, C, 336; vii, C, 155, 232; x, C, 290.

- alatum, vii, C, 232.
alpestre, x, C, 291.
brevipedunculatum, ii, C, 265.
cinereum, x, C, 291.
compressum, viii, C, 3.
depauperatum, v, C, 336.
longifolium, x, C, 292.
longissimum, x, C, 292.
merrillii, vi, C, 195; x, C, 291.
minutum, v, C, 337.
nigriceps, x, C, 290.
setaceum, x, C, 292.
sexangulare, x, C, 292.
sieboldianum, x, C, 291.
truncatum, x, C, 188, 291.

- Eriocaulonaceæ, ii, C, 265; v, C, 336; vi, C, 195; vii, C, 155, 232; x, C, 188, 290.
- Eriocera mansueta, viii, D, 307.
- perennis, viii, D, 307.
- Eriochloa, i, s, 279, 348; vii, C, 153.
- annulata, i, s, 348.
- polystachya, i, s, 349.
- punctata, i, s, 349.
- ramosa, i, s, 348; vii, C, 180.
- ramosa var. involuerata, i, s, 349.
- Eriodendron anfractuosum, i, s, 93; iv, C, 499; ix, C, 110.
- Erioglossum, i, s, 87.
- edule, iv, C, 493.
- rubiginosum, i, 676; i, s, 87; iii, C, 79; iv, C, 493; viii, C, 444.
- Eriolaena candollei, iv, C, 500.
- Erionota thrax, i, 213, 695.
- Eriopus, viii, C, 82.
- microblastus, viii, C, 82.
- parviretus, viii, C, 83.
- Eriosema, v, C, 129.
- chinense, v, C, 129.
- tuberosum, v, C, 129.
- Eristalis agryrus, viii, D, 309.
- babytace, viii, D, 309.
- plistoanax, viii, D, 309.
- Eritrichium strictum, iv, C, 697.
- Errhomenini, x, D, 50.
- Eruptives, southwestern Luzon, v, A, 89.
- Erycibe, i, s, 120.
- Erysipelas streptococcus, i, 173.
- Erystus banksi, v, D, 226.
- podagroides, v, D, 226.
- villicus, v, D, 226.
- Erythracanthus elongatus, ii, C, 302.
- Erythraea, iii, C, 427.
- spicata, iii, C, 427.
- Erythrina, i, s, 66, iv, C, 472; v, C, 111; vii, C, 160; ix, C, 92.
- caffra, v, C, 113.
- carnea, v, C, 111.
- coraliodendrum orientalis, v, C, 111.
- fusca, v, C, 113; ix, C, 513.
- hypaphorus, v, C, 113.
- indica, i, 415, 669; i, s, 66; iv, C, 472; v, C, 9, 111; ix, C, 92, 426, 513.
- lithosperma, v, C, 111.
- microcarpa, v, C, 112.
- orientalis, v, C, 111.
- ovalifolia, iii, C, 81; v, C, 113.
- picta, v, C, 111.
- secundiflora, v, C, 113.
- stipitata, v, C, 8, 112.
- suberosa, iv, C, 472; v, C, 112.
- subumbrans, v, C, 113.
- sumatransa, v, C, 113.
- Erythrocyte, counts on American soldiers in the P. I., vi, B, 484.
- Erythrodontium, iii, C, 24; v, C, 156; viii, C, 82.
- julaceum, v, C, 156; ix, C, 209.
- squarrulosum, iii, C, 24; viii, C, 82.
- Erythropalum scandens, viii, C, 271.
- Erythrophloeum, iv, C, 267; v, C, 35.
- densiflorum, iv, C, 267, 717; v, C, 35.
- Erythrorchis kuhlil, ii, C, 313.
- Erythrospermum phytolaccoides, ix, C, 290.
- Erythroxylaceæ, i, 1032; iii, C, 232; iv, C, 473; vii, C, 160.
- Erythroxylum, iii, C, 232; vii, C, 160.
- burmanicum, i, 1032; iii, C, 232; iv, C, 473.
- coca, i, 1032; vii, C, 185.
- cuneatum, iii, C, 232; iv, C, 473.
- platyphyllum, iii, C, 232.
- Eschatogramme, vii, C, 49.
- Escobilla adumelon, ix, C, 112.
- apaca, ix, C, 112.
- dalili, ix, C, 112.
- papagu, ix, C, 112.
- sabana, ix, C, 114.
- Escobilla juice, iii, B, 247.
- Escoriador, ix, A, 245.
- Escudo, viii, D, 186.
- Esec, ix, D, 495.
- Espada, iii, A, 529; vii, A, 390.
- Esparto, v, A, 253.
- for paper stock, i, No. 5, 457.
- Essential oils, P. I., iii, A, 49, 65; iv, A, 93; v, A, 257; vi, A, 333.
- Establecimientos de beneficencia, viii, D, 204.
- Esterio, iii, B, 121; vi, D, 219; vii, C, 146.
- Estigena, ii, A, 370.
- nandina, ii, A, 370.
- paradalis, ii, A, 370.
- Esu, v, C, 280.
- Eta, i, 806.
- Etaeria albida, ii, C, 313.
- Etag, ix, D, 478.
- Ethas carinatus, viii, D, 373.
- Ethulia, v, C, 393.
- conyzoides, v, C, 393.
- Ethylidioxidydroteraphthalate, x, A, 51.
- Ethylsuccinosuccinate, reduction of, x, A, 54.
- Etorleptiomyia, i, 991.
- luzonensis, i, 991; viii, D, 307.
- Euaglaia, iii, C, 147.
- Euagoras, iv, A, 589.
- nigrolineatus, iv, A, 589.
- plagiatus, iv, A, 589.
- stollil, iv, A, 589.
- Euagorasaria, iv, A, 588.
- Euasplenium, v, C, 284.
- Eublemma, v, D, 172.
- angulifera, v, D, 172.
- respersa, v, D, 172.
- versicolor, v, D, 172.
- Eucalypti, i, 423.
- Eucalyptus, iv, C, 335, 532; vi, A, 16; vii, C, 163; ix, C, 445.
- crebra, iv, C, 534.
- globulus, iv, C, 404, 533; vi, A, 16.
- maculata, iv, C, 533.
- marginata, iv, C, 534.
- microcorys, iv, C, 533.
- multiflora, iii, C, 83; iv, C, 335.
- naudiniana, iii, C, 83; iv, C, 335; x, C, 207.
- obliqua, iv, C, 533.
- pilularis, iv, C, 533.

- Eucalyptus*—Continued.
 resinifera, iv, C, 534.
 rostrata, iv, C, 534.
 tereticornis, iv, C, 335; vii, C, 187; ix, C, 445.
Eucarex, vi, C, 61.
Eucharidae, i, 691.
Eucharis grandiflora, vii, C, 182.
Eucheuma spinosum, vi, D, 309.
Euchisocheton, iii, C, 234.
Euchlaena, i, s, 319.
 luxurians, i, s, 319.
Euchlora, v, D, 258.
 baeri, v, D, 236.
 bicolor, vii, D, 259.
 ceramopyga, vii, D, 263.
 chloropyga, vii, D, 258.
 denticrus, vii, D, 259.
 nitidissima, vii, D, 260.
 praematura, vii, D, 257.
 prasina, vii, D, 262.
 sieboldii, vii, D, 262.
 smaragdina, vii, D, 263.
 xanthoptera, vii, D, 257.
Euchloris, x, D, 349.
 difficta, x, D, 349.
Euchresta, v, C, 107.
 horsfieldii, v, C, 107.
Euchromia, iii, A, 29.
 elegantissima, iii, A, 29.
 elegantissima var. *diffusihelvola*, iii, A, 29.
 horsfieldi, iv, A, 553.
Euclea albata, x, D, 244.
 ilicebrosa, viii, D, 159.
 pseudebenus, iv, C, 543.
 rhombifera, viii, D, 158.
 ruficollis, x, D, 244.
Eucnemidae, x, D, 22.
Eucelidea, ix, D, 184.
 maquilingensis, ix, D, 184.
Eucoelinae, i, 690; ix, D, 183.
Eucyalesthus aeruginosus, viii, D, 404.
 coerulescens, viii, D, 404.
 nitidipennis, viii, D, 403.
 striatus, viii, D, 404.
Eucyrtus, vii, D, 379; viii, D, 388.
 acutangulus, viii, D, 416.
 clypealis, viii, D, 415.
 excellens, viii, D, 417.
 gloriosus, viii, D, 414.
 lisae, viii, D, 415.
 nigripes, viii, D, 414.
 ovipennis, viii, D, 416.
 subcostatus, viii, D, 416.
Eudendrium angustum, viii, D, 341.
 capillare, viii, D, 339.
 dispar, viii, D, 342.
 griffini, viii, D, 333.
 hargitti, viii, D, 341.
 humile, viii, D, 342.
 insigne, viii, D, 342.
 maldivense, viii, D, 341.
 parvum, viii, D, 334.
 racemosum, viii, D, 340.
 ramosum, viii, D, 340.
Eudendrochilum, ii, C, 318.
Eudiatrypoidae, viii, C, 190.
Eudichapetalum, iii, C, 106.
Eudrepanis decorosa, ii, A, 330; iv, A, 76.
 jefferyi, ii, A, 330.
 pulcherrima, ii, A, 290, 330; iv, A, 76.
Eudromias geoffroyi, ii, A, 319.
 mongolus, ii, A, 319.
Eudynamis mindanensis, i, 702, 767, 773; ii, A, 285, 313, 325, 346; iii, A, 278; iv, A, 72.
Euelaticthys crassispinus, v, D, 276.
Eueleocharis, ii, C, 90.
Eufilicinae, iv, C, 14.
Eugenia, i, s, 104, 212; ii, C, 284; iii, C, 423; iv, C, 338, 534; v, C, 366; vi, C, 346; vii, C, 314; ix, C, 120, 181, 380; x, C, 207.
 acrophila, iv, C, 389; v, C, 366.
 acuminatissima, i, 406, 643; i, s, 104; iv, C, 392.
 acuminatissima var. *parva*, i, s, 104.
 aherniana, iv, C, 344; x, C, 220.
 alcinae, x, C, 216.
 alvarezii, iv, C, 390.
 amplexicaulis, iv, C, 404.
 angulata, iv, C, 354.
 aquea, iv, C, 404; x, C, 207.
 arcuatinnervia, i, s, 104; iv, C, 380.
 astronioides, iv, C, 393.
 atropunctata, iv, C, 385.
 balerensis, vi, C, 346.
 barnesii, i, s, 104; iv, C, 360; x, C, 224.
 bataanensis, i, 665; i, s, 104; iv, C, 348; vii, C, 316.
 bauangica, iv, C, 403.
 benguetensis, iv, C, 374.
 benthamii, iii, C, 83; iv, C, 394.
 binacag, x, C, 207.
 blancoi, x, C, 208.
 bordenii, i, 405, 644; i, s, 104; iv, C, 375.
 bracteata, iv, C, 346.
 bracteata roxburghii, iv, C, 386.
 brevistylis, vi, C, 347.
 brittoniana, iv, C, 398; vi, C, 349; x, C, 208.
 brunnea, iv, C, 372; vi, C, 346.
 cagayanensis, x, C, 214.
 calcicola, x, C, 209.
 calleryana, vi, C, 348.
 çalubcob, iv, C, 364.
 camiguinensis, vii, C, 314.
 candelabriformis, iv, C, 375.
 capoasensis, x, C, 209.
 caryophyllaea, iv, C, 405, 534.
 caudatifolia, x, C, 211.
 cauliflora, ii, C, 433; iv, C, 356.
 cerasiformis, iv, C, 367.
 ciliato-setosa, vii, C, 315.
 cinnamomea, i, 643; i, s, 104; iv, C, 365, 393.
 clausa, iv, C, 380.
 clavellata, i, s, 104; iv, C, 384.
 claviflora, iv, C, 383; ix, C, 381; x, C, 216.
 clementis, iv, C, 383; vi, C, 349.
 coarctata, iv, C, 353.

Eugenia—Continued.

- congesta, i, 655; i, s, 105; iv, C, 388; x, C, 222.
 conglobata, iv, C, 359.
 conglomerata, iv, C, 405.
 copelandii, iv, C, 352.
 corymbifera, vi, C, 349.
 costenoblei, ix, C, 123.
 costulata, iv, C, 393.
 crassibracteata, x, C, 210.
 crassipes, iv, C, 361; x, C, 225.
 crassissima, x, C, 211.
 cumingiana, i, s, 104; iv, C, 392.
 cumingii, i, s, 104; iv, C, 392; ix, A, 508.
 curranii, iv, C, 351.
 curtiflora, iv, C, 401.
 cylindrica, iv, C, 368.
 cymosa, iv, C, 357, 404.
 decidua, ix, C, 121.
 desinervia, i, s, 105; x, C, 210.
 djouat, iii, C, 305.
 euphlebia, x, C, 217.
 everettii, x, C, 220.
 fischeri, x, C, 218.
 garciae, iv, C, 399.
 gardneri, iv, C, 405.
 gigantifolia, iv, C, 350; x, C, 223.
 glandulosa, iv, C, 337.
 glaucicalyx, i, 419, 637; i, s, 105; iv, C, 381, 703; ix, A, 497; x, C, 212.
 grandis, iv, C, 404.
 grata, iv, C, 404.
 griffithii, iv, C, 404.
 grisea, iv, C, 395; vi, C, 348.
 heyneana, iv, C, 405.
 hutchinsonii, iv, C, 376.
 incrassata, iv, C, 388.
 intumescens, iv, C, 401.
 jambolana, i, 428; i, s, 105; iii, C, 305; iv, C, 386, 534; vii, C, 193; viii, A, 70; viii, C, 481; x, C, 207.
 jambos, iv, C, 369, 535; vi, C, 350; vii, C, 193.
 javanica, i, s, 105; iv, C, 363; vi, C, 213; vii, C, 193; viii, A, 71; ix, C, 120; x, C, 207.
 kamelii, x, C, 219.
 lacustris, iv, C, 377; vi, C, 350.
 laeta, iv, C, 404.
 laevicaulis, iv, C, 405.
 lanceolata, vi, C, 349.
 latifolia, iv, C, 386.
 leptantha, i, s, 105; iv, C, 383.
 leptogyna, iv, C, 368.
 leytensis, iv, C, 354.
 lineata, iv, C, 366.
 llanosii, x, C, 220.
 lobas, ii, C, 433; iv, C, 355.
 loheri, iv, C, 345.
 longiflora, iv, C, 366.
 longipedicellata, iv, C, 349.
 longissima, iv, C, 349.
 longistyla, x, C, 220.
 lutea, vi, C, 350; ix, C, 381.

Eugenia—Continued.

- luzonensis, i, 404; i, s, 105; iv, C, 356; ix, A, 448.
 mabaeoides, iv, C, 347.
 macgregorii, iv, C, 367; vi, C, 218.
 macrocarpa, iv, C, 353, 404.
 malaccensis, iv, C, 354, 369; vii, C, 193; ix, C, 121; x, C, 207; x, D, 266.
 mananquil, iv, C, 355; ix, A, 448.
 maritima, x, C, 212.
 marivelesensis, i, s, 106; iv, C, 366.
 megalantha, iv, C, 374; x, C, 225.
 melliodora, iv, C, 401.
 merrillii, iv, C, 349.
 merrittiana, iv, C, 369.
 mimica, i, s, 200, 212; iv, C, 396; vi, C, 213; ix, C, 310.
 mindanaensis, iv, C, 363; vi, C, 218.
 mindorensis, iv, C, 399.
 mirandae, x, C, 221.
 montana, iv, C, 364, 405.
 multinervia, iv, C, 352.
 munronii, iv, C, 404.
 nitida, iv, C, 394.
 nitidissima, x, C, 213.
 oblanceolata, iv, C, 400.
 oblata, iv, C, 405.
 occlusa, iv, C, 405.
 operculata, iv, C, 381, 535.
 operculata var. densiflora, iv, C, 381.
 palawanensis, iv, C, 377.
 pallida, i, 643; i, s, 106; iv, C, 391.
 pallidifolia, x, C, 222.
 palumbis, ix, C, 122.
 parva, iv, C, 391; x, C, 209.
 pasacaensis, iv, C, 346.
 paucipunctata, iv, C, 360; x, C, 215.
 paucivenia, iv, C, 382; vii, C, 316; x, C, 213.
 pellucida, iv, C, 365, 404.
 perpallida, i, s, 106; iv, C, 391; vi, C, 348; x, C, 209.
 phanerophelebia, iv, C, 353.
 philippinensis, iv, C, 378.
 polycephaloides, iv, C, 399.
 propinqua, vii, C, 315.
 pulgarensis, iv, C, 380.
 puncticulata, ix, C, 381.
 pyrifolia, iv, C, 405.
 racemosa, ix, C, 120.
 ramosii, iv, C, 349.
 robertii, i, 656; i, s, 106; iv, C, 374.
 robinsonii, iv, C, 398; x, C, 208.
 rosenbluthii, iv, C, 384; ix, C, 381.
 roseomarginata, iv, C, 390.
 rubens, iv, C, 404.
 rubricaulis, iv, C, 405.
 rubropurpurea, iv, C, 358.
 rubrovenia, iv, C, 358.
 sablanensis, iv, C, 388; x, C, 210.
 saligna, iv, C, 392; x, C, 217.
 samarensis, x, C, 223.
 sexangulata, iv, C, 354.

Eugenia—Continued.

- similis, i, s, 106; iv, C, 386; viii, C, 489; ix, A, 448.
 speciosissima, iv, C, 348.
 squamifera, iv, C, 373; vi, C, 351; x, C, 218.
 striatula, iv, C, 397.
 subfalcata, iv, C, 382.
 subfoetida, iv, C, 360.
 subrotundifolia, iv, C, 362; vi, C, 213.
 subsessiliflora, x, C, 216.
 subsessilis, iv, C, 360.
 succulenta, iv, C, 374.
 sulcistyla, iv, C, 368; vi, C, 351.
 taytayensis, x, C, 223.
 tenuipes, vii, C, 315.
 tetragona, iv, C, 405.
 thompsonii, ix, C, 121.
 triantha, x, C, 224.
 triphylla, iv, C, 371.
 tripinnata, iv, C, 357.
 ugoensis, iv, C, 389; x, C, 215.
 urdanetensis, x, C, 212.
 valettoniana, vi, C, 349.
 vidaliana, iv, C, 372.
 wallichii, iv, C, 535.
 wenzelii, ix, C, 380; x, C, 216.
 whitfordii, i, 424, 644; i, s, 107; iv, C, 355; ix, A, 508.
 wightiana, vi, C, 349.
 williamsii, iv, C, 365.
 xanthophylla, iv, C, 370; vi, C, 351; x, C, 220.
 zambosngensis, iv, C, 379.
 zeylanica, x, C, 214.
- Eugoa multipuncta, v, D, 169.
 Euindigofera, v, C, 65.
 Eulabes, ii, A, 258, 259.
 palawanensis, i, 908.
 Eulalia argentea, i, s, 325.
 claripennis, viii, D, 308.
 contorta, i, s, 325.
 fulva, i, s, 325.
 glabrata, ix, C, 51.
 irritans, i, s, 325.
 japonica, i, s, 323.
 nuda, i, s, 326.
 ochropa, viii, D, 308.
 quadrinervis, i, s, 325.
 tenuis, i, s, 327.
 tristachya, i, s, 325.
 Eulepidina, vi, D, 59.
 Eulophia, iv, C, 671; v, C, 341; vi, C, 51; vii, C, 13; ix, C, 12, 70.
 dentata, vi, C, 51.
 exaltata, ix, A, 461.
 guamensis, ix, C, 12, 70.
 macgregorii, ix, C, 12, 70.
 squalida, iv, C, 671; v, C, 341; ix, C, 12; x, C, 189.
 vanoverberghii, vii, C, 13.
 venosa, vi, C, 52.
 Eulophidæ, i, 691; ix, D, 462.
 Eumemecylon, viii, C, 208.
- Eumenes conica, i, 688.
 curvata, i, 688.
 fulvipennis, i, 688.
 gracilis, i, 688.
 pomiformis, i, 688.
 Eumenidæ, i, 688.
 Eumeninæ, i, 688.
 Eumenotaria, iv, A, 564.
 Eumenotes, iv, A, 564.
 obscura, iv, A, 564.
 Eumerus bimaculatus, viii, D, 314.
 figurans, viii, D, 314.
 flavicinctus, viii, D, 314.
 flavomaculatus, iv, A, 586.
 Eumitria, iv, C, 651.
 endochroa, iv, C, 651.
 endochroa var. farinosa, iv, C, 652.
 endochroa var. papillata, iv, C, 651.
 endorhodina, iv, C, 651.
 trullifera, iv, C, 652.
 Eumusa, x, C, 383.
 Eumyias nigrimentalis, v, D, 136.
 Eunephthya, x, D, 2.
 Euonymus, iii, C, 238; ix, C, 312; x, C, 320.
 attenuatus, iii, C, 239.
 crenulata, iv, C, 491.
 gibber, iii, C, 239.
 hamiltoniana, iv, C, 490.
 javanica, ix, A, 449.
 javanicus, iii, C, 239.
 oliganthus, x, C, 320.
 philippinensis, iii, C, 238; ix, C, 312; x, C, 321.
 timorensis, iii, C, 238.
 viburnifolius, ix, C, 312; x, C, 321.
 Euophioglossum, iv, C, 5.
 Eupachypeltis, x, D, 79.
 pilosus, x, D, 80.
 Eupachyrrhynchus, vii, D, 324.
 superbus, vii, D, 325.
 Eupatorium, iii, C, 217; v, C, 393; vii, C, 355.
 benguetense, iii, C, 217; v, C, 393; vii, C, 356.
 camiguinense, vii, C, 355.
 japonicum, vii, C, 355.
 lindleyanum, i, s, 177.
 sambucifolium, iii, C, 218; vii, C, 356.
 toppingianum, vii, C, 356.
 triplinerve, vii, C, 190.
 Eupelicinæ, x, D, 50.
 Eupelminæ, i, 691.
 Eupelmus albipes, i, 691.
 Eupezizacæ, viii, C, 192.
 Euphagus, ii, A, 259.
 Euphalerus citri, viii, D, 299; x, D, 257.
 nigrivittatus, viii, D, 298.
 vittatus, viii, D, 298.
 Euphorbia, i, s, 83; iii, C, 417; iv, C, 482; vii, C, 237; ix, C, 101.
 atoto, iii, C, 417; vi, C, 208; ix, C, 101; x, C, 190.
 gaudichaudii, ix, C, 101.
 hirta, vi, C, 208; vii, C, 185; ix, C, 101.
 hypericifolia, vii, C, 185; ix, C, 101.

Euphorbia—Continued.

- neriifolia, viii, C, 282.
 pilulifera, i, 396; i, s, 83; iii, C, 418; ix, C, 101.
 prostrata, vii, C, 185, 237; ix, C, 101.
 pulcherrima, vii, C, 185.
 ramosissima, ix, C, 101.
 serrulata, iii, C, 418; ix, C, 101.
 sparrmanii, ix, C, 101.
 splendens, vii, C, 185.
 thymifolia, iii, C, 418; vii, C, 185, 237; ix, C, 101.
 tirucalli, vii, C, 193.
Euphorbiaceae, i, 1025; i, s, 74, 203; ii, A, 441; ii, C, 277, 435; iii, C, 80, 107, 187, 236, 414; iv, C, 274, 482, 705; v, C, 191, 356; vi, C, 207, 322; vi, D, 244; vii, C, 161, 237, 379; viii, A, 242; viii, C, 379; ix, A, 499, 555; ix, C, 100, 368, 426, 451, 461; x, C, 190, 275.
Euphorbia, i, s, 87; vii, C, 161.
 cinerea, i, 387, 637; i, s, 87; ii, C, 371; iv, C, 493, 703; viii, C, 445; ix, A, 449.
 foveolata, viii, C, 457.
 gracilis, viii, C, 445.
 litchi, ii, C, 371.
 longana, iv, C, 494; vii, C, 194.
 malaanonan, vi, C, 270.
 nephelioides, viii, C, 457.
 nephelium, vi, C, 270.
 stellulata, viii, C, 445.
Euphranor caeca, x, D, 345.
Euphrasia, i, s, 236; v, C, 385.
 borneensis, i, s, 236; iii, C, 378; v, C, 385.
Euphyllia, viii, D, 439.
Eupilis hyalinocosta, ix, D, 279.
 nigrinervis, ix, D, 278.
 rubrovenosa, ix, D, 278.
Eupiper, v, C, 414.
Euplectrus bussyi, ix, D, 464.
 crassipes, ix, D, 451.
 flavescens, ix, D, 463.
 manilae, i, 691.
 philippinensis, i, 691.
 rugosus, ix, D, 464.
Euplotes charon, v, D, 302.
 harpa, v, D, 293.
 patella, v, D, 306.
 vannus, v, D, 292, 306.
 worcesteri, v, D, 291, 315.
Eupodidae, viii, D, 11.
Eupodocarpus, ii, C, 259.
Eupolypodium, ii, C, 137; ix, C, 6.
Euprepes semicinctus, x, D, 104.
Eupsalis, viii, D, 154.
Eupsammidae, i, 627.
Eupterotidae, ii, A, 362; v, D, 162.
Eupterygini, x, D, 50.
Eupyrgops banahaonis, x, D, 222.
 granulata, vii, D, 379.
 semperi, vii, D, 379.
 submaculata, vii, D, 379.
 submaculatus, x, D, 222.
Euripus japonica, x, D, 289.
 Europe, model all-aged oak forest of 1 hectare in, ix, A, 463.
Eurotium, viii, C, 478.
Eurya, i, s, 95; ii, C, 283; iii, C, 421; v, C, 361.
 acuminata, i, 644; iv, C, 503.
 acuminata var. *euprista*, i, 665; i, s, 95; ii, C, 283.
 amplexicaulis, v, C, 362.
 auriculata, v, C, 362.
 buxifolia, v, C, 362.
 coriacea, v, C, 361.
 japonica, ii, C, 283; iii, C, 421; iv, C, 503; v, C, 363.
 macartneyi, v, C, 362.
Eurybata hexopla, viii, D, 311.
 semilauta, viii, D, 329.
Eurycles, vii, C, 155.
Eurycoma, iv, C, 474.
 dubia, x, C, 190.
 longifolia, iv, C, 149; x, C, 190.
Eurydactylus, vi, D, 25.
 multispinosus, vi, D, 25.
 sexspinosus, vi, D, 25.
Eurylemidae, iv, A, 72.
Eurymelinæ, x, D, 50.
Eurynomeus, ix, D, 176.
Euryphagus maxillosus, viii, D, 155.
 maxillosus var. *nigricollis*, viii, D, 155.
Eurystomus orientalis, i, 701, 773; ii, A, 284, 303, 312, 324, 345; iv, A, 70; v, D, 109, 220.
Eurytenes nanus, i, 693.
Eurytoma albotibialis, i, 691.
 banksi, i, 691.
 carinatifrons, i, 691.
 manilae, i, 691, 695.
 systolodes, i, 691.
Eurytomidae, i, 691.
Eusantiria, iii, C, 143.
Eusarcocoriaria, iv, A, 560.
Eusarcocoris, iv, A, 560.
 æneus, iv, A, 560.
 bovillus, iv, A, 561.
 guttiger, iv, A, 560.
 ventralis, iv, A, 561.
Euscelinus manilae, i, 693.
Euschema palmyra, v, D, 177.
 transversa, v, D, 177.
Eusesbania, v, C, 95.
Eusideroxylon, vi, C, 179.
 borneense, iv, C, 254; vi, C, 179.
 zwageri, iv, C, 452, 509; vi, C, 179.
Euspongia, iv, A, 57.
Eusthenaria, iv, A, 564.
Eusyce, iii, C, 131.
Eutermes, viii, D, 279.
 longicornis, viii, D, 279.
 nitobei, viii, D, 279.
 parvonasutus, viii, D, 279.
 piciceps, viii, D, 279.
 takasagoensis, viii, D, 279.
 watasei, viii, D, 279.
Euthria sp., v, A, 329.

- Eutornus luzonicus*, viii, D, 148.
 rufobasalis, viii, D, 150.
 stricticollis, viii, D, 149.
Eutriana barbata, i, s, 380.
 curtipendula, i, s, 380.
Eutypa, i, s, 279; iii, C, 50; viii, C, 259, 270, 402; ix, C, 162.
 bambusina, i, s, 279; iii, C, 50; viii, C, 189, 259, 270; ix, C, 162.
 corniculata, viii, C, 402.
 flavovirens, iii, C, 50; viii, C, 402.
 ludibunda, viii, C, 402.
Eutypella, ix, C, 162.
 aulacostoma, viii, C, 189.
 collariata, viii, C, 189.
 gliricidiae, viii, C, 189.
 rehmiana, ix, C, 163.
Euurobraconini, i, 694.
Euvittaria, ix, C, 231.
Evagora rosea, x, D, 157, 205.
Evania annulipes, i, 692.
 appendigaster, i, 692.
 impressa, i, 692.
 verrucosa, i, 692.
Evanidinæ, i, 692.
Evaniidæ, i, 692.
Evaporation, daily rate of, in forest of Mount Maquiling, ix, A, 530.
Evaza bipars, viii, D, 311.
Everes comyntas, v, D, 70.
Everettia, viii, C, 356.
 pulcherrima, viii, C, 357.
Everettiodendron, iv, C, 279.
 philippinense, iv, C, 279; x, C, 275.
Evodia, i, s, 68; ii, C, 277; iv, C, 269; v, C, 183, 355; vii, C, 84; ix, C, 295, 362.
 acuminata, v, C, 183.
 camiguinensis, ix, C, 296.
 crassifolia, x, C, 362.
 dubia, v, C, 355.
 glabra, i, 387; i, s, 68; v, C, 184; vi, C, 206; ix, C, 298.
 gracilis, vii, C, 377.
 lamarckiana, vii, C, 376.
 latifolia, i, s, 171.
 laxireta, ix, C, 295.
 lunur-ankenda, vii, C, 378.
 marambong, vii, C, 378.
 monophylla, iv, C, 269.
 pteleaefolia, iv, C, 377; ix, C, 296.
 reticulata, ii, C, 277; v, C, 355.
 retusa, i, 655; i, s, 68.
 robusta, ix, C, 297.
 roxburghiana, vii, C, 378.
 semecarpifolia, vii, C, 378.
 sp., ix, A, 449.
 subcaudata, ix, C, 298.
 ternata, ix, C, 297.
 triphylla, i, s, 68; vii, C, 375; ix, C, 297.
 villamilii, ix, C, 296.
 villosa, vii, C, 84.
Evolvulus, vii, C, 165.
 alsinoides, vii, C, 188.
Evonymus, ii, C, 278.
 javanicus, ii, C, 278.
Exacum, vii, C, 96.
 parviflorum, vii, C, 96.
 tetragonum, vii, C, 96.
Excalfactoria lineata, i, 699; ii, A, 281, 338; iii, A, 276.
Excoecaria, i, s, 82; iv, C, 482; vii, C, 161, 389; ix, C, 101.
 agallocha, i, s, 82; iv, C, 485; vi, C, 208; ix, C, 101.
 agallocha var. *orthostichalis*, ix, C, 101.
 obtusata, vii, C, 389.
 philippinensis, i, 638; i, s, 82; iv, C, 703.
 philippinensis var. *euphlebia*, vii, C, 389.
 sicca, v, C, 192; vii, C, 390.
Exereta, disposal of, iv, B, 55, 287; v, B, 173.
 plants as a factor in soil fertility by toxic, ix, A, 6.
 python, iv, A, 165.
Exema philippina, viii, D, 216.
Exercise, special observations on blonds and brunets after, vi, B, 443.
Exidia, viii, C, 299.
 auricula-judae, ix, C, 38.
 lagunensis, viii, C, 299.
 purpurascens, ix, C, 235.
Exocarpus, iv, C, 253.
 latifolia, i, s, 50.
 latifolius, iv, C, 448.
 rolfeanus, iv, C, 253.
Exocetidae, iii, A, 528; v, D, 267; ix, D, 60.
Exodietyon, v, C, 142.
 blumii, v, C, 142.
Exorista dispar, i, 694.
Exoristobia philippinensis, i, 691.
Exosporium, ix, C, 189.
 calophylli, ix, C, 189.
Exostemma philippicum, x, C, 194.
Extract of rice polishings in treatment of human beriberi, x, B, 106, 110.
Extraction test of a modern sugar central, vii, A, 357.
Extrusives, Baguio mineral district, ii, A, 227.
 Mountain Province, x, A, 193.
Eye strain, the optical efficiency of tinted glasses in relieving, viii, A, 193.
Eyes, effect of tropical light upon the, vii, B, 110.
Eysarcoris bovis, iv, A, 561.
 distactus, iv, A, 561.
 guttigerus, iv, A, 560.

F

Fa paw poong, ix, D, 60.
Faa, ix, D, 477.
Fabric fibers, i, No. 5, 438.
Fabricia bupleurifolia, v, C, 91.
 nummulariaefolia, v, C, 92.
Fabronia, iii, C, 24; viii, C, 82.
 curvirostris, iii, C, 24; viii, C, 82; ix, C, 207.
Fabroniaceæ, iii, C, 24; v, C, 156, 315; viii, C, 82; ix, C, 204.
Fadang, ix, C, 47.
Fae guam, ix, C, 56.
 malaquid, ix, C, 56.
 papin angle, ix, C, 56.

- Fæces, amœbæ in three hundred examinations of, iii, B, 417.
disposal of, iv, B, 108.
rinderpest experiments showing infectiveness of, ix, B, 69.
- Fafoo laut, iv, C, 457.
- Fagaceæ, i, s, 41, 171; ii, C, 270; iv, C, 250, 445, 704; v, C, 342; vi, C, 199; ix, C, 354; x, C, 267, 297.
- Fagales, i, s, 41.
- Fagara, i, s, 68; ii, C, 424; iii, C, 411; iv, A, 130; iv, C, 474.
flava, iv, C, 473.
integrifoliola, i, 647; i, s, 68; iii, C, 411.
lunur-ankenda, vii, C, 378.
octandra, ii, C, 431; vii, C, 376.
rhetsa, i, s, 68.
torva, ii, C, 424.
triphylla, vii, C, 375.
- Fago, ix, C, 130.
- Fagraea, i, s, 116; iii, C, 260, 427; iv, C, 549.
auriculata, iii, C, 260; vi, C, 219.
fastigiata, iv, C, 549.
fragrans, iv, C, 549; ix, C, 167.
ligustrina, iv, C, 149; x, C, 192.
longiflora, iii, C, 260.
obovata, i, 656; i, s, 116; iii, C, 427.
plumeriaefolia, i, s, 172.
racemosa, vi, C, 219.
speciosa, iv, C, 550.
wallichiana, iv, C, 550.
- Fagus americana, vi, A, 15.
philippensis, iii, C, 319.
- Falagria, x, D, 125.
- Falco ernesti, iii, A, 277.
perigrinus, ii, A, 345.
- Falconidæ, iii, A, 277; iv, A, 68; v, D, 108; vi, D, 41.
- Fallia, vii, D, 105.
- Faltoides fumosus, v, D, 45.
- Fanchala, ix, D, 477.
- Far Eastern Association of Tropical Medicine, resolutions of the, vi, B, 353; vii, B, 289.
- Farinosæ, i, s, 33.
- Fasciola, iii, B, 192.
gigantica, ii, B, 17.
hepatica, ii, B, 17.
- Fascioletta, iii, B, 390.
ilocana, iii, B, 391; vi, B, 77; viii, B, 159.
- Fasciolidæ, ii, B, 31; iii, B, 386.
- Fasciolopsis buskii, ii, B, 31.
rathouisi, ii, B, 31.
- Fatigue in the stigma of Martynia, phenomenon of, viii, C, 197.
- Fatoua, vii, C, 156.
pilosa, v, C, 475.
- Fats, oxidation with potassium permanganate solution of, iii, A, 373.
- Fauna of the P. I., stratigraphy and fossil invertebrate, viii, A, 235.
- Faurie, M. l'Abbé U., Hawaiian ferns collected by, ix, C, 435.
- Faux bois de rose, iv, C, 499.
- Faventia, v, D, 39.
pustulata, v, D, 39.
- Favolus, i, s, 286; viii, C, 300; ix, C, 158.
albidus, viii, C, 300.
apiarius, i, s, 286.
ciliatus, i, s, 286.
cucullatus, ix, C, 158.
fibrillosus, i, s, 287.
hispidulus, i, s, 287.
luzonensis, viii, C, 300.
philippinensis, i, s, 287.
purpureus, i, s, 287.
rigidus, i, s, 286.
scaber, i, s, 294.
scaber var. platyporus, i, s, 294.
tenuis, i, s, 286.
wightii, i, s, 286.
- Fawi, i, 837; ix, D, 475.
- Febricula, ix, B, 159.
- Federated Malay States, Fraser and Stanton's experiments on beriberi in the, vii, B, 281.
- Feeding, infant, viii, B, 461.
composition of various milks and their adaptability for infant, viii, A, 141.
- Feldspar porphyry, Benguet, ii, A, 247.
- Felidæ, vi, D, 158; vii, D, 23.
- Felis, vii, D, 23.
catus, vii, D, 24.
minuta, vii, D, 24.
- Felisacus glabratus, x, D, 81.
magnificus, x, D, 81.
pulchellus, x, D, 80.
- Fenuahala maculipennis, ix, D, 436.
- Ferns, Bornean, v, C, 283; x, C, 145.
C. J. Brook's collection of Bornean, vi, C, 133.
Elmer D. Merrill's collection of Mount Halcon fern-allies and, ii, C, 119.
Javan, viii, C, 139.
Malay-Asiatic region, iv, C, 1.
M. l'Abbé U. Faurie's collection of Hawaiian, ix, C, 435.
new genera and species of Bornean, iii, C, 343.
new genera of P. I., iii, C, 301.
new or interesting Philippine, iii, C, 31; iv, C, 111; vi, C, 154; vii, C, 53.
new Papuan, vii, C, 67; ix, C, 1.
new Philippine, i, s, 143, 251.
new Sarawak, vii, C, 59.
new Sumatran, ix, C, 227.
Reverend Copland King's collection of Papuan, vi, C, 65.
southern China, iii, C, 277.
Steere's collection of Philippine, ii, C, 405.
- Feronia elephantum, iv, C, 474.
- Fertilization value of some P. I. seed cakes, ii, A, 449.
- Festuca, v, C, 332.
fusca, i, s, 381.
pauciflora, i, s, 386.
- Festuceæ, i, s, 380; ix, C, 57.

- Fever, association between amœbic abscess of the liver and, i, 556.
 proteoses and, viii, B, 475.
 relation of African tick fever to the Indian form of relapsing, iv, B, 187.
- Fever nut, ii, A, 440.
- Fevers, cases in American troops of the U. S. Army of malaria and undetermined, vi, B, 304.
- Fiber, tensile strength of machine- and hand-stripped abacá, iv, A, 163.
- Fibers, classification of vegetable, i, No. 5, 437.
 suitability for paper making of P. I., i, No. 5, 433; i, 1075; ii, A, 81; v, A, 233.
- Fibrin, the bactericidal substances in, iv, B, 171.
- Fibromata at Taytay, iv, B, 285.
- Ficus—Continued.
 forstenii, i, s, 46, 171; ii, C, 435; ix, C, 270.
 gibbosa, iii, C, 403.
 grandidens, ix, C, 271.
 guyeri, v, C, 343.
 hauili, i, 391, 645; i, s, 45; ii, C, 270, 435; iii, C, 402; v, C, 342; ix, A, 462; ix, C, 424; x, C, 86.
 hemicardia, ix, C, 275.
 heterophylla, i, s, 45.
 hispida, x, D, 260.
 indica, i, s, 47; vi, C, 199; ix, C, 75, 424.
 infectoria, ix, C, 74.
 infectoria var. caulocarpa, i, s, 46; iii, C, 402.
 insularis, iii, C, 403.
 integrifolia, ix, C, 276.
 involucrata, iii, C, 131.
 jaroensis, x, C, 268.
 laccifera, ii, C, 435.
 lagunensis, ix, C, 273.
 leucantatoma, ii, C, 435; iii, C, 402.
 linearifolia, ix, C, 273.
 lucbanensis, v, C, 343.
 manillensis, i, s, 171.
 mariannensis, ix, C, 73.
 mearnsii, iii, C, 402.
 megacarpa, i, s, 46; iii, C, 402; vi, C, 199; viii, D, 320.
 merrittii, iv, C, 252.
 minahassæ, i, 424, 678; i, s, 43, 171; ii, C, 270; v, D, 113; vi, C, 199; ix, A, 450.
 mindorensis, ii, C, 270.
 nervosa, iv, C, 447; ix, C, 424.
 nota, i, 412; i, s, 44; iii, C, 403; v, C, 343; vi, C, 199; viii, C, 368, 501; viii, D, 63; ix, A, 462.
 odorata, i, s, 44; viii, C, 278; ix, C, 276.
 oleaefolia, iii, C, 179.
 pachyphylla, viii, C, 365.
 palmeri, viii, D, 66.
 pausinervia, i, 406; i, s, 44; ix, C, 276.
 payapa, i, s, 47; ii, C, 435.
 philippinensis, iii, C, 403; ix, C, 75.
 pisifera, viii, C, 367.
 procera, iii, C, 131.
 producta, ix, C, 270.
 propinqua, ix, C, 273.
 pseudopalma, i, 406; i, s, 44; v, C, 343; ix, C, 513.
 pubinervis, i, s, 47.
 puncticulata, iii, C, 131.
 quereifolia, iii, C, 404.
 ramentacea, iii, C, 132.
 retusa, i, s, 47.
 ribes, i, s, 44; ix, A, 449.
 ridelii, viii, C, 397.
 rigida, iii, C, 131.
 rivularis, ix, C, 272, 310.
 rostrata, i, s, 45.
 roxburghii, viii, D, 63.
- altissima, iii, C, 131.
 ampelas, i, 412; i, s, 45; iii, C, 402; vi, C, 199.
 ampelos, ix, A, 504.
 annulata, iii, C, 131.
 anomala, i, s, 183.
 asperrima, x, D, 260.
 barnesii, i, s, 43; ix, A, 449.
 bataanensis, i, 656; i, s, 46.
 benjamina, i, s, 46; vi, C, 199.
 blepharostoma, viii, C, 278; ix, C, 275.
 bordenii, i, 409; i, s, 46.
 camarinensis, ix, C, 269.
 camiguinensis, ix, C, 276.
 carolinensis, ix, C, 74.
 carpenteriana, ix, C, 274.
 caudatifolia, iii, C, 402; vi, C, 199.
 caulocarpa, i, 406; i, s, 46, 171; iii, C, 402.
 celebica, viii, C, 367.
 chrysolepis, i, s, 46, 171.
 clementis, iii, C, 130.
 clusioides, i, s, 171; vi, C, 199; viii, C, 366.
 confusa, iii, C, 403; ix, C, 76.
 conspicabilis, vi, C, 320.
 copelandii, iii, C, 176.
 cordatula, iii, C, 131.
 crininervia, x, C, 269.
 cumingii, v, C, 342; ix, C, 424.
 curranii, v, C, 343.
 cuspidata, i, s, 46.
 decaisneana, iii, C, 403.
 decaisnei, ix, C, 75.
 didymophylla, iii, C, 402.
 difformis, iii, C, 404.
 disticha, iii, C, 402; viii, C, 281.
 elastica, vii, C, 182; viii, C, 397.
 elliptica, iii, C, 402.
 euphlebia, viii, C, 364; ix, C, 271.
 fastigiata, v, C, 342.
 fiskei, vi, C, 199; ix, C, 276.

Ficus—Continued.

- rubrovenia, i, s, 44; ii, C, 270; vi, C, 199; ix, C, 272.
 ruficaulis, i, 640; i, s, 44; vi, C, 199.
 saffordi, ix, C, 74.
 saxophila, i, s, 47.
 sericea, vi, C, 319.
 similis, i, s, 47.
 sinuosa, i, 391; i, s, 45; iii, C, 403; vi, C, 199.
 sp., i, s, 47, 280; ii, A, 85; iv, C, 703; vii, C, 278; vii, D, 234; ix, C, 424, 513.
 stipulosa, iii, C, 402.
 sycamoroides, i, s, 45.
 tayabensis, iii, C, 132.
 tenuistipula, ix, C, 75.
 tinetoria, ix, C, 73, 424.
 ulmifolia, iii, C, 403; viii, C, 272; viii, D, 293; ix, C, 271, 424, 513.
 ulmifolia var. integrifolia, iii, C, 403.
 validicaudata, i, s, 45; v, C, 343; viii, C, 278.
 variegata, i, 387; i, s, 45; iv, C, 707; ix, A, 449.
 vidaliana, i, s, 47; ix, C, 270.
 villosa, i, s, 44; ix, C, 273.
 viridifolia, viii, C, 366.
 weberi, ix, C, 274.
 wenzelii, viii, C, 367.
 williamsii, iii, C, 177.
 worcesteri, ix, C, 274.
 Fiddler-crab, a new P. L., vii, D, 91.
 Fiddler-crabs, habits of, vii, D, 113.
 Fidicina confinis, v, D, 35.
 Figitidae, i, 690.
 Fiji filaria, ix, B, 488.
 Filaria, iv, B, 127; ix, B, 205, 483.
 bancrofti, iii, B, 300; ix, B, 488.
 demarkuayi, ii, B, 10; ix, B, 488.
 diurna, ii, B, 2.
 gigas, ii, B, 10.
 hepatica, ii, B, 30.
 immitis, iv, B, 133.
 loa, iv, B, 133; ix, B, 488.
 magalhaesi, ii, B, 10; ix, B, 488.
 medinensis, iv, B, 296.
 nocturna, ii, B, 2; iii, B, 293, 305; iv, B, 133; v, B, 510; ix, B, 202.
 ozzardi, ii, B, 10; ix, B, 488.
 papillosa, iv, B, 134.
 perstans, ii, B, 6; ix, B, 488.
 philippinensis, ii, B, 1; iii, B, 294; iv, B, 133; ix, B, 483.
 tanaguchii, ii, B, 10.
 volvulus, ii, B, 10.
 Filariasis, southern Luzon cases of, iii, B, 293.
 Taytay cases of, iv, B, 279.
 Filarmasse, vii, B, 443.
 Filefish, ix, D, 73.
 Filicales, i, s, 13.
 leptosporangiatæ, i, s, 13.
 Filices, vi, C, 102.
 Filicium decipiens, iv, C, 475.
 Filipinos, diet and nutrition of, iv, B, 195.
 ears of, iv, A, 27; v, D, 191; vi, D, 107; viii, D, 357.

Filipinos—Continued.

- foods of, vii, A, 383.
 intestinal worms of, iv, B, 185.
 neoplasms among, iii, B, 567.
 status thymico-lymphaticus among, viii, B, 77.
 types of, iv, A, 263, 297, 359; v, D, 1.
 Widal reactions among healthy adult, ix, B, 253.
 Filter, vii, D, 220.
 Filtration experiments, iii, B, 165; iv, B, 37, 333.
 Fimbristylis, i, s, 30; ii, C, 91; iii, C, 41, 398; iv, C, 250; vii, C, 154, 231; ix, C, 61, 265.
 abjiciens, ii, C, 91.
 actinoschoenus, ii, C, 98.
 acuminata, ii, C, 91.
 acuminata minor, ii, C, 91.
 aestivalis, ii, C, 94.
 aestivalis var. macrostachya, ii, C, 94.
 affinis, ix, C, 61.
 albescens, ii, C, 92.
 ambigua, ii, C, 93.
 amblyphylla, ii, C, 96.
 anceps, ii, C, 96.
 autumnalis, ii, C, 96.
 barbata, ii, C, 98; vii, C, 181.
 bispicata, ii, C, 92.
 brachyphylla, ii, C, 97.
 brevifolia, ii, C, 97.
 bursifolia, ii, C, 91.
 calocarpa, ii, C, 93.
 capillacea, ii, C, 99.
 capitulifera, ix, C, 265.
 ciliolata, ii, C, 95.
 circinnata, ii, C, 93.
 communis, ii, C, 93.
 complanata, ii, C, 96; ix, C, 61.
 corniculata, vii, C, 231.
 cymosa, ii, C, 97; iv, C, 250; x, C, 188.
 cyrtophylla, ii, C, 94.
 dichotoma, ii, C, 93.
 diphylla, i, s, 30; ii, C, 93; iii, C, 393; vi, C, 195; vii, C, 75, 181.
 dipsacea, ii, C, 93.
 efoliata, ii, C, 96.
 falcata, ii, C, 97.
 ferruginea, i, 673; i, s, 30; ii, C, 94; vii, C, 181.
 firmula, ii, C, 95.
 flaccida, ii, C, 96.
 flaccidula, ii, C, 96.
 fusca, ii, C, 98.
 globulosa, ii, C, 96; ix, C, 61.
 globulosa var. torresiana, ix, C, 61.
 glomerata, ii, C, 95; ix, C, 61.
 haenkei, ii, C, 97.
 juncea, ii, C, 92.
 juncifolia, ii, C, 93.
 junciformis, ii, C, 97; ix, C, 265.
 kamphoveneri, ii, C, 98.
 laevisissima, ii, C, 95.
 littoralis, ix, C, 61.
 marianna, ix, C, 61.

Fimbristylis—Continued.

- maxima, ix, C, 61.
 miliacea, i, s, 30; ii, C, 96; iii, C, 398;
 vi, C, 195; vii, C, 181; ix, C, 61, 266,
 503.
 monostachya, ii, C, 97; vii, C, 181.
 monticola, ix, C, 267.
 multifolia, ii, C, 97.
 nukahiensis, ii, C, 93.
 nutans, ii, C, 92.
 obtusifolia, ii, C, 95.
 oxylepis, ii, C, 95.
 paludosa, ix, C, 265.
 philippica, ii, C, 93.
 pierotii, ix, C, 267.
 pinetorum, ix, C, 266.
 podocarpa, ii, C, 94.
 polymorpha, ii, C, 93.
 polytrichoides, ii, C, 92.
 puberula, ix, C, 62.
 quinquangularis, ii, C, 96; ix, C, 266.
 rigida, ii, C, 95.
 rigidula, ii, C, 95.
 schoenoides, ii, C, 92; ix, C, 61.
 setacea, ii, C, 91.
 spadicea, ii, C, 94.
 spathacea, ii, C, 95; iii, C, 398; ix, C, 61,
 265, 409.
 squarrosa, ii, C, 93.
 subbispicata var. caesia, ii, C, 92.
 tenera, ii, C, 95; vii, C, 231.
 tetragona, ii, C, 91.
 torresiana, ix, C, 61.
 tricholepis, ii, C, 94.
 trispicata, ii, C, 94.
 utilis, vi, C, 106, 194.
 Finlaya, i, 989.
 aranetana, i, 1001.
 flavipennis, i, 990.
 melanoptera, i, 990.
 poicilia, i, 990.
 Fiquiama, iii, A, 191.
 Fir, balsam, vi, A, 13.
 Indian, iv, C, 451.
 red, vi, A, 13.
 white, vi, A, 13.
 Fire making, vii, D, 147.
 Firewood, P. I., vi, A, 1.
 Firmiana, ix, C, 314.
 merrittii, ix, C, 314.
 Fish, analyses of dried, vii, A, 390.
 dried, vii, A, 389.
 low temperature or refrigeration in the
 preservation of, ix, D, 12.
 marinating, ix, D, 9.
 ponds for, iii, A, 519.
 preservation of fishery products and com-
 mercial, ix, D, 1.
 shipment of, ix, D, 14.
 transportation of live, v, D, 153.
 Fishery resources of the P. I., iii, A, 513; iv,
 A, 57; v, D, 87; vi, D, 283.
 Fishes, commercial, iii, A, 518.
 four new Bantayan Island, v, D, 115.
 four new Bornean, v, D, 268.

Fishes—Continued.

- Hongkong, ix, D, 59.
 new species of P. I., iv, A, 491.
 some poisonous P. I., vii, D, 289.
 two new Palawan, ix, D, 187.
 utilized by natives of Taytay, iv, B, 219.
 See also Zoölogy—Pisces.
 Fishing, location of banks, iii, A, 528.
 methods of, iii, A, 521.
 Fish-tail palm, see Palm, fish-tail.
 Fissidens, i, s, 11; iii, C, 13; v, C, 141, 312;
 viii, C, 67.
 anomalus, iii, C, 13; v, C, 141; ix, C, 208.
 areolatus, iii, C, 13; ix, C, 209.
 nobilis, iii, C, 13; vi, C, 191; viii, C, 67.
 pulogensis, v, C, 141, 312.
 schmidtii, viii, C, 67; ix, C, 208.
 zippelianus, i, 662; i, s, 11; viii, C, 67.
 zollingeri, i, 662; i, s, 11.
 Fissidentaceæ, i, s, 11; iii, C, 13; v, C, 141,
 312; viii, C, 67; ix, C, 204.
 Fistularia serrata, ix, D, 62.
 Fistulariidae, ix, D, 62.
 Flabelliporus orbicularis, vi, D, 74.
 Flabellum, viii, A, 287.
 australe, viii, A, 287.
 sp., vi, A, 411; vii, A, 264.
 Flacourtia, i, s, 99; vii, C, 163; ix, C, 115,
 324, 455; x, C, 329.
 cataphracta, iv, C, 521.
 corollata, x, C, 327.
 crenata, x, C, 327.
 euphlebica, ix, C, 324.
 inermis, i, 412; i, s, 99; ii, C, 378; vi, C,
 211; x, C, 329.
 integrifolia, ix, C, 115.
 lanceolata, ix, C, 455.
 magallanense, x, C, 270.
 montana, ix, C, 325.
 parvifolia, x, C, 328.
 ramontchi, iv, C, 521.
 rukam, ix, C, 455; x, C, 329.
 sp., ix, A, 450.
 Flacourtiaceæ, i, 427; i, s, 98; ii, C, 373; iii,
 C, 244; iv, C, 295, 521; vi, C, 211; vii,
 C, 163; ix, C, 115, 289, 323, 455; x, C,
 277, 326.
 Flagellaria, i, s, 33; iii, C, 400; ix, C, 65.
 indica, i, 392; iii, C, 400; vi, C, 195; ix,
 C, 65, 172.
 Flagellariaceæ, i, s, 33, 181; iii, C, 400; vi, C,
 195; ix, C, 65; x, C, 3.
 Flagellate, note on an intestinal, v, B, 211.
 Flagellates, iii, B, 201, 418; iv, B, 266; v, B,
 270; vi, B, 155, 212.
 Flathead, iii, A, 529; v, D, 286; ix, D, 77.
 Flatina, v, D, 45.
 Flatoides perforatus, v, D, 44.
 speculum, v, D, 44.
 tenebrosus, v, D, 44.
 Flatoidesaria, v, D, 47.
 Flatta completa, v, D, 45.
 lyrata, v, D, 38.
 maria, v, D, 45.
 tenella, v, D, 45.

- Flax, i, No. 5, 438, 461.
 Fleas, transmission of plague by, ix, B, 14.
 See also Zoölogy—Insecta—Siphonaptera.
 Flemingia, iii, C, 103; v, C, 129; 354; vii, C, 159.
 blancoana, iv, C, 267; v, C, 129.
 congesta, iii, C, 103; v, C, 130.
 cumingiana, v, C, 8, 130, 354.
 involuta, v, C, 130.
 lineata, iv, C, 267; v, C, 129.
 macrophylla, v, C, 130.
 philippinensis, iii, C, 103; v, C, 8, 130.
 polysperma, v, C, 91.
 strobilifera, iii, C, 82; v, C, 129; vii, C, 184.
 wallichii, v, C, 130.
 Flemingiana, iv, C, 267.
 Flesh fly, *see* Fly, flesh.
 Fleurya, v, C, 476; vi, C, 291; vii, C, 156; ix, C, 78.
 interrupta, v, C, 476; vi, C, 6, 200, 291; vii, C, 196; ix, C, 78.
 ruderalis, v, C, 476; ix, C, 78.
 Flies, *see* Zoölogy—Insecta—Diptera.
 Flindersia amboinensis, iv, C, 474.
 Flood fever, iii, B, 1.
 Flor de mariposa, ix, C, 87.
 Flora, genera and species erroneously credited to the P. I., x, C, 171.
 introduced element of the Manila, vii, C, 145.
 Lamao forest reserve, i, s, 1.
 Mount Halcon, ii, C, 251.
 Mount Pulog, v, C, 237, 371.
 nomenclatural and systematic notes on the Manila, vii, C, 227.
 P. I. basidiomycetous, viii, C, 299.
 P. I. bryological, viii, C, 65.
 some genera and species new to the P. I., ii, C, 421.
 Flores, v, C, 54.
 Floribundaria, v, C, 153, 314; viii, C, 78.
 floribunda, v, C, 153, 314; viii, C, 78.
 Floscopa, i, s, 34.
 scandens, i, s, 34.
 Flounder, v, D, 287.
 Fluggea, i, s, 74; iii, C, 415; iv, C, 74, 483; vii, C, 161.
 flexuosa, iv, C, 74; ix, C, 491.
 leucopyrus, iv, C, 74.
 microcarpa, i, s, 74; iv, C, 74.
 obovata, i, 392; i, s, 74; iii, C, 415; iv, C, 74.
 virosa, iii, C, 415; iv, C, 74; vii, C, 405; ix, C, 426.
 Fluke, v, B, 271.
 Japanese blood, iii, B, 204.
 Japanese liver, iii, B, 204.
 Japanese lung, iii, B, 203.
 Fly, flesh, i, 1072.
 house, i, 1072.
 Flying fish, iii, A, 528; v, D, 267; ix, D, 60.
 gurnard, ix, D, 78.
 lemur, vi, D, 139, 185; vii, D, 7.
 Flying squirrel, vii, D, 25.
 Foaming and priming of boiler waters, ix, A, 380.
 Focillinae, ii, A, 366.
 Fodina, ii, A, 365.
 lanacensis, ii, A, 365.
 Foeniculum, vii, C, 164; ix, C, 126.
 foeniculum, ix, C, 126.
 vulgare, iv, A, 99; vii, C, 187; ix, C, 126.
 Foenobethylus gracilis, ix, D, 285.
 Fofgu, ix, C, 132.
 Fomes, i, 427; i, s, 286; viii, C, 300; ix, C, 38, 236, 346.
 albomarginatus, ix, C, 346.
 amboinensis, i, s, 286.
 exotephrus, ix, C, 346.
 fastuosus, ix, C, 236.
 kamphoeveneri, ix, C, 38.
 korthalsii, ix, C, 237, 346.
 lamaensis, ix, C, 346.
 lamaoensis, ix, C, 237.
 lignosus, ix, C, 38, 347.
 melanoporus, ix, C, 346.
 mortuosus, ix, C, 238.
 nubilus, ix, C, 39.
 nubilus var. albo-limbatus, ix, C, 39.
 ochreo-laccatus, i, s, 286.
 pachyphloeus, ix, C, 237, 347.
 pectinatus, ix, C, 346.
 praetervisus, i, s, 286.
 rimosus, i, s, 286.
 roseo-albus, ix, C, 238.
 scabrosus, ix, C, 39.
 scalaris, ix, C, 346.
 semitostus, viii, C, 300; ix, C, 347.
 senex, i, s, 286.
 spadiceus, ix, C, 238.
 subchinoneus, ix, C, 238.
 subextensus, ix, C, 237.
 substygius, ix, C, 241.
 tenuissimum, ix, C, 346.
 tostus, i, s, 286.
 unguliformis, ix, C, 239.
 velutinus forma microchaeta, ix, C, 346.
 weberianus, ix, C, 347.
 williamsii, ix, C, 237, 346.
 Fondillo, viii, D, 185.
 Food, bangos and its, iii, A, 520.
 people of Taytay and a physiological consideration of their, iv, B, 225.
 physical development in relation to, v, B, 163.
 soja-begn curd, as an important oriental, vii, A, 47.
 Food salts in relation to beriberi, v, B, 127.
 Foods, Filipino, vii, A, 383.
 cholera epidemic, and the prohibition of certain, iv, B, 109.
 individual per diem of, at Culion, v, B, 87.
 infant feeding, ii, B, 375.
 inspection of drugs and, iii, A, 44.
 natives of Taytay and their principal, iv, B, 219.
 putrefactive changes in, v, B, 176.

Foods—Continued.

- separation and determination of salicylic acid and methyl salicylate in drugs and, iii, A, 104.
Taytay, iv, B, 248.
- Foot-and-mouth disease and amoebiasis, i, 588.
- Foraminifera, i, 627; viii, A, 283.
- Foraminifères dans le Tertiaire des Philippines, vi, D, 53.
- Forbidden fruit, viii, A, 68.
- Forest reserve, vegetation of the Lamao, i, 373, 637.
insects, i, 1074.
mahogany, iv, C, 534.
- Forests, Philippine dipterocarp, ix, A, 413, 517.
- Formaldehyde, effect of, on the coloration of methyl salicylate, vii, A, 89.
interference of hydrogen peroxide with the milk test for, vii, A, 77.
- Formica quadrisecta, i, 690.
rubra, i, 690.
- Formicidae, i, 689.
- Formicinae, i, 690.
- Formicoidea, i, 689.
- Formosa, notes on early connections between the P. I. and, i, 203.
petroleum in, viii, A, 366.
- Fornicia annulipes, i, 693.
- Forrestia, ii, C, 266.
philippinensis, ii, C, 266; vi, C, 196.
- Forsteria, vii, C, 249.
- Fort Mills, Corregidor, epidemic of typhoid fever, vi, B, 324.
William McKinley, ii, B, 97; vi, B, 431, 469.
- Forté Katu-tjandi, v, C, 125.
- Fosforo, ix, B, 293; ix, D, 199.
- Fossils, localities of P. I., viii, A, 250.
P. I. invertebrate, viii, A, 235.
teeth found as, v, A, 73, 97.
- Fothergilla involucrata, iv, C, 456.
- Fourmis des Philippines, v, D, 121. *See also* Zoology—Insecta—Hymenoptera.
- Four-o'clock, vii, C, 198.
- Four-spotted coconut weevil, i, 163.
- Fowls, feeding experiments with, v, B, 92; vi, B, 177, 257, 396; vii, B, 43, 415; viii, B, 175, 358; ix, B, 119; x, B, 337.
- Fragaria, v, C, 352; vi, C, 312.
indica, i, s, 175; v, C, 352.
- Framboesia, v, B, 433.
- Fraxinus americana, vi, A, 15.
lanceolata, vi, A, 15.
nigra, vi, A, 15.
ornus, vi, A, 201.
pennsylvanica, vi, A, 15.
philippinensis, i, s, 176.
pubescens, vi, A, 15.
quadrangulata, vi, A, 15.
rotundifolia, vi, A, 201.
sambucifolia, vi, A, 15.
viridis, vi, A, 15.
- Freeria, vii, C, 292.
repanda, vii, C, 292.
- Fregata aquila, vi, D, 174.
ariel, ii, A, 312.
sp., ii, A, 283.
- Freycinetia, i, s, 25, 177; ii, C, 259; iii, C, 307, 394; ix, C, 48.
auriculata, iii, C, 312.
banahaensis, iii, C, 313.
confusa, iii, C, 311.
cumingiana, iii, C, 311; vi, C, 193.
curranii, iii, C, 312.
dilatata, iii, C, 313.
ensifolia, i, 664; i, s, 25; ii, C, 260; iii, C, 315.
ferox, iii, C, 310.
globosa, ii, C, 260; iii, C, 314.
hemsleyi, iii, C, 313.
insignis, iii, C, 308.
jagorii, iii, C, 313.
luchanensis, iii, C, 310.
luzonensis, i, 409; i, s, 25; ii, C, 260; iii, C, 311; vi, C, 193.
luzonensis var. heterophylla, iii, C, 313.
luzonica, i, 664.
mariannensis, ix, C, 48.
maxima, iii, C, 310; ix, C, 49.
megacarpa, iii, C, 314.
merrilli, iii, C, 314.
monocephala, iii, C, 314; vi, C, 193.
montalbanica, vi, C, 193.
multiflora, ii, C, 259; iii, C, 312; vi, C, 194.
negrosensis, iii, C, 313.
oblongifolia, iii, C, 310.
palawanensis, iii, C, 313.
philippinensis, iii, C, 313.
rigida, iii, C, 313.
robinsonii, iii, C, 311; vi, C, 193.
rostrata, i, s, 177; iii, C, 315.
scabripes, iii, C, 313, 394.
sphaerocephala, ii, C, 260; iii, C, 314.
strobilacea, iii, C, 814.
vidalii, iii, C, 311.
warburgii, iii, C, 315; vi, C, 193.
williamsii, iii, C, 315, 394; v, C, 165.
- Frijoles de Abra, v, C, 131.
- Frog tadpoles, development in sea water, vi, D, 219.
- Fromage de Hollande, iv, C, 499.
- Fructa de Conde, vii, C, 113.
- Fruit bats, small, vii, D, 7.
tree, Bel, iv, C, 473.
- Fruits, composition and characteristics of P. I., viii, A, 59.
utilized of Taytay, iv, B, 221.
- Frullania, i, s, 11; v, C, 311.
apiculiloba, ix, C, 40.
bilobulata, v, C, 311.
cordistipula, v, C, 311.
dapitana, ix, C, 40.
explicata, v, C, 311.
gaudichaudii, ix, C, 40.
integristipula, i, 662; i, s, 11.
nodulosa, ix, C, 40.
orientalis, i, 662; i, s, 11.
ornithocephala, v, C, 311.

Frullania—Continued.

- pacifica, v, C, 311.
 philippinensis, v, C, 311.
 secundiflora, ix, C, 40.
 Fruta de Conde, vii, C, 113.
 Fruto de Conde, vii, C, 113.
 Frutta de Condessa, vii, C, 113.
 Fuchiatien, temperature observations in, viii, B, 244.
 Fuciadium, viii, C, 507.
 Fucus gulaman, vi, D, 308.
 Fuel, available paper-making, ii, A, 104.
 cement burning, vi, A, 223.
 North American woods and their value as, vi, A, 13.
 P. I. coal as, iii, A, 301.
 P. I. firewoods and their value as, vi, A, 16.
 sand-lime brick industry, vii, A, 330.
 Fuels, v, A, 333.
 Fuirena, ii, C, 101; vii, C, 154; ix, C, 62.
 glomerata, ii, C, 101; iii, C, 43; vi, C, 195.
 pentagona, ii, C, 101.
 rottboellii, ii, C, 101.
 striata, ii, C, 101.
 tereticulmis, ii, C, 101.
 umbellata, ii, C, 101; vi, C, 195; ix, C, 62.
 Fuji, x, D, 298.
 Fulgora graminea, v, D, 38.
 pallida, v, D, 38.
 Fulgoridæ, v, D, 37, 64.
 Fulgoriden, neue, von den Philippinen, ix, D, 269, 433.
 Fulgorinæ, v, D, 37.
 Fulgoroidea, notices of certain P. I., x, D, 137.
 Fulgur, viii, A, 264.
 Fuligo, ii, C, 115; ix, C, 159.
 cinerea, ix, C, 159.
 varians, ii, C, 115.
 Fuligula marila, ii, A, 295.
 Funalia funalis, ix, C, 240.
 philippinensis, ix, C, 243.
 Funambulus vittatus, vii, D, 46.
 Funaria, i, s, 12; iii, C, 18; v, C, 145, 313; viii, C, 7.
 attenuatae, iii, C, 18.
 calvescens, i, 666; i, s, 12; iii, C, 18; v, C, 145, 313; viii, C, 71.
 luzonensis, iii, C, 18; v, C, 145.
 Funariaceæ, i, s, 12; iii, C, 18; v, C, 145, 313; viii, C, 71; ix, C, 204.
 Fundulus heteroclitus, v, D, 155.
 Fungi, i, s, 227; iii, B, 459; iii, C, 41; v, C, 163; ix, C, 37.
 bacteriological investigation of cases of tropical bronchomycosis and the associated, v, B, 197.
 descriptions of new species and enumeration of P. I., viii, C, 265, 475.
 list of known P. I., i, s, 277.
 northern Palawan, ix, C, 157.
 some new P. I., viii, C, 195.
 Fungidæ, i, 627.
 Fungus succession on dung cultures, factors influencing, viii, C, 21.
 Funk's base, some conclusions reached regarding, viii, B, 193.
 Fuofoy, vii, A, 100.
 Furcaria, iii, C, 151.
 Fusanus parasitus, iv, C, 151.
 Fusarium, i, s, 293.
 paspalicola, i, s, 293.
 Fusicladium pongamiae, viii, C, 507.
 Fusidæ, viii, A, 257, 264.
 Fusus, ii, A, 395; viii, A, 257.
 cortada, v, A, 329.
 glomus, viii, A, 257.
 nodulosus, viii, A, 258.
 sp., vii, A, 264; viii, A, 326.
 tjidamarensis, v, A, 329; viii, A, 257.
 verbeeki, v, A, 329; viii, A, 257.
 G
 Gabbro, v, A, 165, 324.
 analysis of Basilan, vi, A, 363.
 northwestern Pangasinan, vii, A, 262.
 southwestern Luzon, v, A, 110.
 Gabi, i, 821; iii, A, 202; iv, B, 222; vii, D, 146.
 Gablos, i, s, 67; v, C, 126.
 Gabrita, x, D, 53.
 Gaddanes, i, 818, 860.
 Gadoeng, iv, C, 555.
 Gadoengan, iv, C, 555.
 Gadok, iv, C, 484.
 Gæaninæ, v, D, 36.
 Gaertneria laurifolia, vii, C, 236.
 Gafsa boil, i, 101.
 Gagadang, iii, C, 408, 427.
 Gaganayan, ix, D, 496.
 Gagang baquiro, iv, C, 101.
 Gagil, iv, C, 508, 511.
 Gago, ix, C, 71.
 Gagu'c, iii, A, 529.
 Gahnia, ii, C, 103, 263; iii, C, 76; v, C, 334.
 javanica, ii, C, 103, 263; v, C, 334.
 Gaillardia, vii, C, 202.
 Gaimardia, ii, C, 256.
 Gajanus edulis, v, C, 108.
 Kakit, ii, A, 322.
 Gal mendora, iv, C, 468.
 Galactia, v, C, 119; vii, C, 160.
 tenuiflora, v, C, 119.
 terminaliflora, i, s, 66; ii, C, 433; v, C, 106.
 Galagala, v, A, 174.
 Galamai amo, i, s, 110.
 Galamay señora, x, C, 399.
 Galamayamo, x, B, 375.
 Galamino, i, s, 50.
 Galang, ix, D, 520.
 Ga-lang-si-ang, ii, A, 333.
 Galatea, vii, C, 233.
 Galba auricolor, x, D, 45.
 funnebris, x, D, 45.
 Galearia, iv, C, 280; ix, C, 482.
 filiformis, iv, C, 280; ix, C, 482.

- Galearia—Continued.
 philippinensis, ix, C, 482.
 wallichii, ix, C, 382.
 Galedupa, v, C, 3, 88, 102.
 elliptica, v, C, 106.
 frutescens, v, C, 104.
 indica, v, C, 38, 101.
 maculata, v, C, 101.
 pinnata, iv, C, 468; v, C, 101.
 pungam, v, C, 73.
 uliginosa, v, C, 105.
 Galena, vi, A, 437; x, A, 87.
 Galeola, ii, C, 313.
 hydra, ii, C, 313.
 kuhlii, ii, C, 313.
 Galeopithecus aoris, vi, D, 206.
 gracilis, vi, D, 206.
 marmoratus, vi, D, 142.
 philippinensis, vi, D, 142; vii, D, 7.
 pumilus, vi, D, 206.
 rufus, vi, D, 142.
 saturatus, vi, D, 206.
 temminckii, vi, D, 148.
 tuancus, vi, D, 206.
 variegatus, vi, D, 142.
 volans, vi, D, 140.
 Galeopteridae, vi, D, 139, 185; vii, D, 7.
 Galeopterus, vi, D, 140.
 Galera, ix, C, 248.
 siliginea, ix, C, 248.
 Galeruca 4-notata, v, D, 226.
 Galerucella mindorana, viii, D, 223.
 philippinensis, viii, D, 223.
 sumatrana, viii, D, 223.
 Galesus, ix, D, 306.
 clavicornis, ix, D, 306.
 crawfordi, ix, D, 306.
 curticeps, ix, D, 306.
 lineatus, ix, D, 306.
 luzonicus, i, 690; ix, D, 306.
 manilæ, ix, D, 306.
 philippinensis, ix, D, 306.
 Galis pateros, iv, B, 285.
 Galium, i, s, 238; v, C, 391.
 ciliare, i, s, 238.
 gaudichaudii, i, s, 239; v, C, 391.
 javanicum, v, C, 391.
 philippinense, i, s, 238; v, C, 391.
 rotundifolium, v, C, 391.
 Gall bladder and biliary passages in cholera,
 a study of the pathology of the, x, B,
 385.
 Galleria, ii, A, 374.
 mellonella, i, 1073; ii, A, 374.
 Galleriinae, ii, A, 368.
 Galleruca bifasciata, v, D, 226.
 pallicornis, viii, D, 232.
 Gallicrex cinerea, i, 772; ii, A, 311, 319.
 Gallinago gallinago, ii, A, 321.
 megala, ii, A, 282, 312; iv, A, 68; v, D,
 107.
 scolopacina, ii, A, 321.
 Gallinula chloropus, ii, A, 282, 319.
 Gallus gallus, i, 699; ii, A, 281, 300, 317, 344;
 iii, A, 276; v, D, 104.
 Galong, iv, B, 234.
 Galphimia, vii, C, 160; ix, C, 100.
 glauca, vii, C, 185; ix, C, 100.
 Galut, ix, D, 480.
 Gamao, ii, A, 319.
 Gamatulay, iv, C, 383.
 Gampang, ix, D, 520.
 Gambusia affinis, v, D, 155.
 Gamet, vi, D, 309.
 Gammala, iv, C, 467.
 Gamot sa buni, v, C, 50.
 Gamunang, i, 818.
 Gamunanganes, i, 818.
 Gamungan, i, 818.
 Gan sim, vi, D, 284.
 Ganabeng, vi, C, 404.
 Ganaphyllum obliquum, i, 412.
 Gandingas, vi, A, 381.
 Gangosa in the P. I., ii, B, 387.
 Ganitrum oblongum, x, C, 44.
 Ganoderma, i, s, 286; ix, C, 158, 347; x, C, 95.
 amboinense, ix, C, 347; x, C, 96.
 amboinense forma lingua, x, C, 96.
 australe, ix, C, 347; x, C, 95.
 bakeri, x, C, 96.
 elmeri, ix, C, 237.
 höhnelianum, x, C, 96.
 leucophaeum, x, C, 96.
 mangiferae, x, C, 96.
 mastoporum, x, C, 96.
 multiplicatum, x, C, 96.
 ochroleaceum, ix, C, 158.
 plicatum, x, C, 96.
 praetervisus, i, s, 286.
 pseudoboletus, i, s, 287.
 rugosum, x, C, 97.
 subtornatum, ix, C, 347.
 tornatum, ix, C, 347.
 umbrinum, x, C, 96.
 Ganophyllum, i, s, 88.
 falcatum, i, s, 88; iv, C, 493; viii, C, 447.
 obliquum, i, 1026; i, s, 88; viii, C, 447.
 Gansa, i, 823; iii, A, 205; iv, A, 240.
 Ganta, iv, B, 226.
 Ganza, ix, D, 489.
 Gañgha, vi, D, 245.
 Gaogao, ix, C, 92.
 Gar, iv, A, 495.
 Garagad, iii, C, 389.
 Garangan, viii, A, 67.
 Garangao, x, C, 401.
 Garbanzos, i, s, 197.
 Garcinia, i, s, 97; ii, C, 285; iii, C, 359, 421;
 iv, C, 505; v, C, 199; vii, C, 307; ix, C,
 185, 378; x, C, 325.
 benthami, iii, C, 364.
 binucuo, i, 406, 640; i, s, 97; ii, C, 285;
 iii, C, 366; ix, A, 444.
 blancoi, iii, C, 365.
 bosobosoensis, iii, C, 363.
 brevirostris, iii, C, 363.
 calleryi, iii, C, 364.
 cambogia, iii, C, 367.
 cordata, v, C, 199.
 cornea, iii, C, 365.

Garcinia—Continued.

- cowa, iii, C, 363; iv, C, 505.
 cumingiana, iii, C, 364.
 dives, iii, C, 363; v, C, 200.
 dulcis, iii, C, 362.
 duodecandra, i, s, 97; iii, C, 366.
 eugeniaefolia, iii, C, 363; v, C, 200.
 lateriflora, iii, C, 367, 421.
 luzoniensis, iii, C, 362.
 maingayi, iii, C, 363.
 mangostana, iii, C, 78, 364; viii, A, 72.
 mindanaensis, iii, C, 367.
 moselleyana, iii, C, 362.
 nervosa, x, C, 325.
 oligophlebia, ix, C, 378.
 ovalifolia, iii, C, 360.
 ramosii, vii, C, 307.
 rubra, iii, C, 366; ix, A, 450; ix, C, 378.
 speciosa, iv, C, 505.
 subelliptica, iii, C, 361; vi, C, 211.
 tetrandra, iii, C, 365.
 venulosa, i, 412; i, s, 97; iii, C, 363, 365;
 ix, A, 449.
 vidalii, iii, C, 360.
 Gardena, iv, A, 583.
 melinarthrum, iv, A, 583.
 semperi, iv, A, 583.
 Gardenia, i, s, 131; iv, C, 560; v, A, 447; vii,
 C, 167; ix, C, 160; x, C, 110.
 acutifolia, v, C, 248.
 barnesii, i, 412; i, s, 131; iv, C, 560.
 coronaria, iv, C, 560.
 costata, iv, C, 560.
 elliptica, iii, C, 437; v, C, 248.
 florida, vii, C, 188.
 gummifera, iv, C, 560.
 lagunensis, x, C, 110.
 merrillii, x, C, 111.
 morindaefolia, x, C, 112.
 negrosensis, x, C, 111.
 obscura, ii, C, 434.
 pinnata, ii, C, 434.
 pubifolia, x, C, 112.
 tubifera, iv, C, 560.
 whitfordii, i, s, 130.
 Garfish, iii, A, 529; ix, D, 60.
 Gargara, v, D, 48; x, D, 137, 394.
 brunnea, x, D, 400.
 genistæ, v, D, 48; x, D, 394.
 luonica, x, D, 395.
 luteipennis, x, D, 399.
 nigrocarinata, x, D, 400.
 nigrofasciata, x, D, 398.
 nitidipennis, x, D, 399.
 patruelis, x, D, 396.
 pulchripennis, x, D, 398.
 pygmæa, v, D, 48; x, D, 396.
 trifoliata, x, D, 400.
 tuberculata, x, D, 398.
 varicolor, x, D, 397.
 Gargararia, v, D, 48; x, D, 393.
 Gargetta, v, D, 168.
 costigera, v, D, 168.
 Garlic, iv, B, 222; vii, C, 192.
 Garnet, x, A, 87.
 Garnotia, i, s, 28, 374.
 stricta, i, 663; i, s, 28, 374.
 Garnotiella, i, s, 374.
 philippinensis, i, s, 374; iv, C, 250.
 Garopa, iii, A, 517.
 Garoupa, ix, D, 65.
 Garovaglia, v, C, 152; viii, C, 77.
 plicata, v, C, 152; viii, C, 77.
 Garuga, x, C, 27.
 abilo, i, s, 172; ii, C, 432; x, C, 29.
 clarkii, x, C, 29.
 floribunda, i, 645; x, C, 28.
 littoralis, x, C, 27.
 littoralis var. paucijuga, x, C, 29.
 pinnata, iv, C, 476.
 Gas, American bituminous coal, i, 899.
 Australian coal, i, 896.
 Batan coal, i, 892.
 Cebu coal, i, 893.
 English bituminous coal, i, 899.
 Janiuay well, x, A, 226.
 Negros coal, i, 894.
 Polillo coal, i, 893.
 southwestern Luzon, v, A, 108.
 Zamboanga coal, i, 895.
 Gases, comparative heat value of, i, 897.
 freedom from carbon dioxide of, i, 898.
 Gasi, vii, A, 114.
 Gasigasi, vi, C, 23.
 Gas-producing power of Philippine coals, i,
 877.
 Gasterocercus anatinus, x, D, 45.
 Gasteromycetæ, viii, C, 304; ix, C, 251.
 Gasteropoda, i, 628; viii, A, 255.
 Gasterotokeus, iii, A, 529.
 biaculeatus, iii, A, 411; v, D, 269.
 Gastos, iv, B, 226.
 Gastrochæna, viii, D, 249.
 Gastrochilus, iv, C, 165.
 longipetiolata, iv, C, 166.
 Gastrodia, vii, C, 6.
 javanica, vii, C, 6.
 Gastrodiscus hominis, ii, B, 31.
 Gastrointestinal tract, diseases of the, i,
 558; x, B, 294.
 Gastropaga, x, D, 127.
 bakeri, x, D, 128.
 Gastrophilus equi, i, 1072.
 Gastrozona capillata, viii, D, 324.
 cassandra, viii, D, 310.
 luteiseta, viii, D, 325.
 Gatasan, iii, C, 362; ix, A, 449.
 Gatbo upland, vi, A, 475.
 Gaud-gaud, iii, A, 528.
 Gaudichaud, iv, C, 656.
 Gaultheria, ii, C, 292; iii, C, 377.
 antipoda, iii, C, 378.
 borneensis, i, s, 237; iii, C, 378.
 cumingiana, ii, C, 292; iii, C, 378.
 itoana, iii, C, 378.
 luzonica, i, s, 220; ii, C, 293; iii, C, 378.
 Gaultheria, salicylic acid in natural and ar-
 tificial oil of, iii, A, 103.
 Gaurax dimorphus, viii, D, 331.
 nigricornis, viii, D, 331.

Gaurotres virginea, viii, D, 154.
Gawi-gawi, v, C, 75.
Gayang, vi, D, 97; ix, D, 485.
Gayugalo, x, C, 314.
Gayumayen, iv, C, 643.
Gazza minuta, v, D, 272.
Geaster, i, s, 292; viii, C, 305; ix, C, 252, 352.
 capensis, ix, C, 252.
 cryptorhynchus, viii, C, 305.
 fimbriatus, i, s, 292.
 hygrometricus, ix, C, 252.
 medius, ix, C, 252.
 mirabilis, ix, C, 352.
 saccatus, ix, C, 252.
 triplex, viii, C, 305.
 vulgaris, ix, C, 252.
Gebia, viii, D, 249.
Gecko kikuchii, vii, D, 241.
 verticillatus, x, D, 92.
Geijera salicifolia, ix, D, 254.
Gelala alba, v, C, 111.
Gelasimus annulipes, vii, D, 113.
Gelechiinae, v, D, 165.
Gelidium, vi, D, 309.
Gelonætha hirta, x, D, 45.
Gelonium, iv, C, 281, 483.
 glomerulatum, iii, C, 80.
 racemosum, iv, C, 281.
 Genera and species erroneously credited to the Philippine flora, x, C, 171.
 Generative organs in plague, x, B, 304.
Geniostoma, i, s, 116; iii, C, 259, 427; iv, A, 23; vii, C, 329; ix, C, 128, 384.
 batanense, iii, C, 427.
 brevipes, ix, C, 384.
 cumingianum, i, s, 116; iii, C, 427; vii, C, 330.
 micranthum, ix, C, 128.
 philippinense, iii, C, 259; ix, C, 384.
 stenophyllum, vii, C, 329.
 Genitalia, diseases of the, iii, B, 220.
Gennadius stoliczæ, v, D, 286.
Gentiana, i, s, 223; v, C, 378.
 apoensis, i, s, 223.
 diversifolia, i, s, 224.
 luzoniensis, i, s, 224; v, C, 378.
 spicata, iii, C, 427.
Gentianaceae, i, s, 223; iii, C, 120, 214, 427; v, C, 378; vii, C, 96, 164.
Gentisic acid, vii, A, 93.
Geocichla andromeda, ii, A, 360.
 cinerea, ii, A, 359.
 mindanensis, ii, A, 359.
Geodorum, vii, C, 156.
 nutans, vi, C, 198.
Geoglossaceae, v, C, 165.
 Geographical distribution of Philippine mosses, ix, C, 199.
 Geography, Baguio mineral district geology and, ii, A, 207.
 P. I. climate and, vi, B, 431.
 P. I. medical, ix, B, 199.
 San Jose Estate geology and, ix, B, 142.
 Geology, dynamic and structural:
 Asbestos and manganese deposits of Ilocos

Geology, dynamic—Continued.
 Norte; geology of the region (Smith), ii, A, 145.
 Ascent of Mount Halcon, Mindoro (Merrill), ii, A, 179.
 Ascent of Mount Pulog (Miller), iii, A, 99.
 Eruption of Taal Volcano, January 30, 1911 (Pratt), vi, A, 63.
 Essential features of the geology of the P. I. (Smith), v, A, 307.
 Geologic reconnaissance from Infanta, Tayabas, to Tanay, Rizal (Ickis), iv, A, 483.
 Geologic reconnaissance in Caramoan Peninsula, Camarines (Pratt), x, A, 303.
 Geologic reconnaissance in the P. I., i, 617; iii, A, 473; iv, A, 339, 483; v, A, 57, 345; vi, A, 359, 449; vii, A, 255; x, A, 177, 303.
 Geologic reconnaissance of Leyte and adjacent smaller islands and southwestern Samar (Adams), iv, A, 339.
 Geologic reconnaissance of Mindanao and the Sulu Archipelago. I. Narrative of the expedition (Smith), iii, A, 473.
 Geologic reconnaissance of Mindanao and Sulu: II. Physiography (Smith), v, A, 345.
 Geologic reconnaissance of Mindanao and Sulu: III. General and economic geology (Smith), vi, A, 359.
 Geologic reconnaissance of Mountain Province, Luzon, P. I. (Smith), x, A, 177.
 Geologic reconnaissance of northwestern Pangasinan (Fanning), vii, A, 255.
 Geologic reconnaissance of southeastern Luzon (Adams and Pratt), vi, A, 449.
 Geologic reconnaissance of southwestern Luzon (Adams), v, A, 57.
 Geology and geography of the Baguio mineral district (Eveland), ii, A, 207.
 Geology and mineral resources of the Aroroy district, Masbate (Ferguson), vi, A, 397.
 Geology and petroleum resources of the southern part of Bondoc Peninsula, Tayabas (Pratt and Smith), viii, A, 301.
 Geology of Panay (Smith), x, A, 211.
 Geology of Port Arthur and vicinity (Smith), ix, A, 269.
 Geology of the Compostela-Danao coal field (Smith), ii, A, 377.
 Location of artesian wells in the P. I. from a geologic viewpoint (Pratt), x, A, 231.
 Marble and schist formations of Romblon (Adams), iv, A, 87.
 Medical survey of Taytay. Geology and water supply (Adams), iv, B, 211.
 Observations on the recent eruption of Taal Volcano (Martin), vi, A, 87.
 Occurrence, composition, and radioactivity of the clays from Luzon, P. I. (Cox), ii, A, 413.

Geology, dynamic—Continued.

- Philippine natural bridge (Fanning), vii, A, 291.
- Physiography of the P. I.: Batanes (Ferguson), iii, A, 1.
- Physiography of the P. I.: Cebu Island (Smith), i, 1043.
- Physiography of the P. I. The country between Sabig and Mount Pinatubo (Smith), iv, A, 19.
- Physiography of the P. I. Western Masbate (Ferguson), iv, A, 1.
- Preliminary geological reconnaissance of the Lobo Mountains, Batangas (Smith), i, 617.
- Reconnaissance from Davao, Mindanao, over the divide of the Sahug River to Butuan, including a survey from Davao to Mati. Narrative of the expedition (Goodman), iii, A, 501.
- Relation of seismic disturbances in the P. I. to the geologic structure (Saderra Masó and Smith), viii, A, 199.
- Sanitary survey of the San Jose Estate. Geography and geology (Dalburg), ix, B, 142.
- Theory on the formation of the central Luzon plain (Herrmann), vi, A, 331.
- Timor; its supposed volcano and its probable tectonic relations (Adams), vii, A, 283.
- Vegetation of the Lamao forest reserve (Whitford), i, 373.

Geology, economic:

- Alteration and enrichment in calcite-quartz-manganese gold deposits in the P. I. (Eddingfield), viii, A, 125.
- Black sands of Paracale (Fanning and Eddingfield), vii, A, 213.
- Coal in the Cagayan Valley (Ferguson), iii, A, 535.
- Economic geology of the Baguio mineral district (Smith and Eddingfield), vi, A, 429.
- Geologic reconnaissance of Mindanao and Sulu: General and economic geology (Smith), vi, A, 359.
- Geology and field relations of Portland cement raw materials at Naga, Cebu (Pratt), ix, A, 151.
- Geology and mineral resources of the Aroroy district, Masbate (Ferguson), vi, A, 397.
- Geology and petroleum resources of the southern part of Bondoc Peninsula, Tayabas (Pratt and Smith), viii, A, 301.
- Gogo, *Entada scandens*, and its effect on gold and gold solutions (Eddingfield), viii, A, 135.
- Iron ore in Surigao (Pratt and Lednický), x, A, 335.
- Iron ore on Calambayanga Island, Mamulao, Camarines (Pratt), x, A, 323.

Geology, economic—Continued.

- Iron ores of Bulacan (Dalburg and Pratt), ix, A, 201.
- Laguna clays (Cox), iii, A, 377.
- Ore deposits of the P. I. (Eddingfield), viii, A, 81.
- Persistence of Philippine coal beds (Pratt), x, A, 289.
- Petroleum and residual bitumens in Leyte (Pratt), x, A, 241.
- Petroleum in Cebu Province (Pratt), x, A, 281.
- Philippine pottery (Adams and Pratt), v, A, 143.
- Philippine raw cement materials (Cox), iv, A, 211.
- Sand, gravel, and crushed stone available for concrete construction in Manila (Adams), iv, A, 463.
- Tests of Philippine road materials (Adams), iv, A, 455.
- Volcanic tuff as a construction and a cement material (Cox), iii, A, 391.

Geology—Mineralogy:

- Asbestos and manganese deposits of Ilocos Norte, with notes on the geology of the region (Smith), ii, A, 145.
- Geology and geography of the Baguio mineral district (Eveland), ii, A, 207.
- Microscopic study of the Bulacan iron ores (Eddingfield), ix, A, 263.
- Preliminary check list of Philippine minerals (Smith, Eddingfield, and Fanning), x, A, 81.

Geology—Paleozoology:

- Les foraminifères dans le Tertiaire des Philippines (Douvillé), vi, D, 53.
- Orbitoides from the Binangonan limestone (Smith), i, 203.
- Stratigraphy and fossil invertebrate fauna of the P. I. (Smith), viii, A, 235.

Geology—Petrology:

- Occurrence of rhyolite in Cebu (Ferguson), ii, A, 407.
- Petrography of some igneous rocks of the P. I. (Iddings), v, A, 155.
- Petrography of some rocks from Benguet (Smith), ii, A, 235.

Geometra dioplasaria, x, D, 351.

valida, x, D, 351.

Geometridæ, ii, A, 367; iii, A, 34; v, D, 165; x, D, 349.

Geometrinæ, ii, A, 374; v, D, 177; x, D, 349.

Geomyzidæ, viii, D, 311.

Geonoma, iv, C, 603.

Geophila, i, s, 135; iii, C, 438; ix, C, 143.

herbacea, i, s, 135; iii, C, 438; ix, C, 143.

reniformis, i, s, 135; ix, C, 143.

Geosargus, viii, D, 308.

Geostachys, iv, C, 155.

Gepas, iii, A, 206.

Geraniaceæ, ii, C, 431.

Geraniales, i, s, 67.

Gerardia prevostiana, vi, D, 263.

- Gerbillus pygargus*, vii, B, 55.
Germaria latifolia, iii, C, 227.
Germo alalunga, iii, A, 515.
Gerridae, iii, A, 518; v, D, 277; ix, D, 67.
Gerrinae, iv, A, 582.
Gerrinaria, iv, A, 582.
Gerris, iv, A, 583.
 anadyomene, iv, A, 583.
 angustatus, iv, A, 569.
 lacustris, iv, A, 583.
 oratorius, iv, A, 569.
Gersemnia studer, ix, D, 240.
Gerunggang, iv, C, 504.
Gerydus symethus, v, D, 72.
Gesneriaceae, i, s, 124, 225; ii, C, 300; iii, C, 434; v, C, 386; vi, C, 222; vii, C, 166; viii, C, 389; ix, C, 385; x, C, 75, 193, 340.
Getah-seundik, iv, C, 541.
Geunsia, iii, C, 263; vii, C, 342.
 cumingiana, i, s, 173; vii, C, 343.
 farinosa, vii, C, 343.
 hookeri, vii, C, 342.
Gibberella, viii, C, 493; ix, C, 168.
 creberrima, viii, C, 493; ix, C, 168.
Gibberidea, iii, C, 49.
 nipae, iii, C, 49.
Gibbium scotias, iii, A, 299.
Gibbon, ii, B, 452; vii, D, 38.
Gibbosae, i, s, 361.
Gicos-gicos, v, C, 108.
Gigalobium, v, C, 3.
Gigantochloa, i, s, 390; v, C, 270; viii, C, 204.
 atter, i, s, 389; v, C, 270; vi, C, 194.
 merrilliana, v, C, 272.
 robusta, viii, C, 204.
 scribneriana, i, s, 390; v, C, 270; viii, C, 204, 496.
Gilipanes, i, 826.
Gilla nut, ii, A, 440.
Gilsonite, x, A, 87.
Gimasingmas, vi, C, 14.
Gimbernata calamansanai, ii, C, 378; iv, C, 646.
Gin, v, A, 23; vii, A, 24.
Ginalloa, iv, C, 153; v, C, 345.
 cumingiana, iv, C, 153; vi, C, 200.
 cumingiana var. *angustifolia*, iv, C, 153; v, C, 345.
 lanceolata, vi, C, 200.
Ginan, i, 851.
Gindaramay, vi, C, 14.
Ginderanaon, vi, C, 17.
Ginem, vi, D, 134.
Ginger, iv, B, 223.
Giniozus philippinensis, i, 688.
Giramong, iv, C, 455.
Gironiera, i, s, 42; ii, C, 270; iv, C, 251.
 celtidifolia, ii, C, 270.
 currani, iv, C, 251.
 glabra, i, s, 42.
Gitgitlang, vi, C, 386.
Givotia, iv, C, 482.
 rotteriformis, iv, C, 485; ix, C, 103.
Giwi-giwi, vi, C, 334.
Glabraria tersa, i, s, 57; vi, C, 321.
Glanders, bacillus of, ix, B, 468.
 human case of acute, malignant, viii, B, 385.
Glasses, the optical efficiency of tinted, viii, A, 193.
Gleditschia, i, s, 63; v, C, 52.
 celebica, i, s, 63.
 copelandii, x, C, 13.
 rolfei, i, s, 63, 171.
Gleditsia, v, C, 51.
 celebica, v, C, 51.
 rolfei, v, C, 51.
 triacanthos, vi, A, 15.
Gleichenia, i, s, 166, 257; ii, C, 147, 179; iv, C, 22; v, C, 323; vi, C, 68; ix, C, 46.
 amboinensis, iv, C, 23.
 arachnoides, iv, C, 26.
 bullata, iv, C, 26.
 circinnata, iv, C, 22.
 crassifolia, i, s, 257; iv, C, 25.
 dicarpa, ii, C, 147, 255.
 dicarpa var. *alpina*, ii, C, 147.
 dichotoma, ix, C, 46.
 dolosa, i, s, 257; ii, C, 147; iv, C, 23.
 excelsa, ii, C, 179.
 gigantea, ii, C, 179.
 glauca, ii, C, 147, 179; iv, C, 26.
 hallieri, iv, C, 25.
 hirta, iv, C, 23; vi, C, 68.
 hispidia, iv, C, 23.
 japonica, iv, C, 26.
 koordersi, iv, C, 23.
 laevigata, ii, C, 147; iv, C, 24.
 laevissima, i, s, 166, 174; ii, C, 179; iv, C, 25; v, C, 323.
 linearis, i, s, 257; ii, C, 147; iv, C, 25; vi, C, 68; ix, C, 46.
 loheri, iv, C, 24; v, C, 323.
 longissima, iv, C, 26.
 norrisii, iv, C, 26.
 oceanica, iv, C, 24.
 vestita, iv, C, 23.
 vulcanica, ii, C, 147; iv, C, 23.
Gleicheniaceae, i, s, 22, 174; ii, C, 147; iv, C, 21; v, C, 323; vi, C, 68; ix, C, 46.
Gleophyllum, i, s, 287.
 abietinum, i, s, 287.
Gliricidia, i, s, 64; v, C, 73; vii, C, 159.
 maculata, i, s, 64; iii, C, 82; v, C, 73.
 sepium, i, s, 64; iii, C, 82; iv, C, 461; v, C, 73; vii, C, 184, 199; viii, C, 283, 502; ix, C, 426, 513; x, C, 87.
Glischoropus, vii, D, 46.
Globaria furfuracea, viii, C, 306; ix, C, 253.
Globba, i, s, 36; iv, C, 158; vii, C, 156.
 barthel, iv, C, 162.
 brevifolia, iv, C, 160.
 campsophylla, i, s, 36; iv, C, 159.
 ectobolus, iv, C, 162.
 gracilis, iv, C, 161.
 heterobracteata, iv, C, 162.
 latifolia, iv, C, 161.
 leucocarpa, iv, C, 161; vi, C, 197.
 marantina, iv, C, 162.
 merrillii, i, s, 36; iv, C, 160.

Globba—Continued.

- parviflora, iv, C, 159.
- parviflora var. brevifolia, iv, C, 160.
- pulchella, iv, C, 189.
- pyramidata, iv, C, 158.
- ustalata, iv, C, 163.

Globigerina, iv, A, 487; v, A, 328; vi, D, 77; viii, A, 313; x, A, 248.

Glochidion, i, s, 75; iii, C, 199, 414; iv, C, 87, 483; v, C, 356; vi, C, 327; vii, C, 161; viii, C, 381; ix, C, 102, 181, 483.

acuminatum, iv, C, 485.

album, i, 406; i, s, 75, 172; iv, C, 99; vi, C, 331; viii, C, 382.

angulatum, iv, C, 91.

arnottianum, iii, C, 415.

benguetense, iv, C, 97; vi, C, 208, 328.

breyneioides, iv, C, 95; vi, C, 208.

brunneum, vi, C, 329.

cagayanense, vi, C, 328.

camiguinense, iii, C, 414; iv, C, 100; vi, C, 208.

coronulatum, iv, C, 94.

cumingii, iv, C, 99.

curranii, iv, C, 102; vi, C, 329.

decorum, vi, C, 331.

diversifolium, iv, C, 101.

dolichostylum, ix, C, 483.

eleutherostylum, iv, C, 92.

fenicis, iii, C, 414; iv, C, 90.

glaucescens, viii, C, 381.

lanceifolium, iv, C, 90; vi, C, 208, 331; ix, A, 450.

latistylum, iv, C, 93; vi, C, 331.

leiostylum, vi, C, 328.

leytense, iv, C, 99; vi, C, 331.

ligulatum, vi, C, 329.

littorale, i, 676; i, s, 75; iv, C, 92; vi, C, 208.

llanosii, i, s, 75; iv, C, 94; viii, C, 490.

longistylum, iv, C, 96; vi, C, 328.

luzonense, iv, C, 100; v, C, 356.

macrocarpum, ix, C, 484.

malabaricum, iv, C, 93.

malindangense, iv, C, 101.

marianum, ix, C, 102.

merrillii, iv, C, 100; v, C, 356; vi, C, 208.

mindorensis, iv, C, 98; vi, C, 208.

molle, iv, C, 94, 95.

multiloculare, vi, C, 331.

nitidum, ix, C, 483.

philippicum, iv, C, 103; vi, C, 330.

podocarpum, vi, C, 330.

psidioides, iv, C, 92.

quinquestylum, iv, C, 89.

reticulatum, iv, C, 104.

rubrum, iv, C, 101.

sablanense, iv, C, 97.

subfalcatum, iii, C, 200; iv, C, 98; ix, C, 484.

superbum, vi, C, 331.

triandrum, iv, C, 92; vi, C, 208; ix, C, 426.

trichogynum, iv, C, 97; vi, C, 328.

trichophorum, ix, C, 484.

Glochidion—Continued.

urophylloides, iv, C, 90.

velutinum, iv, C, 97.

weberi, vi, C, 330; ix, C, 485.

williamsii, iii, C, 199; iv, C, 95.

zeylanicum var. malayanum, vi, C, 331.

Gloeocarpus, viii, C, 464.

crenatus, viii, C, 465.

Gloeoglossum glutinosum, v, C, 165.

Gloeoporus, ix, C, 350.

conchoides, ix, C, 350.

Gloeosporium, viii, C, 282, 505.

canavaliae, viii, C, 282.

graffii, viii, C, 196.

lebbeck, viii, C, 505.

palmarum, viii, C, 505.

vanillae, viii, C, 282.

Glomera, viii, C, 419.

merrillii, viii, C, 419.

Glonium, viii, C, 496; ix, C, 184.

bambusinum, viii, C, 496; ix, C, 184.

Glória, i, s, 36; iv, B, 221; x, C, 404.

Glossina, iv, B, 295.

morsitans, vii, B, 506; ix, B, 382.

palpalis, vii, B, 488.

Glossogobius aglestes, v, D, 286.

biocellatus, iii, A, 528.

giuris, iii, A, 528; ix, D, 75.

Glossogyne, ix, C, 154.

tenuifolia, ix, C, 40, 154.

Glossospermum cordatum, ix, C, 315.

velutinum, ix, C, 315.

Glossostylus picturatus, v, A, 329.

Glottis nebularius, ii, A, 301, 320; v, D, 107.

Gloxinia, viii, C, 168.

Glumaceae, vi, C, 312.

Glumiflorae, i, s, 25.

Gluta, iv, C, 488.

coarctata, iv, C, 488.

orgyalis, iii, C, 189, 193.

renghas, iv, C, 488.

tavoyana, iv, C, 488.

travancorica, iv, C, 488.

velutina, iv, C, 488.

Glyaspermum ramiflorum, v, C, 180.

Glycerin, germicidal power of, ix, B, 465.

Glycine, iii, C, 231; v, C, 110.

abrus, v, C, 108; ix, C, 91.

cajanoides, v, C, 81, 128.

hispidia, v, C, 110; vii, A, 47, 398.

javanica, iii, C, 231; v, C, 110.

labialis, v, C, 110; ix, C, 92.

lucida, ii, C, 424; v, C, 115; ix, C, 92.

tenuiflora, v, C, 119.

tomentosa, v, C, 7, 110.

vestita, v, C, 110.

warburgii, iii, C, 231; v, C, 124.

Glycosmis, iv, C, 474; vii, C, 160.

cochinchinensis, ix, C, 171.

Glyphonox erraticus, ix, D, 449.

erraticus var. attonitus, ix, D, 449.

posticus, ix, D, 449.

Glyptapanteles manilae, i, 693.

- Glyptopetalum, x, C, 321.
 loheri, x, C, 321.
 marivelense, x, C, 321.
 marivelense var. euphlebiu, x, C, 322.
 Glyptotermes, viii, D, 273.
 longicephalus, viii, D, 274.
 Glyptothecium, viii, C, 75.
 sciuroides, viii, C, 75; ix, C, 207.
 Gmelina, i, s, 121; vii, C, 165.
 arborea, iv, C, 554.
 hystrix, i, 392; i, s, 121.
 philippensis, viii, C, 269.
 Gnaphalium, iii, C, 125; v, C, 397.
 contortum, iii, C, 124.
 hypoleucum, iii, C, 125; v, C, 397.
 japonicum, iii, C, 125; v, C, 397.
 oblancifolium, iii, C, 125.
 tenellum, iii, C, 124.
 Gnathodini, x, D, 50.
 Gnatholabis, v, D, 237.
 Gnatholepis callurus, v, D, 285.
 davaoensis, iv, A, 537.
 deltoides, iii, A, 528; iv, A, 537.
 Gnemon funicularis, vi, C, 175.
 Gnetaceæ, i, s, 24; vi, C, 172, 193.
 Gnetales, i, s, 24; vi, C, 172.
 Gnetoidæ, vi, C, 172.
 Gnetum, i, s, 24.
 arbores, vi, C, 171.
 brunonianum, vi, C, 173.
 domestica femina, vi, C, 173.
 domestica mas, vi, C, 173.
 funiculare, vi, C, 175.
 gnemon, i, 404; i, s, 24; vi, C, 173.
 gnemon laurinum, vi, C, 173.
 gnemon sylvestris, vi, C, 173.
 griffithii, vi, C, 173.
 latifolium, i, 408; i, s, 25; vi, C, 174, 193.
 minus, vi, C, 176.
 neglectum, vi, C, 175.
 ovalifolium, vi, C, 173.
 philippinense, vi, C, 175.
 scandens, vi, C, 175.
 sylvestris, vi, C, 173.
 Gnomoniaceæ, viii, C, 186.
 Go tahi, iv, C, 471.
 Goatfish, iii, A, 529; v, D, 278.
 Gobernadoreillo, viii, D, 173.
 Gobiichthys, iv, A, 532.
 tentacularis, ix, D, 76.
 Gobiidae, iii, A, 528; iv, A, 532; v, D, 285; vii, A, 389; ix, D, 74.
 Gobionellus, iv, A, 532.
 Gobius pectinirostris, ix, D, 74.
 pocillilichthys, ix, D, 75.
 Gobrya bacchoides, viii, D, 330.
 simulans, viii, D, 330.
 Goby, iii, A, 528; v, D, 285; ix, D, 74.
 Gocot maya, v, C, 135.
 Goela, iv, C, 477.
 Gogo, i, 1021; i, s, 62; ii, A, 440; v, C, 32; viii, A, 135.
 casay, v, C, 24.
 Gogon toco, v, C, 24.
 Gogong bacay, v, C, 32.
 casay, iv, C, 460.
 langin, i, 1026.
 toco, i, s, 62.
 Goitre at Taytay, iv, B, 282.
 Gold, i, 624; v, A, 331; x, A, 87.
 alteration and enrichment in calcite-quartz-manganese deposits of, viii, A, 125.
 Aroroy district, vi, A, 418.
 Benguet, vi, A, 438.
 Caramoan Peninsula, x, A, 316.
 Eastern Cordillera placer, v, A, 107.
 Entada scandens, and its effect on, viii, A, 135.
 Mountain Province, x, A, 206.
 northwestern Pangasinan, vii, A, 272.
 Panaon Island, iv, A, 350.
 Paracale black-sand, vii, A, 235.
 southeastern Luzon, vi, A, 477.
 vein deposits of, viii, A, 96.
 veins bearing, viii, A, 84, 92.
 Gold Creek, vein gold deposits, viii, A, 97.
 Goldfish, sea, ix, D, 69.
 Golondrina, ix, C, 101.
 Gomadara-cho, x, D, 289.
 Gomamela, i, s, 92.
 Gomat, iv, C, 471.
 Gomioc, iv, C, 461.
 Gomphandra laxiflora, iii, C, 240.
 Gomphidium, ix, C, 491.
 Gomphostemma, ii, C, 299.
 philippinarum, ii, C, 299.
 Gomphrena, i, s, 52; vii, C, 157; ix, C, 81.
 globosa, i, s, 52; vii, C, 177; ix, C, 81.
 Gomuta, vi, A, 196.
 Gonfolita, vi, A, 381.
 Gong, iv, C, 448.
 Gongrospermum, viii, C, 469.
 philippinense, viii, C, 471.
 Goniarcha malayensis, i, 693.
 Goniocormis teysmanni, iii, C, 270.
 Goniopora, viii, D, 439.
 Goniopteris, ii, C, 192.
 aspera, ii, C, 193.
 asymmetrica, ii, C, 199.
 rubida, ii, C, 207.
 Goniorrhynchus, ii, A, 375.
 plumbeizonalis, ii, A, 375.
 Goniotalamus, i, 424; i, s, 54; ii, C, 273; iii, C, 135, 221; x, C, 262.
 amuyon, x, C, 264.
 copelandii, x, C, 262.
 curtisii, x, C, 264.
 dolichopetalus, iii, C, 221.
 elmeri, i, s, 54; ii, C, 273; iii, C, 76; ix, A, 450.
 giganteus, iii, C, 136.
 gigantifolius, x, C, 263.
 gitingensis, x, C, 264.
 philippinensis, iii, C, 135.
 prainianus, x, C, 263.
 tapis, iv, C, 451.
 tenuifolius, x, C, 263.
 Goniiothecium, viii, C, 263.

- Goniozus, ix, D, 288.
 depressus, ix, D, 288.
 philippinensis, ix, D, 288.
 triangulifer, ix, D, 288.
- Gonocaryum, i, s, 86; iii, C, 243, 418.
 calleryanum, iii, C, 243, 418; iv, C, 703; ix, A, 499.
 tarlacense, i, 387, 638; i, s, 86; iii, C, 243.
 teysmannianum, iii, C, 243.
- Gonocephalum adpressum, viii, D, 376.
 depressum, viii, D, 376.
- Gonoceraria, iv, A, 568.
- Gonocerus acutus, iv, A, 568.
- Gonococcus, inoculation of bacterial vaccines with special reference to the treatment of infections due to the, iii, B, 421.
- Gonodactylus, x, D, 179.
 affinis, x, D, 180.
 chiragra, x, D, 179.
 chiragra var. platysoma, x, D, 180.
 demani, x, D, 182.
 excavatus, x, D, 184.
 glaber, x, D, 186.
 glabrous, x, D, 182.
 glabrous var. ternatensis, x, D, 183.
 glyptocercus, x, D, 186.
 incipiens, x, D, 180.
 nefandus, x, D, 183.
 proximus, x, D, 183.
 pulchellus, x, D, 183.
 smithi, x, D, 180.
 spinosissimus, x, D, 186.
 trispinosus, x, D, 183.
 tuberosus, x, D, 170.
- Gonophlebium, vii, C, 49.
- Gonophora apicalis, viii, D, 237.
 femorata, viii, D, 237.
 fulva, viii, D, 238.
- Gonopterinae, ii, A, 365.
- Gonostegia, v, C, 344, 467; vi, C, 9, 299.
 alternifolia, vi, C, 9.
 hirta, v, C, 344; vi, C, 9.
 integrifolia, vi, C, 10.
 oppositifolia, vi, C, 9.
 pentendra, vi, C, 9.
 reptans, vi, C, 10.
- Gonothea blumei, v, C, 243.
- Gonus amarissimus, x, C, 18.
- Gonyanera, iii, C, 165.
- Gonyod, x, C, 402.
- Gonystylaceae, i, s, 90; iv, C, 497.
- Gonystylus, i, s, 90.
 bancanus, i, s, 90; iv, C, 497.
 miquelianus, iv, C, 497.
- Goodeniaceae, ii, C, 427, 434; vi, C, 228; ix, C, 152.
- Goodenoviaceae, v, C, 249; vii, C, 167, 353.
- Goodfellowia, ii, A, 258.
- Goodyera, ii, C, 315; viii, C, 409.
 ramosii, viii, C, 409.
 repens, iv, C, 664; viii, C, 409.
- Gooseberry, star, viii, A, 72.
- Gordonia, i, s, 95; iii, C, 114.
 acuminata, iii, C, 114; vi, C, 279.
 excelsa, iv, C, 503.
- Gordonia—Continued.
 fragrans, i, 644; i, s, 95; iii, C, 114; ix, A, 508.
 luzonica, iii, C, 114.
 obtusa, iv, C, 503.
 polysperma, iii, C, 247.
 vidalii, iii, C, 114; vi, C, 279.
- Gorgopsis cristiventris, viii, D, 321.
- Gorimalia, x, D, 24.
- Gorung-gorung, v, C, 62.
- Gososo, ix, C, 107.
- Gossypium, vi, C, 343; vii, C, 162; ix, C, 111.
 arboreum, vi, C, 345; ix, C, 111.
 barbadense, ix, C, 111.
 brasiliense, vi, C, 343; vii, C, 186; viii, C, 476; ix, C, 111.
 herbaceum, viii, C, 476.
 hirsutum, vii, C, 186.
 nanking, vi, C, 343.
 paniculatum, vi, C, 343.
 punctatum, vi, C, 344.
 rubicunda, vi, C, 343.
- Gota de Leche, v, B, 242.
- Gouania, vii, C, 162.
 microcarpa, vi, C, 209.
- Gourd, bottle, iv, B, 222.
- Goyabano, viii, A, 66.
- Goyavius psidium, i, 219.
- Goyoran, x, C, 407.
- Grabhamia, i, 986.
 spenceri, viii, D, 306.
 spencerii, i, 986.
- Gracillaria confervoides, vi, D, 309.
 crassa, vi, D, 309.
 eucheumoides, vi, D, 309.
 lichenoides, vi, D, 309.
- Gracula, ii, A, 258.
- Gram, green, iv, B, 222.
- Grana, vii, A, 386.
- Granada, vi, C, 212; ix, C, 118.
- Granatang gubat, iv, C, 75.
- Granates, iv, B, 221.
- Grande River of Mindanao, v, A, 346.
- Grangea, vii, C, 168.
 maderaspatana, vii, C, 196.
- Granite, v, A, 170, 325.
 Mountain Province, x, A, 192.
 northwestern Pangasinan, vii, A, 261.
- Grano, x, C, 360.
- Granulite of Ilocos Norte, ii, A, 151.
- Graphiola, viii, C, 477.
 cylindrospora, viii, C, 477.
- Graphiphora e-nigrum, v, D, 171.
- Graphite, x, A, 87.
- Graphosoma trimaculata, iv, A, 561.
- Graphosomatinae, iv, A, 559.
- Graptomyza brevirostris, viii, D, 314.

- Graptomyza*—Continued.
literata, viii, D, 309.
microdon, viii, D, 309.
Graptophyllum, vii, C, 166; ix, C, 142.
pictum, vii, C, 188, 206; ix, C, 142.
Graptostethus, iv, A, 572.
servus, iv, A, 572.
 Grass sponge, Philippine, iv, A, 59.
 Grasses, Philippine, i, No. 5, 457.
 manufacture of paper from, i, No. 5, 456.
 two new, ii, C, 419.
 Grasshopper experiments in Algeria, with *Coccobacillus aeridiorum*, x, B, 175.
Gratiola monniera, ix, C, 140.
pusilla, vii, C, 246.
veronicaefolia, ix, C, 140.
 Gravel, Caramoan Peninsula, x, A, 318.
 concrete construction, iv, A, 463; v, A, 122.
 southwestern Luzon, v, A, 111.
 Grawang, iv, C, 541.
 Gray snapper, ix, D, 15.
 Graywacke, Benguet, ii, A, 241.
 Green colors, the dyeing of, v, A, 441.
Greenea, iv, C, 323.
corymbosa, iv, C, 324.
longiflora, iv, C, 323.
Greeniopsis, iv, C, 324; v, C, 230.
multiflora, iv, C, 325.
philippinensis, iv, C, 324.
pubescens, v, C, 230.
Gregarina fusca, ii, B, 18.
pulmonum, ii, B, 18.
Gregarinosus pulmonum, ii, B, 18.
Grevillea robusta, iv, C, 447.
Grewia, i, No. 5, 439; i, s, 90; v, C, 361; vii, C, 89, 162, 298; ix, C, 109.
acuminata, vii, C, 300.
banahaensis, iv, C, 291.
edulis, vii, C, 298.
laevigata, vii, C, 90, 302.
mariannensis, ix, C, 109.
microcos, iv, C, 498.
multiflora, i, s, 90; vii, C, 90, 302; ix, C, 110.
ovata, vii, C, 299.
palawanensis, vii, C, 300.
parva, vii, C, 301.
rizalensis, vii, C, 303.
rolfei, vii, C, 302.
setacea, vii, C, 89.
sp., ii, A, 85.
stylocarpa, i, 406, 638; i, s, 90; iii, C, 203; iv, C, 703; vii, C, 299; ix, A, 450; x, C, 190.
tiliaefolia, i, 415; i, s, 91; iv, C, 498; vii, C, 302.
umbellata, i, s, 91; vii, C, 300.
Griffithia, x, C, 231.
cupularis, x, C, 231.
fusca, x, C, 231.
magnoliaepetala, x, C, 231.
Griffithianthus, x, C, 231.
cupularis, x, C, 231.
fuscus, x, C, 231.
- Griffithianthus*—Continued.
magnoliaeflorus, x, C, 231.
merrillii, x, C, 231.
Grillacridi delle Isole Filippine, x, D, 61.
Griting, iv, C, 529.
 Ground-water resources in Panay, x, A, 226.
 Grouper, iii, A, 527.
 Growth and nutrition, vi, B, 1.
 Growth movements of *Lagerstroemia*, viii, C, 287.
Grumilea, ix, C, 148; x, C, 129.
acuminatissima, x, C, 132.
alvarezii, x, C, 132.
amaracarpoides, x, C, 134.
arborescens, x, C, 130.
banahaensis, x, C, 132.
bataanensis, x, C, 132.
cagayanensis, x, C, 133.
camarinensis, x, C, 135.
cephalophora, x, C, 133.
crispipila, x, C, 133.
erythrotricha, x, C, 133.
euphlebia, x, C, 133.
fasciculiflora, x, C, 135.
gracilipes, x, C, 132.
isarogensis, x, C, 136.
lanaensis, x, C, 136.
loheri, x, C, 132.
longipedicellata, x, C, 133.
longipedunculata, x, C, 133.
luçonensis, x, C, 131.
macgregorii, x, C, 133.
malayana, x, C, 132.
microphylla, x, C, 130.
mindanaensis, x, C, 130.
negrosensis, x, C, 131.
nigra, x, C, 129.
nitens, x, C, 137.
palawanensis, x, C, 134.
paloensis, x, C, 131.
papillata, x, C, 138.
phanerophlebia, x, C, 131.
pilosella, x, C, 131.
pinnatinervia, x, C, 131.
plumieriaefolia, x, C, 131.
pyramidata, x, C, 134.
radicans, x, C, 139.
rizalensis, x, C, 130.
rubiginosa, x, C, 131.
sarmentosa, x, C, 124.
sibuyanensis, x, C, 139.
similis, x, C, 134.
subalpina, x, C, 131.
subsessiliflora, x, C, 131.
tayabensis, x, C, 133.
urdanetensis, x, C, 130.
velutina, x, C, 133.
versicolor, x, C, 130.
weberi, x, C, 133.
wenzelii, x, C, 140.
 Grunt, iii, A, 528; iv, A, 512; v, D, 276; vii, A, 390; ix, D, 66.
Gryllacris, x, D, 66.
alivittata, x, D, 66.
americana, x, D, 61.
arctata, x, D, 68.

Gryllacris—Continued.

- biguttata, x, D, 68.
 biguttata var. detersa, x, D, 68.
 brachyptera, x, D, 70.
 brevispina, x, D, 68.
 elongata, x, D, 66.
 fuscineris, x, D, 69.
 isseli, x, D, 69.
 limbaticollis, x, D, 69.
 maculipennis, x, D, 67.
 maculipennis var., x, D, 67.
 maculipennis var. bakeri, x, D, 67.
 moesta, x, D, 68.
 nasalis, x, D, 68.
 nasalis var. detersa, x, D, 68.
 nigripennis subsp. trimaculata, x, D, 66.
 nigrogeniculata, x, D, 69.
 obscura, x, D, 66.
 plebeia, x, D, 70.
 plebeia var. immaculata, x, D, 70.
 princeps, x, D, 67.
 punctifrons, x, D, 69.
 pustulata, x, D, 66.
 pustulata subsp. mindorensis, x, D, 67.
 scripta, x, D, 70.
 signifera var., x, D, 66.
 sumatrana, x, D, 66.
 trimaculata, x, D, 66.
 vittipes, x, D, 67.
 Grymanis salicifolia, ii, C, 386; x, C, 310.
 Gryostemon blancoi, iv, C, 103.
 Gryphaea sp., v, A, 329.
 Guabano, viii, A, 66.
 Guadalupe stone, v, A, 109; viii, A, 241.
 Guadua, viii, C, 203.
 philippinensis, viii, C, 203.
 Guam, orchids of, ix, C, 11.
 plants of, ix, C, 17, 97.
 Guamia, x, C, 243.
 mariannae, x, C, 243.
 Guanabana, vii, C, 113; x, D, 140.
 Guanabanis, vii, C, 113.
 Guanabano, iv, B, 221; vii, C, 113; viii, A, 66.
 Guanabena, vii, C, 113.
 Guanabo, vii, C, 113.
 Guanavana, vii, C, 113.
 Guano, P. I., vii, A, 195; x, A, 88.
 Guardia civil, ix, D, 472.
 Guatteria micrantha, x, C, 230.
 pallida, iii, C, 76.
 Guava, i, 398; i, s, 103; iv, B, 221; iv, C, 336;
 vi, A, 2; vii, C, 199; viii, A, 72.
 Guayabano, viii, A, 66.
 Guayabas, i, s, 103; iv, C, 336; vi, A, 2.
 Guayabo, viii, A, 72.
 Gubangbangtita, vii, C, 94.
 Gudayong, iv, C, 462.
 Gudic, iii, C, 7.
 Guenayang, iv, C, 365.
 Guepinia, ix, C, 235, 352.
 ramosa, v, C, 163; ix, C, 235.
 spathularia, ix, C, 235, 352.
 Guettarda, iii, C, 437; ix, C, 143.
 polyandra, iii, C, 6.
 speciosa, iii, C, 437; iv, C, 560; ix, C, 143.
 Guggar, iv, C, 475.
 Gugnias, ii, A, 343.
 Guilacum abilo, ii, C, 432.
 floribunda, ii, C, 432.
 mollis, ii, C, 432.
 Guinganes, i, 827.
 Guignardia, viii, C, 482.
 creberrima, viii, C, 482.
 freycinetiae, viii, C, 184.
 Guiso, i, 413; i, s, 98; ii, A, 382; ii, C, 384;
 iv, C, 509, 517; vi, C, 274; ix, A, 432.
 Guilaquila, Cebu, coal at, x, A, 292.
 Guilandina bonduc, v, C, 53; ix, C, 88.
 bonduc var. majus, v, C, 54.
 bonducella, v, C, 53.
 crista, v, C, 53; ix, C, 88.
 glabra, v, C, 54; ix, C, 88.
 major, v, C, 54.
 moringa, ix, C, 85.
 nuga, v, C, 54.
 Guilas, ix, D, 485.
 Guimac, v, C, 273.
 Guimaras Island, water supply at, x, A, 70.
 Guinaes, i, 851.
 Guinalman, ix, D, 485.
 Guinanayan, x, C, 407.
 Guinanes, i, 851.
 Guinataan, vi, A, 150.
 Guinea pigs, experiments with Stomoxys and,
 vii, B, 482.
 immunization by the inoculation of avirulent
 tubercle bacilli in agar, x, B, 145.
 immunization by vaccination with avirulent
 plague bacilli mixed with agar, vii,
 B, 245.
 infection with plague bacilli, vii, B, 251.
 susceptibility to pneumonic plague, vii,
 B, 223.
 Guinea worm infection among Moros, iv, B,
 296.
 Guinhalinan River, geologic section on, viii,
 A, 322.
 Guioa, i, s, 87; v, C, 359; vii, C, 161; ix, C,
 183.
 acuminata, viii, C, 465.
 aptera, i, s, 87; viii, C, 446.
 diplopetala, viii, C, 446.
 discolor, viii, C, 446.
 falcata, viii, C, 461.
 glauca, viii, C, 446.
 lasiothyrsa, i, s, 87; viii, C, 446.
 myriadenia, viii, C, 446.
 perrottetii, i, 391, 644; i, s, 87; iii, C,
 79; v, C, 359; viii, C, 446.
 pleuropteris, viii, C, 446.
 pubescens, iv, C, 493; viii, C, 446.
 reticulata, viii, C, 462.
 salicifolia, viii, C, 446.
 subapiculata, viii, C, 446.
 sulphurea, viii, C, 462.
 truncata, viii, C, 446.
 Guipus-guipus, v, C, 97.
 Guisgues, iv, C, 393.
 Guisihan, iv, C, 367.
 Guiso, i, s, 98; x, A, 196.

- Guisoc, vi, C, 263.
 Guisoc-amarillo, vi, C, 270.
 Guisoc-guisoc, vi, C, 262.
 Guisoy, vi, C, 284.
 Gulagan, iv, C, 361.
 Gulaman, iv, B, 220; vi, D, 308.
 Guliga, x, D, 53.
 Gulung-gulung, v, C, 62.
 Gum acacia, expressed liquor from foot and meat of a sprouting nut in emulsion with coconut oil and, iii, A, 116.
 Gum, black, vi, A, 15.
 blue, iv, C, 533.
 red, iv, C, 534.
 sour, vi, A, 15.
 spotted, iv, C, 533.
 Gumaldi, iv, C, 554.
 Gummiferae, vii, C, 176.
 Gumuti, vi, A, 194.
 Guno, iii, A, 514.
 Gunoc, iii, A, 529; iv, A, 496.
 Gunoi, vi, C, 14.
 Guntul, iii, A, 518.
 Gunġat, vi, D, 238.
 Gupit, iii, C, 227.
 Gur, vi, A, 165.
 Guraman, vi, D, 309.
 Gurjun, iv, C, 509, 514.
 Gurjun balsam, i, 199.
 Guso, i, s, 72.
 Gussenea pauciflora, ii, C, 98.
 Gutah sundik, iv, C, 541.
 Guttiferae, i, 422; i, s, 96; ii, A, 444; ii, C, 285, 391; iii, C, 78, 420; iv, C, 291, 504, 704; v, A, 179; v, C, 197, 364; vi, C, 211; vii, C, 92, 162, 307; ix, A, 555; ix, C, 114, 378, 454; x, A, 196; x, C, 324.
 Guyong, vi, C, 258.
 Guyong-guyong, i, s, 96; iv, C, 293, 294; vi, C, 214.
 Gyam, vi, C, 263.
 Gymnacranthera, i, s, 55.
 lanceolata, i, s, 55.
 paniculata, i, s, 55; ix, A, 449.
 Gymnema, i, s, 295; iii, C, 428; vii, C, 164.
 pachyglossum, i, s, 295; iii, C, 428; ix, C, 428.
 Gymnocladus canadensis, vi, A, 15.
 dioica, vi, A, 15.
 Gymnodactylus agusanensis, x, D, 90.
 annulatus, x, D, 92.
 philippinicus, x, D, 93.
 Gymnogramma, vii, C, 50.
 iridifolia, i, s, 149.
 Gymnogramme aspidioides, ii, C, 206.
 canescens, ii, C, 198.
 decurrenti-alata, iii, C, 279.
 grandis, iii, C, 35.
 quinata, vi, C, 85.
 subtrifoliata, i, s, 153.
 Gymnolæmus lemprieri, i, 904.
 Gymnonerius duplicatus, viii, D, 311.
 fuscus, viii, D, 330.
 Gymnopteris, i, s, 15.
 contaminans, i, 408; i, s, 15.
 inconstans, i, s, 15.
 Gymnopteris—Continued.
 taccaefolia, i, s, 15; ii, C, 170.
 taccifolia, i, 399.
 Gymnosarda pelamis, iii, A, 515.
 Gymnospermæ, i, s, 24; v, C, 324.
 Gymnosperms, P. I., vi, C, 149.
 Gymnosphaera glabra, iv, C, 35.
 squamulata, iv, C, 37.
 Gymnosporia, iii, C, 109; iv, C, 491; vii, C, 161; ix, C, 105, 311.
 ambigua, iii, C, 110.
 montana, iii, C, 109; iv, C, 491.
 nitida, ix, C, 311.
 philippinensis, iii, C, 109.
 spinosa, iii, C, 109; viii, C, 481; ix, C, 106, 312.
 spinosa var. parva, iii, C, 110.
 thompsonii, ix, C, 105.
 Gymnostachyum, i, s, 126.
 affine, i, 419; i, s, 126.
 nudispicum, x, C, 348.
 Gymnothorax indong, iv, A, 491.
 samalensis, iv, A, 492.
 Gymnothrix nigricans, i, s, 368.
 Gymnura, vi, D, 193.
 Gynandrophthalma impicta, viii, D, 216.
 Gynandropsis, i, s, 58; vii, C, 158.
 pentaphylla, i, 669; i, s, 58; iii, C, 182; vii, C, 183.
 Gynocardia odorata, iv, C, 521.
 Gynoecephalum luzoniense, ii, C, 432.
 Gynochthodes, vi, C, 226.
 Gynopogon monilifera, i, s, 117.
 parvifolia, iv, C, 313.
 torresianus, ix, C, 128.
 Gynostemma, i, s, 138; iii, C, 267; iv, C, 329; v, C, 392.
 elongatum, iii, C, 267; vii, C, 353.
 integrifolium, i, s, 138; iii, C, 267; vii, C, 353.
 pedatum, iii, C, 267; v, C, 392.
 simplicifolium, iv, C, 329.
 Gynotroches, i, s, 102; ii, C, 283; x, C, 333.
 axillaris, ii, C, 283; iv, C, 528; vi, C, 213; x, C, 333.
 parvifolia, i, 656; i, s, 102.
 puberula, x, C, 333.
 Gynura, i, s, 244; iii, C, 127, 442; v, C, 252, 398; vii, C, 355.
 affinis, iii, C, 127.
 angulosa, v, C, 252, 399.
 aurantiaca, iii, C, 127.
 bicolor, v, C, 399.
 clementis, i, s, 244.
 elliptica, iii, C, 442.
 finlaysonian, iii, C, 127.
 macgregorii, v, C, 398.
 nepalensis, iii, C, 127.
 nitida, v, C, 399.
 piperi, vii, C, 355.
 pseudo-china, iii, C, 127; v, C, 399.
 purpurascens, iii, C, 127.
 rubiginosa, iii, C, 127.
 sarmentosa, iii, C, 127; v, C, 252, 399.
 scabra, iii, C, 127.
 vidaliana, iii, C, 127; v, C, 398.

- Gyponinae, x, D, 50.
 Gypsum, x, A, 88.
 Gyrinopsis, vii, C, 813.
 brachyantha, vii, C, 313.
 cumingiana, vii, C, 314.
 Gyrocarpus jacquini, iv, C, 455.
 Gyrolasia tagala, i, 691.
 Gyrtona, v, D, 173.
 hylusalis, v, D, 173.
 lapidaria, v, D, 173.
 proximalis, v, D, 173.
- H**
- Habas, i, s, 197.
 Habenaria, i, s, 37; ii, C, 312; iv, C, 600;
 vii, C, 2, 156.
 alagensis, ii, C, 312.
 angustata, ii, C, 312.
 aristulifera, vii, C, 2.
 clavellata, vii, C, 4.
 curranii, vii, C, 2.
 delessertiana, vii, C, 2.
 diphylla, vii, C, 6.
 falcigera, vii, C, 6.
 halconensis, ii, C, 312.
 hystrix, vii, C, 2.
 leibergii, iv, C, 600.
 mearnsii, vii, C, 3.
 militaris, vii, C, 5.
 muricata, i, s, 37; vii, C, 2.
 ponerostachys, vii, C, 4.
 robinsonii, vii, C, 5.
 rosulata, vii, C, 5.
 Habrobracon rugosiventris, i, 694.
 Habroteleia browni, ix, D, 286.
 Habu venom and its serum therapy, iii, B,
 151, 188.
 Haciendas, intestinal parasites in tobacco,
 vi, B, 77.
 Hackberry, vi, A, 15.
 Hackelochloa granularis, i, s, 26, 329.
 Hadronoma orbiculare, v, C, 166.
 Hadronotus flavipes, i, 690; ix, D, 286.
 luteipes, i, 690.
 philippinensis, i, 695; ix, D, 286.
 Haedus, v, D, 60.
 Haemaria, ii, C, 315; vii, C, 6.
 merrillii, ii, C, 315; vii, C, 6.
 Haematobia serrata, i, 1072.
 Haematomma, viii, C, 99.
 puniceum, viii, C, 99.
 puniceum var. esorediata, viii, C, 99.
 Haematomyces, viii, C, 262.
 carneus, viii, C, 262.
 Haematopinus tuberculatus, iv, B, 237.
 Hemoglobin, American soldiers in the P. I.
 and their, vi, B, 483.
 estimations of, vi, B, 440.
 Hemorrhage, complication of amebic infec-
 tion by intestinal, i, 562.
 Hemulidae, iii, A, 518; iv, A, 511; v, D, 276;
 vii, A, 390; ix, D, 67.
 Hagachac, ii, C, 373; iv, C, 510, 513; vi,
 C, 246.
 Hagaga, vi, D, 83.
 Hagalay, vi, A, 2, 51.
 Haganaga, vi, D, 83.
 Hagimit, ix, A, 450.
 Hagoho, iv, C, 401.
 Hagorilis, i, s, 51.
 Hair, microscopical examination of diseased,
 ix, B, 221.
 temperatures in, vii, B, 101.
 Hak chong, ix, D, 63.
 Hal potu, vi, A, 165.
 Halaan, vii, D, 275.
 Halañgcb, vi, D, 242.
 Halban, iv, C, 557.
 Halcon, the ascent of Mount, ii, A, 179.
 Halconia, ii, C, 281; ix, C, 375.
 involutata, ii, C, 281.
 Halcyon chloris, i, 701, 769, 773; ii, A, 284,
 303, 313, 324, 339, 346, 349; iii, A, 278;
 iv, A, 70; v, D, 110.
 coromandus, ii, A, 345; iv, A, 70.
 gularis, i, 701; ii, A, 303, 324; iii, A,
 278; iv, A, 70; v, D, 110.
 hombrovi, iv, A, 70.
 lindsayi, v, D, 220.
 moseleyi, vi, D, 42.
 winchelli, i, 773; ii, A, 284, 324; iv,
 A, 70.
 Halfbeak, iii, A, 528; v, D, 267; ix, D, 60.
 Haliaetus leucogaster, i, 700, 772; ii, A, 288,
 302, 312, 323, 339, 345, 349.
 Haliastur intermedius, i, 700; ii, A, 283,
 302, 312, 323; iii, A, 277; v, D, 108,
 199.
 Halibut, ix, D, 13.
 Halichæres dumsumieri, ix, D, 70.
 iris, iv, A, 522.
 javanicus, ix, D, 70.
 nigrescens, ix, D, 70.
 pœciropterus, ix, D, 70.
 Halictus manilae, i, 686.
 robbii, i, 686.
 Haliotidae, vii, D, 280.
 Hallieracantha, x, C, 341.
 Halmalille, iv, C, 497.
 Halme spinicornis, x, D, 237.
 Halmendora, iv, C, 519.
 Halobabai, iv, B, 219.
 Halodule uninervis, ix, C, 49.
 Halophila, vii, C, 153, 228; ix, C, 50; x,
 C, 2.
 baillonii, iv, C, 68.
 beccarii, vii, C, 228.
 decipiens, iv, C, 68.
 ovalis, iv, C, 67; ix, C, 50; x, C, 2.
 ovata, iv, C, 67; ix, C, 50; x, C, 2.
 spinulosa, x, C, 2.
 Halorrhagacæ, i, s, 216; ii, C, 288; v, C,
 369.
 Halorrhagis, i, s, 216; ii, C, 288; v, C, 369.
 halconensis, ii, C, 288.
 micrantha, i, s, 217; ii, C, 289; v, C,
 369.
 philippinensis, i, s, 216.
 scabra var. elongata, i, s, 216.
 Halteridium, ii, B, 83.
 Haltichella ludlowæ, i, 691.
 nasuta, i, 691.
 validicornis, i, 691.

- Halupe, vi, D, 232.
 Halymenia formosa, vi, D, 309.
 Halyria, iv, A, 560.
 Hamagos, iv, C, 325.
 Hamamelidaceæ, iv, C, 263, 456.
 Hambabæ, ii, A, 382.
 Hambabalog, viii, C, 41.
 Hamindang, ix, A, 450.
 Hammatocoris pictus, iv, A, 585.
 Hamodes, v, D, 175.
 attacicola, v, D, 175.
 aurantiaca, v, D, 175.
 dicistriga, v, D, 175.
 marginata, v, D, 175.
 propitia, v, D, 175.
 Hampeella, viii, C, 75.
 leptodictyon, viii, C, 75.
 pallenti, viii, C, 75.
 Hana'ti vi, D, 238.
 Hanatuco morado, x, C, 414.
 Hancea pierrei, vi, C, 265.
 Handalamay, vi, C, 14.
 Handalumog, v, C, 530.
 Hangalay, iv, A, 209.
 Hangos, iv, C, 345.
 Hanguana, x, C, 3.
 kassintu, x, C, 3.
 malayana, x, C, 3.
 Hanlagasi, vi, C, 28.
 Hanon, vii, C, 113.
 Hanopol, vi, C, 199.
 Hansen bacillus, v, B, 467.
 Haplachne pilosissima, i, s, 321; ix, C, 50.
 Haplochorema, iv, C, 155.
 Haploactyla molpadioides, vi, D, 313.
 molpadioides pellucida, vi, D, 313.
 Haplonodon, v, D, 211.
 philippinensis, v, D, 212; vi, D, 258.
 Haplopetura boa, iv, A, 600; vi, D, 267.
 Haplopilus, i, s, 287.
 gilvus, i, s, 287.
 licnoides, i, s, 287.
 Haplosynx albicornis, viii, D, 225.
 banksi, viii, D, 225.
 chalybaeus, viii, D, 226.
 concinus, viii, D, 226.
 elongatus, viii, D, 226.
 fulvicornis, viii, D, 226.
 indicus, viii, D, 227.
 nigripennis, viii, D, 226.
 philippinus, viii, D, 227.
 smaragdipennis, v, D, 141.
 speciosus, v, D, 141.
 sumatrae, viii, D, 227.
 Haplostylis meyenii, ii, C, 101.
 wrightiana, ii, C, 101.
 Hapnit, vi, C, 281.
 Haptoneus lator, ix, D, 538.
 lotrolus, ix, D, 539.
 Hara, iv, C, 514.
 Hardwickia, iv, C, 469.
 alternifolia, iv, C, 267, 471; v, C, 38.
 binata, iv, C, 471.
 pinnata, iv, C, 268, 471.
 Harengula gibbosa, iii, A, 514; vii, A, 390.
 longiceps, iii, A, 514.
 Harengula—Continued.
 moluccensis, iii, A, 514; vii, A, 390.
 Harigue, i, 830; ii, A, 384.
 Harima, ix, D, 263.
 Harmonia octomaculata, v, D, 147.
 Harpactor, iv, A, 587.
 iracundus, iv, A, 587.
 marginellus, iv, A, 587.
 Harpactoraria, iv, A, 587.
 Harpactorinæ, iv, A, 587.
 Harpagomyia ceruleovittata, viii, D, 307.
 Harpullia, i, s, 88.
 arborea, i, 391; i, s, 88; viii, C, 448.
 cupanioides, iv, C, 494.
 imbricata, iv, C, 494.
 macrocalyx, viii, C, 473.
 Harpyia kandyia, ii, A, 370.
 Harpyionycteris, vii, D, 11.
 whiteheadi, vii, D, 11.
 Harra, iv, C, 530.
 Harrisonia, vii, C, 160, 236.
 bennetii, vii, C, 236.
 perforata, vii, C, 236.
 Harvest feast of the Kiangnan Ifugao, vi, D, 81.
 Hasa—hasa, iii, A, 515.
 Hashidoi, x, D, 300.
 Hasmin, ix, C, 128.
 Hasu, vi, C, 4.
 Hats, i, No. 5, 439.
 Philippine, vi, C, 93.
 suitability for tropical climate of, vii, B, 109.
 Hauili, i, s, 45; vi, C, 208; ix, A, 462.
 Hawaiian ferns collected by M. l'Abbé U.
 Faurie, ix, C, 435.
 Hayopag, iii, C, 328.
 Head louse, i, 1072.
 Health, conditions in the P. I. governing, iii, B, 269.
 unsolved problems concerning, peculiar to the P. I., v, B, 171, 243.
 Hearnia, iii, C, 146, 235.
 Heart, condition of the, in plague, x, B, 300.
 diseases of the, iii, B, 214.
 Heartwood, iv, C, 546.
 Heat, physiological effects of moist, v, B, 539.
 production of salt in the P. I. by, x, A, 395.
 Heat stroke, vi, B, 129.
 Hebecoccus falcatus, viii, C, 453.
 inaequalis, viii, C, 453.
 Hebeophora, v, C, 395.
 Hebonga, vi, C, 365.
 mollis, vi, C, 367.
 obliqua, vi, C, 366.
 Hebradendron, iii, C, 367.
 Hebridae, v, D, 60.
 Hecabolini, i, 694.
 Hecabolus ruficeps, i, 694.
 rufocinctus, i, 694.
 Hecalusaria, x, D, 50.
 Hecistopteris, ii, C, 174.
 Heckeria, v, C, 463.
 Hedycarpus lanceolatus, iv, C, 277.
 Hedychium, iv, C, 164; vii, C, 156.
 album, iv, C, 164.

Hedychium—Continued.

- coronarum, iv, C, 164; vii, C, 182; ix, C, 444.
 gandasulium, iv, C, 164.
 lingulatum, iv, C, 164.
 philippinense, iv, C, 164.
 prophetae, iv, C, 164.
 Hedychrum philippinum, viii, D, 287.
 stantoni, i, 688; viii, D, 287.
 Hedyotis, i, s, 127, 239; ii, C, 302; iii, C, 162, 436; v, C, 231, 388; viii, C, 33; ix, C, 143.
 acutangula, viii, C, 36.
 angustifolia, v, C, 388.
 auricularia, viii, C, 36.
 bartlingii, v, C, 388.
 benguetensis, v, C, 232.
 cagayanensis, v, C, 231.
 caudata, viii, C, 33.
 coeruleus, viii, C, 38.
 congesta, i, s, 127; ii, C, 303; vi, C, 222; viii, C, 36.
 connata, viii, C, 36.
 costata, viii, C, 38.
 elmeri, i, 664; i, s, 127; ii, C, 302.
 eucapitata, ii, C, 303.
 hispida, ii, C, 302.
 humilis, viii, C, 33.
 laevigata, vi, C, 222; viii, C, 37.
 lineatus, viii, C, 38.
 macgregorii, v, C, 231.
 macrostegia, ii, C, 303.
 mariannensis, ix, C, 144.
 megalantha, ix, C, 143.
 microphylla, i, s, 239; iii, C, 162; v, C, 388.
 montana, ii, C, 304.
 ovatifolia, viii, C, 46.
 parva, iii, C, 162.
 phanerophlebia, viii, C, 34.
 philippensis, vi, C, 222; viii, C, 37.
 philippensis var. asperima, viii, C, 38.
 philippensis var. meyeniana, viii, C, 38.
 pilosissima, v, C, 232.
 prostrata, viii, C, 36.
 pterita, v, C, 243.
 radicans, iii, C, 436.
 ramosii, viii, C, 35.
 rhinophylla, viii, C, 34.
 scandens, viii, C, 33.
 stylosa, i, s, 127.
 subvenosa, viii, C, 36.
 vachellii, viii, C, 36.
 vestita, viii, C, 38.
 whiteheadii, ii, C, 303.

Hedysarum bupleurifolium, v, C, 91.

- capitatum, v, C, 84.
 diphyllum, v, C, 77; ix, C, 90.
 gangeticum, v, C, 87; ix, C, 90.
 gyrans, v, C, 86.
 gyroides, v, C, 86.
 heterocarpum, v, C, 84.
 heterophyllum, v, C, 86; ix, C, 90.
 lagopodioides, v, C, 93.
 lagopoides, v, C, 93.
 lasiocarpum, v, C, 88.

Hedysarum—Continued.

- latifolium, v, C, 88.
 lineatum, iv, C, 267; v, C, 129.
 malacophyllum, v, C, 84.
 microphyllum, v, C, 86.
 nummularifolium, v, C, 92; ix, C, 91.
 obcordatum, v, C, 94.
 ormocarpoides, v, C, 82.
 pictum, v, C, 93.
 polycarpon, v, C, 84.
 procumbens, v, C, 82.
 pulchellum, v, C, 79.
 reniforme, v, C, 94.
 scalpe, v, C, 83.
 scorpiurus, v, C, 81.
 sennoides, v, C, 76.
 sericeum, iii, C, 104; v, C, 94.
 spirale, v, C, 82.
 strobiliferum, v, C, 129.
 triflorum, v, C, 85; ix, C, 91.
 triquetrum, v, C, 86.
 umbellatum, v, C, 80; ix, C, 91.
 vespertilionis, v, C, 93.
 viscidum, v, C, 90.

Heilipus, vii, D, 392.

Heinzmannia, i, 991.

scintillans, i, 991.

Hekista laudator, x, D, 84.

Heko, vii, A, 388.

Helconinae, i, 693.

Helconini, i, 693.

Helcosoma tropicum, i, 104; iv, B, 122.

Heleocharis afflata, ii, C, 91.

equisetina, ii, C, 89.

esculenta, ii, C, 89.

pellucida, ii, C, 91.

plantaginea, ii, C, 89.

schweinfurthiana, ii, C, 91.

Helianthemum triflorum, x, C, 190.

Helianthus, vii, C, 168.

annuus, vii, C, 190.

Helicia, i, s, 49; iii, C, 132; iv, C, 448; x, C, 300.

castaneaefolia, x, C, 189.

cumingiana, i, 655; i, s, 49.

excelsa, iv, C, 448.

graciliflora, iii, C, 132.

integra, x, C, 301.

longiflora, x, C, 300.

loranthoides, iii, C, 132.

molucaana, x, C, 301.

petiolaris, iv, C, 448.

philippinensis, i, 644; i, s, 49; iv, C, 448.

robusta, iv, C, 448.

Helicteres, i, s, 93; vii, C, 162.

apetala, ii, C, 383.

hirsuta, i, s, 93; ix, C, 189.

pinnata, ii, C, 371; iv, C, 489.

spicata, i, s, 93.

Heligme rheedii, i, s, 118; ii, C, 435.

Heliphila unipuncta, i, 1068.

Heliophyllum indicum, iv, C, 695.

Heliopora caerulea, vi, D, 307.

Heliotropium, i, s, 120; iii, C, 123, 430; iv, C, 695; vii, C, 165; ix, C, 134; x, C, 340.

Heliotropium—Continued.

- bracteatum, iii, C, 123; iv, C, 695.
 coromandelianum, iv, C, 695; x, C, 340.
 coromandelianum var. depressum, ix, C, 134; x, C, 340.
 curassavicum, iv, C, 695; ix, C, 134.
 cyrtostachyum, iii, C, 123.
 gracile var. depressum, ix, C, 134; x, C, 340.
 indicum, i, s, 120; iii, C, 430; iv, C, 695; vii, C, 189; viii, C, 506; ix, C, 134, 429, 513.
 ovalifolium, iv, C, 695; ix, C, 134.
 ovalifolium var. depressum, ix, C, 134; x, C, 340.
 parviflorum, iv, C, 695.
 peruvianum, ix, C, 134.
 strigosum, iv, C, 695.
 strigosum var. brevifolia, iii, C, 123.
 strigosum var. brevifolium, iv, C, 695.
 Helleborina, viii, C, 409.
 Hellenia grandiflora, iv, C, 192.
 pubiflora, iv, C, 188.
 rufa, iv, C, 190.
 Helminthiasis in the P. I., ix, B, 233.
 Helminthosporium, iii, C, 57; viii, C, 251, 285.
 nodulosum, viii, C, 285.
 ravenelii, iii, C, 57; v, C, 166; viii, C, 285.
 Helminthostachys, i, s, 23; iii, C, 393; iv, C, 7; vi, C, 67.
 zeylanica, i, s, 23; iii, C, 57, 393; iv, C, 8; vi, C, 67.
 Helodromas ochropus, ii, A, 320; v, D, 107.
 Helopeltis bakeri, x, D, 75.
 bradyi, x, D, 76.
 collaris, x, D, 75.
 obscuratus, x, D, 76.
 pellucidus, x, D, 75.
 pollidiceps, x, D, 76.
 Helopus laevis, i, s, 349.
 Helotiaceæ, iii, C, 54; viii, C, 192.
 Helotium testaceum, viii, C, 263.
 Hemalocenchrus hexandrus, i, s, 371.
 Hematite, vi, A, 437; x, A, 88.
 Hemiandrina borneensis, iv, C, 127.
 Hemiarcyria serpula, ii, C, 114.
 Hemibungarus calligaster, v, D, 214; vi, D, 266.
 collaris, vi, D, 266.
 Hemicera bivittata, viii, D, 385.
 caudata, viii, D, 387.
 splendens, viii, D, 385.
 Hemichelidon griseisticta, i, 702, 906; ii, A, 286, 327; iii, A, 279; v, D, 111.
 Hemicyclia, iv, C, 483.
 sepiaria, iv, C, 486.
 Hemidactylus depressus, x, D, 94.
 frenatus, x, D, 94.
 luzonensis, x, D, 93.
 Hemigalesus, ix, D, 304.
 auriculatus, ix, D, 304.
 brevicornis, ix, D, 304.
 dentatus, ix, D, 305.
 gracilis, ix, D, 304.
 longirostrum, ix, D, 305.

Hemigalesus—Continued.

- niger, ix, D, 304.
 rufus, ix, D, 304.
 Hemiglochidion, iv, C, 89; ix, C, 483.
 Hemiglypus falvus, i, 694.
 Hemigramma, ii, C, 170, 415; iii, C, 31; vi, C, 77.
 grandifolia, vi, C, 77.
 latifolia, ii, C, 406; iii, C, 31.
 zollingeri, ii, C, 170.
 zollingeri var. major, ii, C, 170.
 Hemigraphis, i, s, 125, 247; vii, C, 167; ix, C, 142; x, C, 348.
 bakeri, x, C, 348.
 colorata, ix, C, 142.
 cumingiana, i, s, 173.
 fruticulosa, i, s, 247; x, C, 349.
 hirsuta, i, s, 247.
 parabolica, i, s, 125.
 primulifolia, i, s, 173.
 rapifera, i, s, 125, 173.
 reptans, i, s, 247.
 strigosa, vi, C, 222.
 Hemigyrosa perrottetii, iii, C, 79.
 Hemileia, i, s, 282; iii, C, 42; viii, C, 267, 476.
 canthii, viii, C, 267, 476.
 vastatrix, i, s, 282; iii, C, 42; v, C, 164; viii, C, 476.
 Heminthostachys zeylanica, i, 399.
 Hemionitis, i, s, 17; vii, C, 47, 152.
 arifolia, i, 399; i, s, 17.
 esculenta, iii, C, 295.
 gymnopteroidea, i, 399; i, s, 17; ii, C, 170, 406.
 gymnopteroidea forma major, ii, C, 170.
 lanceolata, iii, C, 349.
 opaca, iii, C, 279.
 plantaginea, ix, C, 42.
 semperi, ix, D, 449.
 zollingeri, ii, C, 170, 406.
 Hemipepsis tagala, i, 687.
 Hemiphragma, iii, C, 124; v, C, 384.
 heterophyllum, iii, C, 124; v, C, 384.
 Hemiproche, v, D, 104.
 major, vi, D, 42.
 Hemiprociidæ, vi, D, 42.
 Hemiptera, *see* Zoölogy—Insecta—Hemiptera.
 Hemiramphus cantoris, ix, D, 60.
 Hemirhamphus gaimardi, v, D, 267.
 Hemisphaeria concentrica obovata substipitata, i, s, 280.
 Hemisphaerinae, x, D, 141.
 Hemisphaerius, v, D, 41.
 affinis, ix, D, 279.
 chlorophanus, ix, D, 279.
 coccinelloides, v, D, 41.
 parenthesis, v, D, 41.
 reticulatus, v, D, 43.
 rufus, ix, D, 280.
 stáli, v, D, 43.
 transfasciatus, v, D, 42.
 triangularis, ix, D, 279.
 trimaculatus, v, D, 43.

- Hemitelia*, iv, C, 28.
 capensis, iv, C, 61.
 crenulata, iv, C, 45.
 manilensis, iv, C, 59.
 sumatrana, iv, C, 50.
Hemitelini, i, 692.
Hemlock, vi, A, 13.
Hemp, vi, C, 121.
 fiber-production from bow string, i, No. 5, 456.
 Manila, ii, A, 93; x, C, 388.
 paper making from waste from Manila, ii, A, 108.
 suitability for paper making of fiber from Manila, i, No. 5, 440.
Henarrhodes, viii, D, 152.
 macgregori, viii, D, 153.
Henhja, iv, C, 559.
Henningsomyces, ix, C, 161.
 philippinensis, ix, C, 161.
 pusillimus, ix, C, 162.
Hens' egg industry, vii, A, 391.
Henslovia philippinensis, x, C, 189.
Henslowia, i, s, 50.
 heterantha, i, s, 50.
 lobbiana, i, s, 50.
 philippinensis, i, s, 50.
Hepaticæ, i, s, 10; v, C, 310; vi, C, 190; ix, C, 40.
Hepaticæ, i, 662.
Hepaticæ, v, D, 283.
Hepatitis, the presuppurative stage of amœbic, v, B, 220.
Hepatus caudatum, i, s, 110; iii, C, 118.
 cephalotes, i, s, 109.
 cumingii, iii, C, 118.
 ellipticum, iii, C, 117.
 insularum, ii, C, 290.
 matoides, v, D, 283.
 subulatum, x, C, 197.
 venulosum, i, s, 110; iii, C, 117.
Herbs, use in Taytay of pot, iv, B, 223.
Heredity, amplified scheme for, iv, A, 312.
 theory of, iii, A, 215.
Heritiera, i, s, 94; iv, C, 500; vii, C, 162; ix, C, 113.
 fomes, iv, C, 500.
 littoralis, i, 669; i, s, 94; ii, C, 383; iii, C, 78, 305; iv, C, 500; vi, C, 210; vii, C, 25; ix, C, 113.
 minor, iv, C, 500.
 silvatica, ii, C, 382.
 sylvatica, i, s, 94.
Hernandia, ix, C, 84, 290.
 ovigera, ix, C, 290.
 peltata, iv, C, 455; ix, C, 84, 290.
 sonora, ix, C, 290.
Hernandiaceæ, i, s, 58; iii, C, 407; iv, C, 455; vii, C, 158; ix, C, 84, 290, 446.
Herodias garzetta, ii, A, 321.
 timoriensis, i, 765; v, D, 197.
Heroin, vi, A, 258.
Herpestes parvus, vii, D, 23.
Herpestis monniera, ix, C, 140.
Herpetica alata, v, C, 50; ix, C, 88.
Herpetomonas donovani, ii, B, 114.
Herpysma, ii, C, 313.
 merrillii, ii, C, 313.
Herring, iii, A, 514; v, D, 264; vii, A, 386.
 kippered, ix, D, 8.
 smoked, ix, D, 8.
Hesperia rikuchina, x, D, 302.
Hesperidæ, i, 212; v, D, 167.
Hesperiidæ, x, D, 301.
Hestina australis, x, D, 290.
 japonica, x, D, 289.
 japonica var. *chinensis*, x, D, 290.
 subviridis, x, D, 290.
 subviridis var. *intermedia*, x, D, 290.
 yankowskyi, x, D, 290.
Heteractitis, ii, A, 301.
 brevipes, ii, A, 282, 301, 312, 320, 339; v, D, 107.
Heteralocha gouldi, ii, A, 260.
Heteraspis billardieri, v, D, 148.
 reticulata, v, D, 148.
Hétérobasidiés, x, C, 85.
Heterocera, ii, A, 362; iii, A, 28; v, D, 167; x, D, 345.
Heteroceridæ et Dryopidæ des Philippines, x, D, 131.
Heterocerus latus, x, D, 134.
Heterochaete, x, C, 86.
 tenuicula, x, C, 86.
Heteroderes drasterioides, ix, D, 442.
 intermedius, ix, D, 442.
 proximus, ix, D, 442.
 triangularis, ix, D, 442.
Heterodothis, ix, C, 170.
 leptotheca, ix, C, 171.
Heterogastrinæ, iv, A, 573.
Heteroloma, v, C, 87.
Heteronycha dolosa, i, 986.
 dolosa arribalzaga, iii, A, 250.
Heterophaga, i, 686.
Heterophragma, iv, C, 557.
 adenophyllum, iv, C, 557.
Heterophyes heterophyes, ii, B, 31.
Heterophylla, v, C, 19.
Heteroplla, v, D, 256; vii, D, 256.
Heteropogon, i, s, 338.
 contortus, i, s, 338.
 insignis, i, s, 338.
 ischyranthus, i, s, 338.
 polystachyus, i, s, 338.
 tenellus, i, s, 340.
 tenuiculus, i, s, 338.
Heteroptera, iv, A, 553; v, D, 57.
Heteropygia acuminata, ii, A, 339.
Heterosmilax japonica, x, D, 287.
Heterospathe, iv, C, 610; ix, C, 64.
 cagayanensis, iv, C, 611.
 elata, iv, C, 612; ix, C, 64.
 negrosensis, iv, C, 611.
 philippinensis, iv, C, 610.
Heterosporium, viii, C, 508.
 coryphæ, viii, C, 196, 508.
Heterostegina, v, A, 328; vi, D, 57.
 margaritata, ix, A, 214.

- Heteroxenia*, x, D, 164.
 capensis, x, D, 166.
 elisebethae, x, D, 166.
- Hevea*, vii, C, 161.
 brasiliensis, vii, C, 186; viii, C, 300.
- Hewittia*, i, s, 120; vii, C, 165.
 bicolor, i, s, 120, 282; iii, C, 42; viii, C, 475.
 sublobata, vii, C, 189; viii, C, 475; ix, C, 428, 513.
- Hexagona*, i, s, 287; x, C, 92.
 albida, i, s, 294.
 apiaria, i, s, 286.
 bivalvis, x, C, 92.
 ciliata, i, s, 286.
 cladophora, i, s, 294.
 crinigera, i, s, 294.
 fibrillosa, i, s, 287.
 fiabelliformis, i, s, 294.
 hispidula, i, s, 287.
 lachnochaeta, x, C, 93.
 luzonensis, viii, C, 300.
 philippinensis, i, s, 287.
 purpurea, i, s, 287.
 rigida, i, s, 286.
 tabacina, x, C, 95.
 tenuis, i, s, 286.
 thwaitesii, x, C, 92.
 thwaitesii var. *retropicta*, x, C, 93.
 wightii, i, s, 286.
- Hexagonia*, ix, C, 39, 158, 350.
 apiaria, ix, C, 158.
 bivalvis, ix, C, 39, 158.
 bivalvis var. *pulchella*, ix, C, 39.
 cyclophora, ix, C, 350.
 glabra, ix, C, 349.
 pulchella, ix, C, 39.
 sericea, i, s, 288.
 thwaitesii, ix, C, 350.
 vitellina, ix, C, 239.
- Hexamerocera kiefferi*, i, 690.
 philippinensis, i, 690.
- Hexanemathichthys sundaicus*, v, D, 266.
- Heynea*, iv, C, 273.
 sumatrana, iv, C, 273.
 trijuga, iv, C, 273.
 trijuga var. *multijuga*, iv, C, 273.
- Hibiok*, vi, A, 194.
- Hibiscus*, i, s, 92; ii, C, 114; iii, C, 111, 151, 244, 419; vii, C, 162; ix, C, 111.
 abelmoschus, i, s, 92; iii, B, 247; ix, C, 111.
 batacensis iv, C, 290.
 campylosiphon, ii, C, 385.
 cannabinus, iii, C, 244.
 diversifolius, iii, C, 151.
 esculentus, ix, C, 111.
 grewiaefolius, ii, C, 385; iii, C, 112.
 mutabilis, iii, C, 111; vii, C, 186; ix, C, 111.
 paludosus, iii, C, 151.
 populneus, ix, C, 112.
 rosa-sinensis, iii, C, 111; vi, C, 210; vii, C, 186; ix, C, 112.
- Hibiscus*—Continued.
 sabdariffa, v, A, 443; vii, A, 201; vii, C, 186.
 schizopetalus, i, s, 92; iii, C, 111; vii, C, 186.
 surattensis, i, s, 92; vi, C, 210; ix, C, 513.
 syriacus, iii, C, 111.
 tiliaceus, i, 669; i, s, 92; iii, C, 419; iv, C, 498; vii, C, 186, 191; viii, C, 495; ix, C, 112.
 vidalianus, ii, C, 385; iii, C, 112.
- Hicamas*, v, C, 136; ix, C, 94.
- Hickory, bitter nut*, vi, A, 16.
 mockernut, vi, A, 16.
 pecan, vi, A, 16.
 pignut, vi, A, 16.
 shagbark, vi, A, 16.
- Hicoria alba*, vi, A, 16.
 glabra, vi, A, 16.
 minima, vi, A, 16.
 ovata, vi, A, 16.
 pecan, vi, A, 16.
- Hides, supply of raw*, x, A, 351.
- Hieracium javanicum*, iii, C, 217.
- Hierochloa clarkei*, i, s, 179.
- Hierococyx fugax*, i, 701, 769; ii, A, 325.
 sparveroides, vi, D, 42.
- Hih pe yang*, ix, D, 73.
- Hik*, iv, C, 489.
- Hikage-chō*, ix, D, 260.
- Hikara*, ix, C, 141.
- Hilagasa*, vi, C, 28.
- Hilagasi*, vi, C, 28.
- Hilan-hilan*, iii, A, 66.
- Hilda*, x, D, 138.
 bengalensis, x, D, 138.
 breviceps, x, D, 139.
 funesta, x, D, 138.
 inusta, x, D, 138.
 jacobsoni, x, D, 138.
 malayensis, x, D, 138.
 patruelis, x, D, 138.
 undata, x, D, 138.
- Hillia longiflora*, iv, C, 145.
- Hilot*, iii, B, 246; x, B, 375.
- Himanthocladium*, v, C, 155; viii, C, 81.
 loriforme, v, C, 155; vi, C, 191; viii, C, 81.
- Himantopus leucocephalus*, ii, A, 282; iv, A, 68.
- Himbabao*, i, s, 43.
- Hime-janome*, ix, D, 264.
- Hime-kimadara-hikage*, ix, D, 263.
- Hime-kimadara-seseri*, x, D, 302.
- Hinadung*, vi, C, 14.
- Hinagui*, iii, C, 229; v, C, 33.
- Hinamar*, vi, D, 84.
- Hindang*, iv, C, 259.
- Hindsia*, viii, A, 258.
 dijki, v, A, 329; viii, A, 258.
 dyki, vii, A, 264.
 sp., viii, A, 330.
 tambacana, viii, A, 258.

- Hingalay, vi, C, 213.
 Hingasin, v, C, 105.
 Hingasinan, v, C, 105.
 Hinlalayon, iv, C, 695.
 Hinlaumo, ix, A, 450.
 Hipag, vi, D, 247.
 Hipon, iv, B, 219, 229.
 Hippeophyllum, viii, C, 413.
 wenzelii, viii, C, 413.
 Hippoboscidae, vii, B, 511; viii, B, 44; viii, D, 311.
 Hippocampus aterrimus, iii, A, 411.
 barbouri, v, D, 269.
 kuda, iii, A, 411; v, D, 269.
 Hippocratea, i, s, 86.
 indica, i, s, 86.
 obtusifolia, i, s, 86.
 Hippocrateaceae, i, s, 85; iii, C, 80; vii, C, 161, 291.
 Hippocrepis comosa, v, C, 87.
 humilis, v, C, 85.
 multisiliquosa, v, C, 88.
 rhomboidea, v, C, 82.
 Hipposideridae, vii, D, 15.
 Hipposideros, vii, D, 15.
 antricola, vii, D, 15.
 bicolor, vii, D, 15.
 coronatus, vii, D, 15.
 diadema griseus, vii, D, 15.
 obscurus, vii, D, 16.
 pygmæus, vii, D, 16.
 Hippotion, ii, A, 369.
 rafflesi, ii, A, 369.
 Hiptage, i, s, 74; v, C, 186.
 benghalensis, v, C, 189.
 cumingii, v, C, 190.
 curranii, v, C, 188.
 javanica, v, C, 190.
 luzonica, i, 664; i, s, 74; v, C, 191.
 macroptera, v, C, 189.
 madablota, v, C, 191.
 pubescens, v, C, 187.
 pubescens var. lanceolata, v, C, 188.
 reticulata, v, C, 186.
 tetraptera, v, C, 188.
 Hiraea reclinata, vii, C, 236.
 Hiragi-nanten, x, D, 357.
 Hirneola, ix, C, 38, 235, 352.
 affinis, ix, C, 352.
 ampla, ix, C, 38.
 auricula-judae, ix, C, 38, 352.
 polytricha, ix, C, 235.
 porphyrea, ix, C, 352.
 Hirudo boyntoni, viii, B, 509; viii, D, 369.
 medicinalis, viii, D, 371.
 Hirundinidae, iii, A, 279; v, D, 111; vi, D, 43.
 Hirundo esculenta, i, 1047.
 gutturalis, ii, A, 304, 326; v, D, 111; vi, D, 43.
 javanica, i, 702; ii, A, 286, 304, 313, 326, 340, 346; iii, A, 279.
 rustica, vi, D, 43.
 striolata, i, 702; ii, A, 304, 326, 340, 346; v, D, 135, 221.
 Hisam, vi, D, 283.
 Hisingera grandifolia, x, C, 329.
 Hison-Santa Lutgarda-Constancia ore deposit, Bulacan, ix, A, 223.
 Hispidissimus, i, s, 339.
 Hispidula, vi, C, 61.
 Hispinæ, viii, D, 127.
 Hister bakeri, ix, D, 428.
 Histeridae, x, D, 20.
 Histeriden, Philippinische, ix, D, 423.
 Histiopteris, i, s, 19; ii, C, 134; iii, C, 392; v, C, 321; vi, C, 85; vii, C, 49.
 incisa, i, s, 19; ii, C, 134; iii, C, 347, 392; v, C, 321; vi, C, 85.
 incisa integrifolia, vii, C, 63.
 integrifolia, vii, C, 63.
 stipulacea, iii, C, 347; vii, C, 63.
 Histology:
 Histology of the skin lesions in varicella (Tyzzer), i, 349.
 Methods of studying the structure of the central nervous system (Bean), iv, B, 9.
 Yaws (Marshall), ii, B, 469.
 Hito, iii, A, 529; iv, B, 219.
 Hoa-ó, ix, D, 495.
 Hodda, ix, C, 73.
 Hodgesia, i, 991.
 niveocapitis, viii, D, 307.
 sanguinea, i, 991.
 Hodotermopsis, viii, D, 272.
 japonicus, viii, D, 272.
 Hog plum, viii, A, 75.
 Hogs as cholera carriers in the P. I., v, B, 431. *See also* Pigs and Swine.
 Hogs, lard from wild and domestic P. I., v, A, 33.
 Holarchus octolineatus, vi, D, 259.
 phænochalinus, vi, D, 259.
 Holarrhena antidysenterica, iv, C, 551.
 daronensis, x, C, 70.
 macrocarpa, i, s, 118; ii, C, 435.
 procumbens, i, s, 118; ii, C, 435.
 Holcus ciliatus, i, s, 343.
 halepensis, ix, C, 53.
 latifolius, ix, C, 58.
 nitidus, i, s, 337.
 saccharatus, i, s, 337.
 sorghum, i, s, 337; ix, C, 53.
 Holigarna, iv, C, 488.
 arnottiana, iv, C, 488.
 Holly, vi, A, 15.
 Holocentridæ, iii, A, 518; iv, A, 504; ix, D, 62.
 Holocentrus ruber, ix, D, 62.
 Hologerrum philippinum, vi, D, 263.
 Hololepta elongata, ix, D, 423.
 Holomitrium, iii, C, 12.
 vaginatum, iii, C, 12; ix, C, 211.
 Holophryina, v, D, 318.
 Holophygus, vii, D, 106.
 Holosetum philippicum, i, s, 367.
 Holostochyus, ix, C, 8.
 Holothuria albiventer, vi, D, 317.
 atra, vi, D, 315.
 coluber, vi, D, 316.
 edulis, vi, D, 316.

Holothuria—Continued.

- erinæus, vi, D, 315.
- fusco-cinerea, vi, D, 316.
- gräffei, vi, D, 315.
- immobilis, vi, D, 316.
- impatiens, vi, D, 316.
- marmorata, vi, D, 315.
- monacaria, vi, D, 316.
- pervicax, vi, D, 315.
- pulchella, vi, D, 315.
- scabra, vi, D, 316.
- similis, vi, D, 315.
- squamifera, vi, D, 317.
- tenuissima, vi, D, 315.
- vagabunda, vi, D, 316.

Holothurians, v, D, 151; vi, D, 312.

Holothuriodea, vi, D, 283.

Holo-trichia latecostata, vi, D, 331.

Homæsoma derasella, v, D, 178.

gratella, v, D, 178.

Homalanthus, i, s, 83; ii, C, 278; iii, C, 417; iv, C, 282; v, C, 357; vii, C, 390; ix, C, 485.

- alpinus, v, C, 357; ix, C, 486.
- bicolor, iv, C, 282.
- fastuosus, iii, C, 417; iv, C, 282; v, C, 357; ix, C, 487.
- macradenius, ix, C, 487.
- megaphyllus, ix, C, 485.
- papuanus, ix, C, 486.
- populneus, i, 416, 666; i, s, 83; ii, C, 278; iv, C, 282; ix, A, 452, 543; ix, C, 487.
- populneus var. minor, vii, C, 390.
- populneus var. siccus, vii, C, 390.
- rotundifolius, ix, C, 486.

Homaliendron, v, C, 155; viii, C, 81.

flabellatum, v, C, 155; viii, C, 81.

ligulaefolium, ix, C, 208.

scalpellifolium, v, C, 155; ix, C, 211.

Homalium, i, s, 99; iii, C, 244; iv, C, 297; viii, C, 380; x, C, 326.

- aranga, iii, C, 247.
- barandae, iii, C, 245.
- bracteatum, iii, C, 246.
- curranii, iv, C, 297.
- foetidum, iii, C, 247.
- frutescens, iv, C, 521.
- grandiflorum, iii, C, 246.
- loheri, iii, C, 245.
- luzoniense, i, s, 99; ii, C, 373; iii, C, 247; iv, C, 297, 522; x, C, 327.
- oblongifolium, x, C, 326.
- panayanum, ii, C, 373; iii, C, 246.
- sorsogonense, iii, C, 246.
- tomentosum, iv, C, 521.
- villarianum, ii, C, 373; iii, C, 246; iv, C, 297.

Homalocenchrus, i, s, 309.

Homalocyrtus, vii, D, 300, 375.

- conicus, vii, D, 376.
- harpago, vii, D, 376.
- intermittens, vii, D, 375.
- marginodosus, vii, D, 375.
- rufescens, vii, D, 375.

138492—17

Homalocyrtus—Continued.

- subcuneiformis, vii, D, 375.
- tumidosus, vii, D, 376.

Homalomena rubescens philippinensis, vi, C, 195.

Homalomyia brevis, x, B, 310.

canicularis, x, B, 310.

Homalopsinæ, vi, D, 263.

Hombronina, iii, C, 67.

Homo alpinus, iii, A, 216.

- europæus, iii, A, 215.
- heidelbergensis, v, D, 27.
- lar, vii, D, 38.
- meridionalis, iii, A, 215.
- philippinensis, v, D, 27.
- sapiens, ii, B, 543.

Homobasidiés, x, C, 86.

Homœoceraria, iv, A, 566.

Homœocerus, iv, A, 566.

immaculatus, iv, A, 566.

puncticornis, iv, A, 566.

Homonoia, vii, C, 161, 391.

- javensis, vii, C, 391.
- javensis var. ciliata, vii, C, 391.
- riparia, ix, C, 310.

Homonoya, i, s, 81.

riparia, i, 678; i, s, 81, 200.

Homoptera, v, D, 33, 64; x, D, 257.

Homopteren, neue, von den Philippinen, ix, D, 173.

Homotoma, x, D, 262.

bakeri, x, D, 263.

distincta, x, D, 262.

pacificæ, x, D, 262.

radiata, x, D, 263.

radiatum, x, D, 262.

Honey-mead, vii, A, 112.

Hong che, vi, D, 285.

Honga, ix, D, 475.

Hongkong, exports of dried hides from the

P. I. to, x, A, 352.

fishes of, ix, D, 59.

plague procedure in, iii, B, 39.

Honolulu, investigations of sunlight at, vii, B, 6, 26.

Hookeriaceæ, iii, C, 25; v, C, 156, 315; viii, C, 82; ix, C, 204.

Hookeriopsis, v, C, 156.

geminidens, v, C, 156.

uticamundianæ, v, C, 156.

Hookworm, iii, B, 198; iv, B, 186; v, B, 249, 269; vi, B, 77, 212; viii, B, 54, 135, 168; ix, B, 81, 233, 446; x, B, 296.

Hookworms, clinical study of infection by, vi, B, 239.

Mindoro, ix, B, 179.

rarity in the P. I., iv, B, 264.

Taytay percentage of infection with, iv, B, 262, 296.

Hopea, i, s, 98; vi, C, 259; vi, D, 19.

- acuminata, i, 411, 637; i, s, 98; ii, C, 389; iv, C, 514, 703; vi, C, 264; ix, A, 432.

balangeran, iv, C, 516; vi, C, 269.

basilana, vi, C, 260.

Hopea—Continued.

- beccariana, iv, C, 515.
 dryobalanoides, iv, C, 515.
 fagifolia, iv, C, 515; vi, C, 279.
 ferrea, iv, C, 515.
 grisea, iv, C, 515.
 intermedia, iv, C, 515.
 macrophylla, iv, C, 518.
 maranti, iv, C, 518.
 mengarawan, iv, C, 515.
 micrantha, vi, C, 265.
 mindanensis, vi, C, 261.
 myrtifolia, iv, C, 515.
 odorata, iv, C, 515; vi, C, 262.
 ovalifolia, vi, C, 263.
 philippinensis, iv, C, 515, 713; vi, C, 261.
 pierrei, iv, C, 515; vi, C, 211, 265; ix, A, 439, 522.
 plagata, ii, C, 396; iv, C, 515, 715; vi, C, 262.
 selanica, iv, C, 519.
 squamata, vi, C, 275.
 suavis, iv, C, 516.
 tangili, vi, C, 277.
 treubii, iv, C, 515.
 wightiana, iv, C, 515.
 Hoplandria minima, x, D, 127.
 philippina, x, D, 127.
 Hoplasoma abdominalis, v, D, 141.
 picifemora, v, D, 141.
 philippinensis, v, D, 140.
 Hoplia aurifera, v, D, 185.
 maculifera, v, D, 185.
 philippensis, v, D, 184.
 simplex, v, D, 185.
 Hoplistodera trimaculata, iv, A, 561.
 Hoplistoderaria, iv, A, 561.
 Hoplistomerus serripes, viii, D, 308.
 Hoplogryon flavielava, ix, D, 286.
 longispina, ix, D, 286.
 roberti, ix, D, 286.
 striaticeps, ix, D, 286.
 Hoplonomia quadrifasciata, i, 686.
 Hoplosteleia, ix, D, 292.
 carinata, ix, D, 292.
 pacifica, i, 690; ix, D, 286.
 philippinensis, ix, D, 286.
 unidens, ix, D, 286.
 Hoppea, iii, C, 120.
 dichotoma, iii, C, 120.
 Hordeæ, i, s, 387; ix, C, 58.
 Hordeum sativum, i, s, 388.
 sativum var. vulgare, i, s, 388.
 Horlick's malted milk, composition of, iii, A, 87.
 Horma, ix, A, 242.
 Hormisdas, v, D, 59.
 pictus, v, D, 60.
 Horn fly, i, 1072.
 shell, vii, D, 279.
 Hornbeam, vi, A, 15.
 Hornblende, x, A, 88.
 Hornemannia viscosa, vii, C, 246.
 Hornohan, x, A, 381.
 Hornstedtia, iv, C, 174.
 conica, iv, C, 175.
 conoidea, iv, C, 175.
 imperialis, iv, C, 177.
 lophophora, iv, C, 176.
 microcheila, iv, C, 176.
 paradoxa, iv, C, 179; ix, C, 444.
 philippinensis, iv, C, 175.
 Horornis canturiens, i, 767.
 seebohmii, v, D, 137.
 Horroebatoe, iv, C, 484.
 Horse bot, i, 1072.
 Horse chestnut, vi, A, 14.
 Horseflies, i, 1072.
 Horsefly of the P. I., viii, B, 197.
 Horse-radish tree, vii, C, 193.
 Horses, experiments with Stomoxys and, vii, B, 479.
 Horsfieldia, i, s, 55; ii, C, 274.
 ardisiifolia, i, s, 55.
 merrillii, ii, C, 274.
 Hortus Bengalensis, Roxburgh's, vii, C, 411.
 Hospicio de San José, beriberi at the, vi, B, 281.
 Hot springs areas at Los Baños, swamp vegetation in, ix, C, 495.
 Hottonia indica, ix, C, 140.
 sessiliflora, iii, C, 124.
 House fly, i, 1072.
 Hovena dulcis, iv, C, 496.
 Howardiella tarsata, i, 691.
 Howardina nivea, viii, D, 306.
 samarensis, viii, D, 306.
 Hoya, i, s, 119, 301; iii, C, 429; v, C, 379; vii, C, 164; ix, A, 423.
 benguetensis, i, s, 301; iii, C, 429.
 bilobata, i, s, 301.
 bordenii, i, s, 302.
 camphorifolia, i, s, 301.
 cumingiana, i, s, 119; v, C, 379.
 densifolia, v, C, 379.
 incrassata, vi, C, 220.
 luzonica, i, s, 119.
 mcgregorii, i, s, 302.
 merrillii, i, s, 302; vi, C, 220.
 mindorensis, i, s, 303.
 multiflora, i, 419; i, s, 119.
 odorata, i, s, 303; iii, C, 429.
 parasitica, i, s, 302.
 Huechys, v, D, 36.
 sanguinea, v, D, 36.
 Huechysaria, v, D, 36.
 Hulas, i, s, 184.
 Hulecoetomyia pseudotaeniata, iii, A, 249; viii, D, 306.
 Hulecoetomyia, i, 986.
 pseudotaeniata, i, 986; iii, A, 249.
 Human beings, beriberi experiments on, vii, B, 296.
 sunlight experiments on, vii, B, 16.
 Humanāgali page, vi, D, 83.
 Humaria, viii, C, 404.
 epitricha, viii, C, 193.
 granulata, viii, C, 404.
 granulata var. microspora, viii, C, 405.
 raimundoi, viii, C, 193.

- Humata, i, s, 16, 147; ii, C, 125; iii, C, 272; v, C, 318; vi, C, 81; vii, C, 49; ix, C, 44.
 angustata, vii, C, 55.
 brooksii, vii, C, 64.
 cumingii, i, s, 16.
 dimorpha, vii, C, 68.
 gaimardiana, ii, C, 4; vi, C, 81.
 heterophylla, ii, C, 4; vi, C, 81, 192; ix, C, 44.
 immersa var. nana, i, s, 147.
 intermedia, ix, C, 230.
 introrsa, vii, C, 67.
 lepida, ii, C, 125.
 microsora, vii, C, 55.
 parvula, i, s, 147; ii, C, 4, 168.
 pinnatifida, ix, C, 44.
 puberula, vii, C, 64.
 repens, i, 663; i, s, 16.
 repens var. minuscula, iii, C, 272.
 tenuis, vii, C, 67.
 vestita, vii, C, 67.
 Humedo sugar, vii, A, 364.
 Humidity, different altitudes on Mount Mari-veles, i, 652.
 forest of Mount Maquiling, ix, A, 529.
 localities in the P. I., vi, A, 295.
 Manila and six large cities in the U. S., v, B, 544.
 Hunteria corymbosa, iv, C, 562.
 Hunting in Ilocos Norte, v, A, 41.
 Hurria microlepis, vi, D, 263.
 rhynchops, iv, A, 599; v, D, 213; vi, D, 263.
 Huynduong, iv, C, 479.
 Hyalomma, x, B, 347.
 Hybridism among boobies, vi, D, 179.
 Hydnales, i, s, 284.
 Hydnocarpus, iv, C, 297; ix, C, 323.
 alpina, iv, C, 522.
 cauliflora, ix, C, 323.
 subfalcata, iv, C, 297.
 venenata, iv, C, 298.
 Hydnophytum, i, s, 216; ii, C, 307; iii, C, 162; viii, C, 390; x, C, 142.
 angustifolium, iii, C, 162.
 brachycladum, x, C, 142.
 formicarum, ii, C, 307; vi, C, 222; viii, C, 390; x, C, 143.
 leytense, viii, C, 390.
 membranaceum, x, C, 143.
 mindorense, x, C, 143.
 nitidum, ii, C, 307.
 Hydnium, i, s, 284.
 chrysocomum, x, C, 97.
 fragilissima, x, C, 97.
 webbii, i, s, 284.
 Hydrotyle, v, C, 370.
 Hydra, viii, D, 348.
 Hydrangea, i, s, 59; ii, C, 275; iii, C, 408; v, C, 351.
 integra, iii, C, 408.
 lobbii, i, 665; i, s, 59, 175; ii, C, 275; iii, C, 408; v, C, 351.
 subintegra, iii, C, 408.
 Hydrilla, iii, C, 96; vii, C, 153.
 verticillata, iii, C, 96.
 Hydrinae, vi, D, 264.
 Hydrocampinae, ii, A, 375; v, D, 179.
 Hydrocharitaceae, iii, C, 96; vii, C, 73, 153, 228; ix, C, 50, 259, 422; x, C, 2.
 Hydrochloric acid, effect of, on coconut meat and oil, iii, A, 115, 116.
 Hydrocorax, v, D, 220.
 hydrocorax, v, D, 104; vi, D, 31.
 mindanensis, ii, A, 284; iv, A, 71.
 semigaliatus, ii, A, 324.
 Hydrocotyle, i, s, 110; v, C, 370; vii, C, 164.
 asiatica, i, s, 110; iii, C, 84; ix, C, 126.
 benguetensis, v, C, 370.
 nitidula, v, C, 370.
 rotundifolia, i, s, 110; v, C, 370; vii, C, 187.
 Hydrocyanic acid, digestion of milk protein by pure papain and, x, A, 22.
 Hydrocyanic acid gas, viii, D, 17.
 Hydrogen peroxide, action of, on methyl salicylate, vii, A, 89.
 peroxide, effect of, upon methyl salicylate, vii, A, 88.
 peroxide, milk tests for formaldehyde, interfered with by, vii, A, 77.
 peroxide, oxidation of methyl alcohol by, vii, A, 65.
 Hydroid zoöphytes, viii, A, 291.
 Hydrolea, vii, C, 165.
 Hydrolized extract of rice polishings in treatment of human beriberi, x, B, 106.
 Hydrometridae, iv, A, 582.
 Hydrophobia in the P. I., v, B, 455, 518.
 Hydrophyllaceae, i, s, 228; v, C, 386; vii, C, 165.
 Hydropteridinae, iv, C, 11.
 Hydrous picicornis, vii, A, 384.
 Hydroxy benzoic acids, vii, A, 91.
 Hydroxyl and carboxyl and some related groups in the ortho position, the mutual influence of, viii, A, 33.
 Hyelaphus calamianensis, vii, D, 41.
 Hygrolejeunea sordida, ix, C, 40.
 Hygrophila, vii, C, 167.
 angustifolia, vi, C, 222.
 phlomoides var. roxburgii, ii, C, 435.
 salicifolia, i, s, 282.
 Hylesinidae, vi, D, 18.
 Hylicinae, x, D, 50.
 Hylobates, vii, D, 38.
 funereus, vii, D, 38.
 Hylobatidae, vii, D, 38.
 Hylobiidae, vii, D, 390.
 Hylobius alpheus, vii, D, 392.
 exsculptus, vii, D, 392.
 Hylophila, ii, C, 315.
 rubra, ii, C, 315.
 Hyloterpe, v, D, 104.
 albiventrtris, v, D, 137, 220.
 apoensis, ii, A, 290, 329; iii, A, 280; iv, A, 75.
 fallax, ii, A, 348.
 illex, ii, A, 348.
 philippinensis, ii, A, 329.

Hyloterpe—Continued.

- whiteheadi, i, 907.
 winchelli, i, 775; ii, A, 299, 307; vi, D, 45.
 Hymenachne, i, s, 356.
 indica, i, s, 357.
 Hymenaria, iv, C, 209.
 Hymenocallis, vii, C, 155; ix, C, 67.
 littoralis, ix, C, 67.
 tenuiflora, vii, C, 182.
 Hymenochaete, ix, C, 351; x, C, 86.
 amboinensis, ix, C, 351.
 attenuata, ix, C, 351; x, C, 86.
 crocicreas, ix, C, 351.
 deflectens, ix, C, 351.
 kunzei, x, C, 86.
 laeta, x, C, 86.
 leprosa, x, C, 86.
 pavonia, x, C, 86.
 pellicula, ix, C, 351.
 rheicolor, ix, C, 351.
 subferruginea, ix, C, 351.
 subpurpurascens, ix, C, 351.
 Hymenodictyon excelsum, iv, C, 560.
 Hymenodon, v, C, 149, 313; viii, C, 73.
 sericeus, v, C, 149, 313; viii, C, 73.
 Hymenolepis, i, s, 19; ii, C, 135; iii, B, 205; iv, B, 186; v, B, 271; v, C, 321; vi, B, 77; vii, C, 49; viii, B, 159; ix, C, 44.
 brachystachys, ii, C, 135.
 diminuta, ii, B, 540; iii, B, 205.
 nana, ii, B, 539; iii, B, 205; ix, B, 236.
 platyrhynchos, i, s, 171; ii, C, 135; v, C, 321.
 rigidissima, ii, C, 135.
 spicata, i, s, 19; ii, C, 5, 135; v, C, 321; ix, C, 44.
 Hymenomycetæ, viii, C, 299.
 Hymenomycetes, ix, C, 235.
 Hymenophallus hadriani, viii, C, 304.
 indusiatus, viii, C, 304.
 Hymenophyllacæ, i, s, 13; ii, C, 2, 142; iii, C, 389; v, C, 315; vi, C, 69, 191; ix, C, 41.
 Hymenophyllum, i, s, 14; ii, C, 143, 154; iii, C, 269, 389; v, C, 316; vi, C, 69, 145; viii, C, 140.
 aculeatum, ii, C, 144, 155.
 angulosum, iii, C, 269.
 australe, ii, C, 144, 156; v, C, 316.
 bismarkianum, ii, C, 154.
 blandum, viii, C, 140.
 blumeum, ii, C, 155; iii, C, 389; vi, C, 69.
 campanulatum, ii, C, 155.
 ciliatum, ii, C, 144.
 demissum, ii, C, 144, 155; viii, C, 140.
 denticulatum, ii, C, 145.
 dilatatum, ii, C, 148, 156; iii, C, 389; vi, C, 69.
 discosum, ii, C, 155; v, C, 316.
 fimbriatum, ii, C, 144.
 formosum, ii, C, 156.
 fuscum, vi, C, 70.
 halconense, ii, C, 144.
 holochilum, viii, C, 140.
 inaequalis, iii, C, 269.

Hymenophyllum—Continued.

- jungbuhnii, ii, C, 156.
 laminatum, vi, C, 70.
 merrilli, ii, C, 154.
 multifidum, i, 662; i, s, 14.
 neesii, ii, C, 155.
 obtusum, ii, C, 144; iii, C, 269.
 ooides, vi, C, 69.
 ovatum, vi, C, 70.
 paniculiflorum, ii, C, 155; v, C, 316.
 polyanthos, ii, C, 144, 155.
 productum, ii, C, 155; viii, C, 140.
 pycnocarpum, ii, C, 155.
 reinwardtii, vi, C, 69.
 sabinifolium, x, C, 145.
 semifissum, x, C, 145.
 serrulatum, ii, C, 144, 154; vi, C, 70.
 smithii, i, 662; i, s, 14; ii, C, 154.
 subdemissum, ii, C, 155.
 subflabellatum, vi, C, 145.
 tenellum, ii, C, 144.
 thuidium, ii, C, 154.
 tunbridgense, ii, C, 144.
 Hymenopsis, viii, C, 285, 508.
 cudraniae, viii, C, 285, 508.
 Hymenoptera, vii, A, 385; viii, D, 10, 67. *See also Zoology—Insecta—Hymenoptera.*
 Hymenospermum dentatum, i, s, 236.
 Hymenostylium, v, C, 143; viii, C, 69.
 luzonense, v, C, 143; viii, C, 69.
 Hyophila, iii, C, 14.
 flavipes, iii, C, 14.
 stenocarpæ, iii, C, 14.
 Hypætra, v, D, 174.
 aliena, v, D, 175.
 bubo, v, D, 174.
 noctuoides, v, D, 174.
 Hypaphorus subumbrans, v, C, 118.
 Hypena, ii, A, 374.
 biplagiata, ii, A, 374.
 Hypenanthus venosa, viii, C, 247.
 Hypeninae, ii, A, 374.
 Hyperalonia flaviventris, viii, D, 309.
 oenomaus, viii, D, 309.
 umbrifera, viii, D, 309.
 Hyperbaenus, x, D, 61.
 Hypericacæ, ix, C, 427.
 Hypericum, iv, C, 294; v, C, 364.
 aegyptium, iv, C, 294.
 biflorum, iv, C, 292.
 chinense, iv, C, 292.
 cochinchinense, iv, C, 292.
 formosum, iv, C, 295.
 giraldii, iv, C, 295.
 japonicum, v, C, 364.
 loheri, iv, C, 294.
 olympicum, iv, C, 293.
 pentandrum, ix, C, 316.
 perforatum, v, C, 364.
 pulogense, v, C, 364.
 Hypernaria dicistriga, v, D, 175.
 Hyperperissa, v, D, 165.
 aurantiaca, v, D, 165.
 pulchella, v, D, 165.

- Hypersthene, x, A, 88.
 augite andesite, Benguet, ii, A, 244.
 Hyperteles flavipes, i, 691.
 Hyphomycete, ii, B, 477; iii, B, 450, 459.
 Hypnaceæ, ii, C, 343; v, C, 158, 315; viii, C, 85; ix, C, 204.
 Hypnodendraceæ, i, s, 13; ii, C, 343; iii, C, 30; v, C, 161; viii, C, 97; ix, C, 204.
 Hypnodendron, v, C, 161; viii, C, 97.
 arborescens, vi, C, 191; viii, C, 97; ix, C, 212.
 formosicum, v, C, 161; viii, C, 97; ix, C, 206.
 reinwardtii, ii, C, 343; v, C, 161; ix, C, 211.
 reinwardtii forma breviseta, v, C, 161.
 Hypnoidus bakeri, ix, D, 446.
 Hypnum cupressiforme, ix, C, 41.
 delicatulum, ix, C, 41.
 recurvans, ix, C, 41.
 scaturiginum, ix, C, 41.
 Hypobatherum, vii, C, 167.
 glomeratum, ii, C, 434.
 Hypocala, ii, A, 373.
 deflorata, ii, A, 373.
 Hypochroma ruginaria, ii, A, 374.
 Hypocrea, i, s, 279; viii, C, 274.
 degenerans, viii, C, 274.
 ochracea, v, C, 164.
 peltata, i, s, 279.
 Hypocreaceæ, iii, C, 44; v, C, 164; viii, C, 255.
 Hypocreales, i, s, 278.
 Hypocreaseæ, viii, C, 182.
 Hypocrella, iii, C, 45; viii, C, 494.
 melaena, viii, C, 494.
 schizostachyi, iii, C, 45.
 Hypoderma, vii, D, 10.
 lineata, i, 1072.
 Hypodermataceæ, viii, C, 402.
 Hypodermis, vii, D, 10.
 peronii, vii, D, 11.
 Hypoestes, i, s, 126, 247; v, C, 388.
 acutior, i, s, 247.
 addisoniensis, x, C, 341.
 cinerea, i, s, 126, 408.
 floribunda, v, C, 388.
 palawanensis, i, s, 248.
 pulgarensis, x, C, 342.
 subcapitata, i, s, 126, 419.
 vidalii, i, s, 247.
 Hypolepis, i, s, 18; ii, C, 125; iii, C, 274; v, C, 320; vi, C, 85; vii, C, 49.
 tenerifrons, iii, C, 274.
 tenuifolia, i, s, 18; ii, C, 125; v, C, 320.
 Hypolycaena phorbas, v, D, 72.
 Hypolytrum, i, s, 29; ii, C, 108, 264.
 compactum, i, 419; i, s, 29; ii, C, 109.
 latifolium, i, 666; i, s, 30; ii, C, 108, 264; vi, C, 195.
 macrocephalum, ii, C, 422.
 myrianthum, ii, C, 108.
 philippense, ii, C, 109.
 schoenoides, ii, C, 108.
 viridinix, ii, C, 109.
 Hyponomentine, iii, A, 36.
 Hypophloeus analis, viii, D, 395.
 colydioides, viii, D, 396.
 exilis, viii, D, 396.
 filum, viii, D, 396.
 floricola, viii, D, 396.
 gentilis, viii, D, 396.
 Hypophorum pergracile, vii, C, 75.
 Hypopteris, i, s, 279.
 apiospora, i, s, 279.
 Hypopterygiaceæ, v, C, 157; viii, C, 84; ix, C, 204.
 Hypopterygium, viii, C, 84.
 ceylanicum, viii, C, 84; ix, C, 208.
 struthiopteris, v, C, 157.
 vriesii, viii, C, 84.
 Hypopyra, ii, A, 366.
 donata, ii, A, 366.
 grandæva, v, D, 175.
 persimilis, v, D, 175.
 pudens, v, D, 175.
 Hypopyrum annulare, ii, C, 104.
 Hyposidra, x, D, 346.
 falcigera, x, D, 345.
 Hypospila, viii, C, 483.
 ambigua, viii, C, 483.
 Hypostenus, x, D, 119.
 Hypotænidia striata, i, 699, 903.
 torquata, ii, A, 300, 311, 345; iii, A, 277; v, D, 106.
 Hypothymis, ii, A, 346.
 azurea, ii, A, 327.
 occipitalis, i, 702, 769, 773, 906; ii, A, 287, 304, 313, 327; iii, A, 279; iv, A, 73; v, D, 111.
 samarensis, ii, A, 327.
 superciliaris, ii, A, 287.
 Hypotricha, v, D, 296.
 Hypoxis aurea, ix, C, 67.
 spicata, i, s, 182.
 Hypoxylon, i, s, 280; iii, C, 51; viii, C, 260, 273, 400, 486; ix, C, 167.
 annulatum, iii, C, 51; v, C, 164; viii, C, 273.
 annulatum depressum, i, s, 280.
 anthracodes, viii, C, 260.
 apoense, iii, C, 51.
 atrorufulum, viii, C, 400.
 chusquiae, ix, C, 167.
 coenopus, i, s, 280.
 compactum, viii, C, 261.
 coryphae, viii, C, 400.
 eulmorum, ix, C, 167.
 disjunctum, viii, C, 187.
 epiphloeum, viii, C, 188.
 fulvo-ochraceum, viii, C, 188.
 hibisci, iii, C, 51.
 lilliputianum, v, C, 164.
 luridum, viii, C, 188.
 marginatum, iii, C, 51; v, C, 164; viii, C, 273, 486; ix, C, 167.
 minutellum, v, C, 164.
 moriforme, viii, C, 400.
 nucigenum, iii, C, 51.
 ochraceum, viii, C, 188.
 placentiforme, viii, C, 260.
 porosum, viii, C, 400.

- Hypoxylon*—Continued.
rubiginosum, i, s, 280; viii, C, 260, 486.
rutilum, viii, C, 188.
serpens, iii, C, 51.
stygium, viii, C, 273.
subeffusum, ix, C, 167.
Hypsauchenia, x, D, 372.
bifasciata, x, D, 372.
bifoliata, x, D, 372.
hardwickii, x, D, 373.
westwoodii, x, D, 372.
Hypserpa, x, C, 303.
cuspidata, x, C, 303.
Hypsipetes batanensis, ii, A, 342, 347, 357.
camiguinensis, ii, A, 347.
fugensis, ii, A, 342, 347, 357; v, D, 220.
Hyptidis suaveolentis, v, C, 164.
Hyptis, i, s, 122; v, C, 381; vii, C, 165; ix, C, 136.
brevipes, i, s, 122; vii, C, 176.
capitata, v, C, 381; vi, C, 221; vii, C, 176; ix, C, 136.
capitata var. mariannarum, ix, C, 136.
lanceolata, v, C, 381.
mariannarum, ix, C, 136.
pectinata, ix, C, 137.
spicigera, i, 396; i, s, 122; vi, C, 357; vii, C, 177; ix, C, 137.
suaveolens, i, 396; i, s, 123; iv, A, 130; vi, C, 221; vii, C, 177; ix, C, 137.
Hyrtanandra, v, C, 467.
pentandra, vi, C, 9.
Hysterarthron, viii, D, 45.
Hysteriaceae, iii, C, 52; v, C, 165; viii, C, 191, 261, 403.
Hysteriales, viii, C, 402.
Hysterium, iii, C, 53.
hoyae, iii, C, 53.
rufulum, viii, C, 263.
Hysterostomella, viii, C, 275; ix, C, 173, 184.
myrtacearum, viii, C, 275.
psychotriacae, viii, C, 275.
tetracerae, ix, C, 184.
Hystericidae, vii, D, 34.
Hystrix pumila, vii, D, 34.
- I
- Iba*, iv, C, 87; vii, C, 193; viii, A, 72.
Iba, Zambales, baños ponds at, x, D, 309, 310, 311.
Ibabao, v, C, 48.
Ibaiba, iv, C, 81.
Iberian ear, iv, A, 38, 430.
ear, modified type, iv, A, 267, 298.
ear type, iv, A, 417.
Ibilaos, i, 812, 862.
Ibota, x, D, 300.
Ibujos Island, iii, A, 12.
Icacarea, ix, C, 127.
Icacinaeae, i, s, 86; ii, C, 278, 423, 432; iii, C, 240, 418; iv, C, 491, 704; v, C, 194; vi, C, 209; vii, C, 292; ix, A, 556; ix, C, 312; x, C, 276, 322.
Icaria cagayanensis, i, 688.
- Icaria*—Continued.
philippinensis, i, 688.
speciosa, i, 688.
Ice plant, daily output of the Manila, ix, A, 275.
Ichnananthus, i, s, 27, 363; ii, C, 261.
pallens, i, s, 27, 363; ii, C, 261.
Ichneumonidae, i, 692.
Ichneumoninae, i, 692.
Ichneumonini, i, 692.
Ichneumonoidea, i, 692.
Ichnocarpus, i, s, 118; vii, C, 164, 333.
acuminatus, vii, C, 334.
frutescens, vii, C, 333.
macrocarpus, vii, C, 334.
navesii, vii, C, 333.
ovatifolius, i, 392; i, s, 118, 172; vii, C, 333.
velutinus, vii, C, 334.
Icica abilo, ii, C, 432.
Icoran, iii, A, 529.
Icteridae, ii, A, 261.
Icterus bullocki, ii, A, 265.
cucullatus sennetti, ii, A, 260.
galbala, ii, A, 265.
icterus, ii, A, 265.
spurius, ii, A, 265.
Idarniinae, i, 690; viii, D, 77.
Iddingsite, x, A, 88.
Idiocerini of the P. I., x, D, 317.
Idiocerinus, x, D, 341.
melichari, x, D, 341.
nacreatus, x, D, 342.
Idiocerus clypealis, x, D, 338.
minor, x, D, 327.
niveosparsus, x, D, 318.
stali, x, D, 341.
unimaculatus, x, D, 318.
Idiok, vi, A, 194.
Idioscopus, x, D, 338.
clypealis, x, D, 339.
palawanensis, x, D, 338.
tagalicus, x, D, 340.
Ido, viii, D, 109.
Idotasia honesta, x, D, 30.
paucisquamosa, x, D, 30.
Idu, vi, D, 236; viii, D, 109.
Ifil, iv, C, 461; ix, C, 87.
Ifilele, iv, C, 461.
Ifit, ix, C, 87.
Ifugados, i, 826.
Ifugaos, i, 826; viii, D, 457.
burial ceremony of, vi, D, 227.
harvest feast of the Kiangnan, vi, D, 81.
Quiangan and vicinity, iv, A, 237.
religion and mythology of the, viii, D, 98.
Ifumangies, i, 826.
Igat, iii, A, 529.
Igneous complex, Caramoan Peninsula basal, x, A, 312.
Igorots, Baguio, examinations of stools and blood among, v, B, 505.
Benguet, viii, D, 456.
Benguet and Lepanto-Bontoc, somatologic study of, iii, A, 413.
Benguet-Lepanto, i, 845.

Igorots—Continued.

- Bontoe, i, 833; viii, D, 455.
 ears of, iv, A, 35.
 Lepanto, ix, D, 465.
 origin myths of, viii, D, 93.
 Igudut, i, 845.
 Igum, v, C, 324.
 Ihaang, vii, A, 104.
 Ijzerhout, iv, C, 476.
 Ikeda, viii, D, 261.
 tænoides (Ikeda), viii, D, 261.
 Ikema, ix, D, 266.
 Ila, viii, B, 495.
 Ilabanes, i, 826.
 Ilagim, ix, D, 511.
 Ilama, vii, C, 113.
 Ilamut, i, 826.
 Ilang-ilang, i, s, 53; iii, A, 65; iv, A, 127; iv, C, 450; v, A, 265; ix, C, 83.
 Ilex, ii, C, 279; iii, C, 201, 237; v, C, 193, 358; viii, C, 382; x, C, 316.
 brunnea, x, C, 318.
 crenata forma luzonica, v, C, 358.
 crenata var. thompsoni, v, C, 358.
 cymosa, x, C, 318.
 fletcheri, ii, C, 279.
 formosana, iii, C, 201.
 foxworthyi, v, C, 193.
 gracilipes, iii, C, 236; v, C, 358.
 guerreroi, x, C, 316.
 halconensis, v, C, 194, 358; x, C, 319.
 lobbiana, x, C, 190.
 malaccensis, v, C, 194.
 opaca, vi, A, 15.
 pachyphylla, x, C, 318.
 pulogensis, v, C, 358.
 rolfei, iii, C, 201.
 spicata, v, C, 358; x, C, 318.
 subcaudata, x, C, 317.
 sumatrana, x, C, 317.
 triflora, x, C, 190.
 wenzelii, viii, C, 382.
 Ilib, ii, A, 109.
 Ilisha hoevenii, iii, A, 523; ix, D, 11.
 xanthoptera, v, D, 264.
 Ilana cacabet, iii, A, 529.
 Illicium, ii, C, 272; iv, C, 254; vii, C, 81.
 evenium, ii, C, 272.
 montanum, vii, C, 81.
 philippinense, iv, C, 254; vii, C, 82.
 sanki, iii, C, 305.
 verum, iv, B, 223.
 Illigera, i, s, 58; iii, C, 407; vii, C, 158; ix, C, 290, 446.
 cardiophylla, ix, C, 292.
 elliptifolia, ix, C, 291.
 luzonensis, i, s, 58; iii, C, 407.
 megaptera, ix, C, 290.
 pubescens, ix, C, 446.
 reticulata, ix, C, 291.
 Illipe, i, s, 113; iv, C, 539; x, C, 56.
 betis, ii, C, 377; iv, C, 540; x, C, 56.
 coriacea, x, C, 56.
 latifolia, iv, C, 539.
 malabrorum, iv, C, 540.

Illipe—Continued.

- multiflora, x, C, 56.
 ramiflora, i, 387; i, s, 113; iv, C, 707; vi, C, 278; x, C, 56.
 Ilmenite, vi, A, 437; x, A, 88.
 Ilocanos, i, 861.
 Ilocos Norte, asbestos and manganese deposits of, ii, A, 145.
 hunting in, v, A, 41.
 irrigation and coöperative irrigation societies in, ix, D, 99.
 pottery industry in San Nicolas, ix, D, 117.
 Ilocos Sur, stone industry at San Esteban, vii, D, 213.
 wood-working industry of San Vicente, vii, D, 231.
 Iloilo, boiler waters of, x, A, 75.
 plague outbreak in, viii, B, 119; ix, B, 19.
 water supply for the city of, x, A, 65.
 wells of, ix, A, 339.
 Ilokanos, *see* Ilocanos.
 Ilongos, i, 861.
 Ilongot and Maṅgyan ears, viii, D, 357.
 Ilongotes, i, 862.
 Ilongots, i, 812.
 quinary notation among the, vi, D, 47.
 Ilungut, i, 812.
 Ilythuria cannaeformis, iv, C, 193.
 Images, vii, D, 235.
 Immune serums, filtration of, iv, B, 333.
 Immunity, a consideration of some of Bail's recent views in connection with the study of, i, 501.
 duration of passive, viii, B, 139.
 reactions with amœbæ, vi, B, 281.
 recent trend of research on, ii, B, 343.
 some of the modern theories in relation to, ii, B, 71.
 Immunization, guinea pigs inoculated with avirulent tubercle bacilli in agar for, x, B, 145.
 serum and tuberculo-toxoidin in, ii, B, 379.
 Immunized, simultaneous method of inoculating cattle and carabaos with serum from animals that have recently been, ix, B, 125.
 Immunizing cattle against anticattle-plague serum, iv, B, 353.
 Impatiens, ii, C, 279; vii, C, 161; ix, C, 107.
 balsamina, iii, B, 247; vii, C, 186; ix, C, 107.
 Imperata, i, s, 26, 264, 321; iii, C, 395; v, C, 325; vii, C, 153.
 arundinacea, i, s, 26, 322; v, A, 252; ix, D, 260.
 arundinacea var. koenigii, i, 397; i, s, 322.
 cylindrica, i, s, 322; vii, A, 122; vii, C, 149, 191; viii, A, 303; ix, C, 322, 501.
 cylindrica var. koenigii, i, s, 26, 311, 322; ii, C, 395; v, C, 325; vi, C, 194; ix, C, 423, 510.
 exaltata, i, 396; i, No. 5, 457; i, 620; i, s,

- Imperata—Continued.
 26, 265, 322; ix, A, 419; x, C, 373.
exaltata subsp. *merrillii*, i, s, 264, 322.
ramosa, i, s, 322.
- Impetigo contagiosa*, iii, B, 220; iv, B, 284.
- Impid*, v, C, 45.
- Inabnutan*, vi, D, 238.
- Inarnibal*, x, C, 406.
- Inaspidiotus*, i, 230.
- Inayao*, viii, D, 115.
- India, pneumonic plague in, vii, B, 157, 160.
- Indian corn, iv, B, 222; coal, i, 884.
laburnum, iv, C, 463.
 wood oil, i, 199.
- Indiella mansonii*, iii, B, 460.
reynieri, iii, B, 460.
somaliensis, iii, B, 460.
- Indigo, v, A, 441; vii, C, 193.
- Indigofera, i, s, 195; iii, C, 188, 410; v, C, 65,
 353; vii, C, 159; ix, C, 89.
angustifolia, v, C, 67.
anil, iii, C, 410; v, A, 441; v, C, 67; ix, C,
 89.
argentea, v, C, 67.
arrecta, v, A, 441.
benthamiana, v, C, 66.
echinata, v, C, 92.
galeoides, v, C, 66.
hirsuta, v, C, 66, 69; vii, C, 184.
linifolia, i, s, 195; v, C, 65.
nigrescens, iii, C, 183; v, C, 67, 353.
senegalensis, v, C, 69.
suffruticosa, v, A, 441; v, C, 67; vii, C,
 184; ix, C, 89.
teysmannii, iii, C, 411; v, C, 66.
tinctoria, iii, C, 81, 410; v, A, 441; v, C,
 67; vii, C, 184; ix, C, 90.
trifoliata, iii, C, 411; v, C, 66.
unifoliolata, v, C, 65.
zollingeriana, v, C, 66.
- Indocarex*, vi, C, 58.
- Indo-China, dengue in, iv, B, 21.
 typhus fever in, iii, B, 131.
- Indo-Malayan woods, iv, C, 409.
- Indong-indong, iv, A, 491.
- Industrial purposes, water for, ix, A, 345.
- Industries, comparative table of, x, A, 396.
- Inem Island, iii, A, 11.
- Inep, v, C, 20.
- Infanta, Tayabas, to Tanay, Rizal, a geological
 reconnaissance from, iv, A, 483.
- Infantile beriberi, extract of tiqui-tiqui in
 the treatment of, x, B, 81.
 dysentery, an undescribed bacillus as the
 causative factor in cases of tropical,
 iii, B, 31.
- Infants, composition of various milks and
 their adaptability for feeding, viii, A,
 141.
 feeding of, viii, B, 461.
 mortality of, in the P. I., ii, B, 361; v, B,
 149, 176, 237; viii, B, 459.
- Infarctions and amoebiasis, i, 568.
- Infection and method of development of
 pneumonic plague, vii, B, 173.
- Infusoria, v, D, 318.
- Inga angulata*, v, C, 19.
camatchilii, iii, C, 305; v, C, 16.
dulcis, v, C, 16.
elliptica, iii, C, 104; v, C, 19.
grandiflora, v, C, 15.
lanceolata, v, C, 16.
saman, v, C, 15.
saponaria, v, C, 24.
timoriana, v, C, 33.
xylocarpa, iv, C, 463.
- Inglesa, ix, A, 243.
- Ingyin, iv, C, 516.
- Inhyuwat, viii, D, 115.
- Intinto, x, C, 369.
- Intitiw, x, C, 360.
- Inocarpus, v, C, 108; ix, C, 91.
edulis, v, C, 5, 108; ix, C, 91.
- Inoculation, infections due to the gonococcus
 treated by, iii, B, 421.
 pneumonic plague and protective, vii, B,
 229.
- Inophloea, vii, C, 258.
- Inototan, v, C, 349.
- Inot-otot, ix, D, 485.
- Insanity and nervous diseases for the U. S.
 Army, vi, B, 461.
- Insect, scale, i, 1069.
- Insectivora, vi, D, 140; vii, D, 4.
- Insects, cacao, i, 1070.
coconut, i, 143, 211, 1069.
corn, i, 1069.
 domestic animals affected by, i, 1072.
 leprosy in relation to, x, B, 368.
rice, i, 1068.
sorghum, i, 1069.
tobacco, i, 1070.
 transmission of plague by bloodsucking,
 viii, B, 415.
- See also Zoölogy—Insecta.
- Instrument for reproducing the outlines of
 the head and face, iv, A, 447.
- Intempus punctatissimus, ix, D, 451.
- Intermedia, v, C, 19.
- Intestine, Cavite Province and parasites of
 the, vi, B, 211.
 five hundred autopsies with reports of
 cases of parasites of the, viii, B, 157.
 flagellate in the human, v, B, 211.
 hæmorrhage as a complication of amœbic
 infection of the, i, 562.
 helminthiasis of the, ix, B, 233.
 nondiarrhœal amœbiasis of the, v, B, 229.
 one thousand consecutive autopsies in
 Manila and the chief lesions of the, ix,
 B, 453.
 patients of the Philippine General Hos-
 pital with parasites of the, ix, B, 81.
 P. I. parasites of the, iii, B, 71.
 plague affecting the, x, B, 257.
 primary sarcoma of the small, viii, B, 91.

Intestine—Continued.

- Rizal and Cavite Provinces and Cagayan Valley parasites of the, v, B, 267.
 tobacco haciendas of the Cagayan Valley and parasites of the, vi, B, 77.
 tuberculosis of the, ix, B, 454.
- Intoxication, Asiatic cholera and indications of acid, vi, B, 53.
- Intrusives, Baguio mineral district, ii, A, 225; vi, A, 431.
- Intsia, i, s, 63; iii, C, 409; v, C, 40; vii, C, 159; ix, C, 87.
 acuminata, ii, C, 384; v, C, 40.
 bakeri, iv, C, 461.
 bijuga, i, 669; i, s, 63, 199; ii, C, 384; iii, C, 409; iv, C, 461; v, A, 440, 447; v, C, 40; ix, C, 87.
 rhomboidea, i, s, 63.
- Intus, vii, A, 107.
- Intussusception, adenocarcinoma of the cæcum complicated by, x, B, 71.
- Inugusu, ix, D, 255.
- Inulase in cacao, tests for, x, A, 128.
- Inuleae, v, C, 396.
- Inuzanshō, ix, D, 250.
- Invertase in cacao, x, A, 131.
- Invertebrate fauna of the P. I., contributions to the stratigraphy and fossil, viii, A, 235.
- Inwood, vii, A, 102.
- Iodes, iii, C, 241.
 ovalis, iii, C, 241.
 philippinensis, iii, C, 241; vi, C, 209.
- Iodine vapor, experiments with, vi, A, 270.
- Iole, v, D, 221.
 cinereiceps, i, 770, 774; iii, A, 279.
 everetti, iv, A, 74.
 guimarasensis, i, 769; ii, A, 313; vi, D, 43.
 gularis, v, D, 112, 138, 220.
 mindorensis, i, 702.
 monticola, ii, A, 306; iii, A, 279.
 philippensis, i, 769; ii, A, 306, 313, 327; iv, A, 74.
 rufigularis, ii, A, 288.
 siquijorensis, iii, A, 279.
- Ionidium thymifolium, x, C, 191.
- Ionopsis utricularioides, iv, C, 600.
- Ipa, v, B, 82.
- Ipal, v, C, 119.
- Ipecac, dysentery treated with, x, B, 75.
 treatment of entamoebiasis with, ix, B, 93.
- Ipecacuanha, after-treatment of amoebic liver abscess with, v, B, 227.
 methods of giving, iii, B, 289.
- Ipel-ipel, vii, C, 199.
- Iphiaulax deceptor, i, 694.
 luteifrons, i, 694.
 nigifrons, i, 694.
- Iphigenia, iii, C, 176.
 indica, iii, C, 176.
- Ipidae, vi, D, 18.
- Ipil, i, 669; i, s, 63, 199; ii, C, 384; iv, C, 461; v, A, 440; v, C, 40, 41.
 tañglin, v, C, 32.
- Ipinae, vi, D, 21.
- Ipo conferta, x, D, 322.
- Ipocerus, x, D, 322.
 kirkaldyi, x, D, 323.
- Ipomoea, i, 396; i, s, 119; iii, C, 122, 429; iv, C, 320; v, C, 379; vii, C, 165, 244; ix, C, 131.
 acetosaefolia, iii, C, 429.
 alba, ix, C, 131.
 aquatica, vii, C, 244.
 batatas, i, s, 119; iv, B, 222; v, C, 379; vii, A, 397; vii, C, 189; vii, D, 138; ix, C, 131, 428.
 biloba, i, s, 120.
 blancoi, i, s, 119; ii, C, 435.
 bufalina, iii, C, 122.
 cairica, iv, A, 567; vii, C, 195; ix, C, 506, 513.
 campanulata, ix, C, 133.
 carnosa, iii, C, 429.
 choisyana, ix, C, 131.
 congesta, iv, C, 320; ix, C, 131.
 denticulata, iii, C, 429; ix, C, 131.
 digitata, i, s, 119; vii, C, 189.
 eriocarpa, iii, C, 122.
 gemella, i, s, 120.
 gracilis, iii, C, 429; ix, C, 131.
 hederacea, ix, C, 132.
 hispida, iii, C, 122.
 involucrata, iii, C, 122.
 linifolia, vii, C, 244.
 littoralis, iii, C, 429.
 longiflora, ix, C, 131.
 mariannensis, ix, C, 132.
 nil, vii, C, 189; ix, C, 132.
 obscura, i, s, 119; viii, C, 488; ix, C, 428, 513.
 paniculata, i, s, 119.
 pes-caprae, i, 668; i, s, 120; iii, A, 265; iii, C, 429; vi, C, 220; vii, C, 189; ix, C, 132, 428.
 pes-tigridis, ix, C, 428.
 philippinensis, vii, C, 244.
 pileata, iii, C, 122.
 purpurea, vii, C, 189.
 quinata, iii, C, 122.
 reptans, iv, B, 223; vii, C, 244; ix, C, 132, 502.
 riedeliana, iii, C, 122.
 stolonifera, iii, C, 429.
 triloba, ii, C, 435; iii, A, 265; vii, C, 189, 200; ix, A, 461; ix, C, 132, 428.
 tuberosa, ix, C, 132.
 uniflora, iii, C, 123.
 vitifolia, iii, C, 122.
- Iposcopus, x, D, 320.
 breviceps, x, D, 322.
 distanti, x, D, 320.
- Ipucaos, i, 826.
- Irani, i, s, 76.
- Irayas, i, 818.
- Irena cyanogastra, v, D, 104, 112.
 melanochlams, ii, A, 288.
 tweeddalii, i, 906.
- Iridaceae, ii, C, 268; vi, C, 196; vii, C, 156, 233.

- Iridium, x, A, 88.
 Irna, x, A, 383.
 Irok, vi, A, 194.
 Iron, P. I., v, A, 332.
 Lanatin, deposits of, v, A, 105.
 Mountain Province, x, A, 207.
 northwestern Pangasinan, vii, A, 276.
 ore, Bulacan Province, ix, A, 201.
 ore, Calambayanga Island, x, A, 323.
 ore, magnetized, x, A, 90.
 ore, microscopic study of the Bulacan, ix, A, 263.
 ore, Surigao Province, x, A, 335.
 oxide, properties of fused mixtures (cement) containing calcium oxide and various amounts of alumina, silica, and vii, A, 145.
 Santa Inez, deposits of, v, A, 107.
 Ironbark, iv, C, 534.
 Ironwood, iv, C, 444, 461, 463, 470, 537, 540, 547.
 Bornean, iv, C, 452.
 Ceylon, iv, C, 505.
 East Indian, iv, C, 505.
 Irpex, i, s, 284; ix, C, 350.
 flavus, i, s, 284; ix, C, 350.
 zonatus, i, s, 294.
 Irrigation and coöperative irrigation societies in Ilocos Norte, ix, D, 99.
 Irvingia malayana, iv, C, 474.
 oliveri, iv, C, 474.
 Isachne, i, s, 27, 268, 349; ii, C, 261; iii, C, 167; v, C, 168, 327; vii, C, 153; ix, C, 55, 261.
 australis, i, s, 350.
 beneckeii, i, s, 27, 313, 350; ii, C, 261; v, C, 327.
 beneckeii forma depauperata, i, s, 350; v, C, 327.
 beneckeii var. magna, i, s, 350; v, C, 327.
 conferta, ix, C, 261.
 debilis, i, s, 268, 312, 350; v, C, 168.
 debilis var. incrassata, i, s, 268, 350; v, C, 168.
 incrassata, v, C, 168.
 magna, v, C, 327.
 micrantha, v, C, 168.
 miliacea, vi, C, 194; ix, C, 55.
 minutula, i, s, 27, 349; ix, C, 55.
 monticola, i, s, 27, 268, 350.
 myosotis, i, s, 349; ii, C, 261; v, C, 169, 327.
 pangerangensis var. halconensis, iii, C, 167; v, C, 327.
 pauciflora, i, s, 350; v, C, 327; ix, C, 262.
 pauciflora var. hirsuta, iii, C, 167.
 pulchella, i, s, 349.
 vulcanica, v, C, 169.
 Isanthera, viii, C, 332.
 dimorpha, viii, C, 332.
 Isar, v, C, 51.
 Isaria, i, s, 293.
 sphingum, i, s, 293.
 Isarog, Luzon, vi, A, 453.
 tuffs and agglomerates of, x, A, 306.
 Isbayat Island, iii, A, 12.
 Ischaemum, i, s, 266, 330; iii, C, 395; vii, C, 153; ix, C, 51, 263.
 angustifolium, i, s, 331.
 aristatum, i, s, 330; ix, C, 264.
 aristatum var. gibbum, i, s, 330.
 arundinaceum, i, s, 267, 331.
 arundinaceum var. radicans, i, s, 266, 312, 331.
 augustifolium, i, No. 5, 457.
 ciliare, i, s, 330; iii, C, 395.
 chordatum, ix, C, 52.
 colladoa, i, s, 330.
 digitatum, ix, C, 51.
 digitatum var. polystachyum, ix, C, 51.
 gibbum, i, s, 330.
 glabratum, i, s, 331.
 glaucescens, ix, C, 263.
 intermedium, i, s, 331; vi, C, 194.
 involutum, i, s, 369.
 leersioides, i, s, 332.
 longisetum, ix, C, 52.
 merrillii, i, s, 266, 331.
 minus, i, s, 331; x, C, 187.
 murinum, ix, C, 53.
 muticum, i, s, 330; iii, C, 395; vi, C, 194.
 notopogon, i, s, 331.
 polystachyum, i, s, 331; ix, C, 51.
 pubescens, ix, C, 264.
 rottboelloides, i, s, 328.
 rugosum, i, s, 330; ix, C, 51.
 rugosum var. distachyum, i, s, 330; ii, C, 436; vi, C, 194.
 rugosum var. segetum, i, s, 330.
 segetum, i, s, 330.
 timorense, i, s, 331.
 urvilleanum, i, s, 331; x, C, 187.
 Ischiogonus philippinensis, i, 694.
 Ischnostemma, iii, C, 121; vii, C, 164.
 carnosum, iii, C, 121.
 selangorica, iii, C, 121.
 Ischnostroma, ix, C, 186.
 merrillii, ix, C, 186.
 Ischurochloa spinosa, v, C, 270.
 Isda, viii, D, 101.
 Isec, ix, D, 497.
 Iseg, ix, D, 497.
 Isek, ix, D, 497.
 Ishek, ix, D, 497.
 Isinac, i, 860.
 Isinayas, i, 860.
 Isinays, i, 860.
 Isinglass, preparation of, vi, D, 309.
 Isis, i, s, 45.
 Island fever, iii, B, 1.
 Ismene, x, D, 301.
 aquilina, x, D, 301.
 jankowskii, x, D, 301.
 Ismeninae, x, D, 301.
 Isenays, i, 860.
 Isnus, viii, D, 217.
 Isolepis ambigua, ii, C, 99.
 barbata, ii, C, 98.
 capillaris, ii, C, 98.
 cochleata, ii, C, 91.

- Isolepis*—Continued.
 complanata, ii, C, 96.
 cumingii, ii, C, 98.
 dipsacea, ii, C, 93.
 haenkei, ii, C, 95.
 inundata, ii, C, 99.
 involutellata, ii, C, 98.
 juncoides, ii, C, 99.
 longispica, ii, C, 98.
 margaritifera, ii, C, 102.
 miliacea, ii, C, 96.
 oryzotorum, ii, C, 99.
 squarrosa, ii, C, 110.
 supina, ii, C, 99.
 trichochloa, ii, C, 98.
 uninodis, ii, C, 99.
 willdenowii, ii, C, 96.
Isonandra perrottetiana, iv, C, 540.
Isong lacsá, iii, A, 519.
Isoptera, viii, D, 272.
 bornensis, iv, C, 515.
Isopterus, vii, D, 302.
 acanthomerus, vii, D, 388.
Isopterygium, v, C, 160; viii, C, 87.
 albescent, ii, C, 342; v, C, 160; viii, C, 87.
Isotima albicincta, i, 692.
 albifrons, i, 692.
 cincticornis, i, 692.
Isotoma, vii, C, 167.
 longiflora, vii, C, 189.
Isotricha, v, D, 321.
 Issek, ix, D, 497.
Issidae, x, D, 137.
Issinæ, v, D, 41; x, D, 141, 276.
Issus acutus, v, D, 65.
 simplex, v, D, 65.
Isthmia, x, D, 138.
 breviceps, x, D, 138.
Italones, i, 812.
Itaneg, i, 851.
Itas, i, 806.
Itaveg, i, 851.
Itayakaede, x, D, 345.
Itea, i, s, 59; v, C, 351.
 luzonensis, v, C, 351.
 macrophylla, i, 643; i, s, 59, 175; v, C, 351.
 maesaefolia, viii, C, 481.
Iteadaphne confusa, ix, C, 358.
Itetapanes, i, 851.
Ithyphallus, viii, C, 304.
 impudicus, viii, C, 304.
Itneg, i, 851.
Ito, iii, A, 529.
Itogon River, vein gold deposits of, viii, A, 96.
Itsa, iv, C, 692.
Ituman, x, C, 336.
Iusticia nasuta, x, C, 191.
Ivis, iv, A, 494.
Iwahig, mosquitoes caught in bed nets at, x, B, 190.
 raw materials for natural cement and brick at, ix, A, 163.
Ixeris thunbergii, iii, C, 218.
Ixia americana, vii, C, 233.
Ixodidae, iv, B, 239.
Ixonanthes icosandra, iv, C, 472.
Ixora, i, s, 133; ii, C, 306, 427; iii, C, 437; iv, C, 561; v, C, 233; vii, C, 167; viii, C, 39; ix, C, 145; x, C, 119.
 amboinica, v, C, 234.
 auriculata, vi, C, 223.
 barbata, i, s, 133.
 capitulifera, v, C, 233.
 chinensis, vii, C, 195.
 coccinea, i, s, 133; iii, C, 437; v, C, 240; vii, C, 195.
 congesta, ii, C, 427; v, C, 237.
 crassifolia, v, C, 233.
 cumingiana, i, s, 133.
 cumingii, i, 392.
 ebracteolata, v, C, 234.
 finlaysonian, vii, C, 195.
 fulgens, viii, C, 40.
 gracilipes, x, C, 119.
 grandifolia, x, C, 121.
 inaequifolia, vi, C, 222.
 kingstonii, vi, C, 224.
 littoralis, v, C, 240.
 lobbii, viii, C, 40.
 longissima, v, C, 235.
 longistipula, v, C, 236; ix, A, 450.
 macgregorii, vi, C, 223.
 macrophylla, i, 424; i, s, 133; iii, C, 437; vi, C, 227; ix, A, 450.
 mearnsii, v, C, 236.
 meyeri, i, s, 134.
 mindanensis, v, C, 237.
 palawanensis, v, C, 238.
 philippinensis, v, C, 238; vi, C, 223; viii, C, 491.
 philippinensis var. *brevituba*, v, C, 240.
 pilosa, viii, C, 39.
 platyphylla, x, C, 120.
 propinqua, viii, C, 39.
 salicifolia, v, C, 235.
 samarensis, x, C, 121.
 triantha, ix, C, 145.
Ixus goiavier, ii, A, 328.
Iyo, iii, A, 529.

J

- Jacaranda*, vii, C, 166.
 ovalifolia, vii, C, 188.
Jacquemontia hirsuta, x, C, 193.
 paniculata, ix, C, 499, 513.
Jada, v, D, 39.
 maculipennis, v, D, 39.
 nitagalensis, v, D, 39.
Jaegerina, viii, C, 76.
 luzonensis, viii, C, 76.
 stoloniferae, viii, C, 76.
Jaggery, vi, A, 161.
Jak fruit, i, 398; i, s, 43; iv, C, 446; v, A, 443; vii, C, 193; viii, A, 63.
Jako-ageha, ix, D, 255.
Jalmenus evagoras, v, D, 72.
 ietinus, v, D, 72.

- Jalujalu, ix, D, 483.
 Jamaica apple, vii, C, 112.
 Jaman, iv, C, 534.
 Jambosa, iv, C, 331.
 acuminatissima, iv, C, 392.
 alba, iv, C, 363.
 barnesii, i, s, 104; iv, C, 360.
 bataanensis, i, s, 104; iv, C, 348.
 garciae, iv, C, 399.
 lineata, iv, C, 366.
 longipedicellata, iv, C, 349.
 luzonensis, i, s, 105; iv, C, 356.
 saligna, iv, C, 392.
 vulgaris, iv, C, 361.
 Jamesoniella, v, C, 310.
 flexicaulis, v, C, 310.
 ovifolia, v, C, 310.
 Jamo, iv, C, 355.
 Jana, iii, C, 398.
 Jangus, iv, C, 356.
 Jankang, iv, C, 515.
 Janot, iii, C, 419.
 Jantac, iii, C, 420.
 Japan, adult male types of, iv, A, 337.
 beriberi among soldiers and sailors of, vii, B, 48.
 coal from, i, 884; iii, A, 311.
 combating plague in, i, 465.
 lepidoptera and their larvæ from, ix, D, 247; x, D, 281, 345.
 observations on the epidemiology of dysentery in, i, 485.
 termites of, viii, D, 271.
 Jarul, iv, C, 524.
 Jasmine, vii, C, 193.
 Jasminum, i, s, 116, 222; iii, C, 119, 258; v, C, 223, 378; vii, C, 164; ix, C, 128.
 aculeatum, iii, C, 119; v, C, 378.
 bifarium, i, s, 116; ix, C, 182.
 cumingii, v, C, 223.
 dolichopetalum, iii, C, 120.
 fruticans, vi, A, 201.
 grandiflorum, vii, C, 195; ix, C, 128.
 luzoniense, i, s, 222.
 macrocarpum, iii, C, 258; vi, C, 219.
 marianum, ix, C, 128.
 multiflorum, vii, C, 195; ix, C, 128.
 nudiflorum, vi, A, 201.
 officinale, vi, A, 201.
 parviflorum, i, s, 223.
 populifolium, i, s, 222.
 pseudopinnatum, iii, C, 119.
 sambac, vii, C, 187; viii, C, 268; ix, C, 128.
 triphyllum, i, s, 223.
 triplinervium, v, C, 223.
 truncatum, iii, C, 259.
 Jasper, x, A, 88.
 Jassaria, x, D, 49.
 Jassiaea, vii, C, 197.
 Jassidæ, v, D, 50; x, D, 50.
 Jassinæ, v, D, 51; x, D, 50.
 Jassini, x, D, 50.
 Jassoidea, ix, D, 409; x, D, 49, 189, 317.
 Jassus, v, D, 52; x, D, 53.
 conspersus, x, D, 55.
 dubia, x, D, 54.
 elegans, v, D, 52.
 luzonensis, x, D, 56.
 nervosus, v, D, 52.
 obscurus, x, D, 54.
 philippinensis, x, D, 57.
 Jassusaria, v, D, 52.
 Jateng, iii, C, 404.
 Jati, iv, C, 555.
 Jatopa, ix, C, 57.
 Jatropha, i, s, 81; iv, C, 482; vii, C, 161; ix, C, 102.
 curcas, i, 1034; i, s, 81; ii, A, 440; vii, C, 185; ix, C, 102; x, A, 107.
 gossypifolia, vii, C, 185.
 manihot, ix, C, 103.
 moluccana, ix, C, 100.
 multifida, vii, C, 185; ix, C, 102.
 podagrica, vii, C, 185.
 Jaundice and its association with amoebic abscess of the liver, i, 557.
 Java, beriberi in prisons of, v, B, 67.
 early connections between the P. I., Formosa, and, i, 203.
 ferns of, viii, C, 139.
 Jayeng, v, C, 481.
 Jellyfish, another dangerous P. I., ix, B, 291.
 unusual symptoms caused by contact with some unknown variety of, iii, B, 329.
 Jelutong, iv, C, 551.
 Jeme, ix, D, 485.
 Jenkinsiella nectura, iii, A, 529.
 olivieri, iv, A, 493.
 Jerez, vii, A, 24.
 Jhand, iv, C, 464.
 Jilador, ix, A, 245.
 Jinagasi, vi, C, 28.
 Jindaramay, vi, C, 14.
 Jinlagasi, vi, C, 28.
 Jivatma, v, D, 41.
 metallica, v, D, 41.
 triangulata, v, D, 41.
 Job's tears, i, s, 320; vii, A, 98; vii, C, 192.
 Joga, ix, C, 109.
 Johnius belengeri, vi, D, 310.
 borneensis, v, D, 279.
 vogleri, v, D, 280.
 Joinvillea, i, s, 181.
 malayana, i, s, 181.
 Jona jaca, vii, C, 118.
 Joncoy, ix, A, 242.
 Jonoc, v, C, 15.
 Juglandaceæ, i, s, 41; ii, C, 270; iv, C, 445.
 Juglandales, i, s, 41.
 Juglans cinerea, vi, A, 14.
 nigra, vi, A, 16.
 Jujube, Indian, iv, C, 496.
 Julella, iii, C, 49.
 luzonensis, iii, C, 49.
 Julis exornatus, ix, D, 79.
 Jumot, iii, C, 398.
 Jumping in North America, v, B, 338.

- Juncaceae, i, s, 174; iii, C, 176; v, C, 337; x, C, 294.
 Juncella, ii, C, 256.
 Juncellus, ii, C, 81; vii, C, 154.
 pygmaeus, vii, C, 181.
 Juncus, iii, C, 176; x, C, 294.
 bufonius, x, C, 294.
 leschenaultii, iii, C, 176.
 prismatocarpus leschenaultii, iii, C, 176.
 Jungermanniaceae, v, C, 310.
 akrogynae, i, s, 10.
 anakrogynae, i, s, 10.
 Jungermanniales, i, s, 10.
 Junghuhn, v, C, 104.
 Juniperus elata, ii, C, 257; vi, C, 154.
 occidentalis, vi, C, 169.
 philippiana, vi, C, 154.
 rigida, vi, C, 154.
 virginiana, vi, A, 14.
 Juramentado, v, B, 337.
 Jussiaea, vii, C, 163, 240; ix, C, 125.
 acuminata, vii, C, 240.
 blumeana, vii, C, 240.
 costata, vii, C, 240.
 linifolia, vii, C, 187, 240; ix, C, 125.
 repens, vii, C, 187; ix, C, 428, 503.
 Jussieuia, i, s, 108; iii, C, 424.
 suffruticosa, i, s, 108; iii, C, 424; vi, C, 218; vii, C, 187.
 Justicia, i, s, 126, 248; ii, C, 301; iii, C, 435; iv, C, 321; v, C, 388; vii, C, 166.
 gangetica, x, C, 341.
 gendarussa, i, 408; i, s, 126, 282.
 luzonensis, i, s, 126; ii, C, 301.
 nitida, ix, C, 142.
 pieta, ix, C, 142.
 procumbens, iii, C, 435; iv, C, 322; v, C, 388.
 tenuis, iv, C, 321.
 vidalii, i, s, 248.
 Jute, i, No. 5, 438.
- K**
- Kaal formation, Aroroy district, vi, A, 404.
 Kabakan River, v, A, 347.
 Kabang, viii, B, 496.
 Kabasi, iii, A, 529.
 Kabayo kabayohan, iii, A, 529.
 Kaboneyan, iii, A, 205.
 Kabung, vi, A, 194.
 Kabusolan, ix, D, 499.
 Kadagan Lake, v, A, 356.
 Kadaklan, iii, A, 204.
 Kadaňgyan, vi, D, 81.
 Kadasan, iii, A, 100.
 Kadatnyan, iv, C, 450.
 Kadisnon, x, C, 410.
 Kadoeng, iv, C, 462.
 Kadondong mata hari, iv, C, 476.
 Kadongan, iv, C, 487.
 Kadsura, ii, C, 422; v, C, 176.
 blancoi, ii, C, 430.
 macgregorii, v, C, 177.
 paucidenticulata, v, C, 176.
 philippinensis, v, C, 177.
 scandens, ii, C, 422.
 Kadungayan, iv, A, 248.
 Kaempferia, iv, C, 165; vii, C, 156; x, C, 296.
 galenga, iv, C, 165; vii, C, 192; x, C, 297.
 gracillima, x, C, 297.
 humilis, iv, C, 165.
 philippinensis, x, C, 296.
 plantaginifolia, iv, C, 165.
 sessilis, iv, C, 165.
 Käfer von den Philippinen, neue, viii, D, 135; x, D, 19, 219.
 Kafu, ix, C, 47.
 Kaga imo, ix, D, 256.
 Kaguku, iv, C, 356.
 Kaha, vii, A, 107.
 Kahavalu, x, D, 193.
 Kahoy dalaga, iv, C, 100.
 Kai kung yu, ix, D, 70.
 Kaiñgin, vi, A, 361; vii, D, 145.
 Kaitan, iii, A, 529.
 Kajoe, iv, C, 550.
 besi, iv, C, 452, 535.
 kaleh, iv, C, 494.
 koenig, iv, C, 559, 561.
 limoeta, iv, C, 547.
 mas, iv, C, 561, 562.
 palaka, iv, C, 522.
 radjah, iv, C, 549.
 ramo, iv, C, 524.
 sabel, iv, C, 558.
 Kaju, viii, A, 65.
 Kakandan, iv, C, 527.
 Kakira, iv, C, 450.
 Kakke, i, 710; v, B, 143.
 coccus of, i, 169.
 Kala-azar, i, 109, 534; ii, B, 84; iv, B, 122, 291.
 Kalading, iii, A, 205.
 Kalambibit, ii, A, 440.
 Kalan, x, B, 376.
 Kalanchœ, i, s, 59; v, C, 351; vii, C, 158.
 spathulata, i, s, 59; v, C, 351.
 Kalangan, iii, A, 202.
 Kalaso, iii, A, 529.
 Kalatumbago, ix, A, 449.
 Kalibugan, i, 818.
 Kalimotani, x, A, 107.
 Kalingas, i, 818; viii, D, 457.
 Kalinite, x, A, 89.
 Kalios, ix, A, 444.
 Kamagon, vii, D, 234.
 Kamang, iii, A, 529.
 kamang, x, C, 203.
 Kamani, iv, C, 530.
 Kamela, v, A, 444.
 Kamian, iv, C, 547.
 Kampferhout, iv, C, 514.
 Kamulauan, iv, C, 334.
 Kamuning, iv, C, 474.
 Kamuyao, vi, C, 250.
 Kananga, iv, C, 450.
 Kandelia rheedii, iv, C, 528; vi, A, 47.
 Kanduli, vi, D, 310.
 kanduli, iii, A, 529.
 Kaneel appel, vii, C, 113.

- Kaniongan, iv, C, 508.
 Kankanai, i, 862.
 Kanon, viii, D, 101.
 Kanturi, vii, D, 277.
 Kanyin, iv, C, 514.
 Kanyinbyu, iv, C, 513.
 Kaolin, analyses of, ii, A, 423.
 for paper making, ii, A, 102.
 Kaolinite, vi, A, 437; x, A, 89.
 Kaong, vi, A, 194.
 Kaorika, iv, C, 530.
 Kapalo, iii, A, 528.
 Kapasi, v, B, 217.
 Kapittha, iv, C, 474.
 Kapok, i, No. 5, 439; ii, A, 440; x, A, 107.
 Kapor, iv, C, 509, 514.
 bennar, iv, C, 514.
 gunong, iv, C, 514.
 paya, iv, C, 514.
 Kappla, iv, C, 454.
 Karatachi, ix, D, 250.
 Karig, vi, C, 283.
 Kashiwa, x, D, 293.
 Kasla, ii, A, 440.
 Kasserota, ix, D, 281.
 Kasumba, iv, C, 484.
 Kasuy, ii, A, 440; vi, C, 17.
 Katapang, iv, C, 530.
 Kataugnan, i, 862.
 Katjang bogor, v, B, 67.
 idjo, v, B, 67, 124; vi, B, 229, 253, 401; vii, B, 277, 453.
 iris, v, B, 67.
 pandjang, v, B, 67.
 tjina, v, B, 67.
 Katsumba, v, A, 442.
 Katumbang, iii, A, 516.
 Kauarika, iv, C, 530.
 Kauffussia, iv, C, 11.
 Kaunghmu, iv, C, 516.
 Kawag-kawag, iii, A, 519.
 Kawakami, v, C, 474.
 Kawang, iv, C, 515, 541.
 Kawayanagi, x, D, 350.
 Kaya, ix, D, 260.
 Kayas, x, B, 375.
 Kayea, i, s, 97; v, C, 200.
 brevipes, v, C, 200.
 navesii, v, C, 200.
 paniculata, i, 405, 637; i, s, 97; iv, C, 403, 703; vi, C, 211.
 racemosa, iv, C, 403.
 stylosa, iv, C, 506.
 Kayin, ix, D, 477.
 Kayu arang, iv, C, 545.
 besi prempuan, iv, C, 463.
 gading, iv, C, 562.
 garu, iv, C, 497, 523.
 klat, iv, C, 534.
 malam, iv, C, 545.
 raja, iv, C, 465.
 Ke lung tsang, ix, D, 71.
 Kedani disease, iii, B, 1.
 fever and pseudotyphoid fever in Deli, x, B, 345.
 Kedjimas, iv, C, 524.
 Keith's operation, vi, B, 235.
 Kekala, iv, C, 450.
 Kelat layu, iv, C, 493.
 Kelor pante, iv, C, 460.
 Kemajan, iv, C, 547.
 Kemlandingan, iv, C, 460.
 Kemponashi, iv, C, 496.
 Kendal, iv, C, 553.
 Kepong, iv, C, 518.
 hantu, iv, C, 518.
 Keratosa, iv, A, 57.
 Kerivoula, vii, D, 19.
 hardwickii, vii, D, 19.
 jagorii, vii, D, 19.
 pellucida, vii, D, 19.
 whiteheadi, vii, D, 20.
 Kermula, v, C, 467.
 Kernspalten, v, D, 318.
 Kertészia, iv, A, 545.
 mcgregori, iv, A, 548.
 Keschta, vii, C, 113.
 Ketapang ketek, iv, C, 560.
 Ketumala, v, D, 46.
 Keura, iii, C, 60.
 Kew Herbarium, Cyperaceæ in the, ii, C, 77.
 Keystone mine, viii, A, 100.
 Khair, iv, C, 469.
 Khaki dyes, v, A, 447.
 Kharpat, iv, C, 476.
 Khartoum, investigations of sunlight at, vii, B, 7, 28.
 Khas-khas, iv, A, 118.
 Khus-khus, iv, A, 118.
 Kiaja, vii, A, 107.
 Kiamil, iv, C, 489.
 Kiampao, iii, A, 529.
 Kiaŋg, ix, D, 497.
 Kianggan Ifugao, harvest feast of the, vi, D, 81.
 Kibako, iv, C, 553.
 Kibane seseri, x, D, 301.
 Kibara, i, s, 56; ii, C, 274; iii, C, 225.
 ellipsoidea, i, s, 56; ii, C, 274.
 mollis, iii, C, 225.
 Kibessia cordata, viii, C, 360.
 echinata, viii, C, 360.
 simplex, viii, C, 360; x, C, 192.
 tuberculata, viii, C, 360.
 Kickxia, iv, C, 315, 552; x, C, 66.
 arborea, x, C, 66.
 blancoi, iv, C, 315; x, C, 66.
 gitingensis, x, C, 70.
 macgregorii, x, C, 66.
 merrittii, iv, C, 315; x, C, 66.
 Kidjoelang, iv, C, 462.
 Kidneys, diseases of the, iii, B, 215.
 Kidney-worm infestation of swine in the P. I., ix, B, 269.
 Kiedashaku, x, D, 352.
 Kigelia, vii, C, 166.
 africana, vii, C, 195.
 Kijai, iv, C, 476.
 Kikoetjing, iv, C, 472.

- Kiliŋg, ix, D, 497.
 Kimadara hikage, ix, D, 258.
 Kinamay, x, C, 402.
 King, Papuan ferns collected by the Reverend Copland, vi, C, 65.
 Kingia gregoryi, viii, D, 306.
 Kingiodendron, iv, C, 267; v, C, 38.
 alternifolium, iv, C, 267, 471, 715; v, C, 38.
 pinnatum, iv, C, 471.
 Kings-wood, iv, C, 549.
 Kinillo, vi, D, 233.
 Kinoha tora, x, D, 356.
 Kirbyana, ix, D, 175.
 Kirganelia alba, iv, C, 99.
 triandra, iv, C, 92.
 villosa, iv, C, 94.
 Kiring, ix, D, 497.
 Kirrodesa, ix, D, 260.
 Kisugos, v, D, 281.
 Kitandjoeng, iv, C, 540.
 Kitang, iii, A, 529; iv, B, 219.
 Kitelor, iv, C, 482.
 Kitings, v, D, 282.
 Kitkiti, ix, D, 497.
 Kitoke, iv, C, 459.
 Kittacincla luzoniensis, v, D, 112, 220; vi, D, 44.
 parvimaculata, v, D, 112.
 superciliaris, vi, D, 44.
 Kiwada, ix, D, 250.
 Klalar, iv, C, 513.
 Klampis, iv, C, 470.
 Klapak, iv, C, 510.
 Kleidotoma philippinensis, i, 690.
 Kleinhofia, i, s, 94; iii, C, 420; vii, C, 162.
 hospita, i, 405; i, s, 94; iii, C, 420; iv, C, 501.
 Knema, i, s, 55; iii, C, 407.
 heterophylla, i, 405, 638; i, s, 55; ii, C, 381; iii, C, 407; iv, C, 703; vi, C, 205; ix, A, 500.
 Knight Templar, experience with beriberi among the Indian crew of the steamship, v, B, 86.
 Knoxia corymbosa, i, s, 127.
 Koch-Weeks bacillus, v, B, 305.
 Koebelia, x, D, 191.
 Koebeliidae, x, D, 50, 191.
 Koejoeng, iv, C, 517.
 Koekoeran, iv, C, 528.
 Kokoona zeylanica, iv, C, 491.
 Kolating, vi, D, 81.
 Kolavu, iv, C, 471.
 Koliaban, vi, D, 98.
 Kolla, v, D, 51; ix, D, 419.
 insignis, v, D, 51.
 tripunctifrons, v, D, 51.
 Kolongko, x, A, 390.
 Kolowratia, iv, C, 181; vii, C, 156.
 elegans, iv, C, 181; vi, C, 197.
 erucaeformis, iv, C, 182.
 Komurasaki, x, D, 281.
 Konara, x, D, 293.
 Koompatia, x, C, 12.
 beccariana, iv, C, 465; x, C, 12.
 excelsa, iv, C, 465; x, C, 12.
 malaccensis, iv, C, 466.
 parviflora, iv, C, 466.
 Koordersiodendron, i, s, 85.
 pinnatum, i, 387; i, s, 85, 172; ii, C, 371; iv, C, 489, 707; ix, A, 444.
 Kopsia, i, s, 117.
 longiflora, i, 638; i, s, 117; iv, C, 703; ix, A, 499.
 Kori yanagi, x, D, 350.
 Korot, vii, D, 146.
 Korthalsia, iv, C, 619; vi, C, 195.
 robusta, iv, C, 621.
 scaphigeroides, iv, C, 619.
 squarrosa, iv, C, 620.
 tanguguid, iv, C, 620.
 Kosteletzkyia, iv, C, 290; vii, C, 162.
 batacensis, iv, C, 290.
 Kosum, iv, C, 495.
 Kottamba, iv, C, 530.
 Koxinga, ix, D, 252.
 Kradibia brownii, i, 690.
 Krakas, iv, C, 524.
 Kranji, iv, C, 465.
 Kraunhia, v, C, 73.
 floribunda, x, D, 298.
 Kretschmeria, i, s, 280; iii, C, 52; viii, C, 274.
 coenopus, i, s, 280.
 gomphoidea, viii, C, 274.
 microspora, iii, C, 52.
 Kriegeria heptazonata, i, 692.
 Kripa, iv, C, 529.
 Kris, v, B, 337.
 Kroewing, iv, C, 513.
 Kruen, iv, C, 509.
 K'rontum, iv, C, 448.
 Kruyn, iv, C, 513.
 Kuala Lumpur, Fletcher's experiments on beriberi at lunatic asylum in, vii, B, 279.
 investigations of sunlight at, vii, B, 6, 26.
 Travers's experiments on beriberi at, vii, B, 285.
 Kubisagari or vertige paralytant, ii, B, 409.
 Kuehneola, viii, C, 476.
 gossypii, viii, C, 476.
 Kuhlhasseltia, vii, C, 6.
 merrillii, vii, C, 6.
 Kuijug, vii, A, 389.
 Kukkut, iii, A, 517.
 Kukuk, viii, D, 109.
 Kulim, iv, C, 449.
 Kulingtang Range, v, A, 358.
 Kulu layo hitam, iv, C, 493.
 Kumpas, iv, C, 465, 466.
 ruman, iv, C, 476.
 Kunasia, x, D, 52.
 Kunasia-Myittana, x, D, 50.
 Kunstleria, ix, C, 359; x, C, 14.
 atro-violacea, x, C, 14.
 philippinensis, ix, C, 359.
 Kunugi, x, D, 294, 351.

- Kurayong, iv, C, 462.
 Kuro hikage, ix, D, 261.
 hikage modoki, ix, D, 262.
 taimai, ix, D, 252.
 Kurrimia gracilis, iii, C, 110; iv, C, 287.
 robusta, iv, C, 491.
 Kuwa, x, D, 348.
 Kuwago, x, D, 348.
 Kuyab, vii, A, 108.
 Kuzoe arak, iv, C, 557.
 Kydia calycina, iv, C, 499.
 Kyllingia, i, s, 30; ii, C, 77, 262; iii, C, 397;
 v, C, 333; vii, C, 154; ix, C, 62.
 albescens, ii, C, 79.
 bifolia, ii, C, 78.
 brevifolia, ii, C, 78; vii, C, 180; ix, C, 62.
 caespitosa var. robusta, ii, C, 78.
 cylindrica, ii, C, 79.
 cyperina, ii, C, 87; ix, C, 62.
 intermedia, ii, C, 78, 262; v, C, 333.
 mindorensis, ii, C, 77.
 monocephala, i, s, 30; ii, C, 77; iii, C,
 397; vi, C, 195; vii, C, 180; ix, C, 62.
 monocephala var. mindorensis, ii, C, 78.
 obtusata, ii, C, 78.
 odorata, ii, C, 79.
 oligostachya, ii, C, 78.
 pungens, ii, C, 78.
 rigidula, ii, C, 78.
 squarrosa, ii, C, 110.
 triceps, ii, C, 78.
 Kyphocotis, x, D, 193.
- L**
- La Gota de Leche, viii, B, 462.
 Labang, vi, C, 283.
 Labau, iv, C, 647.
 Labay, vi, C, 20.
 Labayo, ix, A, 462.
 Labba, ix, D, 486.
 Labiatae, i, s, 122, 234; ii, C, 299, 426; iii, C,
 123, 432; v, C, 228, 381; vi, A, 346;
 vi, C, 221, 356; vii, C, 100, 165, 344; ix,
 C, 136, 429.
 Labisia, ii, C, 296.
 pumila, ii, C, 296.
 pumila var. genuina, ii, C, 296.
 Lablab, v, C, 3, 135.
 cultratus, v, C, 135.
 vulgaris, v, C, 134.
 Labong ng cauayan, iv, B, 222.
 Laboratories, a new type of condenser for
 use with volatile liquids in tropical, vii,
 A, 417.
 some simple apparatus for, ix, B, 297.
 Labracinus flavipinnis, iv, A, 530.
 Labradorite, x, A, 89.
 Labridae, iv, A, 522; v, D, 281; ix, D, 69.
 Lac tree, iv, C, 495.
 Lacatan, i, s, 36; x, C, 405.
 Laccoptera fallax, v, D, 145.
 insulana, v, D, 145.
 manilensis, v, D, 144.
 manilensis ab. nigripennis, v, D, 144.
 philippinensis, v, D, 144.
 Laccoptera—Continued.
 sculpturata, v, D, 145.
 tredecimpunctata, v, D, 144.
 Laccotrepes, iv, A, 591.
 fabricii, iv, A, 591.
 robustus, iv, A, 591.
 Lachnea albo-grisea, viii, C, 103.
 Lachnocladium, i, s, 284.
 sp., i, s, 284.
 Lacon cervinus, ix, D, 441.
 Lacopectera chinensis, iii, A, 270.
 excavata, iii, A, 268.
 philippinensis, iii, A, 268.
 Lacsas, iii, A, 519.
 Lactang, i, 1026.
 Lactaria salubris, ix, C, 130.
 Lactarius lactarius, v, D, 270.
 Lactuca, ii, C, 309; iii, C, 213, 442; v, C, 401;
 vii, C, 168.
 brevirostris, i, s, 177; iii, C, 442.
 dentata, iii, C, 218, 442; v, C, 401.
 laciniata, iii, C, 442.
 luzonica, iii, C, 218.
 sativa, vii, C, 190; ix, C, 154.
 squarrosa, iii, C, 442.
 thunbergiana, i, s, 177; ii, C, 309; iii, C,
 218.
 thunbergii, iii, C, 218.
 Lada, ix, C, 145.
 Ladiangao, v, A, 174.
 Ladladking, vii, A, 102.
 Ladosung tasai, ix, C, 92.
 Lælia, v, D, 169.
 caenosa, v, D, 169.
 suffusa, v, D, 169.
 Lagaran, v, D, 106.
 Lagasi, vi, C, 28; ix, A, 450.
 Lagenaria, vii, C, 167; ix, C, 151.
 lagenaria, ix, C, 151.
 leucantha, vii, C, 189; ix, C, 151.
 vulgaris, iv, B, 222; vi, C, 108.
 Lagenophora, ii, C, 309.
 billardieri, ii, C, 309.
 Lagenum multiforme var. tayabum, viii, A,
 325.
 Lageraria vulgaris, vii, B, 113.
 Lagerstroemia, i, s, 101; iii, C, 116, 422; vii,
 C, 163; viii, C, 287; ix, C, 117.
 batitinan, ii, C, 377; iii, C, 116; iv, C,
 524.
 floribunda, iv, C, 523.
 flos-reginae, i, s, 101; iv, C, 524; viii, C,
 288.
 grandiflora, iv, C, 524.
 hexaptera, ii, C, 377; iii, C, 116; iv, C,
 523.
 indica, vii, C, 187; ix, C, 117.
 parviflora, iv, C, 523.
 piriformis, iii, C, 116; iv, C, 524, 717.
 speciosa, i, 387, 646; i, s, 101; ii, C, 374;
 iii, C, 54, 306, 422; iv, C, 524, 707; viii,
 C, 280; ix, A, 432; ix, C, 184.
 Laggera, v, C, 397.
 alata, v, C, 397.

- Lagilagi, iv, C, 396; vi, C, 348.
 Lago, i, s, 60; iii, C, 227; iv, C, 457; ix, A, 506.
 Lagod, vi, D, 88.
 Lagohot, iii, A, 628.
 Lagolo, i, s, 21.
 Lagonoy, vi, C, 7.
 Lagos, ii, A, 440.
 Lagria, viii, D, 43.
 concolor, viii, D, 44.
 crassa, viii, D, 45.
 cribratula, viii, D, 43.
 denticornis, viii, D, 45.
 fulgidipennis, viii, D, 44.
 hirticollis, viii, D, 44.
 ionoptera, viii, D, 43.
 prasinella, viii, D, 43.
 pruinosa, viii, D, 43.
 Lagriidae, viii, D, 43.
 Lagriiden und Alleculiden der Philippinen (Coleoptera), viii, D, 43.
 Laguaná, ix, C, 83.
 Lagugayao, ix, C, 42.
 Laguilan, x, C, 369.
 Lagun, ix, C, 131.
 tase, ix, C, 131.
 Laguna, clays from, ii, A, 102; iii, A, 377.
 forest of northern, ix, A, 436.
 malaria and Anopheles surveys in, x, B, 201.
 soils of, ix, A, 33.
 Laguna de Bay, origin of, v, A, 103.
 Laguncularia purpurea, iv, C, 647; ix, C, 120.
 Lagundi, iv, C, 473; x, B, 375.
 Lagunum, v, A, 329.
 Lagyra falcigera, x, D, 345.
 Laing, iii, C, 246.
 Lakay, iii, A, 203.
 Lakby, vi, A, 109.
 Lake Manguao, two new cyprinoid fishes of the genus *Barbus* from, ix, D, 187.
 Lakes, Mindanao, v, A, 356.
 southwestern Luzon crater, v, A, 91.
 Sulu Archipelago crater, v, A, 361.
 Taal Volcano crater, ii, A, 115.
 Lakmi, vi, A, 109.
 Lalage dominica, ii, A, 327.
 melanoleuca, iv, A, 73.
 minor, iv, A, 73.
 niger, i, 702, 769, 774, 906; ii, A, 288, 306, 313, 327; iii, A, 279; iv, A, 73; v, D, 111.
 Lalang, v, A, 252.
 Lalar, iv, C, 513.
 Lalong, vi, D, 302.
 Lama, ix, D, 477.
 Lamag, vi, C, 19.
 Lamao, flora of the forest reserve at, i, s, 1.
 rainfall at, ix, A, 431.
 vegetation of the forest reserve at, i, 373, 637.
 Lambanak, iii, A, 518.
 Lamblia, iii, B, 195.
 intestinalis, i, 561; vi, B, 384.
 Lamellibranchiata, iv, A, 270.
 Lamenia flavescens, ix, D, 179.
 Lamio, i, s, 84; iv, C, 488; ix, A, 444.
 Lamiaceae, ix, C, 36.
 Lamium, viii, C, 332.
 Lamma, ix, D, 476.
 Lammon, iii, A, 529.
 Lamog, ix, A, 444.
 Lamoxna, vii, A, 105.
 Lamphirus marginellus, iv, A, 587.
 Lampides ælianus, v, D, 72.
 celeno, v, D, 72.
 Lamprocorax panayensis, i, 704, 775, 908; ii, A, 258, 291, 309, 314, 333, 344, 349; iii, A, 281; v, D, 114.
 Lamprogaster placida, viii, D, 310.
 Lamprospodrus, v, D, 62.
 Lampuyang, iv, C, 169.
 Lamud, vii, A, 112.
 Lanang formation, Aroroy district, vi, A, 410.
 Lanang to Mandaon, iv, A, 8.
 Lanao, district of, vi, A, 367.
 Lake, iii, A, 488; v, A, 356.
 upland of Lake, v, A, 352.
 Lanatin iron deposits, v, A, 105.
 Lanca, i, s, 43; iv, C, 446; viii, A, 63.
 Lancauas, vi, C, 197.
 Land, plant associations on cleared, ix, A, 451.
 Landan, vi, A, 171.
 Lanete, ii, A, 332; ii, C, 385; iv, C, 551; vii, D, 233; x, C, 66.
 Laneting gubat, x, C, 66.
 Langaasag, ix, C, 120.
 Langai, x, C, 414.
 Langalang, vi, D, 93.
 Langaray, vi, A, 2, 51.
 Langasat, ix, C, 120.
 Langat, ix, C, 120.
 Langil, v, C, 22.
 Langin, v, C, 26.
 Langiti, ix, C, 129.
 Langlangis, iv, C, 365.
 Langosta del mar, ix, D, 324.
 Langsat loetoeng, iv, C, 476.
 Laniidae, iii, A, 280; iv, A, 75; v, D, 112; vi, D, 45.
 Lanis, v, C, 37.
 Laniti, i, s, 118.
 Lanitnit, i, s, 58.
 Lanius lucionensis, ii, A, 329.
 nasutus, ii, A, 329.
 Lankawas, vii, A, 107.
 Lanlan, ix, D, 477.
 Lannea grandis, iv, C, 489.
 Lanot mineral spring, vi, A, 469.
 Lanotan, ii, C, 385; vi, C, 202.
 Lansium, vii, C, 160.
 domesticum, iv, B, 221; vii, C, 193; viii, A, 73.
 Lansones, iv, B, 221; vii, C, 193; viii, A, 73.
 bundoc, i, s, 73.
 Lantakas, iii, A, 485.
 Lantana, vii, C, 165.
 camara, vii, C, 189.
 Lantavna camara, iv, A, 127.
 Lanterna, ix, B, 293.

- Lanthorus blumeanus*, iv, C, 133.
cumingii, iv, C, 133.
pentasepalus, iv, C, 133.
spicifer, iv, C, 133.
Lanutan, vi, C, 202; ix, A, 444; x, C, 233.
itum, x, C, 233.
Lanuti, iv, C, 104.
Lanzone, *see* *Lansones*.
Laoag, immunization of carabaos at, ix, B, 129.
Lap yu, ix, D, 66.
Lapac, v, C, 104.
Lapai, ii, A, 321.
Lapemis hardwickii, vi, D, 265, 311.
Laphria dimidiata, viii, D, 313.
partita, viii, D, 308.
phalaris, viii, D, 308.
pseudolus, viii, D, 308.
scapularis, viii, D, 308.
Lapinig, iv, C, 371.
Lapithasa, ix, D, 280.
bakeri, ix, D, 281.
Lapnit, ix, A, 449.
Lapog, ix, D, 492.
Lapolapo, iii, A, 517; iv, A, 509.
Laportea, i, s, 48; iii, C, 404; v, C, 477; vi, C, 30, 291, 320; vii, C, 156; x, C, 298.
anacardioides, v, C, 478; vi, C, 291.
batanensis, v, C, 481.
brunnea, x, C, 298.
crassifolia, v, C, 480; vi, C, 321.
crenulata, i, s, 48; v, C, 478; vi, C, 292.
crenulata var. luzonensis, i, s, 48; v, C, 478.
densiflora, v, C, 478.
diffusa, v, C, 482.
gaudichaudiana, v, C, 481.
gigas, v, C, 477.
gracilipes, v, C, 483; vi, C, 298.
lanaensis, v, C, 483; vi, C, 292.
leytensis, v, C, 484.
luzonensis, i, 416, 645; i, s, 48; v, C, 478; vi, C, 291; x, C, 299.
meyeniana, v, C, 481; vi, C, 320.
mindanaensis, iii, C, 404; v, C, 484; vi, C, 293.
monticola, x, C, 299.
moroides, v, C, 477.
peltata, vi, C, 292.
pterostigma, v, C, 481.
rigidifolia, v, C, 482; vi, C, 30.
stimulans, v, C, 482; vi, C, 292.
subclausa, v, C, 486; vi, C, 293; ix, A, 450.
subpeltata, v, C, 485; vi, C, 292.
triplinervia, x, C, 300.
venosa, v, C, 486; vi, C, 291.
Lapote, iv, C, 400.
Lappago racemosa, i, s, 342.
Lapsag, ix, D, 476.
Lapwing, Blyth's wattled, ii, A, 295.
Larch, vi, A, 15.
Lard from wild and domestic Philippine hogs, v, A, 33.
Lard worm of pigs, ix, B, 269.
Larentia conturbata, v, D, 176.
Larentiinae, v, D, 165.
Laridae, iii, A, 277; v, D, 106.
Lario, iii, B, 251.
Larix americana, vi, A, 15.
occidentalis, vi, A, 15.
Laro, iv, C, 518.
Larra aurata, i, 687.
Larridae, i, 687.
Larrinae, i, 687.
Larvæ of some dipterous insect developing in the deep urethra and bladder of man producing severe abdominal symptoms, v, B, 515.
Larymna hamatogastra, iv, A, 586.
Larynx in plague, x, B, 289.
Lasa, iii, C, 410; v, C, 108.
Las-aga, ix, C, 58.
Laschia, viii, C, 300; ix, C, 248, 350.
calmicola, ix, C, 243.
goetzei, viii, C, 300.
luzonensis, viii, C, 300.
minima, ix, C, 350.
philippinensis, viii, C, 300.
Lasia merkusii, ii, C, 422.
Lasianthus, i, s, 135; ii, C, 306; iii, C, 164, 265, 438; v, C, 246.
appressus, ii, C, 306.
bordenii, i, 664; i, s, 135.
clementis, iii, C, 164.
copelandii, ii, C, 306; vi, C, 224.
cyanocarpus, v, C, 240.
everettii, iii, C, 265.
laevigatus, i, s, 136.
lucidus, i, s, 136.
obliquinervis, i, 664; i, s, 136; ii, C, 306; iii, C, 438.
pilosus, iv, C, 328.
tashirol, ii, C, 306.
Lasila, iv, C, 532, 644.
Lasilac, iv, C, 644.
Lasiocampidae, ii, A, 370; v, D, 168.
Lasiocladum, i, s, 362.
Lasiococca, iv, C, 483.
symphyllaeifolia, iv, C, 486.
Lasioderma flavescens, viii, D, 2.
rufescens, viii, D, 2.
serricorne, i, 1070; viii, D, 1.
testaceum, viii, D, 2.
Lasiodiplodia, viii, C, 281.
theobromae, viii, C, 281.
Lasiolepis bennetii, vii, C, 236.
multijuga, vii, C, 236.
paucijuga, vii, C, 236.
Lasiommata epimenides, ix, D, 264.
guschkevitschii, ix, D, 259.
maacki, ix, D, 262.
Lasioptera sp., i, 694.
Lasiothyrium, viii, C, 503.
cycloschizon, viii, C, 504.
Lasmenia, viii, C, 281.
ficina, viii, C, 281.
Lastraea exigua, vi, C, 146.
propinqua, ii, C, 215.
viscosa, iii, C, 344.

- Lastrea*, ii, C, 207.
 attenuata, ii, C, 207.
 eburnea, ii, C, 161.
 exigua, ii, C, 202.
 ligulata, ii, C, 208.
 mannii, ii, C, 215.
 setosa, ii, C, 215.
 spectabilis, ii, C, 210.
 viscosa, ii, C, 211.
Lasuit, v, C, 352.
Latah, v, B, 335.
Latandal, iv, B, 221.
Latania loddigesii, ix, C, 64.
Latauan, i, s, 55.
Laterite, v, A, 336.
Lates calcarifer, iii, A, 517; v, D, 275.
Latgitic, i, s, 89.
Lathraea clandestina, viii, C, 324.
Laticauda colubrina, iv, A, 600; vi, D, 265.
 laticaudata, vi, D, 265.
Latirus madiunensis, viii, A, 248.
Latong, v, C, 475.
Latuan, ix, A, 504.
Latuc latucan, v, C, 63.
Latundan, i, s, 36; x, C, 397.
Lauaan, vi, C, 258.
Lauan, i, 413; i, No. 5, 439; i, s, 98; ii, A, 83;
 vi, A, 423; vi, C, 210, 268.
 puti, vi, C, 271.
 red, ii, C, 386; iv, C, 510; vi, C, 275; ix,
 A, 425, 546.
 white, ii, A, 382; ii, C, 386; iv, C, 511;
 vi, C, 277; ix, A, 426, 523.
Lauraceae, i, s, 56, 192; ii, C, 274, 376; iii, C,
 407; iv, C, 254, 452, 704; v, C, 349; vi,
 C, 205, 321; vii, C, 158; ix, A, 555; ix,
 C, 84, 357, 425; ix, D, 253; x, A, 196; x,
 C, 270.
Laurel, Alexandrian, iv, C, 504.
Laurier grec, iv, C, 479.
Laurus camphora, ix, D, 253.
 cinnamomum, iii, C, 305.
 hexandra, ix, C, 358.
Lauxania latifrons, viii, D, 310.
 lucida, viii, D, 317.
 lunifera, viii, D, 317.
 ornatipennis, viii, D, 317.
 punctipennis, viii, D, 317.
Lauxaniidae, viii, D, 310.
Lavas, Tertiary, vi, A, 430.
Laverania malariae, iii, B, 134; iv, B, 4.
Lawin, iii, A, 529.
Lawsonia, vii, C, 163; ix, C, 117.
 alba, v, A, 443.
 inermis, vii, C, 187; viii, C, 276; ix, C, 117.
Layasin, vi, C, 28.
Layog, iii, A, 206.
Layohan, iv, C, 87.
Lead, v, A, 332.
 analysis and composition of red, viii, A,
 429.
 southeastern Luzon, vi, A, 478.
Leaf, coconut palm, i, 17.
Leaf-fish, v, D, 283.
Leasin, vi, C, 28.
Leather, P. I. industry of making, x, A, 349.
 preparing skins of aquatic animals for,
 vi, D, 310.
Leban, iv, C, 557.
Lebato, iv, C, 648.
Lebeda plagifera, v, D, 168.
Lecanopteris, i, s, 21; ii, C, 2; vi, C, 92.
 carnosa, i, 663; i, s, 21.
 pumila, ii, C, 6; v, C, 285; vi, C, 92.
Lecanora, viii, C, 99.
 angulosa, viii, C, 100.
 atra, viii, C, 102.
 carpinea, viii, C, 100.
 cinereocarnea, viii, C, 100.
 cucurbitula, viii, C, 103.
 flavovirentis, viii, C, 101.
 hypocroceae, viii, C, 101.
 intumescens, viii, C, 100.
 isidiotyla, viii, C, 101.
 lividocarnea, viii, C, 100.
 merrillii, viii, C, 101.
 subfusca, viii, C, 99.
 subfusca var. *chlarona*, viii, C, 99.
 subfusca var. *chlaroterae*, viii, C, 100.
 subfusca var. *subcrenulata*, viii, C, 100.
 subfusca var. *tumescens*, viii, C, 99.
Lecanoreae, viii, C, 99.
Lecanthus, v, C, 345, 495; vi, C, 30.
 major, v, C, 495.
 peduncularis, v, C, 345, 495.
 wallichii, v, C, 495; vi, C, 30.
 wightii, v, C, 495.
Lecythidaceae, i, 1026; i, s, 102, 211; iii, C, 422;
 iv, C, 299, 525; vi, C, 213; vii, C, 163;
 ix, A, 557; ix, C, 120, 322.
Lede'w, ix, D, 497.
Ledridae, x, D, 50, 189.
Ledrinæ, v, D, 50.
Leea, i, s, 89; ii, C, 280; iii, C, 419; v, C, 196;
 vii, C, 162; ix, C, 452.
 aculeata, ii, C, 280; iii, C, 419; ix, A, 450;
 ix, C, 513.
 aequata, i, s, 90.
 congesta, vi, C, 209.
 euphlebica, ix, C, 452.
 javanica, i, s, 90.
 manillensis, i, 392; i, s, 89; iii, C, 419;
 ix, A, 450.
 negrosensis, vi, C, 209.
 parva, vi, C, 210.
 philippinensis, i, 406, 641; i, s, 89; iii,
 C, 419; ix, A, 450.
 quadrifida, v, C, 196.
 rubra, i, s, 89.
 sambucina, i, s, 89; iii, C, 80; ix, C, 453.
Leech, a new P. I., viii, D, 369.
 duration of the infectiveness of virulent
 rinderpest blood in the water, viii, B,
 509.
Leersia, i, s, 28, 371; vii, C, 154.
 glaberrima, i, s, 371.
 hexandra, i, s, 28, 311, 371; vii, C, 180.
 luzonensis, i, s, 371.
Leffe, iii, A, 518.
Leghby, vi, A, 109.

- Legnotis lanceolata*, ii, C, 433; iv, C, 337.
Leguminosæ, i, 422, 1020; i, s, 61, 195; ii, C, 276, 369, 424, 433; iii, C, 80, 102, 183, 228, 408; iv, C, 265, 457, 704; v, C, 1, 95, 353; vi, C, 107, 205; vii, C, 82, 159, 235, 273; ix, A, 555; ix, C, 85, 359, 425, 449; x, C, 8, 189, 313.
Leiognathus blochii, v, D, 273.
caballa, v, D, 273.
daura, ix, D, 63.
dussumieri, v, D, 273.
edentulus, v, D, 273.
edwardsi, ix, D, 63.
splendens, v, D, 273; vii, A, 386.
virgatus, ix, D, 63.
Leiomela, v, C, 149, 313.
javanica, v, C, 149, 313; ix, C, 207.
Leioplacarum, viii, C, 105.
Leis dimidiata ab. *bicolor*, v, D, 232.
dunlopi, v, D, 232.
Leishman-Donovan body, i, 108.
Leishmani donovani, iv, B, 122.
Leishmania, ix, B, 169.
donovani, ii, B, 89.
Lema semperi, v, D, 139.
torulosa, viii, D, 216.
Lemae, ix, C, 73.
Lembophyllaceæ, ix, C, 205.
Lembosia, iii, C, 53; viii, C, 261; ix, C, 183.
breviuscula, viii, C, 403.
cassupae, viii, C, 191.
congregata, v, C, 165.
decalvans, viii, C, 191.
decalvans forma coccoli, viii, C, 261.
diffusa, viii, C, 403.
dipteroearpi, iii, C, 53.
eugeniae, viii, C, 261.
inconspicua, ix, C, 183.
javanica, iii, C, 53.
nervisequia, ix, C, 183.
pothoidei, viii, C, 191.
Lembus, v, D, 292.
Lemna, vii, C, 155.
minor, iii, A, 521.
paucicostata, vii, C, 181.
trisulca, iii, C, 276; ix, C, 423, 503.
Lemnaceæ, vii, C, 155; ix, C, 423.
Lemnalia, ix, D, 242; x, D, 1, 160, 209.
africana, ix, D, 236.
armatum, ix, D, 236.
brassica, ix, D, 236.
elegans, ix, D, 236.
flava, ix, D, 236.
nitida, ix, D, 241.
umbellata, ix, D, 241.
Lemnalioides, ix, D, 233; x, D, 160.
kükenthali, ix, D, 233.
Lemon, vii, A, 403.
Lemon grass, vii, C, 192.
grass oil, iv, A, 111.
Lemur menagensis, vii, D, 35.
tarsier, vii, D, 36.
tarsius, vii, D, 36.
volans, vi, D, 148; vii, D, 7.
Lemuridæ, vi, D, 140; vii, D, 35.
Lemurina, vi, D, 142.
Lenæaria, iv, A, 585.
Lenggadi, iv, C, 527; vi, A, 2.
Lengsar, iv, C, 495.
Lengua de vaca, ix, C, 116.
Lens, v, C, 3.
phaseoloides, v, C, 33; ix, C, 86.
Lentibulariaceæ, ii, C, 301; vii, C, 102, 166, 247; ix, C, 141.
Lentinus, i, s, 291; viii, C, 301; ix, C, 39, 157, 246; x, C, 97.
abnormis, i, s, 294.
badius, i, s, 291.
bavianus, ix, C, 157.
candidus, viii, C, 301.
chaetophorus, ix, C, 157.
connatus, i, s, 291.
exilis, i, s, 294.
javanicus, ix, C, 157.
kurzianus, ix, C, 247.
lagunensis, viii, C, 302; ix, C, 246.
levellei, i, s, 294.
macgregorii, ix, C, 246.
melanopus, x, C, 97.
praerigidus, ix, C, 247.
sajor-caju, i, s, 291.
setiger, i, s, 291.
squarrosulus, x, C, 97.
strigosus, i, s, 291; ix, C, 247.
subnudus, viii, C, 302.
velutinus, ix, C, 89.
woodii, ix, C, 247.
Lentz passage bodies in the brain of rabbits, v, B, 457.
Lenzites, i, s, 287; ix, C, 157, 345; x, C, 92.
abietina, i, s, 287.
acuta, i, s, 287; x, C, 92.
applanata, i, s, 285.
berkeleyi var. *philippinensis*, x, C, 92.
palisoti, ix, C, 345; x, C, 92.
pallida, i, s, 287.
platyphylla, ix, C, 345.
platypoda, i, s, 287.
repanda, i, s, 285.
striata, ix, C, 157, 345.
tenuis, x, C, 92.
Leñas, vi, A, 2.
Leocyma, ii, A, 372.
sericea, ii, A, 372.
Leon, x, C, 360.
Leonurus, iii, C, 432; vii, C, 165.
sibiricus, iii, C, 432; vii, C, 189.
Lepanto, Igorots of, ix, D, 465.
military districts of Bontoc and, x, A, 178.
placer deposit of, viii, A, 101.
somatologic study of the live folk of Benguet and, iii, A, 413.
Lepers, animals inoculated with tuberculosis from, x, B, 145.
present position of, v, B, 309, 352.
researches on acarids among, v, B, 463.

- Lepicolea*, v, C, 310.
 scolopendra, v, C, 310.
Lepidagathis, i, s, 125; v, C, 386; vii, C, 103, 167; x, C, 342.
 cinerea, v, C, 387.
 clarkei, x, C, 344.
 dipar, v, C, 386; vii, C, 103.
 humilis, x, C, 346.
 hyalina, i, 419; i, s, 125; x, C, 345.
 incana, v, C, 388.
 incurva, i, s, 125; v, C, 387; x, C, 345.
 javanica, v, C, 387.
 laxa, x, C, 345.
 macgregorii, x, C, 346.
 mindorensis, x, C, 343.
 palawanensis, x, C, 342.
 psilantha, vii, C, 103.
 subglabra, vii, C, 103.
 subinterrupta, x, C, 345.
 tenuis, x, C, 347.
Lepidaglaia bailloni, iv, C, 479.
Lepidiotia corpulenta, v, D, 185.
 punctum, vii, A, 384.
Lepidium, i, s, 194.
 ruderale, i, s, 194.
Lepidocyclus, ii, A, 396; viii, A, 283; ix, A, 213.
 andrewsiana, vi, D, 63.
 angularis, vi, D, 64.
 carteri, vi, D, 65.
 dilatata, vi, D, 63.
 elephantina, vi, D, 70.
 ephippioides, vi, D, 63.
 ferreroi, vi, D, 67, 73.
 formosa, v, A, 315; vi, D, 63; viii, A, 285.
 gallienii, vi, D, 65.
 gigantea, vi, D, 70.
 inermis, vi, D, 72; viii, A, 284.
 inflata, vi, D, 70; viii, A, 284.
 insule-natalis, i, 1046; ii, A, 162; iv, A, 486; v, A, 315; vi, D, 71; viii, A, 284.
 joffrei, vi, D, 65.
 mantelli, vi, D, 65.
 marginata, vi, D, 74; viii, A, 284.
 martini, vi, D, 64.
 meodispansa, vi, D, 62.
 morgani, vi, D, 64.
 multipartita, vi, D, 61.
 murrayana, vi, D, 63.
 ngembaki, vi, D, 68.
 præmarginata, vi, D, 73.
 provalei, vi, D, 67.
 raulini, vi, D, 65.
 richthofeni, v, A, 315, 329; vi, D, 71; viii, A, 240, 330.
 schlumbergeri, vi, D, 67.
 smithi, vi, D, 73; viii, A, 284.
 sumatrensis, vi, D, 64.
 tournoueri, vi, D, 67.
 tournoueri var. *angulosa*, vi, D, 68.
 tournoueri var. *borneensis*, vi, D, 68.
 tournoueri var. *inflata*, vi, D, 68, 74.
 verbeeki, v, A, 315; vi, D, 73; viii, A, 284.
 verbeeki var. *miogypsina*, viii, A, 240.
Lepidodactylus aureolineatus, x, D, 97.
 labialis, x, D, 98.
 lugubris, x, D, 98.
 planicaudus, x, D, 98.
Lepidogrammus cumingi, v, D, 104.
Lepidopetalum, i, s, 88.
 perrottetii, i, s, 88; iii, C, 79; viii, C, 447.
Lepidoptera, see Zoölogy—Insecta—Lepidoptera.
Lepidosaphes, i, 233.
 cocculi, i, 234.
 conchiformis = *ulmi*, i, 233.
 mcgregori, i, 222, 233.
 unicolor, i, 222, 234.
Lepidoza, i, s, 10.
 trichodes, i, 662; i, s, 10.
Lepiostegeres, iv, C, 147.
Lepiota, i, s, 291; viii, C, 301; ix, C, 243.
 candida, i, s, 291; ix, C, 244.
 cepaestipes, ix, C, 243.
 chlorospora, i, s, 291; viii, C, 301; ix, C, 243.
 elata, i, s, 291.
 esculenta, ix, C, 243.
 fusco-squamea, ix, C, 244.
 manilensis, i, s, 291; ix, C, 244.
 pulcherrima, ix, C, 244.
 revelata, ix, C, 244.
 sulphopenita, ix, C, 245.
Lepironia cuspidata, ii, C, 109.
 humilis, ii, C, 109.
 macrocephala, ii, C, 422.
 palustris, ix, C, 267.
Lepisanthes eriolepis, viii, C, 445.
 palawanica, viii, C, 445.
 schizolepis, viii, C, 445.
 schizolepis forma *genuina*, viii, C, 445.
 schizolepis forma *sphenolepis*, viii, C, 445.
 viridis, viii, C, 454.
Lepistemon, vii, C, 165.
 flavescens, viii, C, 267.
Lepolichene, viii, C, 104.
Leppas, ix, D, 495.
Leprocaulon arbuseula, iv, C, 662.
Leprosy, iii, B, 280; ix, B, 204; x, B, 365.
 bacteriology of, ix, B, 227.
 basic fuchsin treatment of the retrogressive skin lesions of, x, B, 357.
 cultivation of the bacillus of, iv, B, 77, 403.
 cutaneous reaction in, iv, B, 323.
 nastin treatment of, iv, B, 329.
 resolutions adopted by the Far Eastern Association of Tropical Medicine in regard to, v, B, 354.
 specific treatment of, v, B, 559.
 Wassermann reaction in, vi, B, 335.
Lepta triphylla, vii, C, 378.
Leptaleocera bakeri, ix, D, 271.
Leptaspis, i, s, 370.
 cochleata, i, s, 370.
 cumingii, i, s, 370.

Leptaspis—Continued.

- manillensis, i, s, 370.
 urceolata, i, s, 312, 370; vi, C, 194.
Leptobelus, v, D, 47; x, D, 375.
 dama, v, D, 47; x, D, 376.
Leptocentraria, v, D, 48.
Leptocentrotus taurus, x, D, 379.
Leptocentrus, v, D, 48; x, D, 378.
 aduncus, x, D, 380.
 antilope, v, D, 48; x, D, 379.
 bos, v, D, 48.
 gazella, v, D, 48; x, D, 379.
 leucaspis, x, D, 379.
 reponens, v, D, 48; x, D, 379.
 taurus, v, D, 48; x, D, 378.
Leptochilus, i, s, 146; ii, C, 123, 159; iii, C, 31, 390; vi, C, 77.
 axillaris, vi, C, 77.
 cuspidatus, i, s, 146; vi, C, 77.
 decurrens, i, s, 146.
 diversifolius, ii, C, 160.
 heteroclitus, ii, C, 3, 123, 159; iii, C, 390; vi, C, 77.
 heteroclitus var. eurybasis, ii, C, 159.
 heteroclitus var. foxworthyi, ii, C, 160.
 heteroclitus var. inconstans, ii, C, 160.
 heteroclitus var. linnaeanus, ii, C, 160.
 hydrophyllus, i, s, 146; ii, C, 3.
 lanceolatus, iii, C, 32.
 latifolius, ii, C, 3, 170, 406.
 lomarioides, ii, C, 142.
 minor, iii, C, 32.
 normalis, iii, C, 31.
 ovatus, ix, C, 229.
 rizalianus, iii, C, 31, 32.
 zollingeri, ii, C, 123.
Leptochloa, i, s, 379; vii, C, 154.
 chinensis, i, s, 379.
 filiformis, i, s, 380.
 filiformis var. humilior, i, s, 380.
 fusca, i, s, 381.
 tetraquetra, i, s, 379.
Leptocionium, ii, C, 154.
Leptocnide rubricaulis, vi, C, 8.
Leptocoris abdominalis, iv, A, 570.
 bahram, iv, A, 570.
 rufus, iv, A, 570.
Leptocoris, iv, A, 569.
 acuta, i, 1068; iv, A, 569.
 bengalensis, iv, A, 569.
 maculiventris, iv, A, 569.
 tipuloides, iv, A, 569.
Leptocorisaria, iv, A, 569.
Leptodactylus ocellatus, vii, B, 54.
Leptogaster princeps, viii, D, 308.
Leptoglossus, iv, A, 567.
 dilaticollis, iv, A, 567.
 membranaceus, i, 695; iv, A, 567.
Leptohymenium, v, C, 158, 315.
 tenue, v, C, 158, 315; ix, C, 209.
Leptolepia, vii, C, 48.
Leptonychia, iv, C, 291.
 banahaensis, iv, C, 291.
 heteroclita, iv, C, 291.
Leptopeziza, iii, C, 54.
 mindanaensis, iii, C, 54.
Leptophis vertebralis, vi, D, 268.
Leptoporus, x, C, 91.
 armatus, x, C, 91.
 bakeri, x, C, 91.
 braunii, x, C, 91.
 canaliculatus, x, C, 91.
 conrescens, x, C, 91.
 dichrous, x, C, 91.
 pusiolus, x, C, 91.
 rugulosus, x, C, 91.
 sanguinarius, x, C, 91.
Leptopsaltria, v, D, 34.
 quadrituberculata, v, D, 34.
 tuberosa, v, D, 34.
Leptopygus stangli, i, 693.
Leptosolena, iv, C, 180.
 haenkei, iv, C, 181.
 insignis, iv, C, 181.
Leptospermum, i, s, 107; ii, C, 284; iv, C, 335; v, C, 366; vi, C, 351; ix, C, 124.
 amboinense, i, 655; i, s, 107; ii, C, 284; iv, C, 335, 535.
 annae, i, s, 107; iv, C, 335.
 bennigsenianum, ix, C, 124.
 ciliatum, vi, C, 351.
 collinum, vi, C, 351.
 flavescens, iv, C, 335, 535; v, C, 366; vi, C, 351.
 leucadendron, vi, C, 351.
 perforatum, vi, C, 351.
 porophyllum, iv, C, 335.
 pubescens, vi, C, 351.
 scandens, vi, C, 351.
 scoparium, vi, C, 351.
 virgatum, vi, C, 351.
Leptosphaeria, viii, C, 257.
 ambiens, viii, C, 257.
 sabalincola, viii, C, 257.
Leptostromatacearum, ix, C, 186.
Leptothrix, iii, B, 459.
Leptothyrium, viii, C, 503.
 circumscissum, viii, C, 503.
Lepturus repens, i, s, 387.
Leptus autumnalis, iii, B, 4.
Lerek, iv, C, 493.
Lerida fervens, v, D, 40.
Lerler, vi, C, 116.
Leskeaceae, i, s, 13; ii, C, 342; iii, C, 26; v, C, 157, 315; viii, C, 85; ix, C, 204.
Lespedeza, iii, C, 104; v, C, 94.
 juncea var. sericea, iii, C, 104; v, C, 94.
 sericea, iii, C, 104; v, C, 94.
Lestodryinus browni, ix, D, 285.
 luzonicus, ix, D, 285.
 perkinsi, ix, D, 285.
Leston, ix, C, 46.
Letendra atrata, viii, C, 256.
Lethe, ix, D, 260.
 callipteris, ix, D, 263.
 celeja, ix, D, 262.
 consanguis, ix, D, 261.
 diana, ix, D, 261.
 fixseni, ix, D, 262.
 labyrinthea, ix, D, 264.
 marginalis, ix, D, 262.
 sicelis, ix, D, 260.

Lethe—Continued.

- sicelis race vanelia, ix, D, 261.
 whitelyi, ix, D, 261.
 Lethrinus amboinensis, v, D, 277.
 atkinsoni, iv, A, 515.
 cutambi, iv, A, 514.
 mahsenoides, ix, D, 67.
 Letis, vi, C, 258.
 Letondal, x, C, 397.
 Leucaena, v, C, 30; vii, C, 159; ix, C, 86.
 glauca, v, C, 30; vii, C, 184; ix, C, 86; x, C, 92.
 Leucania, ii, A, 371; v, D, 172.
 comma, v, D, 172.
 decisissima, ii, A, 371.
 exempta, ii, A, 372.
 inframicans, v, D, 172.
 nigrilinea, v, D, 172.
 Leucas, i, s, 122; iii, C, 433; v, C, 381; vii, C, 165.
 javanica, iii, C, 433; ix, C, 429.
 lavandulifolia, vi, C, 221; viii, C, 503.
 marrubioides, v, C, 381.
 mollissima, v, C, 381.
 sericea, v, C, 381.
 zeylanica, i, s, 122.
 Leucite, x, A, 89.
 Leucitites, v, A, 322.
 Leucobryaceæ, i, s, 11; ii, C, 339; iii, C, 12; v, C, 141; viii, C, 67; ix, C, 204.
 Leucobryum, i, s, 11; iii, C, 12; v, C, 141; viii, C, 67.
 angustifolium, i, 662; i, s, 11; ix, C, 211.
 boweringii, v, C, 142; viii, C, 67; ix, C, 211.
 javense, i, 662; i, s, 11; iii, C, 12; v, C, 141; viii, C, 67.
 sanctum, i, 662; i, s, 11; ii, C, 340; iii, C, 12; v, C, 141; vi, C, 191; viii, C, 67; ix, C, 211.
 scalare, ix, C, 207.
 sericeum, v, C, 141.
 subsanctum, ii, C, 339.
 Leucocerca nigritorquis, ii, A, 327.
 Leucoenide, v, C, 467.
 Leucocytes, blonds and brunets and estimations of their, vi, B, 441.
 diagnosis of dengue fever and differential count of the, i, 513.
 Leucocytozoa, ii, B, 84.
 Leucodontaceæ, iii, C, 23.
 Leucoloma, v, C, 139.
 perviride, v, C, 139.
 Leucomiaceæ, viii, C, 91; ix, C, 204.
 Leucomium, viii, C, 91.
 philippinense, viii, C, 91.
 Leucophanes, iii, C, 13; v, C, 142; viii, C, 68.
 albesens, v, C, 142; vi, C, 191; viii, C, 68.
 candidum, ii, C, 340; iii, C, 13; viii, C, 68; ix, C, 211.
 Leucopholis irrorata, vii, A, 384.
 pulverulenta, vii, A, 384.
 Leucopogon malayanus, iv, C, 149; x, C, 191.
 Leucoporus, x, C, 89.
 ameides, x, C, 89.
 emerici, x, C, 89.

Leucoporus—Continued.

- gallo-pavonis, x, C, 89.
 grammacephalus, x, C, 89.
 grammacephalus var. trigonus, x, C, 89.
 obovatus, x, C, 89.
 vernicipes, x, C, 90.
 Leucospidinae, i, 690.
 Leucospis bakeri, ix, D, 457.
 pulchellus, ix, D, 457.
 regalis, i, 690.
 Leucostegia, ii, C, 124; iii, C, 33, 301; vii, C, 49.
 hymenophylloides, ii, C, 124.
 immersa, ii, C, 124; x, C, 147.
 immersa var. amplissima, ii, C, 124.
 Leucosyke, i, s, 49; iii, C, 130, 405; v, C, 467; vi, C, 21, 298; x, C, 269.
 alba, vi, C, 27.
 aspera, vi, C, 23; x, C, 269.
 brunescens, vi, C, 25.
 candidissima, iii, C, 130; vi, C, 21.
 capitellata, i, 406, 678; i, s, 49; iii, C, 405; v, C, 467; vi, C, 27, 200, 298; ix, A, 450.
 capitellata var. celtidifolia, i, 655; i-s, 49; vi, C, 28.
 celtidifolia, vi, C, 28.
 hispidissima, vi, C, 24.
 leytenensis, x, C, 269.
 magallanensis, vi, C, 25.
 mindorensis, vi, C, 22; x, C, 269.
 negrosensis, vi, C, 27; x, C, 269.
 nivea, vi, C, 21.
 ovalifolia, vi, C, 26.
 quadrinervia, vi, C, 28.
 Leucotermes, viii, D, 277.
 flaviceps, viii, D, 277.
 speratus, viii, D, 277.
 Leucotermittinae, viii, D, 277.
 Leucotreron leclancheri, i, 699, 771; ii, A, 311, 318, 338, 345; v, D, 220.
 marchei, v, D, 105.
 occipitalis, ii, A, 281, 300; vi, D, 41.
 Leucoxyllum buxifolium, iv, C, 305.
 Leukæmia and amœbic dysentery, i, 569.
 Leuronota, x, D, 264.
 Levenhookia, vii, C, 249.
 Levulose, destruction in lime solution without enzyme, viii, A, 386.
 Leyte, clay in, iv, A, 355.
 coal in, iv, A, 355.
 geological reconnaissance of, iv, A, 339.
 petroleum in, iv, A, 355; x, A, 241.
 residual bitumens in, x, A, 241.
 stone in, iv, A, 355.
 Leyuan, vii, A, 385.
 Lheritiera littoralis, iii, C, 305.
 Li yu, ix, D, 60.
 Liacos analis, i, 689.
 Liagora cheyneana, vi, D, 309.
 Lianas, i, 417.
 Liasim, vi, C, 17.
 Libacan, vi, C, 219.
 Libagao, birds from, i, 697.
 Libas, i, s, 84; x, C, 29.

- Libasa, vi, C, 12.
 Libas-libas, iii, C, 6.
 Libato, iv, C, 648; vii, C, 193.
 Libatu, vi, C, 213.
 Libellulinæ, ii, B, 519.
 Libnotes familiaris, viii, D, 307.
 semperi, viii, D, 307.
 termitina, viii, D, 307.
 Libocedrus decurrens, vi, A, 13.
 Library of the Bureau of Science, v, A, 45.
 Libtong, ix, D, 495.
 Licania angelesia, x, C, 307.
 Lice, carabao, iv, B, 237.
 head, iv, B, 236.
 plant, i, 1070.
 Lichenes insularum philippinarum, iv, C, 651;
 viii, C, 99.
 Lichtensteinipicus fuliginosus, iv, A, 72.
 funebris, v, D, 111.
 Licopodium nudum, ix, C, 47.
 Licos region, Cebu, Mount, ii, A, 389; iv, A,
 218.
 Licuala spinosa, ix, C, 165.
 Lidah kerbau putih, iv, C, 538.
 Lidda, i, No. 5, 460.
 Lidlidan, vii, D, 226.
 Ligaa, i, s, 88.
 Ligaas, vi, C, 341.
 Ligas, i, s, 85; vii, C, 290; ix, A, 450; x, A,
 355.
 Ligathum, vi, C, 321.
 Ligau, vii, A, 104.
 Ligayao, vi, C, 341.
 Ligisan, vii, A, 108.
 Lignite, x, A, 89.
 Lignum emamum, vi, C, 164.
 laeve minus, vi, C, 321.
 murinum, iv, C, 460.
 Lignum-vitæ, iv, C, 536.
 Liguasan Lake, v, A, 356.
 Ligustrum, i, s, 116; vii, C, 329.
 cumingiana, i, s, 116.
 cumingianum, i, 655; i, s, 176; vii, C, 329.
 japonicum, x, D, 300.
 pubescens, vii, C, 329.
 pubinerve, vii, C, 329.
 Ligyrocoris bipunctatus, iv, A, 575.
 Lilac des Indes, iv, C, 479.
 Lilac, Persian, iv, C, 479.
 Liliaceæ, i, No. 5, 433; i, s, 34, 182; ii, C,
 266, 436; iii, C, 96, 176, 400; v, C, 173,
 337; vi, C, 196; vi, D, 235; vii, C, 155;
 ix, C, 66; x, C, 294; x, D, 287.
 Liliifloræ, i, s, 34.
 Lilium, iii, C, 400; v, C, 337.
 longiflorum, iii, C, 400.
 philippinense, i, s, 174; v, C, 337.
 Lim vangh, iv, C, 462.
 Lima bean, vii, C, 199.
 Lima, structure of the pallial tentacles of, vi,
 D, 327.
 Limacia, i, s, 52; iii, C, 406; vii, C, 266.
 blumei, vii, C, 266.
 cuspidata, i, s, 52; iii, C, 406.
 Limacinula, viii, C, 395.
 javanica, viii, C, 395.
 malloti, viii, C, 395.
 Limacodidæ, i, 216, 229; v, D, 168.
 Limacon, iii, A, 192.
 Limau manis, iv, C, 474.
 Lime, iv, B, 221; vii, A, 412; vii, C, 193.
 changes in Portland cement free, v, A,
 388.
 effect of Litsea chinensis on the harden-
 ing of mortar from, iii, A, 409.
 effects in hydraulic cements of free and
 combined, vii, A, 146.
 effects in Portland cement of slaked, vii,
 A, 143.
 effects on Portland cement of anhydrous
 free, vii, A, 140.
 fitness for sand-lime brick of P. I., vii,
 A, 326, 332.
 its use in paper making, ii, A, 99.
 microscopic tests of an aerated cement
 containing uncombined sintered, v, A,
 383.
 microscopic tests of two aerated cements
 containing free, v, A, 385.
 Mountain Province, x, A, 202.
 P. I. salt and its content of magnesia
 and, x, A, 386.
 Portland cement containing free, v, A,
 369.
 soundness versus free, v, A, 392.
 southwestern Luzon, v, A, 112.
 Limestone, v, A, 326; viii, A, 239.
 analysis of Baguio, ii, A, 231.
 analysis of Batan Island, iv, A, 213.
 analysis of Binangonan, ix, A, 254.
 analysis of Cebu, ii, A, 401.
 analysis of P. I., vii, A, 327.
 Aroroy district, vi, A, 409.
 Benguet, ii, A, 249; vi, A, 443.
 Benguet foraminiferal, ii, A, 249.
 Binangonan, ix, A, 98.
 composition of Binangonan and Montal-
 ban, vii, A, 333.
 Compostela-Danao coal region, ii, A, 395.
 Eastern cordillera Tertiary, v, A, 79.
 Ilocos Norte, ii, A, 160.
 Loboo Mountain, v, A, 85.
 local supply of, ii, A, 100.
 Mountain Province, x, A, 194.
 northwestern Pangasinan tuffaceous, vii,
 A, 266.
 Orbitoides from the Binangonan, i, 203.
 southwestern Luzon, v, A, 68, 111.
 southwestern volcanic region, v, A, 99.
 suitability for wells of P. I. coralline, x,
 A, 235.
 Limestone Islands, iii, A, 12.
 Limicola platyrhyncha, ii, A, 302, 321.
 Limnochloa, ii, C, 89.
 Limnometra, iv, A, 582.
 cursitans, iv, A, 583.
 femorata, iv, A, 582.
 Limnomys, vii, D, 31.
 sibuanus, vii, D, 31.

- Limnophila*, i, s, 123; iii, C, 124; vii, C, 166, 246; ix, C, 140.
diffusa, vii, C, 247.
fragrans, ix, C, 140.
gratioloides, ix, C, 140.
gratissima, i, s, 123; vi, C, 221.
hirsuta, iii, C, 124.
indica, ix, C, 140.
manilensis, vii, C, 246.
serrata, vi, C, 221; ix, C, 140.
sessiliflora, iii, C, 124; ix, C, 141.
sp., oil of, vi, A, 346.
Limocod, iii, A, 192.
Limon, vi, A, 347.
china, ix, C, 98.
de china, ix, C, 98.
iyat, ix, C, 98.
real, ix, C, 98.
Limoncito, vi, A, 347; viii, A, 68.
Limonenene, ii, A, 20; iv, A, 104.
Lemonia, iv, C, 474.
linearis, i, s, 200; ii, C, 431.
monophylla, i, s, 200; ii, C, 431.
scandens, ix, C, 302.
trifolia, ix, C, 98.
trifoliata, ix, C, 98.
Limonite, x, A, 89.
Benguet, vi, A, 437.
Limonites, ii, A, 301.
demacensis, ii, A, 282.
ruficollis, ii, A, 302, 312, 321.
Limoran, i, 417; i, s, 31; vi, C, 230.
Limosa lapponica, ii, A, 320.
novæ-zealandiæ, ii, A, 311, 320.
Limotettixaria, x, D, 50.
Limucon, ii, A, 318.
Limvangh, iv, C, 462.
Limxet, iv, C, 462.
Linaceæ, i, No. 5, 438; iv, C, 472.
Linakaran sa buan, viii, B, 495.
Linao Lake, v, A, 356.
Linaoua, iv, A, 257.
Linauwa, vi, D, 81.
Linden, American, vi, A, 14.
Lindenbergia, v, C, 384; vii, C, 166.
philippensis, v, C, 384; ix, C, 429.
Lindera, iv, C, 454.
Lindernia pyxidaria, ix, C, 141.
scabra, ix, C, 140.
Lindinia nigripes, viii, D, 219.
tibialis, viii, D, 219.
Lindsaea ensifolia, ix, C, 45.
Lindsaya, i, s, 16, 149; ii, C, 126, 171; iii, C, 391; v, C, 284, 319; vi, C, 82.
acutifolia, ix, C, 44.
azurea, vii, C, 68.
blumeana, ii, C, 4; vi, C, 84.
brevipes, vi, C, 83.
concinna, i, s, 16.
copelandi, i, s, 149.
cultrata, i, s, 149; v, C, 284, 319.
cultrata var. minor, ii, C, 127.
cyathicola, i, s, 149.
davallioides, i, s, 16; ii, C, 127; iii, C, 346, 391.
decomposita, ii, C, 4; vi, C, 192.
Lindsaya—Continued.
exilis, vi, C, 84.
falcata, ii, C, 171.
flabellata var. gigantea, ii, C, 127.
gracilis, ii, C, 4, 127; vi, C, 83, 192.
haviceii, i, s, 149; ii, C, 4.
hewittii, iii, C, 346; vi, C, 138.
hymenophylloides, i, s, 16; ii, C, 4, 126.
jamesonioides, i, s, 252.
javanensis, iii, C, 278.
javensis, ii, C, 127.
kingii, vi, C, 83.
lancea, ii, C, 171.
macraeana, ix, C, 441.
merrilli, i, s, 16, 149; ii, C, 4.
microstegia, vi, C, 83.
montana, i, s, 17, 149.
natunae, vi, C, 83.
nitida, vi, C, 138; vii, C, 68.
orbiculata, i, s, 17, 149; ii, C, 127; iii, C, 278, 346.
orbiculata var. odontosorioides, vi, C, 138.
ovata, i, s, 252.
papuana, vii, C, 68.
pectinata, ii, C, 126; vi, C, 192.
pellaeiformis, i, s, 253.
pulchella, i, s, 149; ii, C, 4, 127.
repens, iii, C, 391.
retusa, i, s, 171.
rigida, iii, C, 346.
sarasinorum, i, s, 171.
scandens, ii, C, 4.
sessilis, vi, C, 82.
tenera, vi, C, 138.
tenuifolia, vi, C, 84.
trichophylla, vi, C, 83.
Lindsayæ, vii, C, 49.
Linga, i, s, 124; ii, A, 440.
Lingabunnu, x, C, 34.
Lingat, vi, C, 395.
Lingotes, i, 812.
Lingula anatina, vii, D, 278.
Lino, i, s, 137.
Linociera, i, s, 115; iii, C, 427; iv, C, 312, 548; x, C, 338.
acuminatissima, iv, C, 312.
coriacea, i, 405, 645; i, s, 115.
cumingiana, i, 391, 676; i, s, 115; iii, C, 427; vi, C, 219.
intermedia, iv, C, 548.
luzonica, i, 656; i, s, 115.
nervosa, x, C, 271.
nitida, x, C, 339.
obovata, x, C, 338.
pallida, i, s, 116; iv, C, 313.
paludosa, x, C, 340.
philippinensis, iv, C, 313.
racemosa, i, s, 116.
Linospora pandani, viii, C, 272.
Linseed oil, x, A, 118.
Linuche aquila, ix, D, 196.
Linum usitatissimum, i, No. 5, 461.
Liognathus splendens, iii, A, 529.
Lionotus dyscherus, i, 688.
punctum, i, 688.
xanthozonatus, i, 688.

- Liopterioninae, ix, D, 185.
 Liopygus diopsipygus, ix, D, 426.
 Lipa, v, C, 482; vi, C, 320; ix, A, 450.
 Lipag, vii, A, 105.
 Lipai, v, C, 32, 116, 482.
 Lipang aso, v, C, 476; vi, C, 5.
 calabao, v, C, 482.
 Liparia badocana, v, C, 68.
 Liparis, ix, C, 11, 70.
 confusa, iv, C, 666.
 cumingii, vii, C, 7.
 disticha, ii, C, 320.
 gregaria, ii, C, 321.
 guamensis, ix, C, 11, 70.
 Lipase, tests for, x, A, 125.
 Lipash, ix, D, 497.
 Lipata, vi, C, 219.
 Lipatang babaye, vi, C, 208.
 Lipay, vi, C, 320.
 Liphyra brassolis, v, D, 72.
 Lipia, ix, A, 246.
 Lipocarpa, ii, C, 109; vii, C, 154.
 argentea, ii, C, 109.
 foliosa, ii, C, 103.
 microcephala, ii, C, 110.
 orgentea, ii, C, 79.
 Lipoglyptus primus, ix, D, 287.
 Lipote, iv, C, 399.
 Lippia, iii, C, 430; vii, C, 165.
 nodiflora, iii, C, 430; vii, C, 189; ix, C, 498.
 Liput, vi, C, 247.
 Liquid concave mirror, v, A, 19.
 Liquidambar altingiana, iv, C, 456.
 styraciflua, vi, A, 15.
 Liquids, new type of laboratory condenser for use with volatile, vii, A, 417.
 Liquors, consumption and manufacture of distilled, vii, A, 19.
 determination of aldehydes in distilled, v, A, 29.
 methods of analysis of distilled, v, A, 23.
 P. I. distilled, vi, A, 100.
 Lirang, vi, A, 194.
 Liriodendron tulipifera, vi, A, 14.
 Liriope, ii, C, 266.
 brachyphylla, ii, C, 266.
 graminifolia, ii, C, 267.
 Lisea, viii, C, 395.
 spatholobi, viii, C, 395.
 Lisican, i, s, 98.
 Lisohan, x, C, 391.
 Lison, iii, A, 517.
 Lispa grandis, viii, D, 310.
 pectinipes, viii, D, 315.
 Lissonotini, i, 692.
 Listriolobus, viii, D, 252.
 Litalit, viii, D, 109.
 Litao, v, A, 174.
 Litchi, i, s, 87; iv, C, 494.
 chinensis, iv, C, 494.
 philippinensis, i, 637; iv, C, 494, 703; viii, C, 458; ix, A, 499.
 philippinensis forma genuina, viii, C, 459.
 philippinensis forma mindanaensis, viii, C, 459.
 Lithistidae, viii, A, 289.
 Lithocarpus, iii, C, 329.
 Lithodomus, vii, D, 278.
 Litholapaxy, perineal, vi, B, 235.
 Lithophloeae, vii, C, 254.
 Lithophylliaceae, viii, A, 285.
 Lithophytum, x, D, 1, 209.
 acutifolium, x, D, 1.
 africanum, ix, D, 239.
 arboreum, ix, D, 237.
 armatum, ix, D, 236.
 brassica, ix, D, 236.
 carnosum, ix, D, 239.
 elegans, ix, D, 236.
 fiabellum, ix, D, 238.
 flavum, ix, D, 239.
 indicum, x, D, 2.
 macroscopiculatum, x, D, 1.
 philippinensis, x, D, 3, 160.
 ramosa, ix, D, 238.
 ramosum, x, D, 5.
 rigidum, x, D, 5, 160.
 stuhlmanni, x, D, 1.
 Lithosia, ii, A, 371.
 antica, ii, A, 371.
 Lithosiinae, ii, A, 371; iii, A, 31; v, D, 164.
 Lithothamnium, iii, A, 13; v, A, 328; viii, A, 281.
 ramosissimum, i, 205; ii, A, 230, 249, 396; vi, A, 401; viii, A, 281, 312; x, A, 194, 248.
 Lito, vi, C, 265.
 Litondon, x, C, 397.
 Litosanthes, iv, C, 247, 326.
 biflora, iv, C, 326.
 Litsea, i, s, 56, 57; iii, C, 407; iv, C, 259, 454; vi, C, 321; vii, C, 158; ix, C, 183, 358; ix, D, 254; x, C, 272.
 bicolor, iv, C, 259.
 chinensis, i, s, 57; iii, A, 409; vi, C, 321.
 fulva, i, 638; iv, C, 703.
 garciae, ix, A, 449.
 glutinosa, vi, C, 321; viii, C, 284, 508; ix, A, 462; ix, C, 425.
 hutchinsonii, iv, C, 259.
 leytensis, x, C, 272.
 luzonica, i, 411, 638; i, s, 57; iv, C, 260, 703; vi, C, 205; ix, C, 358.
 obtusata, ii, C, 376.
 perrottetii, i, 416; i, s, 57; ii, C, 376; iv, C, 454.
 philippinensis, iv, C, 260.
 plateaeifolia, x, C, 272.
 sebifera, i, s, 57; vi, C, 205, 321.
 tersa, i, 391; i, s, 57; vi, C, 205, 321.
 verticillata, i, s, 56.
 villosa, iv, C, 261.
 wenzelii, ix, C, 358.
 zeylanica, i, s, 57; iv, C, 261.
 Littoral deposits, Bondoc Peninsula, viii, A, 323.
 deposits, Caramoan Peninsula, x, A, 306.
 deposits, Leyte, x, A, 247.
 deposits, P. I., x, A, 232.

- Litun, ix, D, 497.
 Liuliua, vi, D, 239; vii, A, 106.
 Liusin, i, s, 60; ii, C, 386; iv, C, 449, 456.
 Livas, v, C, 43.
 Live-cars, iii, A, 527.
 Liver abscess, amœbiasis a cause of, i, 548.
 condition in plague, x, B, 293.
 condition in schistosomiasis, iii, B, 223.
 dysenteric abscess of the, iii, B, 349.
 lesions of the, iii, B, 217.
 obstetrical practice causing rupture of
 the, iii, B, 59.
 prevention and treatment of amœbic ab-
 scess of the, v, B, 219.
 prevention of tropical abscess of the, iii,
 B, 235.
 Livistona, i, 620; ii, C, 231; iv, C, 444, 615;
 vi, C, 195; vii, C, 154; viii, C, 477.
 cochinchinensis, iv, C, 618.
 inaequisepta, iv, C, 616.
 merrillii, ii, C, 232.
 microcarpa, ii, C, 231; iv, C, 616.
 mindorensis, iv, C, 615.
 robinsoniana, vi, C, 230.
 rotundifolia, iv, C, 616.
 sp., vi, C, 107; vii, B, 113; ix, A, 449.
 vidalii, ii, C, 232.
 whitfordii, ii, C, 232; iv, C, 615.
 Livistonæ, iii, C, 49.
 Liza caeruleomaculatus, v, D, 268.
 Lizard fish, iii, A, 529; v, D, 264; ix, D, 59.
 Lizards, new species of P. I., x, D, 89.
 Llagasi, vi, C, 28.
 Llamog, i, s, 102.
 Llanosia toquian, iii, C, 113.
 Llaveia cacti, i, 217.
 Lloydella, ix, C, 350.
 affinis, ix, C, 350.
 Lobaggan, x, C, 221.—
 Lobaria, viii, C, 128.
 adscripta, viii, C, 136.
 adscripturiens, viii, C, 137.
 albidoglaucescens, viii, C, 137.
 americana, viii, C, 131.
 arnoldi, viii, C, 134.
 asiatica, viii, C, 130.
 clemensae, viii, C, 136.
 crenulata, viii, C, 137.
 discolor, viii, C, 134.
 fendleri, viii, C, 186.
 ferax, viii, C, 132.
 ferax var. genuina, viii, C, 133.
 ferax var. stenophyllodes, viii, C, 133.
 ferax var. subsinuosa, viii, C, 133.
 herbacea, viii, C, 130.
 insularis, viii, C, 136.
 intermedia, viii, C, 130.
 interversans, viii, C, 135.
 isidiosa, viii, C, 129.
 macgregorii, viii, C, 185.
 marginata, viii, C, 136.
 meridionalis, viii, C, 128.
 patinifera, viii, C, 131.
 philippina, viii, C, 131.
 pulmonaria, viii, C, 128.
 pulmonaria var. papillaris, viii, C, 128.
 Lobaria—Continued.
 retigera, viii, C, 129.
 robinsonii, viii, C, 134.
 schaereri, viii, C, 131.
 stictaeformis, viii, C, 131.
 subcorrosa, viii, C, 136.
 subscrobiculata, viii, C, 133.
 Lobelia, v, C, 392; vii, C, 105.
 bialata, vii, C, 105.
 filiformis, vii, C, 105.
 frutescens, vii, C, 353; ix, C, 162.
 koenigii, ix, C, 152.
 nicotianaefolia, i, s, 176; v, C, 392.
 radicans, vii, C, 105.
 Lobocentrus, x, D, 376.
 zonatus, x, D, 376.
 Lobonema, ix, D, 216.
 mayeri, ix, B, 293; ix, D, 217.
 smithii, ix, B, 293; ix, D, 199, 217.
 Lobonemoides, ix, D, 222.
 gracilis, ix, D, 222.
 Loboo Mountains, Batangas, i, 617; v, A, 62,
 85, 107.
 Loboscelidia rufescens, i, 690; ix, D, 287.
 Lobotrachelus gentilis, x, D, 31.
 Lochnera, iii, C, 428; vii, C, 164; ix, C, 129.
 rosea, iii, C, 428; vi, C, 219; vii, C, 187;
 ix, C, 129.
 Loco, vii, D, 290.
 Locoloco, vi, C, 221.
 Locob, iv, C, 524.
 Locust, black, vi, A, 15.
 honey, vi, A, 15.
 Locusta danica, vii, A, 384.
 migratoroides, x, B, 171.
 Locustella fasciolata, i, 703; ii, A, 342.
 ochotensis, ii, A, 289, 328, 342.
 Locusts, a test of *Coccobacillus acridiorum*
 on, x, B, 163.
 as food, vii, A, 396.
 in relation to agriculture, i, 1068.
 Lodugao, ix, C, 135.
 Loefflingia indica, x, C, 302.
 Lœmopsylla cheopis, viii, B, 417; x, B, 253.
 Loewis madang, iv, C, 554.
 Loga, ii, A, 440.
 Loganiaceæ, i, 428; i, s, 116, 172; iii, C, 120,
 259, 427; iv, C, 549; v, C, 378; vi, C,
 219; vii, C, 164, 329; ix, C, 128, 384;
 x, C, 192.
 Loheria, v, C, 373.
 bracteata, v, C, 374.
 Lohop, vi, D, 233.
 Lokain, v, A, 441.
 Lomagramma, i, s, 166; ii, C, 142; iii, C,
 32, 345; vi, C, 77; vii, C, 50, 67.
 articulata, iii, C, 32.
 brooksii, iii, C, 345; vii, C, 60.
 lomarioides, vi, C, 77.
 perakensis, iii, C, 345; vii, C, 61.
 polyphylla, iii, C, 32.
 pteroides, i, s, 166; ii, C, 6, 142.
 pteroides var. subcoriacea, iii, C, 32, 345.
 wilkesiana, iii, C, 32.
 Lomaria, ii, C, 406.
 aculeata, ii, C, 166.

- Lomaria*—Continued.
cumingiana, i, s, 152.
elongata, i, s, 152.
fraseri, ii, C, 121.
glauca, ii, C, 186.
Lomariopsis, vii, C, 67.
spectabilis, i, s, 153.
Lombayong, v, C, 48.
Lomotropa, v, D, 179.
costiflexalis, v, D, 179.
Lon putte, iv, C, 515.
Lonchaea, viii, D, 318.
biroi, viii, D, 319.
calva, viii, D, 320.
citricola, viii, D, 319.
excisa, viii, D, 320.
ficiperda, viii, D, 320.
filifera, viii, D, 320.
obscuripennis, viii, D, 319.
plumata, viii, D, 320.
punctipennis, viii, D, 310.
setifera, viii, D, 320.
Lonchæidæ, viii, D, 310.
Longan, iv, C, 494.
Longhorn borer, i, 1070.
Longitarsus annulicornis, viii, D, 234.
manilensis, viii, D, 233.
nanus, viii, D, 233.
pratensis, viii, D, 233.
tantulus, viii, D, 233.
vittipennis, viii, D, 234.
Lonicera, i, s, 240; v, C, 391.
glabrata, i, s, 241.
philippinensis, i, s, 176, 240.
rehderi, i, s, 176, 241; v, C, 391.
symphoricarpos, iv, C, 139.
Loon putih, iv, C, 515.
Loona, vii, C, 113.
Loongsang, plague on steamship, viii, B, 110; ix, B, 6.
Lopa, v, C, 482.
Lophatherum, i, s, 385; ii, C, 261.
elatum, ix, D, 259; x, D, 302.
gracile, i, s, 386; ii, C, 261; vi, C, 194; viii, C, 270.
Lophocnemis amabilis, viii, D, 425.
Lophocolea, v, C, 310.
hasskarliana, v, C, 310.
Lophodermium, viii, C, 402, 497.
arundinaceum, viii, C, 497.
javanicum, viii, C, 403.
passifloræ, viii, C, 402.
Lophopetalum, iv, C, 491.
toxicum, iii, A, 44; ix, A, 449.
wightianum, iv, C, 491.
Lophopinæ, v, D, 40.
Lophoserinæ, viii, A, 288.
Lophotriorchis kieneri, i, 772; iv, A, 69; v, D, 197.
Lopidium, v, C, 157; viii, C, 84.
javanicum, v, C, 157.
javanicum forma acutifolium, viii, C, 84.
Loranthacæ, i, 400; i, s, 50, 184; ii, C, 271; iii, C, 84, 133, 405; iv, C, 129; v, C, 345; vi, C, 200; vii, C, 78, 157, 261; viii, C, 370; ix, C, 277, 444; x, C, 189.
Loranthomyces, viii, C, 274; ix, C, 167.
sordidulus, viii, C, 274; ix, C, 167.
Loranthus, i, s, 50, 184; ii, C, 271; iii, C, 133, 405; iv, C, 131; v, C, 345; vii, C, 78, 157, 261; viii, C, 370; ix, C, 167, 277, 444.
acuminatissimus, iv, C, 143; ix, C, 277.
acutus, iv, C, 135; ix, C, 288.
ahernianus, i, s, 184; iv, C, 143; ix, C, 277.
alternifolius, ix, C, 283.
ampullacens, i, s, 50; iv, C, 145; ix, C, 285.
appendiculatus, vii, C, 78.
banahaensis, iv, C, 145.
barthel, iv, C, 144.
basilanensis, iv, C, 134.
benguetensis, iv, C, 134; v, C, 345.
bicolor, iv, C, 149.
bicoloratus, iv, C, 137.
blancoanus, iv, C, 148.
blumeanus, iv, C, 133.
boholensis, iv, C, 141.
capituliferus, vii, C, 263.
carinatus, iv, C, 149.
cauliflorus, i, s, 185; iv, C, 136; ix, C, 286.
clementis, i, s, 185; iv, C, 140.
coccineus, iv, C, 149.
confusus, vii, C, 261.
congestiflorus, iv, C, 147; v, C, 345.
copelandi, i, s, 186; iv, C, 140; v, C, 345.
cuernosensis, iv, C, 138; ix, C, 287.
cumingianus, iv, C, 135.
cumingii, i, s, 187.
curranii, iv, C, 144; v, C, 345.
curvatus, i, s, 186; iv, C, 140.
demesæ, ix, C, 280.
elmeri, ix, C, 285.
estipitatus, iv, C, 139; vii, C, 262.
eucalyptiphyllus, ix, C, 444.
falcatifolius, ix, C, 286.
fasciculata, iv, C, 149.
fenicis, ix, C, 281.
ferrugineus, iv, C, 140.
formosus, iv, C, 146.
forsterianus, iv, C, 135.
fragilis, ix, C, 278.
fuseus, iv, C, 149.
geminatus, iv, C, 146; ix, C, 284.
globosus, iv, C, 146, 149.
haenkeanus, iv, C, 144; viii, C, 274; ix, C, 279, 445.
halconensis, ii, C, 271; iv, C, 143; v, C, 345.
hallieri, iv, C, 140.
heteranthus, iv, C, 148.
hexanthus, iv, C, 137.
hopeæ, ix, C, 279.
hutchinsonii, iv, C, 138.
lagunensis, ix, C, 281.
lanaensis, iv, C, 136; viii, C, 371.
leytensis, viii, C, 491; ix, C, 278.
loheri, iv, C, 140.
lucidus, ix, C, 277.

- Loranthus*—Continued.
luzonensis, iv, C, 135.
macgregorii, iv, C, 146.
malifolius, iv, C, 144.
maritimus, ix, C, 282.
mearnsii, ii, C, 271; iv, C, 136.
medinillicola, ix, C, 287.
merrillii, ix, C, 280.
merrittii, iv, C, 134.
mindanaensis, i, s, 186; iv, C, 142; ix, C, 278.
mirabilis, i, s, 187; iv, C, 135; vii, C, 264; ix, C, 285.
nodosus, i, s, 190; iv, C, 134.
ovatifolius, iii, C, 133; iv, C, 143; ix, C, 277.
pallens, iv, C, 149.
pauciflorus, iv, C, 149.
pentagonus, vii, C, 80.
pentandrus, iv, C, 141.
pentapetalus, i, s, 50; iv, C, 133; v, C, 345; vi, C, 201.
philippensis, iii, C, 84; iv, C, 139; vii, A, 406.
polilensis, vi, C, 200; ix, C, 288.
pubiflorus, vii, C, 263.
pulcher, iv, C, 149.
repandus, iv, C, 139.
retusus, iv, C, 149; vi, C, 400; x, C, 189.
revolutus, iv, C, 142.
saccatus, ix, C, 277.
scurrula, iv, C, 149.
secundiflorus, i, s, 187; iv, C, 142; ix, C, 278.
seriatus, ix, C, 285.
sessiliflorus, i, s, 188; iv, C, 133.
similis, vii, C, 262.
sphaerocarpus, iv, C, 149.
sphenoideus, iv, C, 139; vii, C, 262.
spicifer, iii, C, 405; iv, C, 133.
subalternifolius, i, s, 188; iv, C, 141.
subsessilis, vii, C, 263.
tenuis, iv, C, 136.
tetranthus, vii, C, 79.
tomentosus, iv, C, 145, 149.
viridis, i, s, 189; iv, C, 145.
wallichianus, iv, C, 149.
wenzelii, viii, C, 370.
williamsii, iv, C, 148; vii, C, 265.
worcesteri, ix, C, 284.
- Loriculus*, ii, A, 310.
apicalis, ii, A, 284, 324; iv, A, 70.
bournsi, i, 773.
chrysonotus, ii, A, 303.
hartlaubi, ii, A, 324.
mindorensis, i, 701; iii, A, 278.
philippensis, i, 769; v, D, 109, 221.
regulus, vi, D, 41.
siquijorensis, iii, A, 278.
worcesteri, ii, A, 324.
- Lorifera flagellata*, ix, D, 197.
- Los Baños, clays from, iii, A, 382.
 swamp vegetation in hot springs areas at, ix, C, 495.
- Losadan*, ix, D, 477.
Loslospit, x, C, 275.
Lotong, iv, C, 476.
Lourea, v, C, 93, 354; vii, C, 159.
obcordata, v, C, 94.
reniformis, v, C, 94, 354.
vespertilionis, v, C, 93; vii, C, 194.
- Louse*, crab, i, 1072.
 head, i, 1072.
- Lowiaceae*, iv, C, 156.
- Loxia*, viii, D, 77.
- Loxogramme*, i, s, 17, 149; iii, C, 35; v, C, 323; vi, C, 87; ix, C, 6.
blumeana var. *forbesii*, ix, C, 232.
brooksii, ix, C, 232.
conferta, ii, C, 4.
forbesii, ix, C, 232.
grandis, iii, C, 35.
involuta, ii, C, 4; vi, C, 87.
involuta var. *gigas*, iii, C, 35.
iridifolia, i, s, 149; ii, C, 4; iii, C, 347.
lanceolata, i, s, 17; ix, C, 232.
paltonioides, vi, C, 87.
parallela, v, C, 323.
- Loxotropa philippinensis*, ix, D, 287.
- Lubalub*, i, s, 78.
- Lubog*, vi, D, 242.
- Lucan*, vii, D, 276.
- Lucaniden der Philippinen*, zwei neue, vii, D, 97.
- Lucban*, iv, B, 221; vi, A, 347; viii, A, 68.
- Lucian*, ix, D, 485.
- Lucilia caesar*, x, B, 310.
ditissima, viii, D, 309.
dux, i, 1072.
fortunata, viii, D, 314.
philippinensis, viii, D, 309.
tagaliana, viii, D, 309.
- Lucina*, i, 630; viii, A, 276.
bacauensis, viii, A, 312; x, A, 248.
semperiana, v, A, 329.
sp., v, A, 329; viii, A, 277.
- Lucinaea*, v, C, 241.
cumingiana, iii, C, 438.
monocephala, v, C, 241.
odorata, i, s, 137.
ridleyi, v, C, 241.
- Lucinidae*, viii, A, 276.
- Lucuma mammosa*, iii, C, 304; vii, C, 199; viii, A, 73; x, C, 233.
- Ludius hirsutus*, ix, D, 448.
- Ludlow Barracks (Parang)*, epidemic of typhoid fever at, vi, B, 325.
- Ludoc*, x, C, 102.
- Ludolphia glaucescens*, vii, C, 230; ix, C, 53.
- Ludungla*, iv, C, 692.
- Ludwigia*, i, s, 108; vii, C, 163.
jussiaeoides, iii, C, 83.
prostrata, i, s, 108; iii, C, 83; vii, C, 240.
- Luffa*, i, s, 138; vii, C, 167; ix, C, 151.
acutangula, iv, B, 222; vii, C, 193.
cylindrica, i, s, 138; iv, B, 222; vi, C, 108; vii, C, 189; ix, C, 151, 430.

- Luisia*, vi, C, 55; viii, C, 434; ix, C, 15, 70.
foxworthii, vi, C, 56, 198.
ramosii, vi, C, 55.
teretifolia, vi, C, 56; viii, C, 434; ix, C, 15, 70.
valida, vi, C, 56.
Lukton, vii, A, 385.
Lulaiog, iii, A, 280.
Luluhut, ix, C, 106.
Lumampao, i, s, 389.
Lumanaia, i, s, 81.
Lumangbas, x, C, 360.
Lumbang, iv, C, 483; ix, C, 100.
banucalag, ii, A, 440; x, A, 107.
bato, ii, A, 440; x, A, 106.
Lumbang oil, v, A, 200.
Lumbayao, ii, C, 387; iii, C, 171; iv, C, 502, 720; vi, A, 2.
Lumboi, iv, C, 387.
bundoe, iv, C, 357.
Lumbong usa, iv, C, 169.
Lumboy, i, s, 105; viii, A, 70.
manoc, v, C, 235.
Lumitog, iii, A, 528.
Lumnitzera, iv, C, 647; vii, C, 163; ix, C, 120.
coccinea, iv, C, 529.
littorea, iv, C, 529, 647; vi, C, 213; ix, C, 120.
pedicellata, iv, C, 648; ix, C, 120.
purpurea, iv, C, 647.
racemosa, iv, C, 334, 529, 647; viii, C, 480; x, A, 381.
Lumuloco, iii, A, 519.
Lumut, ix, C, 141; x, D, 308.
Lunas, i, s, 69.
Lunasia, i, s, 69; iii, C, 411; iv, C, 474; ix, C, 299.
amara, i, 408; i, s, 69, 171; iii, A, 44; iii, C, 411; ix, C, 302.
amara var. repanda, ix, C, 302.
babuyanica, iii, C, 411; ix, C, 300.
macrophylla, ix, C, 300.
mollis, ix, C, 299.
nigropunctata, ix, C, 301.
obtusifolia, ix, C, 300.
Lungboy, ix, D, 485.
Lungs, associated spirochætæ and fusiform bacilli in lesions of the, vi, B, 489.
lesions in plague, x, B, 284.
Lupa, v, C, 478.
a nalabaga, vi, C, 30.
Luperodes, viii, D, 229.
Luperomorpha, v, D, 226.
Luperosaurus compressicorpus, x, D, 96.
Lupigui, v, C, 27.
Lupinus angustifolius, v, C, 77.
luteus, vii, B, 40.
Lusong, v, B, 82; v, C, 372.
Lutera, v, D, 262.
luteola, v, D, 236.
nigromaculata, v, D, 262.
Lutianidæ, iii, A, 516; iv, A, 513; v, D, 275; ix, D, 66.
Lutianus annularis, ix, D, 66.
chrysotænia, iv, A, 514.
dodecacanthus, iii, A, 516.
erythropterus, v, D, 275; ix, D, 66.
fulviflamma, iii, A, 525; v, D, 275.
fuscescens, iii, A, 516.
gembra, iii, A, 516.
lineatus, iii, A, 525.
monostigma, ix, D, 66.
orientalis, iv, A, 513.
quinquilineatus, iv, A, 514.
russelli, iv, A, 514.
vitta, v, D, 275; ix, D, 66.
Lutos, vii, D, 277.
Lutra capensis, vii, D, 21.
cinerea, vii, D, 21.
Luvunga, iii, C, 233; ix, C, 302.
philippinensis, iii, C, 233.
scandens, ix, C, 302.
Luya, iv, B, 223; ix, D, 497.
Luyong, iii, A, 520.
Luzon, attempt to classify the littoral population of, iv, A, 263.
bamboo for paper pulp in Bataan Province, vii, A, 121.
birds from the coast of northern, v, D, 219.
composition and radioactivity of the clays from, ii, A, 413.
fermented rice drink in northern, vii, A, 103.
filaria and elephantiasis in southern, iii, B, 293.
four birds from, i, 765.
geologic reconnaissance of southeastern, vi, A, 449.
geological reconnaissance of southwestern, v, A, 57.
intestinal parasites in various parts of, viii, B, 159.
mineral resources of southeastern, vi, A, 477.
new species of Prionochilus from the highlands of, ix, D, 531.
non-Christian tribes of northern, i, 791.
petrography of some rocks from Benguet Province, ii, A, 235.
quinary notation among the Ilongots of northern, vi, D, 47.
soils of, ix, A, 1.
specimens of the monkey-eating eagle from Mindanao and, ii, A, 297.
theory on the formation of the central plain of, vi, A, 331.
two amphipoda of, x, D, 251.
types among the inland tribes of, viii, D, 465.
Luzon Ilocano, x, C, 360.
Luzonia, v, C, 7, 120; x, C, 17.
purpurea, v, C, 8, 120; x, C, 17.
Luzonite, x, A, 89.
Luzula, v, C, 337.
campestris, v, C, 337.
campestris var. capitata, v, C, 337.
effusa, v, C, 337.

- Lycæna argyrognomon*, v, D, 71.
 astrarche, v, D, 72.
 elna, v, D, 166.
 gaika, v, D, 166.
 hylas, v, D, 72.
 icarus, v, D, 72.
 pryer, x, D, 300.
 pseudargiolus, v, D, 70.
 putli, v, D, 166.
 trochilus, v, D, 166.
- Lycæsthes emolus*, v, D, 72.
- Lycænid chrysalis*, a P. I. myrmecophilous, v, D, 73.
- Lycænidæ*, ii, A, 361; v, D, 161; x, D, 292.
- Lychnorhiza*, ix, D, 211.
 bartschi, ix, D, 197.
- Lyclene semifascia*, v, D, 170.
- Lycogala*, ii, C, 113.
 epidendrum, ii, C, 113.
- Lycoperdaceæ*, viii, C, 306; ix, C, 252.
- Lycoperdæ*, i, s, 292.
- Lycoperdon*, i, s, 292; viii, C, 306; ix, C, 253, 352; x, C, 98.
 asperum, ix, C, 253.
 aurantiacum, viii, C, 306.
 aurantium, ix, C, 254.
 bovista, viii, C, 306; ix, C, 253.
 cepiforme, viii, C, 306; ix, C, 253; x, C, 98.
 cervinum, viii, C, 306; ix, C, 254.
 coronatum, ix, C, 252.
 furfuraceum, viii, C, 306; ix, C, 253.
 lilacinum, viii, C, 306; ix, C, 253.
 majus, viii, C, 306; ix, C, 254.
 ovoideum, viii, C, 306.
 piriforme, viii, C, 306.
 plicatum, x, C, 98.
 polymorphum, ix, C, 253.
 pratense, viii, C, 306; ix, C, 253; x, C, 98.
 pusillum, viii, C, 306; ix, C, 253.
 ramosum, viii, C, 306.
 stellatum, ix, C, 252.
 tessulatum, viii, C, 306; ix, C, 254.
 todayense, i, s, 292; viii, C, 306; ix, C, 253.
 vanderystii, ix, C, 352.
- Lycopersicon lycopersicon*, ix, C, 138.
- Lycopersicum*, v, C, 384; vii, C, 166; ix, C, 138.
 esculentum, iv, B, 221; v, C, 384; vii, C, 188; ix, C, 138, 429.
- Lycopodiaceæ*, i, s, 23; ii, C, 149; iii, C, 393; v, C, 324; vi, C, 192; vii, C, 153; ix, C, 47.
- Lycopodiales*, i, s, 23.
- Lycopodium*, i, 665; i, s, 23; ii, C, 149; iii, C, 393; v, C, 324; vii, C, 153; ix, C, 47.
 belangeri, ix, C, 47.
 carinatum, i, s, 23; v, C, 324.
 casuarinoides, ii, C, 149.
 cernuum, i, s, 23; ii, C, 149, 255; iii, C, 393; vi, C, 192; ix, C, 47.
 complanatum, v, C, 324.
- Lycopodium*—Continued.
 complanatum var. thyoides, ii, C, 120, 150; v, C, 324.
 filiforme, i, s, 23; ii, C, 149; vi, C, 192.
 halconense, ii, C, 149, 255.
 hippuris, ii, C, 149.
 marianum, ix, C, 47.
 mirabile, ix, C, 47.
 phlegmaria, i, s, 23; ix, C, 47.
 phyllanthum, vi, C, 192.
 pinifolium, iii, C, 394.
 plegmaria, ii, C, 149.
 serratum, ii, C, 149.
 squarrosus, i, s, 23; ii, C, 149; iii, C, 393.
 verticillatum, ii, C, 149.
 volubile, v, C, 324.
 vulcanicum, ii, C, 149.
- Lycoria*, viii, D, 305.
- Lygæaria*, iv, A, 571.
- Lygæidæ*, iv, A, 571; v, D, 59.
- Lygæinæ*, iv, A, 571.
- Lygæomorphus abdominalis*, iv, A, 570.
- Lygæus*, iv, A, 572.
 abdominalis, iv, A, 570.
 affinis, iv, A, 572.
 amyotii, iv, A, 575.
 auger, iv, A, 570.
 calcar, iv, A, 567.
 cingulatus, iv, A, 577.
 grossipes, iv, A, 567.
 hospes, iv, A, 572.
 hospes var. familiaris, iv, A, 572.
 hyalinus, iv, A, 570.
 inaequalis, iv, A, 572.
 incomptus, iv, A, 572.
 koenigii, iv, A, 577.
 koenigii var. capensis, iv, A, 577.
 lano, iv, A, 572.
 linearis, iv, A, 569.
 manillensis, iv, A, 572.
 membranaceus, iv, A, 567.
 militaris, iv, A, 572.
 nigriceps, iv, A, 571.
 ornatus, iv, A, 572.
 servus, iv, A, 572.
 servus var. maculicollis, iv, A, 572.
 servus var. manillensis, iv, A, 572.
 servus var. nigriceps, iv, A, 572.
 squalidus, iv, A, 572.
- Lygeum spartum*, i, No. 5, 461.
- Lygodium*, i, s, 22; ii, C, 2, 146, 179; iii, C, 36, 393; iv, C, 17; vi, C, 67, 97; vii, C, 152; ix, C, 46.
 basilanicum, ii, C, 179; iv, C, 18.
 circinnatum, i, 392; i, s, 22; ii, C, 179; iii, C, 393; iv, C, 18; vi, C, 67, 102, 192; vii, B, 113; vii, D, 142; ix, C, 46.
 digitatum, iv, C, 18.
 dimorphum, vi, C, 67.
 flexuosum, ii, C, 146; iii, C, 37; iv, C, 19; vi, C, 68, 192.
 japonicum, i, s, 22; iii, C, 37, 393; iv, C, 20; vi, C, 68, 102; ix, C, 422.
 kingii, vi, C, 68.
 matthewi, iii, C, 36; iv, C, 20.

Lygodium—Continued.

- mearnsii, iii, C, 37, 393; iv, C, 19.
 merrilli, ii, C, 146; iii, C, 36; iv, C, 20.
 microphyllum, vi, C, 68.
 polystachyum, iv, C, 19.
 salicifolium, iv, C, 19.
 scandens, i, s, 22; ii, C, 146; iv, C, 19;
 vi, C, 68, 192; ix, C, 46.
 semihastatum, iv, C, 18; vi, C, 102; ix,
 C, 46.
 teysmanii, iv, C, 18.
 trifurcatum, iv, C, 18; vi, C, 67.
 versteegii, vi, C, 68.
 volubile, x, C, 186.
 Lygosoma decipiens, x, D, 102.
 Lymantriidae, ii, A, 370; v, D, 162.
 Lymphagoc action of the Philippine mango,
 ix, B, 503.
 Lymphatic glands, x, B, 264.
 system, iii, B, 219.
 Lyncornis macrotis, i, 701; ii, A, 284; iv, A,
 71.
 Lyperosia, vii, B, 498; viii, B, 44.
 Lypros luzonicus, viii, D, 405.
 piceus, viii, D, 406.
 sinensis, viii, D, 406.
 Lysimachia, i, s, 221; ii, C, 298; iii, C, 425;
 v, C, 377; vii, C, 93.
 capillipes, vii, C, 93.
 decurrens, vii, C, 93.
 lineariloba, iii, C, 425.
 mauritiana, iii, C, 425; ix, C, 127.
 microphylla, i, s, 221.
 ramosa, i, s, 176; ii, C, 298; v, C, 377.
 Lysioquilla, x, D, 174.
 acanthocarpus, x, D, 174.
 digueti, x, D, 176.
 maculata, x, D, 174.
 multifasciata, x, D, 175.
 tigrina, x, D, 176.
 vicina, x, D, 176.
 Lysiphyllum, iii, C, 281; v, C, 44.
 Lystra farinosa, v, D, 37.
 Lythraceæ, i, s, 101; ii, C, 374; iii, C, 83,
 116, 422; iv, C, 523, 707; vii, C, 163;
 ix, A, 556; ix, C, 117.

M

- Maasin, Panay, water supply at, x, A, 68.
 Maassen V, i, 185.
 Alt, i, 186.
 Maba, iii, C, 425; ix, C, 333.
 buxifolia, ii, C, 383; iii, C, 425; iv, C, 547.
 euphlebia, ix, C, 333.
 mulala, iv, C, 543.
 venosa, ix, C, 333.
 Mabalian, vi, D, 133.
 Mabelo, i, s, 115; iv, C, 545; viii, A, 70.
 Mabunut, i, s, 86; ix, A, 504.
 Macaasim, ii, C, 387; iv, C, 372, 379, 395, 397,
 534; vi, C, 351; ix, A, 539.
 Macabuhay, i, 1029; iii, C, 306; vi, A, 34.
 Macacoret, iii, A, 191.
 Macacus, v, B, 189.

Macacus—Continued.

- cynomolgus, i, 255, 536, 723, 932; ii, B,
 452; vi, B, 151; viii, B, 335.
 cynomolgus var. cumingii, vii, D, 37.
 fur, vii, D, 37.
 nemestrin, ii, B, 452.
 nemestrinus, i, 278; vii, D, 46.
 niger, ii, B, 452.
 palpebrosus, vii, D, 37.
 philippinensis, v, B, 95; vii, D, 37.
 pileatus, ii, B, 463.
 radiatus, i, 182.
 sinicus, iv, B, 192.
 speciosus, vii, D, 46.
 Macahia, v, C, 31.
 Macaia, iv, C, 692.
 Macalsa, x, A, 107.
 Macanea arborea, x, C, 233.
 Macanit, v, C, 37.
 Macao, v, A, 174.
 Macapil, v, C, 98.
 Macaponguis, iii, A, 191.
 Macaque, vii, D, 36.
 Macaranga, i, s, 80, 205; ii, C, 278; iii, C, 417;
 iv, C, 282, 483; v, C, 357; vii, C, 161,
 238, 391; ix, C, 102.
 amplifolia, vii, C, 392.
 bicolor, i, 387; i, s, 80; iv, C, 707; vi, C,
 208; ix, A, 450.
 congestiflora, iv, C, 282.
 cumingii, i, 666; i, s, 80, 205; iii, C, 417.
 dipterocarpifolia, i, s, 205; v, C, 357.
 gigantifolia, vii, C, 391.
 grandifolia, vii, C, 238, 393; ix, A, 450.
 hispida, i, s, 172; ii, C, 278.
 leytenensis, vii, C, 393.
 mappa, i, 410; i, s, 80; vii, C, 238, 394.
 montana, vii, C, 394.
 noblei, vii, C, 392.
 portuana, vii, C, 238, 394.
 tanarius, i, 387; i, s, 80; iii, C, 417; iv,
 C, 707; v, A, 445; vi, C, 208; ix, A, 452;
 ix, C, 513.
 thompsonii, ix, C, 102.
 Macasla, i, 1026.
 Maceda, v, D, 173.
 discalis, v, D, 173.
 mansueta, v, D, 173.
 Macgregorella, iv, A, 533.
 moroana, iv, A, 533.
 Macgregorianthus, vii, C, 312.
 paniculatus, vii, C, 312.
 Machærota, v, D, 49.
 ensifera, v, D, 49.
 Machærotinae, v, D, 49.
 Machilus, i, s, 56; iv, C, 262, 454; v, C, 349;
 viii, C, 477.
 curranii, v, C, 349.
 japonica, ix, D, 255.
 nervosa, iv, C, 262.
 odoratissima, ix, D, 254.
 philippinensis, i, 645; i, s, 56; ix, A, 439,
 539.
 thunbergii, ix, D, 253.
 Maciño, vi, A, 382.

- Mackerel*, iii, A, 515; v, D, 270; ix, D, 11, 62.
 Japanese, iii, A, 529.
 Spanish, iii, A, 529.
Maclura pomifera, vi, A, 16.
Macoma, i, 630.
 nasuta, i, 630.
 rosariana, i, 630; v, A, 329.
Macopa, viii, A, 71; x, C, 218.
Macracanthopsis, iv, A, 588.
 nigritibialis, iv, A, 588.
 nodipes, iv, A, 588.
Macranga tanarius, ix, C, 426.
Macrobrachium, ix, D, 397.
Macrocallista, viii, A, 272.
 ventricola, viii, A, 272.
Macrocentrinæ, i, 693.
Macrocentrini, i, 693.
Macrocentrus philippinensis, i, 693.
Macroceratogonia, x, D, 51.
Macrocyrtus, vii, D, 331.
 castaneus, vii, D, 331.
 contractus, vii, D, 331.
 erosus, vii, D, 331.
 impressipennis, vii, D, 331.
 negrito, vii, D, 333.
 nigrans, vii, D, 331.
 nigrans var. *castanopterus*, vii, D, 331.
 subcostatus, vii, D, 332.
Macroglossum, iii, C, 343; iv, C, 9; ix, C, 219.
 alidae, iii, C, 343; iv, C, 9; ix, C, 219.
 smithii, ix, C, 219.
Macroglossus, vii, D, 11.
 lagochilus, vii, D, 11.
 minimus, vii, D, 11.
Macrolobium bijugum, v, C, 40.
Macromeris argentifrons, i, 687.
 splendida, i, 687.
 violacea, i, 687.
Macromitrium, i, s, 12; iii, C, 15; v, C, 144, 312; viii, C, 70.
 angustifolium, viii, C, 70; ix, C, 207.
 blumei, ii, C, 341; iii, C, 16; v, C, 144.
 celebense, viii, C, 70.
 copelandii, iii, C, 16.
 cuspidatum, i, 662; i, s, 12; iii, C, 17.
 elongatum, iii, C, 17.
 fasciculare, ii, C, 340; ix, C, 211.
 foxworthyi, iii, C, 16.
 goniorhynchum, iii, C, 17; v, C, 145; viii, C, 70.
 goniostomum, v, C, 145, 312.
 merrillii, viii, C, 70.
 mindanaense, iii, C, 15.
 mindorense, ii, C, 340.
 reinwardtii, i, 662; i, s, 12; ii, C, 340; iii, C, 15; v, C, 144, 312; viii, C, 70.
 salakanum, i, s, 12; viii, C, 70; ix, C, 211.
 semipellucidum, v, C, 144; viii, C, 70; ix, C, 41.
 subuligerum, v, C, 144.
 sulcatum, iii, C, 17; v, C, 145, 312; viii, C, 70.
 urceolatum, ix, C, 41.
Macronota luctuosa, v, D, 183.
 luctuosa subsp. *palawanica*, v, D, 183.
Macronous, vi, D, 44.
Macronus, ii, A, 328.
 mindanensis, ii, A, 328; iv, A, 74.
 striaticeps, ii, A, 288.
Macropes philippinensis, v, D, 57.
Macrophoma, viii, C, 501.
 musae, viii, C, 501.
Macrophthalmus, vii, D, 129.
Macropsychnanthus, v, C, 7, 120.
 ferrugineus, v, C, 8, 121.
 lauterbachii, v, C, 121.
 mindanaensis, v, C, 8, 120.
Macropteryx major, i, 701; ii, A, 284.
Macropygia phæa, ii, A, 338.
 tenuirostris, i, 699, 903; ii, A, 281, 318; v, D, 105, 220.
Macroscelides, vi, D, 142, 193.
Macrosila obliqua, ii, A, 370.
Macroteleia, ix, D, 298.
 cavifrons, ix, D, 299.
 crawfordi, ix, D, 298.
 flaviceps, ix, D, 300.
 kiefferi, ix, D, 298.
 manilensis, i, 690; ix, D, 298.
 philippinensis, ix, D, 298.
 striativentris, ix, D, 298.
 superans, ix, D, 299.
Macrothamnium, iii, C, 29; v, C, 158.
 macrocarpum, iii, C, 29; v, C, 158.
Maculab, iii, C, 323.
Macupa, iv, C, 355; viii, A, 71; ix, C, 120.
Madadignay, v, C, 210.
Madracis sp., v, A, 329.
Madre cacao, i, s, 64; iv, C, 461; v, C, 74; vii, C, 199.
Madrepora, viii, A, 290; x, D, 163.
 duncani, viii, A, 290.
Madreporidae, viii, A, 290.
Madurella mycetomi, iii, B, 460.
Maerops, x, D, 394.
Maesa, i, s, 112, 271; iii, C, 425; iv, C, 538; v, C, 372; vii, C, 327.
 cumingii, i, s, 112; ix, C, 428.
 denticulata, i, 1026; i, s, 112; iii, C, 425; v, C, 372.
 elmeri, i, s, 271.
 ferruginea, vii, C, 327.
 haenkeana, i, s, 112.
 hernsheimiana, i, s, 271.
 indica, iv, C, 538.
 laxa, viii, C, 479.
 manillensis, vii, C, 328.
 pachyphylla, vii, C, 328.
 ramentacea, x, C, 192.
 rugosa, iv, C, 539.
Magahao, v, C, 41.
Magalayao, v, C, 41.
Magani, vi, D, 133.
Magantumit, vii, C, 386.
Magarapali, iv, C, 643.
Magasusu, vi, C, 261.
Magbalogo, v, C, 38.
Magcasino, vi, C, 284.

- Magcauyan, vi, C, 105.
 Magcono, iv, C, 334.
 Magcuison, iv, C, 385.
 Maglawa, iii, A, 205.
 Maglihi anticline, Bondoc Peninsula, viii, A, 344.
 Magnesia and lime content of Philippine salt, x, A, 386.
 Magnesite, x, A, 89.
 Magnesium sulphate for the anæsthetization of marine animals, method of using, v, D, 86.
 Magnetite, vi, A, 437; x, A, 90.
 Magnolia acuminata, vi, A, 14.
 hypoleuca, vi, D, 294.
 Magnoliaceæ, i, s, 52; ii, C, 272, 422, 430; iii, C, 100, 133, 406; iv, C, 254, 450; v, C, 176, 348; vii, C, 81, 158; ix, A, 558.
 Magtalisay, iv, C, 643, 645.
 Magtalo, iv, C, 300, 644.
 Magubay, iv, C, 313.
 Maguey, vii, C, 198.
 suitability for paper making, i, No. 5, 455.
 Maguilac, i, s, 230.
 Maguile, ix, A, 462.
 Maguilic, i, s, 67, 90.
 Maguindanao, x, C, 360.
 Magunito, ix, D, 483.
 Magusa, ii, A, 371.
 tenebrosa, ii, A, 371.
 Mahaiig, vii, A, 104.
 Mahan besi, iv, C, 515.
 Mahogani, iv, C, 481.
 Mahogany, bastard, iv, C, 534.
 East Indian, iv, C, 478, 480.
 forest, iv, C, 534.
 jarrah, iv, C, 534.
 Straits, iv, C, 489.
 Mahonia, i, s, 190.
 nepalensis, i, s, 190; v, A, 441; v, C, 348.
 Mahua tree, iv, C, 539, 540.
 Mahunut, iii, C, 6.
 Maidong, vi, C, 320.
 Maigang, iv, C, 400.
 Maigo lalo, ix, C, 104.
 Mail-Ombi, vi, C, 173.
 Mainatus, ii, A, 259.
 Mainit Lake, v, A, 357.
 Maira, viii, D, 308.
 Mais, ix, C, 50.
 Maize, i, s, 320; iv, B, 222; vii, C, 198.
 Maja, ii, A, 332.
 Majayjay, clays from, iii, A, 389.
 tensile strength of stone from, iii, A, 395.
 Majella majella, ix, D, 178.
 philippina, ix, D, 177.
 Makai, iv, C, 516.
 Makakoku, iv, C, 503.
 Makalduñg, viii, D, 88.
 Makalun, vi, D, 89.
 Makilingia, ix, D, 409.
 colorata, ix, D, 413.
 maculata, ix, D, 412.
 nigra, ix, D, 411.
 Makilingia—Continued.
 pallida, ix, D, 414.
 pruinosa, ix, D, 412.
 Makitarem, vi, C, 265.
 Mal de la rosa, v, B, 489.
 de sole, v, B, 493.
 Malaambu, iv, C, 362.
 Malaanis, i, s, 69.
 Malaanonag, iv, C, 690.
 Malaanonan, vi, C, 268.
 Malaanonang, ii, A, 83.
 Malaapi, i, s, 230.
 Malaates, iv, C, 100.
 Malabacauan, ix, A, 508.
 Malabago, i, s, 86; v, C, 32; ix, A, 449.
 Malabalimbing, iv, C, 104.
 Malabanot, v, C, 44.
 Malabatulan, v, C, 174.
 Malabay, v, C, 71.
 Malabayabas, iv, C, 334, 373, 536, 691.
 Malabignay, iv, C, 449; ix, C, 463.
 Malabiluca, iii, C, 364.
 Malabinayoyo, ix, C, 463.
 Malabingao, iii, C, 326.
 Malabinunga, vii, C, 390.
 Malabocbo, iv, C, 313.
 Malabog, vii, C, 282.
 Malabulac, i, s, 92; ix, A, 506.
 Malacabuyao, i, s, 69.
 Malacacao, vi, C, 276; x, C, 275.
 Malacadios, iv, C, 289, 454, 468; v, C, 104.
 Malacagios, v, C, 97.
 Malacaguio, v, C, 74.
 Malacalad, x, A, 107.
 Malacalubcob, iv, C, 374.
 Malacalubcub, iv, C, 375.
 Malacamanga, i, s, 72; ix, A, 504.
 Malacamonsili, v, C, 20.
 Malacapi, iv, C, 101.
 Malacarios, v, C, 81.
 Malacatigui, iiii, C, 418.
 Malacatmon, i, s, 94; ix, A, 439.
 Malacaturay, v, C, 51.
 Malacayan, x, C, 324.
 Malacayang lupu, x, C, 243.
 Malachite, i, 624; vi, A, 437; x, A, 90.
 Malachra, i, s, 92; vii, C, 162; ix, C, 112.
 capitata, vii, C, 186; ix, C, 112.
 fasciata, vii, C, 186; ix, C, 112.
 fasciata var. lineariloba, i, s, 92; ix, C, 112.
 Malacolubcob, iv, C, 360.
 Malacolubcub, iv, C, 360.
 Malacocotylea, ii, B, 16, 29.
 Malacudcuran, iv, C, 695.
 Maladayap, i, s, 69.
 Maladuhat, iv, C, 397.
 Malaelengi, vi, C, 173.
 Malaga, iii, A, 529.
 Malagabi, iv, C, 644, 645.
 Malagahanip, v, C, 24.
 Malagaitmon, iv, C, 307.
 Malaganip, v, C, 20.
 Malaghanip, v, C, 23.
 Malagogong dapo, v, C, 104.
 Malaguiso, vi, C, 279.

- Malahaguis, iv, C, 356.
 Malaia, v, D, 253.
 ornata, v, D, 253.
 thoracica, v, D, 253.
 Malaicmo, i, s, 42; ix, A, 444.
 Malaikmo, ix, A, 446.
 Malaisia, i, s, 43; vii, C, 156.
 scandens, i, s, 43.
 tortuosa, i, s, 43.
 Malaisis, ix, A, 504.
 Malakapas, iii, A, 529.
 Malakayan, vi, C, 276.
 Malaligas, iv, C, 286.
 Malalucban, i, s, 50.
 Malalumbay, iv, C, 397.
 Malamalungoyon, v, C, 97.
 Malangpang, vi, C, 383.
 Malapaco, iv, C, 692.
 Malapaho, i, 198; vi, C, 250.
 Malapandacqui, ix, A, 509.
 Malapandan, i, s, 25.
 Malapangit, v, C, 228.
 Malapapaya, ii, A, 85; ii, C, 387; iv, C, 537;
 ix, A, 444.
 Malapatpat, v, C, 51.
 Malapingan, iv, C, 299.
 Malaputat, v, C, 203.
 Malaria, v, B, 172.
 a new P. I. mosquito that transmits, ix,
 D, 405.
 American troops having, vi, B, 304.
 arsenophenyglycin in the treatment of,
 v, B, 291.
 association of amoebiasis with, i, 548.
 at Taytay, iv, B, 280.
 atoxyl in the treatment of, iv, B, 1.
 distribution of the commoner anophelines
 and the distribution of, x, B, 177.
 examination of the blood of natives of
 Taytay with special reference to, iv,
 B, 273.
 experiments with *Myzomyia ludlowii* in
 the transmission of, ii, B, 513.
 in Mindoro, ix, B, 174.
 in the Philippine General Hospital, ix,
 B, 441.
 in the P. I., v, B, 349; ix, B, 203, 381.
 latent infection of natives of the P. I.
 with, i, 523.
 methods of exterminating, iv, B, 276.
 Myzomyia rossii as a carrier of, v, B,
 277.
 parasites of the orang-outan transmit-
 ting, v, B, 189.
 plasmodia of, iv, B, 123.
 prophylactic measures against, iv, B, 235.
 sanitary survey of the San José Estate
 and adjacent properties on Mindoro
 Island with special reference to the
 epidemiology of, ix, B, 137.
 Malarial fever during the puerperium, v, B,
 193, 245.
 Malaruhat, i, s, 104, 105, 106; iv, C, 337,
 348, 355, 356, 357, 365, 367, 373, 375,
 380, 386, 392, 395, 399, 401, 534; vi,
 C, 348; ix, A, 448, 497.
 Malaruhat—Continued.
 mapula, i, s, 105.
 maputi, i, s, 104, 106.
 na pula, iv, C, 357, 386, 391.
 na puti, iv, C, 375, 383, 386, 391; ix, A,
 448.
 sapa, iv, C, 392.
 Malasaga, v, C, 20, 32, 104.
 Malasaguing, ix, A, 449.
 Malasamat, i, s, 86; ix, A, 499.
 Malasampaloc, v, C, 24.
 Malasantol, ii, C, 388; iv, C, 480.
 Malasincamas, v, C, 94.
 Malasinoro, vi, C, 276.
 Malasulasi, iv, C, 325.
 Malatadiang, iv, C, 691.
 Malatagum, iv, C, 300, 644; v, C, 18, 48; vi,
 C, 265.
 Malataltac, i, s, 37.
 Malatalisi, iv, C, 351.
 Malatambis, iv, C, 366, 377.
 Malatampoy, iv, C, 367, 371.
 Malatapay, vii, C, 320.
 Malatiaun, vi, C, 279.
 Malatinta, iv, C, 77.
 Malatiqui, v, C, 24.
 Malatuco, v, C, 24.
 Malatumbaga, i, s, 73; iv, C, 101, 478; v, C,
 37, 39; ix, A, 504.
 pula, ix, A, 504.
 Malauay, ix, A, 504.
 Malauin, i, s, 121.
 Malaunaso, iv, C, 321.
 Malausa, i, s, 121; iv, C, 298.
 Malaviscus pilosus, vii, C, 186.
 Malaxa, ix, D, 275.
 acutipennis, ix, D, 275.
 Malaxis, vi, C, 42; viii, C, 411.
 arietina, viii, C, 411.
 balabacensis, vi, C, 42.
 bataanensis, vi, C, 43.
 benguetensis, vi, C, 43.
 commelinifolia, viii, C, 412.
 curranii, vi, C, 44.
 dentata, vi, C, 198.
 disticha, ii, C, 320.
 latifolia, vi, C, 44.
 latifolia var. fusca, vi, C, 45.
 longipedunculata, viii, C, 411.
 macgregorii, vi, C, 45, 198.
 plicata, vi, C, 44.
 ramosii, vi, C, 45.
 rizalensis, vi, C, 46.
 sagittata, vi, C, 46.
 uncata, vi, C, 46.
 wallichii, vi, C, 46.
 wenzelii, viii, C, 412.
 Malay, x, C, 360.
 ear, iv, A, 33.
 pangolin, ix, D, 93.
 Malaya, Phyllitis in, viii, C, 147.
 Malayambo, iv, C, 353, 379; vi, C, 351.
 Malay-Asiatic region, ferns of the, iv, C, 1.
 Malaysa, iv, C, 103.
 Malbas, i, s, 91; ix, C, 111.
 Malbira, iv, C, 549.

- Malbog, vi, C, 225.
 Malcus, iv, A, 573.
 flavidipes, iv, A, 573.
 Malebera, iv, C, 549.
 Malecon morgue, Filipino types found in, iv, A, 297.
 Maleic anhydride, viii, A, 401.
 Malenab, v, C, 22.
 Malformations and displacements due to amœbiasis, i, 567.
 Malibago, i, s, 92.
 Maligang, vi, C, 213.
 Maligmat, vi, C, 278.
 Mali-mali, a mimic psychosis in the P. I., v, B, 335.
 Malindang district, vi, A, 366.
 Malindangia, ii, A, 355.
 mcgregori, ii, A, 355.
 Malinsot, iv, C, 477.
 Malipa anticline, Bondoc Peninsula, viii, A, 342.
 Malipa Creek, petroleum on, viii, A, 355.
 Mallinesia latipinna, v, D, 155.
 Mallorca, vii, A, 24.
 Mallotus, i, s, 79; iii, C, 107, 416; iv, C, 233, 483; v, C, 357; vii, C, 161, 238, 395; ix, C, 103, 487.
 alternifolius, vii, C, 395.
 anisophyllus, iii, C, 107.
 auriculatus, vii, C, 396.
 barbatus, vii, C, 397.
 brevipes, ix, C, 487.
 camiguinensis, vii, C, 397.
 cardiophyllus, vii, C, 398.
 cauliflorus, vii, C, 399.
 cochinchinensis, vii, C, 400.
 cumingii, i, s, 172.
 eglandulosus, vii, C, 391.
 helferi, vii, C, 396.
 korthalsii, iv, C, 233.
 leucocalyx, i, s, 172; iii, C, 416; vii, C, 396.
 moluccanus, i, s, 79; iii, C, 416; vii, C, 401; viii, C, 266; ix, A, 452; ix, C, 103, 426.
 moluccanus var. glabratus, ix, C, 103.
 moluccanus var. pendulus, vii, C, 401.
 muricatus, i, s, 79.
 paniculatus, vii, C, 400.
 papillaris, vii, C, 238.
 philippinensis, i, s, 387; i, s, 79; iii, C, 416; v, A, 444; ix, A, 444.
 playfairii, i, s, 80; iii, C, 378, 416; vi, C, 208; vii, C, 239, 400.
 ramosii, vii, C, 401; ix, C, 488.
 repandus, i, s, 80.
 ricinoides, i, 412; i, s, 80; iii, C, 417; v, C, 357; vi, C, 208; ix, A, 450.
 samarensis, ix, C, 483.
 sanchezii, vii, C, 402.
 zollingeri, vii, C, 238.
 Mallows, iii, B, 247.
 Malmeomyces, viii, C, 255.
 pulchellus, viii, C, 255.
 Maloc-maloc, iv, C, 289.
 Malolos, nipa juice collected near, viii, A, 381.
 Malpighiaceæ, i, s, 73, 172; iii, C, 106; v, C, 186; vi, C, 207; vii, C, 160, 286; ix, C, 100.
 Maltase, x, A, 132.
 Malugay, ii, C, 388; iv, C, 495, 720.
 Malukut jantan, iv, C, 503.
 Malulucban, vii, C, 234.
 Malumbang series, viii, A, 324; x, A, 247.
 Malungay, i, s, 59.
 Maluno and San Antonia, comparison of findings of parasites at, vi, B, 82.
 Malva coromandelina, vii, C, 240.
 Malvaceæ, i, No. 5, 438; i, s, 91, 207; ii, C, 385; iii, C, 77, 111, 151, 244, 419; iv, C, 290, 498; v, C, 197, 361; vi, C, 210, 343; vii, C, 90, 162, 240; ix, A, 558; ix, C, 111, 427.
 Malvales, i, s, 90.
 Malvastrum, i, s, 91; iii, C, 419; vii, C, 162, 240.
 coromandelianum, i, s, 91; iii, C, 77, 419; vii, C, 186, 240.
 tricuspidatum, i, s, 91; iii, C, 77; vii, C, 240.
 Malvaviscus, vii, C, 162.
 Mamaca, ix, C, 80.
 Mamale, iii, A, 191.
 Mamali, iii, A, 529; vi, D, 310.
 Mamalis, i, s, 59.
 Mambog, iv, C, 562; ix, A, 450.
 Mambulao, iv, C, 91.
 Mambulao, iron ore on Calambayanga Island, x, A, 323.
 Mamey, viii, A, 73.
 Mamidis, ix, D, 484.
 Mamillier, vii, C, 113.
 Mammalian tooth, v, A, 73, 97.
 Mammals, a list of P. I., vii, D, 1.
 Mammea asiatica, ix, C, 120.
 Mamon, vii, C, 113.
 Mamong, iii, A, 529.
 Managat, iii, A, 516.
 Manahaut, vi, D, 242.
 Manaksak, iii, A, 278.
 Manambo, iii, C, 232.
 Manamu, v, C, 227.
 Mananga River, Cebu, i, 1054.
 Manaog, ii, A, 382; vi, C, 278.
 Manapo, i, s, 199; v, C, 38.
 Manatad, ii, A, 318.
 Manatus, vi, D, 155.
 Mancayan, ix, D, 517.
 Manche, epidemic of dengue on board the, iv, B, 21.
 Manchuria, pneumonic plague epidemic in, vii, B, 131.
 Mancono, ii, C, 388; iv, C, 334, 536.
 Mandadalag, v, D, 215.
 Mandalas, viii, D, 11.
 Mandaragan, iii, A, 193.
 Mandaragit, v, D, 112.
 Mandarangan, iii, A, 194.
 Mandaya tribes, drinks and drinking among the, vii, A, 106.

- Mandesa, v, D, 49.
 amplificata, v, D, 49.
 vittifrons, v, D, 49.
- Manding, i, 820.
- Manga, i, s, 84; iv, B, 222; viii, A, 61; ix, C, 105.
- Mangachapuy, ii, C, 389; iv, C, 508, 514; vi, C, 265; ix, A, 442.
- Mangadolong, v, C, 108.
- Mangala, iii, C, 365.
- Manganese, v, A, 333.
 Ilocos Norte, ii, A, 145.
 northwestern Pangasinan, vii, A, 276.
- Manganite, x, A, 90.
- Mangarin, Mindoro, ix, B, 145.
- Mangaris, iv, C, 465.
- Mangasin, v, C, 105.
- Mangasinoro, iv, C, 510; vi, C, 271, 281.
- Mangbesi, iv, C, 515.
- Mangcopa, iv, C, 355.
- Mangel, iv, C, 562.
- Mangentut, iii, A, 529.
- Manggis, viii, A, 72; x, C, 12.
- Manguangan tribes, drinks and drinking among the, vii, A, 106.
- Mangifera, i, s, 84; iii, C, 108; iv, C, 489; vi, C, 337; vii, C, 161; ix, C, 105.
 altissima, i, 387, 638; i, s, 84; iv, C, 703; ix, A, 497; ix, C, 242; x, C, 35.
 caesia, vi, C, 338.
 indica, i, 398; i, s, 84; iii, C, 50, 80, 305; iv, B, 222; iv, C, 489; v, A, 444; vi, C, 338; vii, C, 186; viii, A, 61; viii, C, 107, 269, 503; ix, B, 503, 509; ix, C, 105.
 lagenifera, iii, C, 108; x, C, 190.
 odorata, ix, C, 105.
 superba, vi, C, 338.
 verticillata, vi, C, 337.
- Mañikapia, vi, D, 102.
- Mangkabang assu, iv, C, 517.
- Mangkuda, v, A, 444.
- Mangkudu, v, A, 441, 446.
- Mangkukulam, x, B, 376.
- Mangle, ii, A, 331; ix, C, 119.
- Mañling lahe, ix, C, 118.
- Mañg-mañg, ix, D, 479.
- Mango, i, 398; i, s, 84; iv, B, 222; iv, C, 489; v, A, 444; viii, A, 61.
 lymphagocic action of the P. I., ix, B, 503.
 rash caused by, ix, B, 509.
- Maño kalomtano, ix, C, 69.
- Mangostan, viii, A, 72.
- Mangosteen, iv, C, 480; viii, A, 72.
- Mangquit, v, C, 81.
- Mangrove, economic possibilities of swamps, iv, A, 205; vi, A, 45.
 formation, i, 673.
 red-flowered, iv, C, 529.
 tanning material from bark of, x, A, 353.
- Manguian, x, C, 34.
- Manguitarem, vi, C, 262.
- Mañgyans, ears of the, viii, D, 357.
 language of the, vii, D, 157.
 Mindoro, vii, D, 135.
- Mani, v, C, 77.
- Manicnie, ix, A, 506.
- Manidae, vii, D, 35.
- Manihot, i, s, 81; vii, C, 161; ix, C, 103.
 glaziavii, vii, C, 186.
 heptaphylla, viii, C, 501.
 manihot, ix, C, 103.
 utilissima, i, s, 81; iii, A, 93; iv, B, 222; vii, C, 186; ix, C, 103, 426.
- Manila, bacillary dysentery in, ix, B, 241.
 bacteriological observations made during the outbreak of plague in, viii, B, 409.
 chief intestinal lesions encountered in 1,000 consecutive autopsies in, ix, B, 453.
 cholera in, ii, B, 413.
 coloration of phenol, of aniline, and of methyl alcohol in the sunlight of, v, B, 6.
 concrete construction in, v, A, 117.
 death rate compared with that of large cities, iii, B, 277.
 diurnal variation of the radioactivity of the atmosphere at, x, A, 37.
 flora of, vii, C, 145.
 investigations of sunlight at, vii, B, 5, 26.
 mean monthly rainfall at, vi, A, 288.
 mean monthly temperatures in, iii, A, 5.
 nomenclatural and systematic notes on the flora of, vii, C, 227.
 plague during 1912 in, viii, B, 109.
 radium-emanation content of the atmosphere of, ix, A, 64.
 rainfall at, ix, A, 431.
 sand, gravel, and crushed stone available for concrete construction in, iv, A, 463.
 students of, iv, A, 263.
 sunlight in, v, A, 301.
 suppression of a cholera epidemic in, iv, B, 43.
 water supplies of, ix, A, 284; x, A, 149.
 weights and market prices of raw salted hides in, x, A, 353.
- Manila copal, v, A, 171, 177, 203, 219.
 elemi, ii, A, 1.
 hemp, i, No. 5, 440; ii, A, 93, 108.
- Maniljaca, vii, C, 113.
- Manilpanosou, vii, C, 113.
- Manimani, v, C, 84, 92.
- Manimanihan, v, C, 49, 84, 92.
- Maniparang, v, C, 84.
- Manipnip, i, s, 114.
- Manis, vii, D, 35.
 javanica, vii, D, 35; ix, D, 93.
 pentadactyla, vii, D, 35.
- Manisuris, i, s, 26, 329; iii, C, 395; vii, C, 153.
 exaltata, i, s, 328.
 glandulosa, i, s, 328.
 granularis, i, s, 26, 329; iii, C, 395; vii, C, 180.
 rottboelloides, i, s, 328.
- Maniugsuc, ii, A, 311.
- Manloab, iii, C, 323.

- Mannitol in palm saps, vi, A, 201.
 Manoa Papuwa, vii, C, 113.
 Manoba, v, D, 169.
 fractilinea, v, D, 169.
 implens, v, D, 169.
 Manobo tribes, drinks and drinking among, vii, A, 106.
 Manoc, iv, C, 456.
 Manocihas, ii, A, 317.
 Manogobahi, x, C, 214.
 Manogobinlog, x, C, 214.
 Manojos, vi, D, 82.
 Manometer, ix, A, 54.
 Manquit, v, C, 87.
 labuyo, v, C, 81.
 Mansanas, i, s, 73.
 Mansonia, i, 989.
 africanus, i, 989; iii, A, 255.
 annulifera, i, 989; iii, A, 255.
 annulipes, i, 989.
 australianis, iii, A, 255.
 australiensis, i, 989.
 uniformis, i, 989; iii, A, 255; iii, B, 299.
 Mansoniella, x, D, 77.
 nitida, x, D, 78.
 Mansonioides annulifera, viii, D, 307.
 annulipes, viii, D, 307.
 chrysogona, viii, D, 307.
 uniformis, viii, D, 307.
 Mantalisay, iv, C, 645.
 Manzana de Cuba, x, C, 397.
 Manzanita, viii, A, 73; ix, C, 108.
 Maoro, iv, C, 648.
 Maoutia, iii, C, 180; vi, C, 20.
 planitora, iii, C, 180; vi, C, 19.
 platystigma, vi, C, 20.
 reticulata, iii, C, 181; vi, C, 19.
 setosa, vi, C, 20.
 Mapania, ii, C, 109, 262, 422; ix, C, 267.
 gracillima, ix, C, 267.
 humilis, ii, C, 109, 262; vi, C, 194; x, A, 197.
 kurzii, ii, C, 422; vi, C, 194.
 macrocephala, ii, C, 422.
 palustris, ix, C, 267.
 Mapatad, iv, C, 644.
 Maple, red, vi, A, 15.
 silver, vi, A, 15.
 sugar, vi, A, 15.
 Mapola, ix, C, 111.
 Mapuñao, ix, C, 99.
 Maquiling, active deposit on Mount, x, A, 43.
 clays from Mount, iii, A, 382.
 cleared land at the base of Mount, ix, A, 460.
 dipterocarp forest of Mount, ix, A, 441.
 geology of Mount, v, A, 87.
 temperature of undergrowth in forest of Mount, ix, A, 286.
 Maraculilem, iv, C, 280; x, C, 275.
 Maragabulo, vii, C, 321.
 Maragata, vii, C, 386.
 Maragatan, x, C, 102.
 Maragooed, iv, C, 691.
 Marakka, iv, C, 515.
 Maramaotan, iv, C, 383.
 Maramara, iv, C, 692.
 Maramatam, iv, C, 375.
 Marambalo, x, A, 107.
 Marang, vi, C, 205.
 Maranta, iv, C, 197; vii, C, 156; ix, C, 69.
 arundinacea, i, s, 37; iii, A, 96; iv, C, 197; vii, C, 182; ix, C, 69.
 dichotoma, i, s, 37.
 Marantaceæ, i, s, 37; ii, C, 268; iv, C, 193; vi, C, 107, 197; vii, C, 156; ix, C, 69.
 Maranthes corymbosa, x, C, 309.
 multiflora, x, C, 309.
 Maranti, iv, C, 515.
 bras, iv, C, 518.
 payah, iv, C, 516.
 Marapana, ii, A, 374.
 pulverata, ii, A, 374.
 Maraschino, vii, A, 24.
 Marasmus, ix, C, 246.
 capillipes, ix, C, 246.
 erumpens, ix, C, 246.
 galeatus, x, C, 97.
 nigripes, ix, C, 246.
 patouillardii, ix, C, 246.
 siccus, ix, C, 246.
 Maratica, v, C, 24.
 Marattia, i, s, 22; ii, C, 184; iii, C, 393; iv, C, 10; vi, C, 66; viii, C, 139.
 brooksi, vii, C, 59.
 caudata, ix, C, 227.
 fraxinea, iv, C, 10; vi, C, 66.
 grandifolia, vi, C, 66.
 kingii, vi, C, 66.
 melanesica, vi, C, 66.
 pellucida, ii, C, 184; iv, C, 10.
 sambucina, i, 663; i, s, 22; ii, C, 184; iv, C, 10.
 silvatica, ii, C, 184; iv, C, 10.
 ternatea, ii, C, 185; iii, C, 393; iv, C, 11; viii, C, 139.
 vestita, ii, C, 185.
 Marattiaceæ, i, s, 22; ii, C, 148; iii, C, 393; iv, C, 8; vi, C, 66, 192; ix, C, 46.
 Marattiales, i, s, 22.
 Maravilla, v, C, 54.
 Marbas, vi, C, 210.
 Marble and schist formations of Romblon Island, iv, A, 87.
 Marcasite, x, A, 90.
 Marchantia, i, s, 10; v, C, 310.
 emarginata, i, s, 10.
 geminata, v, C, 310.
 Marchantiaceæ, i, s, 10; v, C, 310.
 Marchantiales, i, s, 10.
 Marcius, iv, A, 569.
 generosus, iv, A, 569.
 quinquespinus, iv, A, 569.
 Mareca penelope, ii, A, 283; iv, A, 68; v, D, 197.
 Mareeg, iv, C, 382; ix, A, 497.
 Margarite, x, A, 90.
 Margaritifera margaritifera, v, D, 88.
 maxima, v, D, 88.
 vulgaris, v, D, 95.

- Margarocarpus heterophyllus*, vi, C, '2.
Margaroniinae, v, D, 179.
Marginopora, vi, D, 56.
Margosier, iv, C, 478.
Marie Baise, vii, C, 113.
Mariosa, ix, C, 87.
Mariposa, ix, C, 87.
Mariquina gravel versus basaltic rock concrete, v, A, 124.
 River, v, A, 98.
Mariscus, i, s, 30; ii, C, 87; iii, C, 398; v, C, 333; vii, C, 154, 231; ix, C, 62.
 albescens, i, s, 30; ii, C, 88; iii, C, 398; ix, C, 62.
 capitatus, ii, C, 103.
 cyperinus, i, s, 30; ii, C, 87; iii, C, 398; v, C, 333; ix, C, 62.
 dilutus, vii, C, 231.
 ferax, ii, C, 89.
 flabelliformis, i, s, 30; ii, C, 87, 89; vii, C, 181.
 maritimus, ii, C, 103.
 merrillii, ii, C, 87.
 microcephalus, i, s, 30; ii, C, 88; vii, C, 231.
 philippensis, i, s, 30; ii, C, 88.
 pungens, ii, C, 103.
 sieberianus, ii, C, 88.
 stuppeus, iii, C, 398; ix, C, 62, 423.
 sundaicus, ii, C, 87.
 tenuifolius, ii, C, 87.
 thunbergii, ii, C, 85.
 umbellatus, ii, C, 87, 88.
 umbellatus var. procerior, ii, C, 101.
Mariveles, geology and physiography of Mount, i, 376.
 old volcano of Mount, v, A, 314.
 relative humidity at different altitudes on Mount, i, 652.
 temperature at different altitudes on Mount, i, 653.
Market at Taytay, iv, B, 253.
Marl beds, Laoag, ii, A, 162.
 Loboo Mountains, v, A, 85.
 Mountain Province, x, A, 195.
Marlea begoniaefolia, iv, C, 537.
 ebenacea, iv, C, 538.
 nobilis, iv, C, 538.
Marls, northwestern Pangasinan tuffaceous, vii, A, 264.
 southwestern Luzon tuffaceous foraminiferal, v, A, 71.
 southwestern volcanic region, v, A, 99.
Maroc baroc, v, C, 102.
Marpinang, iv, C, 545.
Marrattia fraxinea, ii, C, 184.
Marrubium album amboinicum, vii, C, 344.
Marsdenia, i, s, 119.
 philippinensis, i, s, 119.
Marsilea, iii, C, 276; iv, C, 12; vii, C, 152.
 brachycarpa, iv, C, 13.
 brachypus, iv, C, 13.
 condensata, iv, C, 13.
 coromandelica, iv, C, 13.
 crenata, iv, C, 12.
Marsilea—Continued.
 gracilentia, iv, C, 13.
 mearnsii, iii, C, 276.
 minuta, iv, C, 12.
 quadrata, iv, C, 13.
 quadrifolia, iv, C, 12.
Marsileaceae, iv, C, 11; vii, C, 152.
Marten, vii, D, 20.
Martes, vii, D, 20.
 domestica, vii, D, 20.
 foina, vii, D, 20.
 henricii, vii, D, 20.
Martinico, iii, A, 527.
Martynia, phenomenon of fatigue in the stigma of, viii, B, 197.
 proboscidea, viii, C, 197.
Maruca testulalis, v, D, 180.
Marulinao, v, C, 43.
Marumara, iv, C, 692.
Marumia zeylanica, x, C, 191.
Marunggai, ix, C, 85.
Mary J. Johnston Hospital, influence of the obstetrical department of, x, B, 378.
Masagunadug, iv, C, 256.
Masaleng, iv, C, 270.
Masangui, iii, A, 523.
Masbate, geology and mineral resources of the Aroroy district, vi, A, 397.
 physiography of western, iv, A, 1.
 placer deposits of, viii, A, 103.
Maschip, v, C, 350.
Masicera, viii, D, 309.
Masks used for protection against pneumonic plague, vii, B, 133, 255.
Masmoca, iv, C, 459.
Massariaceae, ix, C, 165.
Massariopsis, ix, C, 165.
Mast tree, iv, C, 451.
Mastigias, ix, D, 209.
 ocellata, ix, D, 197.
 papua, ix, D, 209.
 papua var. siboga, ix, D, 209.
Mastigophora, i, s, 10; v, C, 311.
 dielados, i, 662; i, s, 10; v, C, 311.
Mastixia, i, s, 111.
 arborea, iv, C, 538.
 pentandra, i, 656; i, s, 111.
 philippinensis, ix, A, 439.
Mastopoma, viii, C, 87.
 uncinifolium, viii, C, 87.
Mataan, iii, A, 525.
Matadero, viii, D, 193.
Matakeli, iv, C, 528.
Mataling River, v, A, 350.
Matamata, ii, A, 382.
 blanco, vi, A, 423.
 colorado, vi, A, 423.
Matanaota, iv, C, 271.
Matang arao, vi, C, 206.
 hipon, iv, C, 103.
 olang, i, s, 75, 85.
Matangpunc, v, C, 108.
Matanon, iii, A, 192.

- Matatara River, geologic section along, viii, A, 317.
- Matavia, i, s, 36; x, C, 414.
- Matbas, ix, C, 111.
- Mati, a reconnaissance from Davao to Butuan and a survey from Davao to, iii, A, 501.
- Matinik, iv, B, 219.
- Matiquio, clays from, iii, A, 378.
- Matonia, iv, C, 27.
- foxworthyi, iii, C, 343; iv, C, 27.
- pectinata, iii, C, 343; iv, C, 27.
- sarmentosa, iii, C, 344.
- Matoniaceæ, iv, C, 27.
- Matoyosa, x, C, 360.
- Mats and matings, i, No. 5, 439.
- Matzapotl, vii, C, 112.
- Maupao, v, C, 202.
- Mayamaya, iv, A, 513.
- Mayapis, i, 403; i, s, 97; ii, A, 84; ii, C, 389; iv, C, 511, 512; vi, C, 258; ix, A, 438, 522.
- resin of, i, 200.
- Maydæ, i, s, 314, 315, 319; ix, C, 50.
- Mayepea pallida, i, s, 116; iv, C, 313.
- racemosa, i, s, 116.
- Mayon Volcano, v, A, 314; vi, A, 454, 464.
- Mayoyaos, i, 826.
- Maytubig beach sand as a sand-lime brick material, vii, A, 334.
- Mayuen, i, s, 311.
- Mazus, vii, C, 166.
- Mearnsia, ii, C, 283; iv, C, 334.
- halconensis, ii, C, 284; iv, C, 334.
- Measa ramentacea, vii, C, 328.
- Meat as a neuritis-preventing substance, vii, B, 452.
- Meba, vii, C, 113.
- Mecocerina guttata, x, D, 35.
- guttata var. jordani, x, D, 34.
- Mecopus bakeri, x, D, 31.
- hopei, x, D, 31.
- nidulans, v, C, 136.
- Mecosa angustata, ii, C, 312.
- Mecynorhynchus hyalinus, ix, D, 437.
- kershawi, ix, D, 437.
- Medang, iv, C, 454, 473.
- bekwoi, iv, C, 503.
- lada, iv, C, 454.
- Medasina, ii, A, 367.
- nigrivineula, ii, A, 367.
- Media, practical experience with some enriching, x, B, 127.
- Medicago, v, C, 64; vii, C, 159, 274; ix, C, 89.
- denticulata, v, C, 64; vii, C, 184, 274; ix, C, 89.
- lupulina, vii, C, 274.
- sativa, v, C, 64; ix, C, 89.
- Medical Association, minutes of the eleventh meeting of the P. I., x, B, 87.
- geography of the P. I., ix, B, 199.
- Review of Reviews, v, B, 147.
- survey of the town of Taytay, iv, B, 207.
- Medicinal plants, the physiologically active constituents of certain P. I., i, 1007.
- Medicine, experimental:
- Action of the tropical sun on men and animals (Aron), vi, B, 101.
- Amœbæ in the Manila water supply, in the intestinal tract of healthy persons, and in amœbic dysentery (Walker), vi, B, 259.
- Amœbic abscess of the liver (Rogers), v, B, 219.
- Atoxyl in the treatment of malaria (Vassal), iv, B, 1.
- Bacillary dysentery (Musgrave and Sison), ix, B, 241.
- Balantidiasis (Walker), viii, B, 333.
- Beriberi (Herzog), i, 709.
- Beriberi in the Japanese army during the late war: The Kakke coccus of Okata-Kokubo (Herzog), i, 169.
- Beriberi-preventing substances or vitamins contained in rice polishings (Vedder and Williams), viii, B, 175.
- Bionomics of Stomoxys calcitrans (Mitzmain), viii, B, 29.
- Carbohydrate reactions of the dysentery bacillus (Butler), viii, B, 123.
- Cattle plague in the P. I. (Ruediger), iv, B, 381.
- Chemical composition of the blood in Asiatic cholera (Aron), v, B, 395.
- Cockroaches and ants as carriers of the vibrios of Asiatic cholera (Barber), ix, B, 1.
- Complement fixation in yaws (Bowman), v, B, 485.
- Cultivation and pathogenesis of amœbæ (Musgrave and Clegg), i, 909.
- Cultivation of rinderpest virus as described by Baldrey (Boynton), ix, B, 259.
- Cultivation of the virus of rinderpest in vitro (Boynton), ix, B, 39.
- Cutaneous reaction in leprosy (Teague), iv, B, 323.
- Discussions of the cultivation of Bacillus lepræ, treatment of cholera, and treatment of Asiatic cholera, iv, B, 141.
- Discussions on the papers by Doctors de Haan, Fraser, Highet, Aron, Shibayama, and Kilbourne [beriberi], v, B, 137.
- Duration of passive immunity against tetanus toxin (Ruediger), viii, B, 139.
- Duration of the infectiveness of virulent rinderpest blood in the water leech, Hirudo boyn-toni Wharton (Boynton), viii, B, 509.
- Editorial on, and discussion of, some of the papers read at the Fifth Annual Meeting of the P. I. Medical Association, 1908 (Freer), iii, B, 183, 261, 439.
- Effect of the concentration of solution in the treatment of collapse in Asiatic cholera (McLaughlin and Sellards), v, B, 391.
- Effect of tropical sunlight upon men, monkeys, and rabbits and discussion of

Medicine, experimental—Continued.

- the proper clothing for the tropical climate (Gibbs), vii, B, 91.
- Effect of ultra-violet rays on amœbæ (Chamberlain and Vedder), vi, B, 383.
- Entamœbic dysentery (Walker and Sellards), viii, B, 253.
- Etiology of beriberi (Chamberlain and Vedder), vi, B, 251; (Chamberlain, Vedder, and Williams), vii, B, 39; (Vedder), vii, B, 415.
- Etiology of dengue fever (Ashburn and Craig), ii, B, 93.
- Etiology of mycetoma (Musgrave and Clegg), ii, B, 477.
- Etiology of trichomycosis palmellina in the P. I. (Schöbl), ix, B, 219.
- Examination of stools and blood among the Igorots of Baguio, P. I. (Chamberlain, Bloombergh, and Kilbourne), v, B, 505.
- Experiment with orange-red underwear (Phalen), v, B, 525.
- Experimental variola and vaccinia in quadrumana (Brinckerhoff and Tyzzer), i, B, 239.
- Filtration experiments with the virus of cattle plague (Ruediger), iii, B, 165, 319; iv, B, 37.
- Food salts in relation to beriberi (Kilbourne), v, B, 127.
- Habu venom and its serum therapy (Kitajima), iii, B, 151.
- Immunity reactions with amœbæ (Sellards), vi, B, 281.
- Immunization of guinea pigs by the inoculation of avirulent tubercle bacilli in agar. Observations on animals inoculated with tuberculosis from lepers (Barber), x, B, 145.
- Immunizing cattle against anticattle-plague serum (Ruediger), iv, B, 353.
- Incidence and complications of malaria, with special reference to its treatment with arsenophenyglycin (Bowman), v, B, 291.
- Indications of acid intoxication in Asiatic cholera (Sellards and Shackle), vi, B, 53.
- Infection of Achlya with various microorganisms (Barber), viii, B, 373.
- Influence of atmospheric temperature upon the spread of pneumonic plague (Teague), viii, B, 241.
- Influence of compensated salt mixtures on the development of polyneuritis gallinarum and beriberi (Gibson), viii, B, 351.
- Influence of rice diet and of inanition on the production of multiple neuritis of fowls (Chamberlain, Bloombergh, and Kilbourne), vi, B, 177.
- Inoculation of bacterial vaccines as a practical method for the treatment of bacterial diseases (Whitmore), iii, B, 421.

Medicine, experimental—Continued.

- Inoculation of monkeys with smallpox (Ashburn, Vedder, and Gentry), viii, B, 429.
- Lymphagocic action of the Philippine mango (Gibson and Concepción), ix, B, 503.
- Malaria in the P. I. (Walker and Barber), ix, B, 381.
- Malarial transmission by means of *Myzomyia ludlowii* (Banks), ii, B, 513.
- Modern theories in relation to immunity (Freer), ii, B, 71.
- Muscular changes brought about by intermuscular injection of calves with the virus of contagious pleuropneumonia (Boynton), vii, B, 525.
- Nerve degeneration in fowls fed on unhusked rice (Gibson and Concepción), ix, B, 119.
- Notes and comments on beriberi (Williams and Johnston), x, B, 337.
- Palliative treatment of elephantiasis (Castellani), iii, B, 311.
- Parthenogenesis of the female crescent body (Neeb), v, B, 179.
- Phosphorus starvation with special reference to beriberi (Aron), v, B, 81; (Aron and Hocson), v, B, 98.
- Physiological action of the proteoses (Gibson), ix, B, 499.
- Pipette method in the isolation of single microorganisms and in the inoculation of substances into living cells (Barber), ix, B, 307.
- Pneumonic plague. Efficacy of masks for protection (Barber and Teague), vii, B, 255.
- Pneumonic plague. Immunization of guinea pigs by vaccination with avirulent plague bacilli mixed with agar (Barber), vii, B, 245.
- Pneumonic plague. Infection of guinea pigs, monkeys, and rats with doses of plague bacilli ranging from one bacillus upwards (Barber), vii, B, 251.
- Pneumonic plague. Influence of atmospheric temperature upon its spread (Teague and Barber), vii, B, 157.
- Pneumonic plague. Method of transmission of the infection (Strong and Teague), vii, B, 137.
- Pneumonic plague. Portal of entry of infection (Strong and Teague), vii, B, 173.
- Pneumonic plague. Protective inoculation (Strong and Teague), vii, B, 229.
- Pneumonic plague. Susceptibility of animals to pneumonic plague (Strong and Teague), vii, B, 223.
- Polyneuritis gallinarum. Etiology of beriberi (Vedder and Clark), vii, B, 423.
- Precipitin and complement fixation reactions (Marshall and Teague), iii, B, 357.

Medicine, experimental—Continued.

- Preparation of tetanus antitoxin (Ruediger), x, B, 31.
- Progress in the investigation of vitamins (Williams), x, B, 95.
- Protective power of normal human milk against polyneuritis gallinarum (beriberi) (Gibson), viii, B, 469.
- Proteoses and fever (Gibson), viii, B, 475.
- Quantitative determination of the balantidicidal activity of certain drugs and chemicals as a basis for treatment of infections with *Balantidium coli* (Walker), viii, B, 1.
- Quantitative relationships between agglutinin, agglutinoïd, and agglutinable substance (Ohno), iii, B, 47.
- Recent trend of immunity research (Marshall), ii, B, 343.
- Red blood corpuscles and the hæmoglobin of healthy adult American males residing in the P. I. (Chamberlain), vi, B, 483.
- Reduction in the cost of anticattle-plague serum (Ruediger), iii, B, 407.
- Relation of the Indian form of relapsing fever to African tick fever (Strong), iv, B, 187.
- Relationship of food to physical development (McCay), v, B, 163.
- Relationship of variola and vaccinia (Ashburn, Vedder, and Gentry), viii, B, 17.
- Rice as food (Aron and Hocson), vi, B, 361.
- Simultaneous method of inoculating cattle and carabaos with serum from animals that have been recently immunized (Ward and Wood), ix, B, 125.
- So-called X-bodies as artefacts in glass slides (Chamberlain and Vedder), vi, B, 421.
- Specific cure of yaws with dioxy-diamidoarsenobenzol (Strong), v, B, 433.
- Specific treatment of leprosy (Whitmore and Clegg), v, B, 559.
- Spontaneous occurrence of bacillary dysentery in monkeys (Bowman), v, B, 481.
- Streptothricosis with special reference to the etiology and classification of mycetoma (Musgrave, Clegg, and Polk), iii, B, 447.
- Studies in plague immunity (Strong), ii, B, 155.
- Studies on pneumonic plague and plague immunization (Strong), vii, B, 181.
- Study of Arneith's nuclear classification of the neutrophils in healthy adult males (Chamberlain and Vedder), vi, B, 405.
- Study of the blood in dengue fever (Stitt), i, 513.
- Suppression of the recent cholera outbreak in Manila (Strong), ii, B, 413.

Medicine, experimental—Continued.

- Susceptibility of cockroaches to plague bacilli (Barber), vii, B, 521.
- Systolic blood-pressure and the pulse rate of healthy adult males in the P. I. (Chamberlain), vi, B, 467.
- The difference in susceptibility to cattle plague encountered among cattle and carabaos (Ruediger), iv, B, 425.
- The natin treatment of leprosy (Teague), iv, B, 329.
- Therapeutic inoculations of bacterial vaccines (Whitmore), v, B, 565.
- Tolerance for alkalis in Asiatic cholera (Sellards), v, B, 363.
- Transmission of rinderpest (Ward, Wood, and Boynton), ix, B, 49.
- Treatment of Asiatic cholera (Nichols and Andrews), iv, B, 81.
- Treatment of beriberi with constituents of rice polishings (Williams and Saleeby), x, B, 99.
- Treatment of cholera (Rogers), iv, B, 99.
- Treatment of entamoebiasis with ipecac, emetine, and neosalvarsan (Willets, Stanley, and Gutierrez), ix, B, 93.
- Treatment of infantile beriberi with the extract of tiqui-tiqui (Albert), x, B, 81.
- Treatment of strychnine poisoning with chloroform (Shaklee), v, B, 547.
- Treatment of trypanosomiasis with especial reference to surra (Strong and Teague), v, B, 21.
- Treponema pertenue* (Castellani) of yaws (Ashburn and Craig), ii, B, 441.
- Trichocephaliasis (Musgrave, Clegg, and Polk), iii, B, 545.
- Tropical infantile dysentery (Bowman), iii, B, 31.
- Tropical sunlight (Freer), v, B, 1.
- Tsutsugamushi disease and spotted or tick fever of Montana (Ashburn and Craig), iii, B, 1.
- Tuberculosis in the P. I. (Whitmore), v, B, 563.
- Tuberculo-toxoidin and immunization serum (Ishigami), iii, B, 379.
- Two compounds of emetine which may be of service in the treatment of entamoebiasis (DuMez), x, B, 73.
- Two years' work in the study of tropical sunlight (Freer), vii, B, 1.
- Vaccination against plague (Strong), i, 181.
- Wassermann reaction in syphilis, leprosy, and yaws (Bloombergh), vi, B, 335.
- Medicine, general:
- Address at the commencement exercises of the Philippine Medical School (Freer), iv, B, 71.
- African tick fever diagnosed from the examination of the blood (Strong), iii, B, 231.
- Albinism in the P. I. (Heiser and Villafranca), viii, B, 498.

Medicine, general—Continued.

- Amoebiasis (Musgrave), i, 547.
 Amoebic dysentery (Marshall), iv, B, 303.
 Atypical case of rinderpest in a carabao (Boynton), ix, B, 123.
 Bacillary dysentery (Musgrave and Sison), ix, B, 241.
 Beriberi (Shibayama), v, B, 123.
 Beriberi in Siam (Highet), v, B, 73.
 Blood pressure in the tropics (Musgrave and Sison), v, B, 325.
 Cholera carriers in relation to cholera control (Munson), x, B, 1.
 Cholera in children (McLaughlin), iv, B, 363.
 Chronic ulcers (Shattuck), ii, B, 551.
 Clinical aspects of mycetoma (Hooton), v, B, 215.
 Conditions affecting the public health and diseases prevalent in the Batanes Islands (Willets), viii, B, 49.
 Contagious ophthalmia (Brooke), v, B, 303.
 Dengue in Indo-China (Vassal and Brochet), iv, B, 21.
 Discussion on contagious ophthalmia, v, B, 349.
 Discussion on the papers by Doctors de Haan, Fraser, Highet, Aron, Shibayama, and Kilbourne [beriberi], v, B, 137.
 Discussion on the present position of the leper in view of the resolutions passed at the International Conference on Leprosy at Bergen, v, B, 352.
 Dysentery caused by *Balantidium coli* with coincident filarial infarction of the spleen (Bowman), vi, B, 147.
 Editorial on, and discussion of, some of the papers read at the Fifth Annual Meeting of the P. I. Medical Association, 1908 (Freer), iii, B, 183, 261, 439.
 Etiology of beriberi (Chamberlain and Vedder), vi, B, 395; (de Haan), v, B, 65; (Fraser and Stanton), v, B, 55; (Strong and Crowell), vii, B, 271.
 Examinations of stools and blood among the Igorots of Baguio, P. I. (Chamberlain, Bloombergh, and Kilbourne), v, B, 505.
 Free dispensary of the Philippine Medical School (Freer), iii, B, 352.
 Glanders in man (Musgrave and Sison), viii, B, 385.
 Habitual use of opium as a factor in the production of diseases (Kee), iii, B, 63.
 Hydrophobia in the P. I. (Dudley and Whitmore), v, B, 455.
 Intestinal amoebiasis without diarrhoea (Musgrave), v, B, 229.
 Intestinal flagellate in man (Castellani and Chalmers), v, B, 211.
 Kubisagari or vertige paralysant (Miura), ii, B, 409.
 Leprosy (Johnston), x, B, 365.

Medicine, general—Continued.

- Malaria in the Philippine General Hospital (Willets), ix, B, 441.
 Malarial fever during the puerperium (Atkinson), v, B, 193.
 Mali-mali, a mimic psychosis in the P. I. (Musgrave and Sison), v, B, 335.
 Mango rash (Concepción), ix, B, 509.
 Medical geography of the P. I. (Calderon), ix, B, 199.
 Medical survey of the town of Taytay. Filariasis, malaria, tuberculosis, typhoid fever, goitre, beriberi, venereal and skin diseases (Nichols), iv, B, 279.
 Method of making differential blood counts in wet preparations (Stitt), v, B, 233.
 Miscellaneous notes and comments on beriberi (Williams and Johnston), x, B, 337.
 Noma in the P. I. (Reyes), viii, B, 397.
 Occurrence of associated spirochaetæ and fusiform bacilli in ulcers of the throat, mouth, and skin, and in lesions of the lungs (Chamberlain), vi, B, 489.
 Pellagra (Willets), v, B, 489.
 Philippine Islands Medical Association:
 Minutes of the Eleventh Annual Meeting, x, B, 87.
 Minutes of the Ninth Annual Meeting, viii, B, 151.
 Plague outbreak in Iloilo (Fox), viii, B, 119.
 Pneumonic plague. Clinical observations (Strong and Teague), vii, B, 181.
 Present position of the leper in view of the resolutions passed at the International Conference on Leprosy at Bergen (Perry), v, B, 309.
 Prevention of tropical abscess of the liver by the early diagnosis and treatment of the presuppurative stage of amoebic hepatitis (Rogers), iii, B, 285.
 Pseudotyphoid fever in Deli, Sumatra (Schüffner), x, B, 345.
 Sanitary survey of the San Jose Estate, with special reference to the epidemiology of malaria, ix, B, 137.
 Several cases with unusual symptoms caused by contact with some unknown variety of jellyfish (Scyphozoa) (Old), iii, B, 329.
 Sixth International Congress of Tuberculosis (Calderon and Heiser), iv, B, 311.
 Specific treatment of carcinoma (Coca and Gilman), iv, B, 391.
 Strangles in the P. I. (Boynton), viii, B, 237.
 The treatment of the retrogressive skin lesions of leprosy with basic fuchsin (Denney), x, B, 357.
 Treatment of strychnine poisoning with chloroform (Shaklee), v, B, 547.
 Tropical bronchomycosis (Castellani), v, B, 197.

Medicine, general—Continued.

- Tropical febrile splenomegaly (Woolley), i, 533.
- Tuberculosis among Filipinos (Musgrave and Sison), v, B, 313.
- Tuberculosis in the P. I. (Brewer), v, B, 331; (Whitmore), iv, B, 453; v, B, 563.
- Typhoid fever in the P. I. (Chamberlain), vi, B, 299; (Gutierrez), ix, B, 387; (Heiser), vii, B, 115.
- Typhus fever in Indo-China (Yersin and Vassal), iii, B, 131.
- Unusual disease prevailing in epidemic form at Buhi, P. I. (Barber), viii, B, 369.
- Varioloid in Manila (Ashburn, Vedder, and Gentry), viii, B, 403.
- Widal reactions among healthy adult Filipinos (Willets), ix, B, 253.
- Medicine—Gynecology and obstetrics:**
- Cæsarean section in the P. I. (Calderon), x, B, 65.
- Obstetrics in the P. I. (Calderon), iii, B, 245.
- Obstructed labor and Cæsarean section (Woodward), x, B, 69.
- Pelvimetry and cephalometry among Filipinas (Acosta-Sison), ix, B, 493.
- Tropical obstetrical problems (Calderon), x, B, 371.
- Medicine—Hygiene:**
- Antimalarial prophylactic measures and their results at the Naval Station, Olongapo, P. I. (Dunbar), v, B, 285.
- Bacteriological examination of certain artesian wells (Barber), viii, B, 443.
- Biological study of the water supply of the P. I. (Edwards), iii, B, 121.
- Cause of the frequent reappearance of cholera in the P. I. (Heiser), iii, B, 89.
- Cholera carriers in relation to cholera control (Munson), x, B, 1.
- Conditions affecting the public health and diseases prevalent in the Batanes Islands (Willets), viii, B, 49.
- Diet and nutrition of the Filipino people (Aron), iv, B, 195.
- Discussion on An experiment with orange-red underwear, v, B, 569.
- Discussion on Studies on infant mortality, v, B, 237.
- Discussion on The suppression of a cholera epidemic in Manila, iv, B, 59.
- Effect of tropical sunlight upon men, monkeys, and rabbits and discussion of the proper clothing for the tropical climate (Gibbs), vii, B, 91.
- Epidemiology of dysentery in Japan (Shiga), i, 485.
- Eradication of beriberi from the Philippine Scouts by means of a simple change in their dietary (Chamberlain), vi, B, 133.
- Free dispensary of the Philippine Medical School (Freer), iii, B, 352.

Medicine—Hygiene—Continued.

- Habitual use of opium as a factor in the production of diseases (Kee), iii, B, 63.
- Health conditions in the P. I. (Washburn), iii, B, 269.
- Infant feeding and its influence upon infant mortality in the P. I. (Musgrave and Richmond), ii, B, 361.
- Infant mortality (McLaughlin and Andrews), v, B, 149; (Musgrave), viii, B, 459.
- Influence of the Philippine climate on white men of the blond and of the brunet type (Chamberlain), vi, B, 427.
- Malaria in the P. I. (Barber, Raquel, Guzman, and Rosa), x, B, 177.
- Medical geography of the P. I. (Calderon), ix, B, 199.
- Medical survey of the town of Taytay (Strong), iv, B, 207.
- Medical survey of the town of Taytay. General sanitary conditions (Clements), iv, B, 247.
- Medical survey of the town of Taytay. The disposal of human excreta (Garrison), iv, B, 287.
- Medical survey of the town of Taytay. The food of the people of Taytay from a physiological standpoint (Aron), iv, B, 225.
- Medical survey of the town of Taytay. The principal foods utilized by the natives (Merrill), iv, B, 219.
- Nutrition and growth (Aron), vi, B, 1.
- Plague in Japan (Kitasato), i, 465.
- Plague in Manila (Heiser), viii, B, 109.
- Plague procedure in Hongkong (Atkinson), iii, B, 39.
- Practical experiences with beriberi and unpolished rice in the P. I. (Heiser), vi, B, 229.
- Prophylactic medicine as applied to the hygiene of Bilibid Prison (Heiser), iii, B, 69.
- Reappearance of plague in the P. I. (Heiser), ix, B, 5.
- Sanitary conditions and needs in provincial towns (Jackson), iii, B, 431.
- Sanitary survey of the San Jose Estate, with special reference to the epidemiology of malaria, ix, B, 137.
- Sixth International Congress of Tuberculosis (Calderon and Heiser), iv, B, 311.
- Suppression of a cholera epidemic in Manila (McLaughlin), iv, B, 43.
- Suppression of a cholera outbreak in the provinces of the P. I. (McLaughlin), iv, B, 107.
- Suppression of the recent cholera outbreak in Manila (Strong), ii, B, 413.
- Tuberculosis in the P. I. (Whitmore), iv, B, 453.
- Typhoid fever in the P. I. (Heiser), vii, B, 115.

Medicine—Hygiene—Continued.

- Unsolved health problems peculiar to the P. I. (Heiser), v, B, 171.
 Vaccination against plague (Strong), i, 181.
 Water supplies in the P. I. (Cox, Heise, and Gana), ix, A, 273; (Heise), x, A, 135.
 Water supply for the city of Iloilo (Heise), x, A, 65.

Medicine—Parasitology:

- African tick fever from the examination of the blood (Strong), iii, B, 231.
 Amœbæ in the Manila water supply, in the intestinal tract of healthy persons, and in amœbic dysentery (Walker), vi, B, 259.
 Amœbiasis (Musgrave), i, 547.
 Amœbic abscess of the liver (Rogers), v, B, 219.
 Amœbic dysentery (Marshall), iv, B, 303.
 Antimalarial prophylactic measures and their results at the Naval Station, Olongapo, P. I. (Dunbar), v, B, 285.
 Atoxyl in the treatment of malaria (Vassal), iv, B, 1.
 Biology of *Tabanus striatus* (Mitzmain), viii, B, 197.
 Cases of *Balantidium coli* infection, with autopsy (Bowman), iv, B, 417.
 Condition of the liver in schistosomiasis (Phalen and Nichols), iii, B, 223.
 Cultivation and pathogenesis of amœbæ (Musgrave and Clegg), i, 909.
 Cultivation of a bovine piroplasma (Miyajima), ii, B, 83.
Davainea madagascariensis (Davaine) in the P. I. (Garrison), vi, B, 165.
 Development of piroplasma and trypanosoma of cattle in artificial culture media (Martini), iv, B, 147.
 Development of the eggs of *Ascaris lumbricoides* (Wharton), x, B, 19.
 Development of the miracidium of *Paragonimus* under various physical conditions (Garrison and Leynes), iv, B, 177.
 Discussion on Antimalarial prophylactic measures and their results at the Naval Station, Olongapo, P. I., v, B, 345.
 Discussion on Incidence and complication of malaria in the P. I., v, B, 349.
 Discussion on *Myzomyia rossii* as a malaria-carrier, v, B, 344.
 Discussion on Statistical studies of uncinariasis among white men in the P. I., v, B, 341.
 Distribution of filaria in the P. I. (Phalen and Nichols), iv, B, 127.
 Dysenteric abscess of the liver (McDill), iii, B, 349.
 Dysentery caused by *Balantidium coli* with coincident filarial infarction of the spleen (Bowman), vi, B, 147.
 Effect of ultra-violet rays on amœbæ (Chamberlain and Vedder), vi, B, 383.

Medicine—Parasitology—Continued.

- Eggs of *Ascaris lumbricoides* (Wharton), x, D, 111.
 Entamœbic dysentery (Walker and Sel-lards), viii, B, 253.
 Etiology of mycetoma (Musgrave and Clegg), ii, B, 477.
 Examinations of stools and blood among the Igorots of Baguio, P. I. (Chamberlain, Bloombergh, and Kilbourne), v, B, 505.
Filaria nocturna in the P. I. (Phalen and Nichols), iii, B, 305.
Filaria philippinensis and its development in the mosquito (Ashburn and Craig), ii, B, 1.
 Filariasis and elephantiasis in southern Luzon (Phalen and Nichols), iii, B, 293.
 Flagellates, ciliates, and other protozoa encountered in water and in human stools (Ruediger), vi, B, 155.
 Gangosa in the P. I. (Musgrave and Marshall), ii, B, 387.
 Hookworm infection in the P. I. (Gomez), vi, B, 239.
 Immunity reactions with amœbæ (Sel-lards), vi, B, 281.
 Incidence and complications of malaria, with special reference to its treatment with arsenophenyglycin (Bowman), v, B, 291.
 Intestinal amœbiasis without diarrhoea, (Musgrave), v, B, 229.
 Intestinal helminthiasis in the P. I. (Willets), ix, B, 233.
 Intestinal parasites (Crowell and Ham-mack), viii, B, 157; (Garrison), iii, B, 71.
 Intestinal parasites found in Cavite Province (Stitt), vi, B, 211.
 Intestinal parasites in Rizal and Cavite Provinces and in Cagayan Valley (Rissler and Gomez), v, B, 267.
 Intestinal parasites in tobacco haciendas (Willets), vi, B, 77.
 Intestinal parasitism, particularly entamœbiasis (Willets), ix, B, 81.
 Intestinal worms (Garrison and Llamas), iv, B, 185.
 Kidney-worm infestation of swine in the P. I. (Boynton), ix, B, 269.
 Life history of *Esophagostomum apio-stomum* (Walker), viii, B, 501.
 Malaria (Barber, Raquel, Guzman, and Rosa), x, B, 177; (Craig), i, 523; (Walker and Barber), ix, B, 381.
 Malaria parasites of the orang-outan (Shibayama), v, B, 189.
 Malarial transmission by means of *Myzomyia ludlowii* (Banks), ii, B, 513.
 Mechanical transmission of surra by *Tabanus striatus* (Mitzmain), viii, B, 223.
 Medical survey of the town of Taytay.
 Animal parasites of the intestines (Garrison, Leynes, and Llamas), iv, B, 257.

Medicine—Parasitology—Continued.

- Medical survey of the town of Taytay. Examination of the blood with special reference to malaria (Guerrero and Sevilla), iv, B, 273.
- Medical survey of the town of Taytay. Filariasis, malaria, tuberculosis, typhoid fever, goitre, beriberi, venereal and skin diseases (Nichols), iv, B, 279.
- Morphology of the adults of the filaria found in the P. I. (Walker), ix, B, 483.
- Myzomyia rossii as a malaria carrier (de Vogel), v, B, 277.
- Necator americanus in natives of the P. I. (Cole), ii, B, 333.
- New intestinal trematode of man. Fascioletta ilocana (Garrison), iii, B, 385.
- Palliative treatment of elephantiasis (Castellani), iii, B, 311.
- Paragonimiasis (Musgrave), ii, B, 15.
- Parthenogenesis of the female crescent body (Neeb), v, B, 179.
- Piroplasmosis (Martini), iv, B, 121.
- Prevalence and distribution of the animal parasites of man in the P. I. (Garrison), iii, B, 191.
- Quantitative determination of the balantidicidal activity of certain drugs and chemicals as a basis for treatment of infections with Balantidium coli (Walker), viii, B, 1.
- Researches on acarids among lepers (Lefebvre), v, B, 463.
- Results of three hundred examinations of faeces with reference to the presence of amœbæ (Hoyt), iii, B, 417.
- Rinderpest (Woolley), i, 577.
- Rôle of Stomoxys calcitrans in the transmission of Trypanosoma evansi (Mitzmain), vii, B, 475.
- Rôle played by the insects of the dipterous family Phoridae in the spread of bacterial infections (Roberg), x, B, 309.
- Schistosoma japonicum vel cattoi in the P. I. (Woolley), i, 83.
- Schizogony of Trypanosoma evansi in the spleen of the vertebrate host (Walker), vii, B, 53.
- Siphonaptera of the P. I. (Fox), vii, B, 119.
- Specific identity of the cestode parasites of man in the P. I. with description of a new species of Tænia (Garrison), ii, B, 537.
- Statistical study of uncinariasis among white men in the P. I. (Chamberlain), v, B, 249.
- Treatment of entamœbiasis with ipecac, emetine, and neosalvarsan (Willels, Stanley, and Gutierrez), ix, B, 93.
- Treponema pertenuis (Castellani) of yaws (Ashburn and Craig), ii, B, 441.
- Trichocephaliasis (Musgrave, Clegg, and Polk), iii, B, 545.
- Tropical febrile splenomegaly (Woolley), i, 533.

Medicine—Parasitology—Continued.

- Two compounds of emetine which may be of service in the treatment of entamœbiasis (DuMez), x, B, 73.
- Unidentified larvæ of some dipterous insect developing in the deep urethra and bladder of man (Trible), v, B, 515.
- Medicine—Pathology, general:
- Addison's disease and adrenal tuberculosis (Crowell), vi, B, 345.
- Agnesis of the vermiform appendix (Marshall and Edwards), i, 1061.
- Axillary teratoma (Gilman), viii, B, 231.
- Bactericidal substances in fibrin (Coca), iv, B, 171.
- Bone lesions of smallpox (Musgrave and Sison), v, B, 553; (Musgrave, Sison, and Crowell), viii, B, 67.
- Chief intestinal lesions encountered in one thousand consecutive autopsies in Manila (Crowell), ix, B, 453.
- Chronic ulcers (Shattuck), ii, B, 551.
- Clinical aspects of mycetoma (Hooton), v, B, 215.
- Condition of the liver in schistosomiasis (Phalen and Nichols), iii, B, 223.
- Consideration of Bail's views in connection with the study of immunity and a comparison of the value of protective inoculation with aggressin with that of vaccination in plague (Strong), i, 501.
- Cultivation of rinderpest virus as described by Baldrey (Boynton), ix, B, 259.
- Diagnosis of Asiatic cholera at autopsy (Crowell), ix, B, 361.
- Discussion on Studies on infant mortality, v, B, 237.
- Distribution of filaria in the P. I. (Phalen and Nichols), iv, B, 127.
- Eggs of Ascaris lumbricoides (Wharton), x, D, 111.
- Infant mortality (McLaughlin and Andrews), v, B, 149.
- Infantile beriberi (Andrews), vii, B, 67.
- Intestinal amœbiasis without diarrhœa (Musgrave), v, B, 229.
- Intestinal flagellate in man (Castellani and Chalmers), v, B, 211.
- Mucocoele and diverticulum of the vermiform appendix of inflammatory origin (Crowell), vii, B, 29.
- Neoplasms among the Filipinos (Gilman), iii, B, 567.
- On the occurrence of an accessory nasofrontal duct of the frontal sinus (Clark), v, B, 475.
- Pathologic anatomy of bubonic plague (Crowell), x, B, 249.
- Pathological examinations for one year from the surgical clinic of the Philippine General Hospital (Gilman and Crowell), vii, B, 463.

Medicine—Pathology—Continued.

- Pathology of the gall bladder and biliary passages in cholera (Coulter), x, B, 385.
- Peculiar cases of traumatism of internal organs (Herzog), iii, B, 55.
- Pneumonic plague. Pathology (Strong, Crowell, and Teague), vii, B, 203.
- Precipitin and complement fixation reactions (Marshall and Teague), iii, B, 357.
- Primary sarcoma of the small intestine (Hammack), viii, B, 91.
- Report on the first one hundred autopsies at the Philippine Medical School (Gilman), iii, B, 211.
- Schistosoma japonicum vel cattoi in the P. I. (Woolley), i, 83.
- Status thymico-lymphaticus among Filipinos (Crowell), viii, B, 77.
- Study of the normal blood of the carabao (Boynton), viii, B, 59.
- Thymus gland in beriberi (Williams and Crowell), x, B, 121.
- Tropical bronchomycosis (Castellani), v, B, 197.
- Tropical ulcerations of the skin with reference to their etiology (Strong), i, 91.
- Tuberculosis in one hundred autopsies in the P. I. (Gilman), iii, B, 74.
- Tuberculo-toxoidin and immunization serum (Ishigami), iii, B, 379.
- Tumors of the pituitary gland (Hilario), viii, B, 97.
- Yaws (Marshall), ii, B, 469.

Medicine—Pediatrics:

- Cholera in children (McLaughlin), iv, B, 363.
- Discussion on Studies on infant mortality, v, B, 237.
- Infant feeding and its influence upon infant mortality in the P. I. (Musgrave and Richmond), ii, B, 361.
- Infant mortality (McLaughlin and Andrews), v, B, 149; (Musgrave), viii, B, 459.
- Infantile beriberi (Andrews), vii, B, 67.
- Infantile beriberi with autopsy report (Albert), iii, B, 345.
- Treatment of infantile beriberi with the extract of tiqui-tiqui (Albert), x, B, 81.

Medicine—Surgery:

- Adenocarcinoma of the cæcum, complicated by intussusception (Thornburgh), x, B, 71.
- Appendicitis (Gilman), viii, B, 143.
- Dysenteric abscess of the liver (McDill), iii, B, 349.
- Neoplasms among the Filipinos (Gilman), iii, B, 567.
- Obstructed labor and Cæsarean section (Woodward), x, B, 69.
- Perineal litholapaxy (Hooton), vi, B, 235.

Medicine—Surgery—Continued.

- Specific treatment of carcinoma (Coca and Gilman), iv, B, 391.
- Tumors of the pituitary gland (Hilario), viii, B, 97.
- Medicine, prophylactic, as applied to the hygiene of Bilibid Prison, iii, B, 69.
- Medicines, proprietary, in the Orient, iii, A, 411.
- Medinilla, i, s, 107, 214; ii, C, 286; iii, C, 152, 207, 248, 423; iv, C, 302; v, C, 206, 368; vi, C, 351; vii, C, 94; viii, C, 385; ix, C, 125, 288, 382; x, C, 278.
- acuminata, viii, C, 238.
- affinis, x, C, 281.
- albiflora, viii, C, 385.
- amplifolia, i, s, 107.
- annulata, vi, C, 215; x, C, 279.
- apocensis, iii, C, 207.
- astronioides, i, s, 107; ii, C, 286; viii, C, 228.
- attenuata, viii, C, 246.
- bicolor, iii, C, 152.
- bolsteri, i, s, 214.
- bracteata, iii, C, 249.
- brevipes, viii, C, 241.
- calicicola, viii, C, 244.
- calelanensis, viii, C, 239.
- camiguinensis, viii, C, 233.
- canlaonensis, viii, C, 239.
- cardiophylla, v, C, 206; viii, C, 235.
- cauliflora, v, C, 207; viii, C, 247.
- cephalophora, iii, C, 250; vi, C, 216, 218, 352.
- elementis, v, C, 208; vi, C, 218.
- cogniauxii, iii, C, 249.
- cogniauxii var. angustifolia, iii, C, 250.
- compressicaulis, viii, C, 238, 482.
- confusa, vii, C, 94; viii, C, 242.
- congesta, iii, C, 251.
- corallina, iii, C, 153.
- cordata, ii, C, 287; v, C, 368.
- coriacea, i, 664; i, s, 107; viii, C, 287.
- crassinervia, iii, C, 250.
- cumingii, i, s, 172; x, C, 44.
- curranii, iv, C, 302; vi, C, 217; viii, C, 232.
- disparifolia, vi, C, 351; viii, C, 236.
- dolichophylla, i, s, 214.
- duodecandra, viii, C, 229.
- epiphytica, viii, C, 242.
- furfuracea, viii, C, 245.
- gracillipes, viii, C, 236, 249.
- halconensis, ii, C, 287; iii, C, 249; viii, C, 245.
- hirsuta, viii, C, 246.
- inaequifolia, vi, C, 216, 352.
- intermedia, i, s, 107, 215; vii, C, 94; viii, C, 240.
- involuta, ii, C, 287; vi, C, 216, 352.
- lagunae, iii, C, 249; viii, C, 247.
- lateralis, viii, C, 232.
- laurifolia, x, C, 282.
- leytensis, x, C, 279.
- loheri, viii, C, 248.
- longipes, x, C, 278.

Medinilla—Continued.

- luzoniensis, iv, C, 149; viii, C, 244.
 magnifica, ii, C, 287; iii, C, 423; viii, C, 386; ix, C, 382.
 malindangensis, iii, C, 250.
 mearnsii, viii, C, 230.
 megacalyx, i, s, 108.
 megacarpa, viii, C, 237.
 merittii, ii, C, 288.
 microphylla, ii, C, 288.
 mindorensis, iv, C, 302; viii, C, 242.
 miniata, ix, C, 382.
 mirandae, viii, C, 231.
 monantha, iii, C, 152.
 motleyi, vi, C, 218.
 multiflora, vii, C, 95.
 multinervia, viii, C, 247.
 myriantha, i, s, 215; vii, C, 94; viii, C, 240, 482.
 myrtiformis, ii, C, 286; iii, C, 152; v, C, 206; viii, C, 228.
 negrosensis, viii, C, 240.
 nodiflora, vi, C, 217.
 obovata, v, C, 208.
 oligantha, x, C, 280.
 ovalis, iv, C, 303.
 pachygona, iii, C, 208.
 parva, viii, C, 243.
 philippinensis, iii, C, 243; viii, C, 247; x, C, 280.
 pinnatinervia, viii, C, 235.
 polillensis, vi, C, 217.
 pulogensis, v, C, 368.
 ramiflora, i, 663; i, s, 108; ii, C, 285; v, C, 206; viii, C, 228.
 rolfei, viii, C, 230.
 rosea, ix, C, 125.
 sessilifolia, viii, C, 234.
 subsessilis, vii, C, 94; viii, C, 240.
 subumbellata, viii, C, 232; x, C, 281.
 ternifolia, x, C, 280.
 teysmanni, i, s, 215; v, C, 208; viii, C, 386; ix, C, 382.
 triplinervia, v, C, 209.
 trunciflora, viii, C, 247.
 vanoverberghii, vii, C, 94; viii, C, 234.
 venosa, viii, C, 247.
 verticillata, ii, C, 287; iv, C, 302; viii, C, 230.
 weberi, viii, C, 235.
 wenzelii, x, C, 281.
 whitfordii, iv, A, 23; v, C, 209, 363.
 williamsii, iii, C, 208.
 Medon granulicollis, x, D, 121.
 philippinus, vii, D, 250; x, D, 121.
 robustus, vii, D, 251.
 Megachile atrata, i, 686.
 clotho, i, 686.
 hera, i, 686.
 lachesis, i, 686.
 laticeps, i, 686.
 robbii, i, 686.
 Megachilidae, i, 686.
 Megacorma, ii, A, 370.
 obliqua, ii, A, 370.
 Megaderma, vii, D, 13.
 philippinensis, vii, D, 13.
 spasma, vii, D, 13.
 spasma spasma, vii, D, 13.
 Megadermidae, vii, D, 13.
 Mega-ga-hadzusa, x, D, 358.
 Megalaspis cordyla, iii, A, 517.
 Megalochlora, x, D, 351.
 sponsaria, x, D, 352.
 valida, x, D, 351.
 Megalomma quadricinctum, i, 687.
 Megalonectria, iii, C, 44; viii, C, 274.
 pseudotrichia, iii, C, 44; viii, C, 182, 274.
 Megalops cyprinoides, iii, A, 528.
 Megalurus, v, D, 104.
 palustris, ii, A, 329.
 ruficeps, i, 770, 774; ii, A, 307, 329; iii, A, 283.
 tweeddalei, iii, A, 283; iv, A, 75; vi, D, 45.
 Megamerina annulifera, viii, D, 330.
 Megapenthes angulosus, ix, D, 442.
 fulvus, ix, D, 443.
 inconditus, ix, D, 442.
 junceus, ix, D, 442.
 junceus var. candezei, ix, D, 442.
 luzonicus, ix, D, 442.
 Megapis dorsata, i, 686, 1073; vii, A, 385.
 zonata, i, 686, 1073; vii, A, 385.
 Megapodiidae, iii, A, 275; v, D, 104.
 Megapodius cumingi, i, 699, 903; ii, A, 280, 310, 344; v, D, 104.
 Megapyga coeruleomaculata, viii, D, 239.
 Megaquiscalus, ii, A, 259.
 Megarhina immisericors, i, 982.
 Megarhininae, i, 779, 982; viii, D, 306.
 Megarhinus, i, 780, 982.
 amboinensis, i, 982.
 gilesii, i, 982.
 immisericors, i, 982; iii, A, 239.
 lewaldii, i, 982.
 regius, i, 982.
 separabus, iii, A, 239.
 sublifer, i, 982.
 Megarrhinus alternans, x, D, 228.
 bifasciatus, x, D, 228.
 brachmanus, x, D, 228.
 carinicolis, x, D, 227.
 cingalensis, x, D, 228.
 infidus, x, D, 228.
 subfasciatus, x, D, 228.
 suratus, x, D, 227.
 Megaspis errans, viii, D, 314.
 Megastachya eragrostis, viii, C, 160.
 Megastigmine, i, 690.
 Megastigma immaculatus, i, 690.
 Megatrioza, x, D, 264.
 armata, x, D, 264.
 Megatropis interruptolineata, ix, D, 271.
 obliquefasciata, ix, D, 271.
 Megophthalmine, x, D, 50, 192.
 Megophthalmus, x, D, 193.
 scanicus, x, D, 191.
 Megostoma entericum, i, 561.

- Megymenum, iv, A, 565.
 cupreum, iv, A, 565.
 dentatum, iv, A, 565.
 meratii, iv, A, 565.
 subpurpurascens, iv, A, 565.
 Mehl Nährschaden, v, B, 239.
 Meibomia, v, C, 88.
 capitata, v, C, 84.
 chamissonis, v, C, 82.
 gangetica, v, C, 87.
 gengetica, ix, C, 90.
 gyrans, v, C, 86.
 gyrodes, v, C, 86.
 heterocarpa, v, C, 84.
 heterophylla, v, C, 86.
 lasiocarpa, v, C, 88.
 laxiflora, v, C, 81.
 leptopus, v, C, 83.
 malacophylla, v, C, 84.
 microphylla, v, C, 86.
 ormocarpodes, v, C, 82.
 podocarpa, v, C, 83.
 pulchella, v, C, 80.
 retroflexa, v, C, 85.
 scorpiurus, v, C, 81.
 sinuata, v, C, 83.
 spiralis, v, C, 82.
 triflora, v, C, 85; ix, C, 91.
 triquetra, v, C, 86.
 umbellata, v, C, 80; ix, C, 91.
 Meiogyne, x, C, 239.
 lucida, x, C, 241.
 paucinervia, x, C, 241.
 philippinensis, x, C, 242.
 virgata, x, C, 240.
 Meiothecium, viii, C, 92.
 attenuatum, viii, C, 92; ix, C, 215.
 jagori, vi, C, 191; viii, C, 92; ix, C, 211.
 microcarpum, viii, C, 92; ix, C, 212.
 Melaconite, i, 624.
 Meladenia densiflora, v, C, 68.
 Melaleuca grandiflora, iv, C, 404.
 leucadendra, vi, C, 351.
 leucadendron, iv, C, 404, 535.
 thea, iv, C, 335.
 Melanaspis, i, 230.
 Melanax basilanensis, vii, D, 41.
 breviceps, vii, D, 41.
 elegans, vii, D, 42.
 masbatensis, vii, D, 43.
 Melanconiaceæ, iii, C, 56.
 Melanconideæ, viii, C, 187, 259.
 Melanconium, viii, C, 506.
 merrillii, viii, C, 506.
 Melanea denticulata, v, A, 329.
 laterita, v, A, 329.
 woodwardi, v, A, 329.
 Melanesthes, viii, D, 375.
 Melania, viii, A, 265.
 denticulata, viii, A, 265.
 laterita, viii, A, 265.
 woodwardi, viii, A, 265.
 Melaniidæ, viii, A, 265.
 Melankan katong, iv, C, 468.
 Melanochyla, vi, C, 339.
 Melanomma, viii, C, 401; ix, C, 167.
 dubiosum, viii, C, 401.
 mindorensis, viii, C, 401.
 philippinense, ix, C, 167.
 victoris, viii, C, 401.
 Melanopelargus episcopus, ii, A, 321.
 Melanopus, x, C, 90.
 dictyopus, x, C, 90.
 Melanorrhoea, iv, C, 489.
 maingayi, iv, C, 489.
 usitata, iv, C, 489.
 Melanostoma planifacies, viii, D, 313.
 Melanotus ebeninus, ix, D, 448.
 scribanus, ix, D, 448.
 Melanoxanthus affinis, ix, D, 444.
 ater, ix, D, 445.
 bakeri, ix, D, 443.
 bicolor, ix, D, 444.
 carbunculus, ix, D, 445.
 cruciellus, ix, D, 445.
 crucifer, ix, D, 445.
 exclamationis, ix, D, 444.
 infimus, ix, D, 445.
 luzonicus, ix, D, 444.
 promecus, ix, D, 443.
 sanguinicollis, ix, D, 444.
 Melanthesa acuminata, iv, C, 104.
 cernua, iv, C, 105.
 cernua acutifolia, iv, C, 105.
 Melapapaya, i, s, 94.
 Melasma indica, i, s, 236.
 Melasmia exigua, v, C, 166.
 Melastoma, i, s, 107; ii, C, 285; iii, C, 153,
 423; v, C, 367; vi, C, 352; ix, C, 125.
 bensonii, v, C, 367.
 candidum, vi, C, 353.
 fasciculare, iii, C, 83.
 fuscum, i, 664; i, s, 107; viii, C, 280.
 imbricatum, iii, C, 83.
 lanaense, iii, C, 153.
 malabathricum, iv, C, 536.
 marianum, ix, C, 125.
 membranaceum, iii, C, 423.
 paleaceum, iii, C, 424.
 penicillatum, iii, C, 424.
 polyanthum, i, s, 107; ii, C, 285; iii, C,
 83, 423; vi, C, 218.
 toppingii, v, C, 367.
 venosum, viii, C, 247.
 warrineri, vi, C, 352.
 Melastomaceæ, i, 664; i, s, 107, 213; ii, C,
 285, 424; iii, C, 83, 117, 152, 207, 248,
 423; iv, C, 302, 536, 705; v, C, 203,
 367; vi, C, 214, 351; vii, C, 94, 163;
 viii, C, 207, 335, 385; ix, A, 557; ix,
 C, 125, 382; x, C, 191, 278.
 Melebekan, iv, C, 518.
 Melia, vii, C, 160; ix, C, 100.
 azedarach, iv, C, 479; vii, C, 185; ix, C,
 100.
 dubia, iv, C, 479.
 iloilo, ix, C, 533.
 indica, iv, C, 480.
 koetjape, vii, C, 237; ix, C, 100.

- Meliaceæ, i, 422; i, s, 71, 172; ii, C, 379, 388; iii, C, 79, 105, 143, 412; iv, C, 270, 476, 705; v, C, 184, 355; vi, C, 206; vii, C, 160, 237, 274; viii, C, 375; ix, A, 555; ix, C, 99; 302, 365, 450; x, A, 107.
- Melibæus æneifrons, ix, D, 84.
bakeri, ix, D, 84.
- Melica philippinensis, i, s, 385.
- Melicocca trijuga, iv, C, 495.
- Melicope, i, s, 69; iii, C, 139, 234, 411; iv, C, 474; v, C, 182, 355; ix, C, 362.
curranii, iii, C, 234.
densiflora, v, C, 182.
helferi, iii, C, 140.
luzonensis, i, s, 69; ii, C, 431; iii, C, 234, 411; v, C, 183, 355; vii, C, 376.
monophylla, iii, C, 139.
nitida, ix, C, 362.
odorata, vii, C, 376.
ternata, vii, C, 376.
triphylla, vii, C, 375; viii, C, 508; ix, C, 295.
- Melilotus, x, C, 15.
indica, x, C, 15.
- Melindres, ix, C, 117.
- Meliola, iii, C, 44; viii, C, 251, 268, 391, 478; ix, C, 159.
acalyphae, viii, C, 252.
aglaiae, ix, C, 159.
amphitricha forma callicorpaæ americanae, viii, C, 252.
arachnoidea, viii, C, 252.
argentina, viii, C, 251.
arundinis, viii, C, 481.
bicornis, viii, C, 254.
bidentata, viii, C, 253.
canarii, ix, C, 160.
clavisporea, viii, C, 479.
clerodentricola, viii, C, 481.
confragosa, viii, C, 481.
cookeana, viii, C, 252.
cylindrophora, viii, C, 181, 480.
desmodii, viii, C, 252, 481.
dichotoma, viii, C, 268.
furcata, viii, C, 182.
gymnosporiae, viii, C, 481.
hewittiae, viii, C, 253.
horrida, viii, C, 393.
hyptidis, v, C, 164.
insignis, viii, C, 251, 392.
intricata, viii, C, 268.
jasminicola, viii, C, 268.
maesae, viii, C, 392.
malacotricha, viii, C, 253.
mangiferae, viii, C, 268.
melostomacearum, viii, C, 252.
merremiae, viii, C, 253; ix, C, 160.
merrillii, viii, C, 479.
microspora, viii, C, 181, 392.
millepunctatum, viii, C, 394.
mitragynes, viii, C, 478.
parenchymatica, viii, C, 252.
patens, viii, C, 182, 479.
pelliculosa, viii, C, 480.
penicilliformis, viii, C, 392.
- Meliola—Continued.
peregrina, viii, C, 479.
perpusilla, viii, C, 480.
praetervisa, viii, C, 181, 253, 393.
pulcherrima, viii, C, 481.
quadrifurcata, viii, C, 181.
quadrispina, viii, C, 461.
sakawensis, viii, C, 392.
sandorici, viii, C, 391.
sidae, viii, C, 391.
stenospora, viii, C, 181, 252, 393.
substenospora, viii, C, 269, 481.
telosmae, viii, C, 392.
usteriana, viii, C, 391.
uvariae, viii, C, 251.
- Meliosma, i, s, 88; iv, C, 286; v, C, 195, 359; vii, C, 294; x, C, 36.
acuminatissima, x, C, 36.
dilliniaefolia, iv, C, 495.
lancifolia, iv, C, 286.
loheri, x, C, 38.
macgregorii, x, C, 37.
macrophylla, vii, C, 294; ix, A, 448.
monophylla, iv, C, 286; x, C, 39.
multiflora, v, C, 359.
paucinervia, x, C, 39.
pendula, x, C, 38.
reticulata, v, C, 195.
sylvatica, x, C, 37.
- Melipona laeviceps, i, 686.
- Melissa umbrosa, iii, C, 123.
- Melittosporiopsis, viii, C, 262.
violacea forma gigantospora, viii, C, 262.
- Melixanthus aterrimus, viii, D, 217.
- Mellinidæ, i, 687.
- Mellitosporiopsis, viii, C, 404.
gigantospora, viii, C, 262.
pseudopezizoides, viii, C, 404.
- Melmel, v, C, 27.
- Melocanna bambusoides, i, s, 392.
brachyclada, viii, C, 206.
longispiculata, viii, C, 206.
zollingeri var. brachyclada, viii, C, 206.
zollingeri var. longispiculata, viii, C, 206.
- Melochia, i, s, 93; iii, C, 420; vii, C, 162; ix, C, 113, 315.
arborea, i, s, 93; ix, C, 315.
corchorifolia, i, s, 93; iii, C, 78, 420; vi, C, 210; vii, C, 186.
hirsutissima, ix, C, 113.
indica, i, s, 93; vi, C, 210; ix, C, 315.
odorata, ix, C, 113.
umbellata, ix, C, 315; ix, A, 461.
velutina, i, s, 93; ix, C, 316.
- Melodorum, iii, C, 136, 223; ix, C, 160.
clementis, iii, C, 136.
fulgens, x, C, 264.
latifolium, iii, C, 223.
rufum, iii, C, 223.
- Melogrammataceæ, viii, C, 259.
- Melon, iv, B, 222; viii, A, 69.
- Melongena, viii, A, 264.
cochlidium, vii, D, 279.
- Melopsilus acteus, i, 695.

- Melothria, i, s, 137; iii, C, 439; iv, C, 330;
v, C, 391; vii, C, 104, 167; ix, C, 151.
guamensis, ix, C, 151.
indica, v, C, 392; vi, C, 227.
indica var., iii, C, 439.
lobata, vii, C, 104.
mucronata, i, s, 137; v, C, 391; vi, C,
227; ix, C, 152, 513.
scaberrima, iv, C, 330.
- Melucha notatipes, iv, A, 565.
- Membatu laiang, iv, C, 448.
- Membracidae, v, D, 47; x, D, 137, 365.
- Membracinae, x, D, 365.
- Membracia, x, D, 378.
lucanica, x, D, 395.
rupicapra, v, D, 48; x, D, 378.
taurus, v, D, 48; x, D, 378.
tricornis, v, D, 48; x, D, 378.
- Memecylon, i, s, 108; ii, C, 288; iii, C, 154,
248; iv, C, 304, 537; v, C, 209; vi, C,
353; vii, C, 163; ix, C, 178.
acuminatum, viii, C, 214.
affine, i, s, 108; viii, C, 218.
affine var. lancifolium, viii, C, 218.
amplexicaule, viii, C, 227.
apoense, viii, C, 217.
basilanense, viii, C, 217.
borneese, viii, C, 213.
brachybotrys, viii, C, 216.
caeruleum, viii, C, 227; x, C, 192.
calderense, iii, C, 83; viii, C, 224.
calleryanum, viii, C, 213.
clausiflorum, viii, C, 212.
cordifolium, viii, C, 221.
costatum, viii, C, 227.
cumingianum, iii, C, 248; vi, C, 218, 354;
viii, C, 212.
cumingianum var. calleryanum, viii, C,
213.
cumingii, viii, C, 218.
densiflorum, iii, C, 248; viii, C, 225.
diversifolium, viii, C, 218; ix, C, 192.
edule, i, 387, 637; iv, C, 537, 703; vi, C,
218.
edule var. ovatum, i, s, 108; viii, C, 214.
elegans, viii, C, 227.
elongatum, viii, C, 219.
garcinioides, viii, C, 217.
gitingense, viii, C, 212.
gracilipes, vi, C, 353; viii, C, 226.
grande, viii, C, 214.
intermedium, viii, C, 217.
laevigatum, viii, C, 227.
lanceolatum, viii, C, 212; ix, C, 178.
loheri, viii, C, 220.
lucidum, viii, C, 215.
lutescens, viii, C, 218.
macrophyllum, viii, C, 227.
manillanum, viii, C, 227; x, C, 192.
minutiflorum, viii, C, 216.
obtusifolium, viii, C, 225.
odoratum, viii, C, 213.
oligoneuron, iv, C, 304; viii, C, 211.
ovatum, viii, C, 215; ix, A, 499.
palawanense, viii, C, 225.
- Memecylon—Continued.
pallidum, viii, C, 223.
paniculatum, iii, C, 83, 154; vi, C, 218;
viii, C, 223; ix, A, 449.
parviflorum, viii, C, 215.
pauciflorum, iii, C, 248.
phanerophlebium, viii, C, 219.
prasinum, viii, C, 215.
preslianum, i, 416; i, s, 108, 172; ii, C,
288; viii, C, 218.
pteropus, viii, C, 224.
pyrifolium, viii, C, 212.
revolutum, viii, C, 226.
sessilifolium, v, C, 209; viii, C, 225.
sorsogonense, viii, C, 222.
subcaudatum, viii, C, 222.
subfurfuraceum, viii, C, 213.
subfurfuraceum var. depauperatum, viii,
C, 214.
tenuipes, viii, C, 211.
terminale, viii, C, 227.
terminaliflorum, viii, C, 224.
tinctorium, viii, C, 216.
umbellatum, viii, C, 215.
venosum, iii, C, 154; viii, C, 221.
violaceum, viii, C, 217.
wrightii, v, C, 210.
- Memionitis prolifera, ii, C, 206.
- Memorial:
Freer, Paul C., vii, m. n., v.
Ickis, Harry M., iii, A, 48.
Robinson, jr., Charles Budd (Merrill), ix,
C, 191.
- Memorialis, v, C, 467; vi, C, 299.
hirta, vi, C, 9.
integrifolia, vi, C, 10.
pentandra, vi, C, 9.
- Mempayan, iv, C, 535.
- Men, action of the tropical sun on, vi, B, 101.
Cainta, vi, D, 7.
effect of tropical sunlight upon, vii, B, 91.
- Menais blanda, iv, C, 691.
mollis, iv, C, 691.
- Mendelism and student types, iv, A, 283.
- Mendioka amarilla, ix, C, 103.
saipan, ix, C, 103.
- Mengarawan, iv, C, 515.
- Mengkabang pinang, iv, C, 517.
- Mengkudu, iv, C, 561.
- Mengrawan, iv, C, 515.
- Meningitis, acute, v, B, 151.
- Meningococcus intracellularis, iii, B, 47.
- Menippus viridis, v, D, 141.
- Meniscium, ii, C, 192; vii, C, 47.
cuspidatum, ii, C, 205.
triphyllum, ii, C, 3, 207.
- Menispermaceae, i, 1026; i, s, 52; ii, C, 272;
iii, C, 77, 406; vi, C, 173, 201; vii, C, 81,
158, 265; viii, C, 157; ix, C, 88, 425; x,
A, 197; x, C, 303.
- Menjan, iv, C, 547.
- Mentaos, iv, C, 551.
- Mentawa, iv, C, 447.
- Mentha, vii, C, 165; ix, C, 137.
arvensis, vii, C, 189; ix, C, 137.

- Mentha*—Continued.
auricularia, vii, C, 346.
cablin, vii, C, 345.
Menthaceæ, ix, C, 36.
Meracanthomyia, viii, D, 323.
Merambong, iv, C, 563.
Meranti, iv, C, 517, 518.
boaya, iv, C, 518.
daun kechil, iv, C, 518.
kerap, iv, C, 518.
Merawan kunyit, iv, C, 515.
mera, iv, C, 517.
Merbaju, iv, C, 502.
Merbatu layang, iv, C, 456.
Merbau, iv, C, 461.
apil, iv, C, 461.
Merceya, v, C, 143.
bacani, v, C, 144.
ligulatae, v, C, 144.
minutae, v, C, 144.
subminuta, v, C, 143.
Merceyopsis, viii, C, 69.
minuta var. *subminuta*, viii, C, 69.
subminuta, viii, C, 69.
Mercury, x, A, 90.
Caramoan Peninsula, x, A, 317.
southeastern Luzon, vi, A, 478.
treatment of trypanosomiasis with atoxyl
and, v, B, 28.
Meretrix subpellucida, viii, A, 272.
Merinthosorus, vi, C, 92, 140.
drynarioides, vi, C, 92.
Meristhus nigrifolius, ix, D, 441.
Mermis, viii, D, 68.
Meroctena, ii, A, 375.
tullais, ii, A, 375.
Meropidæ, iii, A, 278; iv, A, 71.
Merops americanus, i, 701, 773; ii, A, 303, 325;
 iv, A, 71.
philippinus, ii, A, 284, 303, 313, 325; iii,
 A, 278.
Merragata, v, D, 60.
cruciata, v, D, 60.
hebroides, v, D, 60.
Merremia, i, s, 120; iii, C, 122, 430; vii, C,
 165, 244; ix, C, 132.
bufalina, iii, C, 122.
caespitosa, vii, C, 244.
gemella, i, s, 120; ix, C, 132, 505.
hastata, i, 396; i, s, 120; vi, C, 220; ix,
 A, 461; ix, C, 513.
hederacea, ix, C, 132.
hirta, vii, C, 244.
nymphasifolia, iii, C, 430; ix, C, 160.
reideliana, iii, C, 122.
umbellata, vii, C, 189; ix, A, 461.
umbellata var. *orientalis*, i, s, 120.
vitifolia, iii, C, 122; viii, C, 267; ix, C,
 160, 513.
Merrill, ferns and fern-allies collected on
 Mount Halcon, Mindoro, by Elmer D.,
 ii, C, 119.
orchids collected on or near Mount Halcon
chiefly by Elmer D., ii, C, 311.
Merrilllobryum, iii, C, 25; v, C, 156, 315; viii,
 C, 82; ix, C, 205.
fabronioides, iii, C, 25; viii, C, 82.
philippinense, v, C, 156, 315.
Merrilliopectis, iii, C, 54; viii, C, 483; ix, C,
 164.
calami, iii, C, 54; viii, C, 186; ix, C, 165.
daemonoropis, viii, C, 484.
höhnellii, viii, C, 186, 483.
parvula, ix, C, 164.
Merrittia, v, C, 396; vii, C, 106.
benguetensis, v, C, 396.
Mersawa, iv, C, 511.
Mertajam, iv, C, 493.
Mertensia crassifolia, i, s, 257.
Merula kelleri, ii, A, 359.
malindangensis, ii, A, 357.
mayonensis, ii, A, 358.
mindorensis, ii, A, 359.
nigrorum, ii, A, 359.
thomassoni, ii, A, 358.
Merulius spathularia, ix, C, 235.
Mesegar, iv, C, 513.
Mesochlaena, ii, C, 192; iii, C, 345; vi, C, 75.
larutensis, iii, C, 345.
polycarpa, ii, C, 3, 202; iii, C, 345.
Mesochorini, i, 693.
Mesochorus philippinensis, i, 693.
Mesogonimus pulmonale, ii, B, 31.
pulmonalis, ii, B, 31.
ringeri, ii, B, 31.
westermanni, ii, B, 31.
Mesohomotoma camphorae, x, D, 264.
Mesomorphus villiger, viii, D, 373.
Mesona, vii, C, 101, 345.
chinensis, vii, C, 102.
clausa, vii, C, 345.
palustris, vii, C, 102.
philippinensis, vii, C, 101.
procumbens, vii, C, 102.
prunelloides, vii, C, 102.
wallichiana, vii, C, 102.
Mesophox intermedia, ii, A, 321.
Mesosphaerum capitatum, ix, C, 136.
pectinatum, ix, C, 137.
Mesostenini, i, 692.
Mesostenoides literatus, i, 692.
octozonatus, i, 692.
Mesostenus leucozonatus, i, 692.
Mesotermitidæ, viii, D, 276.
Mestleta angulifera, v, D, 172.
Mesua ferrea, iv, C, 505.
speciosa, iv, C, 505.
Metabolus angustifolius, v, C, 388.
caeruleus, viii, C, 38.
ferrugineus, iv, C, 328.
laevigatus, vi, C, 222; viii, C, 37.
lineatus, viii, C, 38.
prostratus, viii, C, 36.
radicans, iii, C, 436.
Metachlamydeæ, i, s, 111.
Metadiorite, v, A, 168, 324.
Metallurgy of the smelting process, Bulacan,
 ix, A, 249.

- Metals, v, A, 331.
 Mountain Province, x, A, 206.
Metapelma gloriosa, i, 691.
Metapocyrtus, vii, D, 337.
 acutipennis, vii, D, 363.
 albodecoratus, vii, D, 324, 365.
 asper, vii, D, 345.
 bakeri, x, D, 221.
 bambalio, vii, D, 300, 362.
 bituberosus, vii, D, 299, 372.
 brevicollis, vii, D, 300, 353.
 cylas, vii, D, 359.
 derasocobaltinus, vii, D, 339.
 derasus, vii, D, 353.
 difficilis, vii, D, 363.
 dolosus, vii, D, 300, 370.
 elegans, vii, D, 355.
 erichsoni, vii, D, 300, 355.
 femoralis, vii, D, 352.
 figuratus, vii, D, 373.
 gibbirostris, vii, D, 300, 355.
 granifer, vii, D, 300, 352.
 harpago, vii, D, 377.
 humeralis, vii, D, 340.
 impius, vii, D, 353.
 intermittens, vii, D, 376.
 interruptolineatus, vii, D, 357.
 longipes, vii, D, 353.
 macgregori, vii, D, 363.
 metallicus, vii, D, 299.
 mimicus, vii, D, 299, 344.
 opulentus, vii, D, 356.
 pachyrrhynchoides, x, D, 220.
 pardalis, vii, D, 341.
 picipennis, vii, D, 354.
 picticollis, vii, D, 367.
 politissimus, vii, D, 361.
 politus, vii, D, 349.
 pseudomonilifer, vii, D, 299, 358.
 puncticollis, vii, D, 369.
 14-punctatus, vii, D, 341, 343.
 repandicauda, vii, D, 356.
 rufipes, vii, D, 352.
 rugicollis, vii, D, 355.
 scabiosus, vii, D, 360.
 schönherri, vii, D, 299.
 strictus, vii, D, 364.
 subfasciatus, vii, D, 356.
 tenuipes, vii, D, 366.
 triangularis, vii, D, 348.
 tumidosus, vii, D, 378.
 tumoridorum, vii, D, 300.
 virens, vii, D, 299, 350.
 virgatus, vii, D, 369.
Metasphaeria, viii, C, 401.
 maculans, viii, C, 401.
Metastrongylus, ix, B, 276.
Metate, vii, D, 225.
Metatermitidæ, viii, D, 278.
Metellus, viii, D, 231.
Meteorinæ, i, 693.
Meteoriopsis, v, C, 153; viii, C, 79.
 reclinata, v, C, 153; viii, C, 79; ix, C, 208.
Meteorium, v, C, 153, 314.
 helminthocladum, v, C, 153, 314; ix, C, 209.
 miquelianum, v, C, 153, 314.
Meteorological conditions, ix, A, 51.
 data, i, 619; vii, A, 259.
Meteorus bacoorensis, i, 693.
 brownii, i, 693, 695.
Methyl alcohol, v, B, 6; vii, A, 57.
 benzoate, viii, A, 1, 47.
 ether of methyl salicylate, viii, A, 1.
 ether of salicylic acid, viii, A, 42.
 ethers of the two phthaloximes, viii, A, 179.
 salicylate, iii, A, 101, 357; vii, A, 79; viii, A, 1.
Metialma obsoleta, viii, D, 145.
Metopini, i, 692.
Metopius browni, i, 692.
Metopostigma sauteri, viii, D, 330.
Metopta, x, D, 353.
 rectifasciata, x, D, 353.
Metriona manilensis, v, D, 229.
 recondita, viii, D, 241.
 trivittata, iii, A, 267; v, D, 146.
 westringi, viii, D, 240.
Metrosideros, iv, C, 535; vi, C, 351.
 pictapetala, ii, C, 433; iv, C, 337.
 vera, iv, C, 404, 535.
Metroxylon rumphii, vi, A, 107, 194.
Mexican papain, x, A, 11.
 poppy, vii, C, 198.
Meycauayan River water, analysis of, x, A, 359.
 stone, v, A, 109.
Mezoneurum, i, s, 64; iii, C, 232; iv, C, 268; v, C, 56; vii, C, 159.
 benguetense, v, C, 55.
 cucullatum, v, C, 56.
 furfuraceum, v, C, 57.
 glabrum, i, s, 64; iv, C, 268; v, C, 57.
 hymenocarpum, v, C, 56.
 latisiliquum, iv, C, 268; v, C, 57; ix, C, 426.
 macrophyllum, v, C, 56.
 mindorense, iii, C, 232; v, C, 57.
 mindorense var. inerme, iii, C, 232; v, C, 57.
 procumbens, iv, C, 268; v, C, 57.
 pubescens, v, C, 56.
 rubrum, v, C, 57.
 sumatranum, v, C, 57.
Mgenda, iv, C, 459.
Mgunga, iv, C, 459.
Miagos, v, C, 81.
Mibella, iv, C, 556.
Mica and tale of Ilocos Norte, ii, A, 172.
Mice, white, susceptibility to *spirochætæ*, iv, B, 190.
Michelia, i, s, 53; iii, C, 100; vii, C, 158.
 alba, v, A, 447.
 champaca, iii, A, 67; iv, A, 131; iv, C, 450; v, A, 443; vi, A, 333; vii, C, 183.

- Michelia*—Continued.
 cumingii, iii, C, 100; iv, C, 703.
 longifolia, iv, A, 131; vi, A, 342.
 parviflora, i, 638; i, s, 53; iii, C, 100.
- Miconia*, v, C, 204.
- Micranous leucocapillus*, vi, D, 173, 183.
 worcesteri, vi, D, 173, 183.
- Micranthemum indicum*, v, C, 229.
- Microapis florea*, i, 686.
- Microchites*, vii, C, 334.
 schrieckii, vii, C, 97, 334.
- Micelytraria*, iv, A, 568.
- Microunaria*, v, D, 47.
- Microbracon luteipes*, i, 694.
- Microbuglossus humilis*, v, D, 287.
- Microcanthus strigatus*, ix, D, 73.
- Microcarpaea*, vii, C, 100.
 alterniflora, vii, C, 100.
 minima, vii, C, 100.
 muscosa, vii, C, 100.
- Microchloa*, vii, C, 74.
 indica, vii, C, 74.
 setacea, i, s, 377; vii, C, 74.
- Microchrysa annulipes*, viii, D, 308.
 flaviventris, viii, D, 312.
- Micrococcus biskra*, i, 103.
 melitensis, ii, B, 124.
 pyogenes aureus and albus, viii, B, 239.
 tetragenus, i, 717.
- Microcossus*, v, D, 180.
 mackwoodii, v, D, 180.
- Microcryptus praepes*, i, 692.
- Microdesmis*, iv, C, 283.
 casearifolia, iv, C, 283; ix, C, 182.
- Microdini*, i, 693.
- Microdon*, v, C, 68.
- Microdothella*, ix, C, 169.
 culmicola, ix, C, 169.
- Microfilaria bancrofti*, iv, B, 279; ix, B, 202.
- Microgasterinae*, i, 693.
- Microhierax erythrogenys*, i, 700; ii, A, 323.
 meridionalis, ii, A, 323; iv, A, 69.
- Microlaena*, i, s, 269, 371; v, C, 328.
 stipoides, i, s, 269, 371; v, C, 328.
- Microlepia*, i, s, 16, 148; ii, C, 126, 168; iii, C, 33, 272; v, C, 284, 318; vi, C, 82; vii, C, 48.
 brooksii, ix, C, 230.
 ciliata, i, s, 16.
 dennstaedtioides, i, s, 148; ii, C, 126.
 hancei, x, C, 148.
 hirsuta, ii, C, 4; iii, C, 34.
 hirta, i, s, 148; ii, C, 126; iii, C, 273.
 pinnata, i, s, 16; ii, C, 4, 125.
 pinnata var. gracilis, i, s, 16.
 sablanensis, ii, C, 168.
 speluncæ, i, 408; i, s, 16; ii, C, 4, 168; iii, C, 273; vi, C, 82; ix, C, 230; x, C, 148.
 strigosa, ii, C, 4; v, C, 818.
 todayensis, iii, C, 272.
 trichosticha, ix, C, 230.
- Micromelum*, i, s, 69; iii, C, 412; iv, C, 474.
 molle, i, s, 171.
 pubescens, i, 392; i, s, 69; iii, C, 79, 412; vi, C, 206.
 tephrocarpum, i, s, 171; iii, C, 79, 412.
- Micromyces hoffmanni*, iii, B, 468.
- Micromycetes*, enumeration of Philippine, viii, C, 265.
- Microorganisms*, action on copra of, iii, A, 123.
 effect of sunlight on, v, B, 11.
 germicidal power of glycerin on various, ix, B, 465.
 infection of, viii, B, 373.
 influence of symbiosis upon the pathogenicity of, iii, B, 77.
 pipette method in the isolation of single, ix, B, 307.
- Micropeltella*, viii, C, 487; ix, C, 178.
 megasperma, viii, C, 487.
 merrillii, ix, C, 178.
- Micropeltis*, iii, C, 52; viii, C, 254, 394, 488.
 aequalis, viii, C, 394.
 albo-marginata, viii, C, 255.
 applanata, viii, C, 255, 394.
 bambusicola, iii, C, 52.
 bogoriensis, viii, C, 487.
 consimilis, viii, C, 394.
 corruscans, viii, C, 254.
 disticta, viii, C, 394.
 leucoptera, viii, C, 255.
 rheediae, viii, C, 190.
 schmidtiana, viii, C, 190, 255.
 semecarpi, viii, C, 488.
 vagabunda, viii, C, 394.
 vagabunda var. calamicola, viii, C, 394.
- Microplitis manilæ*, i, 693.
 philippinensis, i, 693.
- Micropodidae*, v, D, 110; vi, D, 42.
- Microponera nigriceps*, i, 689.
- Microporellus dealbatus*, ix, C, 239.
 subdealbatus, ix, C, 240.
- Microporus*, i, s, 287; x, C, 90.
 affinis, x, C, 90.
 affinis var. fasciatus, x, C, 90.
 crenatus, x, C, 90.
 flabelliformis, x, C, 91.
 florideus, x, C, 90.
 luteus forma castanea, x, C, 90.
 microloma, x, C, 90.
 perula, i, s, 287.
 sanguineus, x, C, 90.
 squamaeformis, x, C, 90.
 xanthopus, x, C, 90.
- Micropterus salmoides*, v, D, 153.
- Micropus pacificus*, ii, A, 339; v, D, 219.
 subfurcatus, ii, A, 346.
- Microsarcops cinereus*, ii, A, 295.
- Microscopical accessory*, a new, v, D, 79.
- Microsorium iriodes*, ix, C, 45.
- Microsperma*, i, s, 37.
- Microspironema pallidum*, ii, B, 441.
- Microsporium solani*, i, s, 293.

- Microstroma*, viii, C, 265.
 philippinense, viii, C, 265.
Microstylis, ii, C, 318.
 alagensis, ii, C, 318.
 binabayensis, ii, C, 318.
 congesta, vi, C, 44.
 dentata, ii, C, 319.
 hutchinsoniana, ii, C, 319.
 merrillii, ii, C, 319.
 purpurea, vi, C, 46.
 quadridentata, ii, C, 320.
 retusa, viii, C, 412.
 sagittata, vi, C, 46.
Microstylum dux, viii, D, 308.
Microtarsus melanocephalus, i, 906.
Microthyriaceae, iii, C, 52; v, C, 165; viii, C, 190, 254, 393; ix, C, 157.
Microthyrium, viii, C, 254, 394.
 circinans, viii, C, 254.
 elatum, viii, C, 254.
 grande, ix, C, 172.
Microtis, v, C, 340.
 unifolia, v, C, 340.
Microtropis, iii, C, 238; x, C, 319.
 curranii, iii, C, 238.
 platyphylla, x, C, 319.
Mictis calcar, iv, A, 565.
Midbit, iv, C, 356.
Migagos, iv, C, 81.
Mikan, ix, D, 251.
Mikania, i, s, 139; ii, C, 308; v, C, 393.
 scandens, i, s, 139; ii, C, 308; v, C, 393.
Miki, iv, B, 220.
Mileewa, ix, D, 415.
 gillavryi, ix, D, 417.
 luzonica, ix, D, 415.
 luzonica var. *decolorata*, ix, D, 416.
Milesia bigoti, viii, D, 309.
 conspicienda, viii, D, 309.
 ritsemae, viii, D, 309.
 semperi, viii, D, 309.
Milibig, x, C, 219.
Milonia, iii, A, 34.
 pretiosa, iii, A, 34.
Milipili, x, C, 23.
Milipilijuan Creek, petroleum on, viii, A, 353.
Milium zonatum, i, s, 349.
Miliusa velutina, iv, C, 451.
Milk, analysis of beriberic, vii, B, 74.
 autopsy findings in pigeons and chickens fed on white rice and, x, B, 124.
 carabaos', ii, B, 371.
 composition of *carabaos*', viii, A, 151.
 composition of Horlick's malted, iii, A, 87.
 cows', ii, B, 368.
 goats', ii, B, 370.
 human, ii, B, 366.
 interference of hydrogen peroxide with tests for formaldehyde in, vii, A, 77.
 poisoning due to a type of *Staphylococcus albus* occurring in a healthy cow's, ix, B, 515.
 protective power of normal human, viii, B, 469.
Milkfish, see *Bañgos*.
Milks, adaptability for infant feeding and the composition of various, viii, A, 141.
 preserved, ii, B, 372.
Mil-leguas, ix, C, 131.
Millepora, viii, D, 350; x, D, 159.
Millet, Italian, vii, C, 192.
Millettia, i, s, 64; iii, C, 103; v, C, 70; vii, C, 159; ix, C, 168; x, C, 17.
 ahernii, iii, C, 103; v, C, 71.
 brachycarpa, x, C, 71.
 caerulea, v, C, 71.
 canariifolia, v, C, 71; vi, C, 315.
 capillipes, vi, C, 316.
 cavitensis, v, C, 72; vi, C, 315.
 foxworthyi, v, C, 72; vi, C, 315.
 litoralis, vi, C, 316.
 longipes, v, C, 71; vi, C, 315.
 luzonensis, iii, C, 82; v, C, 73; vi, C, 315.
 merrillii, i, s, 64; iii, C, 46, 104; v, C, 71; vi, C, 315.
 pendula, iv, C, 469.
 piscatoria, i, s, 66; ii, C, 433; v, C, 107; vi, C, 315.
 pulchra, v, C, 73.
 racemosa, vi, C, 315.
 sericea, v, C, 73.
 splendens, i, s, 66; v, C, 73, 106.
 splendidissima, v, C, 73.
 stipulata, vi, C, 316.
 thyrsiflora, v, C, 103.
 xylocarpa, v, C, 71.
Milletias, Philippine, vi, C, 315.
Millingtonia hortensis, iv, C, 558.
 pinnata, iii, C, 336.
 quadripinnata, iii, C, 336.
Millium ramosum, i, s, 348.
Mills, corn, vii, D, 223.
 pulp and paper, ii, A, 111.
 rice, vii, D, 224.
Miltochrista, v, D, 170.
 miniata, v, D, 170.
 semifascia, v, D, 170.
Miltograma, viii, D, 309.
Mimela, v, D, 252.
 blumei, v, D, 260.
 discoidea, v, D, 240.
 maculicollis, v, D, 260.
 palawana, v, D, 252.
 xanthorrhina, v, D, 252.
Mimomyia, i, 991.
 chamberlainii, i, 991; viii, D, 307.
 minima, viii, D, 307.
Mimosa, v, C, 31; vii, C, 159; viii, C, 201.
 acle, v, C, 25.
 asperata, v, C, 31.
 biglobosa, v, C, 33.
 blancoana, v, C, 31.
 caesia, v, C, 29.
 carisquis, v, C, 23.
 concinna, v, C, 28.
 coriaria, v, C, 21.
 dulcis, v, C, 16; vii, C, 175; ix, C, 85.
 elata, iv, C, 460.

Mimosa—Continued.

- entada, v, C, 32; ix, C, 86.
 farnesiana, v, C, 28; ix, C, 86.
 glauca, v, C, 30; ix, C, 86.
 intsia, v, C, 29.
 lebbeck, v, C, 23; ix, C, 86.
 lebbek, v, C, 22.
 marginata, v, C, 23.
 membranulacea, ii, C, 433; v, C, 52.
 pennata, v, C, 29.
 peregrina, ii, C, 381; v, C, 33.
 procera, v, C, 21.
 pudica, v, C, 31; vi, C, 206; vii, C, 37,
 184; ix, A, 461; ix, C, 513.
 punctata, iii, C, 228; v, C, 32.
 quadrivalvis, v, C, 30.
 rugata, v, C, 28.
 saman, v, C, 15; ix, C, 85.
 saponaria, v, C, 24.
 scandens, iii, C, 305; v, C, 32; ix, C, 86.
 scutifera, iii, C, 228; v, C, 17.
 scutifera var. *casai*, v, C, 19.
 stipulata, v, C, 23.
 tenuifolia, v, C, 29.
 unguis-cati, v, C, 16.
 virgata, iii, C, 228; v, C, 32.
 Mimosoidæ, ix, C, 85.
 Ingeæ, v, C, 27.
 Piptadeniæ, y, C, 27.
 Mimulus tilingii, viii, C, 287.
 Mimusa acle, ii, C, 369.
 Mimusops, i, s, 114; iv, C, 540; vii, C, 164;
 x, C, 337.
 calophylloides, x, C, 337.
 elengi, i, 676; i, s, 114; ii, C, 375; iii, C,
 305; iv, C, 540; vi, A, 423; vi, C, 219;
 vii, C, 195.
 kauki, iv, C, 540; x, C, 338.
 littoralis, iv, C, 540.
 Minamainitan, x, B, 374.
 Mindanao, x, C, 369.
 beliefs of the pagan tribes of, viii, D, 88.
 bird unrecorded from, ii, A, 296.
 birds from northern, iv, A, 67; v, D, 197.
 geologic reconnaissance of Sulu and, iii,
 A, 473; v, A, 345; vi, A, 359.
 monkey-eating eagle from Luzon and, ii,
 A, 297.
 placer deposits in, viii, A, 103.
 tribes of, viii, D, 457.
 types among the inland tribes of, viii, D,
 455.
 Mindoro, analysis of mangrove barks from,
 iv, A, 209.
 ascent of Mount Halcon, ii, A, 179.
 birds collected in, i, 697.
 coal in, ii, A, 51.
 malaria and Anopheles surveys in, x, B,
 206.
 Mangyans of, vii, D, 135.
 outcrop and upper-bed coals of, i, 883.
 sanitary survey of, ix, B, 137.
 water supplies of, x, A, 142.
 Mindura, v, D, 66.
 alligata, v, D, 66.
 subfasciata, v, D, 66.
 Mineral districts, ii, A, 207; vi, A, 461, 464.
 fillers for paper making, ii, A, 100.
 paint of Ilocos Norte, ii, A, 173.
 resin, v, A, 180.
 resources, v, A, 105; vi, A, 397, 477.
 springs, *see* Springs, mineral.
 veins, vi, A, 435.
 water supplies, ix, A, 381.
 Minerals, Benguet lode, vi, A, 436.
 check list of P. I., x, A, 81.
 schists of Ilocos Norte, ii, A, 156.
 Mingris, iv, C, 465.
 Mining, *see* Geology, economic.
 Miniopterus, vii, D, 18.
 australis, vii, D, 18.
 pusillus, vii, D, 18.
 schreibersii, vii, D, 18.
 tibialis, vii, D, 18.
 tristis, vii, D, 19.
 Minium, x, A, 90.
 Minjak tengkawang, iv, C, 516.
 Minnow, iv, A, 494; v, D, 265.
 Minuang, iv, C, 522.
 Minuh-minuh, iv, C, 79.
 Miocene formations, ix, A, 212.
 Miogypsina, v, A, 315; viii, A, 240.
 irregularis, vi, D, 74.
 irregularis race orientalis, vi, D, 74.
 Mique, vii, A, 397.
 Miquelia, ix, C, 312.
 eumingii, ix, C, 313.
 reticulata, ix, C, 312.
 Mirabilis, vii, C, 157; ix, C, 81.
 jalapa, vii, C, 183; ix, C, 81.
 Miraboo, iv, C, 461.
 laut, iv, C, 461.
 Mirabow, iv, C, 461.
 Miracidium of Paragonimus, development of
 the, iv, B, 177.
 Mirador Observatory, temperatures and
 amounts of sunshine recorded at, vii, B,
 100.
 Mirauan, iv, C, 511.
 Mirobalanenbaum, iv, C, 486.
 Mirror, liquid concave, v, A, 19.
 Miscanthus, i, s, 26, 322; ii, C, 260; iii, C,
 395; v, C, 170, 325; ix, C, 51.
 depauperatus, v, C, 170.
 floridulus, ix, C, 51.
 japonicus, i, 663; i, s, 26, 322, 323; iii, C,
 395; vi, C, 194; ix, C, 51.
 luzonensis, i, s, 322.
 sinensis, i, s, 323; ii, C, 260; iii, C, 395;
 v, C, 171, 325; vi, D, 231; viii, C, 497;
 ix, C, 423; ix, D, 262.
 Mischocarpus, i, s, 87; ix, C, 187.
 brachyphyllus, viii, C, 472.
 cauliflorus, viii, C, 471.
 ellipticus, viii, C, 447.
 endotrichus, viii, C, 447.
 fuscescens, i, s, 87; viii, C, 447.

- Mischocarpus*—Continued.
salicifolius, viii, C, 447.
sundaicus, vi, C, 209; viii, C, 447.
triqueter, i, 656; i, s, 87; viii, C, 447.
Mischodon, iv, C, 483.
zeylanicus, iv, C, 486.
Miscogasteridæ, i, 691.
Miscogasterinæ, i, 691.
Misepyrus exaratus, ix, D, 285.
longiceps, ix, D, 285.
Missiessya, v, C, 467.
aspera, vi, C, 28.
celtidifolia, vi, C, 28.
fagifolia, vi, C, 27.
hispidissima, vi, C, 24.
Misua, vii, A, 397.
Mitra, viii, A, 259.
javana, viii, A, 330.
sp., x, A, 248.
Mitracarpum, ix, C, 145.
hirtum, ix, C, 145.
torresianum, ix, C, 145.
Mitragyne, iv, C, 561; vii, C, 167.
diversifolia, viii, C, 478.
parvifolia, iv, C, 561.
Mitrasacme, i, s, 116; iii, C, 120.
alsinoides, i, s, 116; iii, C, 120.
nudicaulis, iii, C, 120.
Mitreola, iii, C, 260.
oldenlandioides, iii, C, 260.
Mitrephora, i, s, 54; vii, C, 266; x, C, 251.
aperta, x, C, 255.
aversa, x, C, 257.
basilanensis, x, C, 251.
chrysocarpa, x, C, 255.
diepenhorstii, x, C, 255.
edwardsii, iv, C, 451.
ellipanthoides, x, C, 251.
ferruginea, i, 410, 638; i, s, 54; x, C, 231.
fragrans, x, C, 252.
glandulifera, x, C, 255.
grandifolia, x, C, 255.
lanotan, i, 411, 640; i, s, 54; ii, C, 430;
vi, C, 204; x, C, 232.
macrophylla, x, C, 255.
maingayi, x, C, 253.
merrillii, iv, C, 703; ix, A, 504; x, C, 231.
ovata, x, C, 255.
parallelivenia, x, C, 255.
pictiflora, x, C, 253.
prainii, x, C, 255.
reticulata, x, C, 254.
rugosa, x, C, 255.
rupestris, x, C, 255.
samarensis, x, C, 253.
versteegii, x, C, 255.
viridifolia, x, C, 231.
weberi, vii, C, 266.
williamsii, x, C, 252.
Mixornis, vi, D, 44.
woodi, i, 907.
Miyama hannoki, x, D, 293.
Mizuiro onaga shijimi, x, D, 293.
Mkonka, iv, C, 528.
Mniaceæ, ii, C, 341; iii, C, 20; v, C, 149, 313;
viii, C, 73; ix, C, 204.
Mniodendron, i, s, 13; iii, C, 30; v, C, 162;
viii, C, 97.
divaricatum, ii, C, 343; iii, C, 30; v, C,
162; viii, C, 97.
fusco-mucronatum, i, s, 13; iii, C, 30;
viii, C, 97.
Mnium, v, C, 149, 313; viii, C, 73.
rostratum, ii, C, 341; v, C, 149, 313; viii,
C, 73.
succulentum, viii, C, 73; ix, C, 208.
Moabog, ii, A, 382.
Mocanera grandiflora, ii, C, 372; vi, C, 251.
guiso, ii, C, 384; vi, C, 273.
malaanonan, ii, C, 386; iii, C, 115; vi, C,
270.
mangachapoi, vi, C, 282.
mayapis, ii, C, 389; v, C, 256.
plagata, ii, C, 396; vi, C, 262.
polysperma, ii, C, 394; vi, C, 277.
thurifera, ii, C, 389; vi, C, 256.
verniciiflua, ii, C, 373; vi, C, 249.
Moco, x, C, 410.
Modecca, i, s, 100.
coccinea, i, s, 100; iii, C, 421; x, C, 331.
parviflora, x, C, 331.
saponaria, x, C, 331.
triloba, i, s, 100; x, C, 331.
*Modeling adapted for the central nervous
system, an improved method of*, iii, A,
293.
Modiola matealfei, vii, D, 278.
Modiolus, viii, A, 271.
sp., viii, A, 271.
Moera Enim oil field, southern Sumatra, viii,
A, 315.
Mogannia, v, D, 36.
avicula, v, D, 36.
conica, v, D, 36.
histrionica, v, D, 36.
ignifera, v, D, 36.
illustrata, v, D, 36.
indicans, v, D, 36.
recta, v, D, 36.
terpsichore, v, D, 35.
venutissima, v, D, 36.
Moganniaria, v, D, 36.
Mogarra, iii, A, 518; v, D, 277.
Moghania, v, C, 130.
macrophylla, v, C, 130.
Mogodina alligata, v, D, 66.
Mogorium aculeatum, ii, C, 434.
sambac, x, C, 191.
Moi whar che, vi, D, 285.
Mojarra, ix, D, 67.
Mojarritas, iii, A, 529.
Moka, iv, C, 548.
Molasa, vi, A, 382.
Molasses, distillates from, vii, A, 30.
Molauain aso, i, s, 233.
Molauin aso, i, s, 121.
Molave, i, 676, 1055, 1070; i, s, 121, 233; ii,
A, 382; ii, C, 389; iv, C, 532, 557; vi,
A, 17, 423; ix, A, 416, 542.

- Molds and bacteria, the decomposition of copra by, iii, A, 124.
- Moliungol, vi, C, 14.
- Mollisia *ravida*, v, C, 166.
- Mollisiaceæ, v, C, 166; viii, C, 262.
- Mollugo, i, s, 52; iii, C, 405; vii, C, 157; ix, C, 82; x, C, 303.
- lotoides*, vii, C, 183.
- oppositifolia*, vii, C, 183.
- pentaphylla*, ix, C, 82.
- spergula*, iii, C, 405.
- stricta*, i, s, 52; ix, C, 82.
- Mollusks, fresh-water, vii, D, 280.
- P. I. edible, vii, D, 273.
- Molmol, iii, A, 529.
- Molossidæ, vii, D, 20.
- Molothrus, ii, A, 263.
- Molybdenite, i, 624; x, A, 90.
- Momordica, i, s, 138; vii, C, 167; ix, C, 152.
- charantia*, i, 396; i, s, 138; iii, C, 84; iv, B, 222; vi, C, 227; vii, C, 189; ix, C, 152, 430.
- cochinchinensis*, ix, C, 430.
- cylindrica*, ix, C, 151.
- luffa*, ix, C, 151.
- ovata*, i, s, 173; ix, C, 430.
- Monacanthidæ, vii, D, 290; ix, D, 73.
- Monacanthus *chinensis*, ix, D, 73.
- lineolatus*, ix, D, 74.
- setifer*, ix, D, 73.
- Monachosorum, ii, C, 122.
- subdigitatum*, ii, C, 122.
- Monacrostichus, viii, D, 322.
- aequalis*, viii, D, 323.
- citricola*, viii, D, 323.
- conopsoides*, viii, D, 323.
- longicornis*, viii, D, 323.
- sepedonoides*, viii, D, 323.
- vespoides*, viii, D, 323.
- Monad, ix, B, 81, 446.
- Monadinae, i, 103.
- Monadnock, Sulu Archipelago, v, A, 361.
- Monamon, iii, A, 513, 529; vii, A, 386.
- Monamud, vi, D, 87.
- Monarthrocarpus, v, C, 88.
- securiformis*, v, C, 89; vi, C, 205.
- Monbakayáuan, vi, D, 97.
- Monbaki, vi, D, 102.
- Moncayo to Butuan on the Agusan River, iii, A, 508.
- Monecera *isotricha*, x, C, 44.
- Monemiaceæ, i, s, 56; ii, C, 274.
- Monerma, i, s, 387; ix, C, 58.
- repens*, i, s, 387; ix, C, 58.
- Mongo, *see* Mungo.
- Mongoma *tenera*, viii, D, 307.
- Mongomongohan, v, C, 49.
- Mongoose, vii, D, 23.
- Mongos *paloma*, ix, C, 85.
- Monhuua, vi, D, 99.
- Moniliales, i, s, 293.
- Monimiaceæ, iii, C, 225; iv, C, 452.
- Monkey, vii, D, 36.
- apple, vii, C, 113.
- Monkeys, effect of tropical sunlight upon, vii, B, 91, 110.
- experimental production of yaws in, ii, B, 441.
- experimental vaccinia in P. I., i, 255.
- infection with plague bacilli, vii, B, 251.
- inoculation with smallpox, viii, B, 429.
- spontaneous occurrence of bacillary dysentery in, v, B, 481.
- susceptibility to pneumonic plague, vii, B, 224.
- unsuccessful attempts to infect with balantidia, vi, B, 151.
- white rice and salts fed to, viii, B, 361.
- Monkoliaban, vi, D, 98.
- Monlagim, vi, D, 99.
- Monlana, vi, D, 92.
- Monlapu, vi, D, 86.
- Monligid, vi, D, 94.
- Mono- and dimethylaniline, the effect of sunlight in the absence of oxygen and oxidizing influences and a comparison with the behavior of, v, A, 419.
- Monothrocarpus *monoplaylla*, v, C, 90.
- Monocanthidæ, v, D, 284.
- Monocanthus *chinensis*, v, D, 284.
- Monocarpia *blancoi*, x, C, 233.
- myristica*, x, C, 233.
- Monochirus *callicanthus*, viii, D, 238.
- moestus*, viii, D, 238.
- Monochoria, i, s, 34; vii, C, 155.
- vaginalis*, i, s, 34; vi, C, 196.
- Monocotyledonæ, i, s, 25.
- Monocotyledons, iv, C, 443.
- as fiber producers, i, No. 5, 438.
- Monodactylus *argenteus*, v, D, 282.
- Monodora *myristica*, x, C, 233.
- Monogramma, i, s, 255; ii, C, 134; vi, C, 147.
- capillaris*, vi, C, 147.
- dareaecarpa*, ii, C, 134; vi, C, 147.
- intermedia*, i, s, 255; ix, C, 231.
- junghuhnii*, ii, C, 407.
- paradoxa*, ii, C, 407.
- trichoidea*, ii, C, 5, 134; vi, C, 147; ix, C, 231.
- Monolepta *baeri*, viii, D, 228.
- bifasciata*, v, D, 225.
- bifoveolata*, v, D, 141.
- cavipennis*, v, D, 142.
- elegantula*, viii, D, 229.
- hieroglyphica*, viii, D, 229.
- maculicollis*, viii, D, 229.
- palawana*, viii, D, 229.
- puncticollis*, viii, D, 229.
- rubrosignata*, v, D, 225.
- Monolexis *manilensis*, i, 694.
- Monomorium *atomus*, v, D, 123.
- banksi*, v, D, 123.
- destructor*, i, 689.
- floricola* var. *philippinensis*, v, D, 123.
- latinode*, i, 1071; ix, B, 4.
- orientale*, v, D, 123.
- Monoon *chryseum*, x, C, 235.
- Monophrynum, iv, C, 196.
- congestum*, iv, C, 197.

- Monophrynium*—Continued.
fasciculatum, iv, C, 196.
simplex, iv, C, 196.
Monophyllaea, viii, C, 168.
glauca, viii, C, 169.
hirtella, viii, C, 169.
longipes, viii, C, 169.
lowii, i, s, 225; viii, C, 169.
merrilliana, viii, C, 168.
Monoporanda cordifolia, iv, C, 516.
Monostachya, v, C, 330, 332.
centrolepidoides, v, C, 331.
Monostomulum lentis, ii, B, 31.
Monotaxis, v, D, 164.
montanus, v, D, 164.
trimaculata, v, D, 164.
Montalban and Binangonan limestones, ultimate chemical composition of, vii, A, 333.
Montamorong ore deposit, Bulacan, ix, A, 222.
Montana, spotted or tick fever of, iii, B, 1.
Montlivaultia, viii, A, 285.
bulacana, viii, A, 285.
cortada, viii, A, 286.
robusta, viii, A, 286.
Montobal, vi, D, 86.
Monwiwik, vi, D, 98.
Moong, iii, A, 529.
Mophon tinctipennis, viii, D, 430.
Mora, i, s, 311.
Morabi, geologic section in the vicinity of Mount, viii, A, 321.
Moraceæ, i, 422; i, No. 5, 438; i, s, 43, 183; ii, C, 270, 435; iii, C, 130, 176, 221, 401; iv, C, 252, 446, 705; v, C, 342; vi, C, 107, 199, 319; vii, C, 156; viii, C, 364; ix, A, 555; ix, C, 73, 268, 355, 424; x, C, 268.
Morado, i, s, 36; x, C, 398.
Moraea plicata, vii, C, 233.
Morans, vii, D, 277.
Moras, iv, A, 118; vi, C, 105.
Morax-Axenfeld bacillus, v, B, 307.
Moray, iv, A, 491.
Morbidity and death rates from malaria in the P. I., x, B, 235.
Morenoella, viii, C, 403; ix, C, 183.
breviuscula, viii, C, 403.
gedeana, viii, C, 403.
memecyli, ix, C, 183.
Morenos, vi, D, 7.
Morgosa tree, iv, C, 478.
Morin, v, A, 443.
Morinda, i, s, 137; iii, C, 438; vii, C, 167; ix, C, 145, 162.
axillaris, x, C, 191.
bracteata, iii, C, 438; v, A, 444; vi, C, 227; ix, C, 429.
citrifolia, i, 669; v, A, 444.
citrifolia var. bracteata, i, s, 137.
cumingiana, iii, C, 438.
glandulosa, ix, C, 146.
indica, ix, C, 145.
parvifolia, iii, C, 438.
Morinda—Continued.
sp., v, A, 441.
tinctoria, iii, C, 305; iv, C, 561.
umbellata, i, s, 137; iii, C, 305; v, A, 444; ix, C, 146.
volubilis, i, s, 137; ii, C, 434.
Moringa, i, s, 59; vii, C, 153; ix, C, 85.
moringa, ix, C, 85.
nux-ben, iii, C, 305.
oleifera, i, s, 59; iii, C, 305; vii, C, 183; ix, C, 85, 425.
pterygosperma, i, s, 59.
Moringaceæ, i, s, 59; vii, C, 153; ix, C, 85, 425.
Moringua bicolor, iv, A, 494.
cagayana, iv, A, 493.
Morio echinophora, v, A, 329; vii, A, 264.
Morisqueta, iii, A, 192; ix, D, 488.
Morocarpus, v, C, 467; vi, C, 19.
Morphine, vi, A, 257.
sulphate, experiments with, vi, A, 264.
Morphosphaera peregrina, viii, D, 222.
sumatrana, viii, D, 222.
Mortality, infant, v, B, 149, 176, 237; viii, B, 459.
Mortar, rice, vii, D, 221.
Morubi, iv, C, 446.
Morus, iii, C, 404; vi, C, 312; vii, C, 156; ix, C, 73.
alba, iii, C, 404; vii, C, 182; viii, C, 268; ix, C, 73.
rubra, vi, A, 15.
tinctoria, v, A, 440.
Moscatel, vii, A, 24.
Moschosma, vii, C, 165.
tenuiflorum, vii, C, 196.
Mosquito, a new P. I. malaria, ix, D, 405.
Filaria philippinensis and its development in the, ii, B, 1.
salt and fresh water, iii, B, 335.
Mosquitoes, i, 1072; v, B, 172. *See also Zoology—Insecta—Diptera.*
filariasis and, iii, B, 299.
malaria carrying, iv, B, 235.
San José survey of, ix, B, 163.
Taytay, iv, B, 233.
transmission of malaria with, ix, B, 381.
Mosses, geographical distribution of P. I., ix, C, 199. *See also Botany—Bryophyta.*
Mostaza, iv, B, 223; ix, C, 84.
Motacilla melanope, i, 703; ii, A, 308, 332; iii, A, 281; v, D, 113.
Motacillidæ, iii, A, 281; iv, A, 76; v, D, 113; vi, D, 46.
Moth, bee, i, 1073.
Moulinia rubiginosa, iii, C, 79.
Mount Halcon, ii, A, 179; ii, C, 119, 251, 311.
Pulog, flora of, v, C, 287, 371.
Mountain Maid limestone, Aroroy district, vi, A, 409.
Province, ix, A, 32; x, A, 177.
Mountains, types of P. I., viii, A, 208.
Mouse, vii, D, 31.
Mouse-deer, vii, D, 39.
Mouth, associated spirochætæ and fusiform bacilli in ulcers of the, vi, B, 489.

- Mowa tree, iv, C, 540.
 Mstaphele, vii, C, 113.
 Mucedinaceæ, iii, C, 57.
 Mucidus, i, 983.
 mucidus, i, 983; viii, D, 306.
 Mucocoele and diverticulum of the vermiform
 appendix of inflammatory origin, vii,
 B, 29.
 Mucor clavatus, viii, C, 402.
 racemosa, viii, C, 22.
 Mucoraceæ, viii, C, 21.
 Mucorini, ii, B, 489.
 Mucronata, vii, C, 253.
 Mucuna, i, s, 67, 196; iii, C, 183, 231; v, C,
 4, 115; vii, C, 160; ix, C, 92.
 acuminata, i, s, 196; iii, C, 231; v, C, 116.
 atropurpurea, v, C, 117.
 aurea, iii, C, 183; v, C, 8, 118.
 capitata, v, C, 118.
 curranii, v, C, 8, 116.
 cyanosperma, v, C, 116.
 deeringiana, v, C, 5, 118.
 gigantea, i, s, 196; v, C, 116; vi, C, 206;
 ix, C, 92.
 imbricata, i, 392; i, s, 67; y, C, 116.
 junghuhniana, v, C, 116.
 longipedunculata, i, s, 196; v, C, 8, 117.
 luzoniensis, i, s, 196; v, C, 117.
 lyonii, i, s, 197; ii, C, 433; v, C, 8, 117,
 164; viii, C, 266.
 mindorensis, iii, C, 231; v, C, 8, 116.
 monosperma, v, C, 116.
 nigricans, v, C, 116; vi, C, 206.
 nivea, i, s, 197; ii, C, 433; v, C, 117.
 pruriens, i, s, 67; v, C, 117; ix, C, 92.
 sericophylla, i, s, 197; v, C, 8, 117.
 velutina, v, C, 118.
 Mud fish, iii, A, 516.
 Muehlenbeckia, vii, C, 157.
 platyclada, vii, C, 182.
 Mugil banksi, iv, A, 501.
 belanak, v, D, 268.
 cephalus, iii, A, 517; ix, D, 61.
 joloensis, iv, A, 500.
 labiosus, iv, A, 501.
 longimanus, iv, A, 502; ix, D, 61.
 macrolipidotus, ix, D, 61.
 oeur, ix, D, 61.
 planiceps, ix, D, 61.
 Mugilidæ, iii, A, 517; iv, A, 500; v, D, 268;
 ix, D, 61.
 Muirella, x, D, 51.
 Mukden, pneumonic plague in, vii, B, 131.
 Mukwana, x, D, 53.
 Mulah, iv, C, 473.
 Mulberry, i, No. 5, 438; vi, A, 15.
 Muldera, v, C, 462.
 Muling, viii, D, 99.
 Mülleria lecanora, vi, D, 313.
 mauritanica, vi, D, 313.
 nobilis, vi, D, 313.
 Mulleripicus pulverulentus, i, 906.
 Mullet, iii, A, 517; iv, A, 500; v, D, 268; ix,
 D, 61.
 roe of, ix, D, 4.
 Mullidæ, iii, A, 518; v, D, 278; ix, D, 67.
 Mulmul, iii, A, 527.
 Mulni, iii, C, 401.
 Mumbuni, viii, D, 104.
 Mumpilai klat, iv, C, 492.
 Mumutun, ix, C, 137.
 Munang, vi, D, 283.
 Munchausia speciosa, ii, C, 374.
 Mundo, x, C, 410.
 Mungamu gaman, vi, D, 241.
 Mungilkil, iv, C, 356.
 Mungo, i, 761; iv, B, 200, 222; v, B, 88; vi,
 B, 136, 229, 401; vii, B, 40, 86, 453;
 vii, C, 193; ix, C, 94.
 bean, i, 761.
 Mungos, v, C, 133; vii, D, 23.
 palawanus, vii, D, 23.
 parvus, vii, D, 23.
 Munhimuñg, vi, D, 228.
 Munia atricapilla, ii, A, 332.
 cabanisi, i, 704; v, D, 136, 220.
 jagori, i, 704, 770, 775; ii, A, 290, 308,
 314, 332, 344; iv, A, 76; v, D, 113, 219;
 vi, D, 46.
 Munj grass for paper stock, i, No. 5, 457.
 Munkiella, viii, C, 280.
 melastomata, viii, C, 280.
 Munlapu, vi, D, 237.
 Munliulua, vi, D, 240.
 Muntingia, vii, C, 162.
 calabura, iv, C, 496; vii, C, 186; viii, A,
 73; ix, C, 427.
 Munubub, vi, D, 236.
 Mura, vi, C, 105.
 Murænesocidæ, v, D, 265.
 Murænesox cinereus, v, D, 265.
 Murænidæ, iv, A, 491.
 Murasaki shijimi, x, D, 295.
 tateba, x, D, 285.
 Murex, vii, D, 230.
 brevispina, viii, A, 248.
 capucinus, viii, A, 248.
 djarianensis, viii, A, 248.
 grooti, viii, A, 248.
 microphyllus, viii, A, 248.
 pinnatus, viii, A, 248.
 verbeeki, viii, A, 248.
 Muricidæ, vii, D, 280.
 Muridæ, vii, D, 26.
 Murina, vii, D, 19.
 cyclotis, vii, D, 19.
 Murraya, i, s, 69; iii, C, 412; vii, C, 160.
 crenulata, iii, C, 412.
 exotica, i, 656; i, s, 69; iii, C, 79, 412; iv,
 C, 474; vii, C, 185.
 koenigii, iv, C, 474.
 paniculata, iv, C, 474.
 Mus, vii, D, 31.
 albigularis, vii, D, 28.
 castaneus, vii, D, 32.
 commissarius, vii, B, 119; vii, D, 32.
 cumingi, vii, D, 27.
 datae, vii, D, 28.
 decumanus, i, 477, 725; iii, B, 45; viii,
 B, 422.
 ephippium, vii, D, 28.

Mus—Continued.

- ephippium nigrinus, vii, D, 29.
 everetti, vii, D, 28.
 kelleri, vii, D, 28.
 luteiventris, vii, D, 29.
 luzonicus, vii, D, 29.
 magnirostris, vii, D, 29.
 mindanensis, vii, D, 29.
 mindorensis, vii, D, 29.
 musculus, iii, B, 46; vii, D, 31.
 neglectus, vii, D, 29.
 norvegicus, vii, D, 29.
 pantarensis, vii, D, 29.
 rattus, i, 477, 725; iii, B, 45; iv, B, 192;
 vii, D, 28.
 tagulayensis, vii, D, 30.
 todayensis, vii, D, 30.
 vulcani, vii, D, 30.
 vulcani apicis, vii, D, 30.
 zamboangæ, vii, D, 30.
 Musa, i, s, 36; iv, C, 198; vii, C, 156; ix,
 C, 68.
 abaca, iii, C, 305; iv, C, 199; x, C, 388.
 cavendishii, x, C, 410.
 cavendishii var. hawaiiensis, x, C, 411.
 cavendishii var. pumila, x, C, 412.
 chapara, iii, C, 305; x, C, 415.
 coccinea, iv, C, 199; x, C, 388.
 domestica, vii, B, 498.
 ensete, x, C, 387.
 errans, x, C, 390.
 errans var. botoan, x, C, 391.
 glauca, x, C, 387.
 humilis, iii, C, 306; x, C, 392.
 mindanensis, iv, C, 199; x, C, 388.
 nigra, iii, C, 306; x, C, 415.
 paradisiaca, i, No. 5, 452; i, s, 36; iii, C,
 306; iv, B, 221; iv, C, 156; vi, C, 107,
 196; vii, C, 182; viii, C, 501; ix, C, 68;
 x, C, 412.
 paradisiaca cinerea, i, s, 36; x, C, 397.
 paradisiaca compressa, i, s, 36; x, C, 408.
 paradisiaca glaberrima, x, C, 399.
 paradisiaca glauca, x, C, 402.
 paradisiaca lacatan, i, s, 36; x, C, 405.
 paradisiaca longa, x, C, 407.
 paradisiaca magna, i, s, 36; x, C, 413.
 paradisiaca maxima, i, s, 36; x, C, 414.
 paradisiaca normalis, i, s, 36.
 paradisiaca pumila, x, C, 412.
 paradisiaca sapientum, i, s, 36.
 paradisiaca seminifera, i, s, 36.
 paradisiaca suaveolens, i, s, 36; x, C, 400.
 paradisiaca subrubea, x, C, 414.
 paradisiaca ternatensis, i, s, 36; x, C, 404.
 paradisiaca tombak, x, C, 407.
 paradisiaca ulnaris, x, C, 414.
 paradisiaca violacea, i, s, 36; x, C, 398.
 sapientum, i, No. 5, 452; iv, B, 221; iv,
 C, 156; vi, C, 107; viii, C, 483; ix, C,
 424; x, C, 398.
 sapientum var. americana, x, C, 398.
 sapientum var. binutig, x, C, 401.
 sapientum var. canara, x, C, 406.
 sapientum var. cinerea, x, C, 397.
 sapientum var. compressa, x, C, 408.

Musa—Continued.

- sapientum var. cubensis, x, C, 397.
 sapientum var. daryao, x, C, 403.
 sapientum var. garangao, x, C, 401.
 sapientum var. glaberrima, x, C, 399.
 sapientum var. glauca, x, C, 402.
 sapientum var. grandis, x, C, 410.
 sapientum var. inarnibal, x, C, 406.
 sapientum var. lacatan, x, C, 405.
 sapientum var. longa, x, C, 407.
 sapientum var. suaveolens, x, C, 400.
 sapientum var. ternatensis, x, C, 404.
 sapientum var. tombak, x, C, 407.
 sapientum var. tudlong, x, C, 402.
 sapientum var. tuldoe, x, C, 407.
 sapientum var. violacea, x, C, 398.
 sylvestris, iv, C, 199.
 textilis, i, No. 5, 461; ii, C, 114; iii, C,
 305; iv, C, 199; v, C, 184; vi, C, 107,
 196; vii, C, 169; viii, C, 368; ix, C,
 68; x, C, 388.
 troglodytarum, i, s, 36.
 troglodytarum dolioformis, x, C, 387.
 troglodytarum errans, i, s, 36; x, C, 390.
 troglodytarum textoria, iv, C, 199; x, C,
 388.
 Musaceæ, i, No. 5, 438; i, s, 36; iv, C, 198;
 vi, C, 107, 196; vii, C, 156; ix, C, 68,
 424; x, C, 379.
 Musama paupera, viii, D, 308.
 Musca bivittata, viii, D, 310.
 conducens, viii, D, 310.
 domestica, i, 1072; iv, B, 235; v, B, 517;
 x, D, 310.
 favillacea, viii, D, 310.
 niveisquama, viii, D, 310.
 Muscadivora ænea, i, 699, 771, 903; ii, A, 281,
 300, 311, 318.
 ænea calybura, i, 771.
 nuchalis, ii, A, 345.
 Muscadivores ænea, iii, A, 276.
 chalybura, iii, A, 276; iv, A, 67; v, D,
 105; vi, D, 41.
 nuchalis, v, D, 105.
 Musci, i, 662; i, s, 11; v, C, 311; vi, C, 191; ix,
 C, 41.
 halconenses, ii, C, 339.
 Muscicapidæ, ii, A, 346; iii, A, 279; iv, A,
 73; vi, D, 43.
 Muscicapula basilanica, ii, A, 286; iv, A, 73.
 luzoniensis, v, D, 136.
 westermanni, v, D, 136.
 Muscicapulidæ, v, D, 111.
 Muscidæ, iv, B, 239; viii, D, 310.
 Muscovite, x, A, 91.
 Muscular changes brought about by intermus-
 cular injection of calves with the virus
 of contagious pleuropneumonia, vii, B,
 525.
 Mushrooms collected by C. F. Baker, x, C, 85.
 Muskmelon, iv, B, 222.
 Musotima, v, D, 179.
 anducalis, v, D, 179.
 suffusalis, v, D, 179.

- Mussaenda*, i, s, 128; ii, C, 305; iii, C, 264, 437; v, C, 241, 389; vi, C, 357; vii, C, 167; viii, C, 47; ix, C, 147; x, C, 103.
albiflora, v, C, 241.
anisophylla, i, s, 129; ii, C, 305; vi, C, 258.
benguetensis, v, C, 389.
chlorantha, viii, C, 47.
frondosa, i, s, 129; v, C, 242; ix, C, 147.
glabra, v, C, 242.
grandiflora, i, 392; i, s, 128; v, C, 242.
lanata, vi, C, 357.
macrophylla, iii, C, 437; viii, C, 47.
palawanensis, x, C, 103.
philippica, v, C, 242; vi, C, 227; viii, C, 47; x, C, 103.
philippinensis, iii, C, 264.
setosa, x, C, 104.
villosa, v, C, 243; vi, C, 358.
wrayii, iii, C, 265.
- Mussaendiopsis multiflora*, iv, C, 325.
- Mussel*, vii, D, 278.
 fresh-water, vii, D, 278.
- Mustard*, iv, B, 223.
- Mustela*, vii, D, 21.
erminea, vii, D, 21.
henricii, vii, D, 20.
nudipes, vii, D, 21.
- Mustelidæ*, vii, D, 4, 20.
- Mutilla*, i, 685.
accedens, i, 689.
analís, i, 689.
decora, i, 685.
dimidiata, i, 689.
discreta, i, 689.
luzonica, i, 689.
maculoso-fasciata, i, 689.
manilensis, i, 685, 689.
parva, i, 685, 689.
philippinensis, i, 689.
semperi, i, 689.
suspiciosa, i, 689.
vicinissima, i, 685.
- Mutillidæ*, i, 685, 689.
- Mutillinæ*, i, 685, 689.
- Mutinus*, viii, C, 304.
bambusinus, viii, C, 304.
- Mycalesis*, ix, D, 264.
borealis, ix, D, 265.
charaka, ix, D, 266.
fulginia, ix, D, 266.
gotama, ix, D, 264.
madjcosa, ix, D, 266.
nanda, ix, D, 266.
oculata, ix, D, 266.
seriphus, ix, D, 266.
- Mycaranthes*, iv, C, 217.
- Mycetaspis*, i, 230.
- Mycetia*, x, C, 104.
cauliflora, x, C, 105.
javanica, x, C, 150.
javanica var. *genuina*, x, C, 105.
lateriflora, x, C, 105.
- Mycetoma*, etiology of, ii, B, 477.
 some of its clinical aspects and an unusual form of callosity complicating it, v, B, 215.
 streptothricosis with special reference to the etiology and classification of, iii, B, 447.
- Mycetoma papillomatosum*, ii, B, 495.
- Mycosphaerella*, viii, C, 185, 270, 482.
alocasiae, viii, C, 195, 271.
creberrima, viii, C, 271.
musae, viii, C, 482.
pericampyli, viii, C, 270, 483.
roureae, viii, C, 270.
- Mycosphaerellaceæ*, viii, C, 257.
- Mycrostylis commelinifolia*, ii, C, 319.
oculata, ii, C, 320.
- Myctiris longicarpus*, x, D, 14.
platycheles, x, D, 14.
- Mydaus*, vii, D, 21.
marchei, vii, D, 21.
meliceps, vii, D, 21.
schadenbergii, vii, D, 21.
- Myeloid bractiatella*, v, D, 179.
- Myiasis and human parasitism*, i, 1072.
- Myinkabin*, iv, C, 468.
- Myiocopron*, viii, C, 393.
bakerianum, viii, C, 393.
- Myiophthiria capsoides*, viii, D, 311.
reduvioides, viii, D, 311.
- Myittana*, x, D, 53.
- Myodocharia*, iv, A, 575.
- Myodochus trinotatus*, iv, A, 569.
- Myonima umbellata*, i, s, 131.
- Myotis*, vii, D, 16.
formosus, vii, D, 16.
macrotarsus, vii, D, 17.
- Myriachaeta arundinacea*, i, s, 343.
- Myriachit*, v, B, 338.
- Myriactis*, i, s, 244; v, C, 394.
humilis, i, s, 244; v, C, 394.
- Myrica*, i, s, 41; ii, C, 269.
esculenta, ii, C, 269.
esculenta var. *farquahariana*, ii, C, 269.
javanica, i, s, 41, 171; ii, C, 270.
rubra, i, 644; i, s, 41, 174; ii, C, 269.
vidaliana, i, s, 41.
- Myricacæ*, i, s, 41, 171; ii, C, 269.
- Myricales*, i, s, 41.
- Myriogyne minuta*, iii, C, 126.
- Myriophyllum*, i, s, 217; viii, C, 3.
spicatum, i, s, 217.
- Myripristis murdjan*, iii, A, 528.
schultzei, iv, A, 504.
violescens, iv, A, 505.
- Myristica*, i, s, 55, 191; iii, C, 407; x, C, 270.
cinerea, iii, C, 76.
fatus, x, C, 271.
guatterifolia, i, s, 55; iii, C, 407.
malabarica, iv, C, 452.
mindanaensis, i, s, 191; iii, C, 76.
nivea, i, s, 191.
philippensis, i, 387, 638; i, s, 55; iv, C, 452, 703; ix, A, 444.

Myristica—Continued.

- simiarum, i, s, 55.
wenzelii, x, C, 270.
- Myristicaceæ, i, 423; i, s, 55, 191; ii, C, 274, 381; iii, C, 76, 407; iv, C, 451, 704; vi, C, 205; ix, A, 556; x, C, 270.
- Myristicivora bicolor, i, 699, 903; ii, A, 311, 318; iii, A, 276; v, D, 105.
- Myrmecichis, ii, C, 315.
gracilis, ii, C, 315.
- Myrmecodia, i, s, 136.
echinata, i, 677; i, s, 136.
- Myrmecoidea, i, s, 216.
- Myrmecophilous lycænid chrysalis from the P. I., v, D, 73.
- Myrmecophily of caterpillars of Catochrysops cneus, v, D, 69.
- Myrmedoniini, x, D, 127.
- Myrmicaria brunnea, v, D, 128.
eumenoides, v, D, 128.
- Myrmicidæ, i, 689.
- Myrmicinæ, i, 689.
- Myrole, iv, C, 556.
- Myrsinacæ, i, 1026; i, s, 112, 172, 271; ii, C, 296; iii, C, 425; iv, C, 538; v, C, 212, 358, 372; vi, C, 218; vii, C, 164, 323; viii, C, 386; ix, A, 555; ix, C, 126, 428; x, C, 192, 334.
- Myrsine africana, iv, C, 539.
retusa, iv, C, 539.
- Myrtacæ, i, 422; i, s, 103, 212; ii, C, 283, 387, 433; iii, C, 83, 423; iv, C, 331, 532, 704; v, C, 366; vi, C, 213, 346; vii, C, 163, 314; ix, C, 120, 380, 428; x, C, 191.
- Myrthus lineata (liniata), iv, C, 367.
- Myrtifloræ, i, s, 101.
- Myrtus acuminatissima, iv, C, 392.
caryophyllata, iv, C, 534.
cerasiformis, iv, C, 367.
communis, iv, C, 336.
cumini, iv, C, 387.
jambosa, iv, C, 367, 535.
lineata, iv, C, 367.
mananquil, iv, C, 355, 402.
melastomoides, iv, C, 536.
subrubens, iv, C, 357, 403.
tomentosa, iv, C, 337.
trinervia, iv, C, 536.
tripinnata, iv, C, 367.
- Myths, origin, among the mountain peoples of the P. I., viii, D, 85.
- Mytilaspis, i, 233.
- Mytilidæ, vii, D, 278; viii, A, 271.
- Mytilus, vii, D, 278; viii, A, table facing page 252.
- Myuriacæ, v, C, 152; viii, C, 75; ix, C, 204.
- Myurium, v, C, 152; viii, C, 75.
foxworthyi, v, C, 152; viii, C, 76.
rufescens, viii, C, 75; ix, C, 211.
- Myxogastres, P. I., ii, C, 113.
- Myzomyia, i, 979.
christophersi, ix, B, 439; x, B, 180.
febrifer, ix, B, 384.
febrifera, ix, D, 405.

Myzomyia—Continued.

- funesta, i, 979; ix, B, 384; ix, D, 405; x, B, 180.
funestus, viii, D, 306.
listoni, ix, B, 439.
ludlowii, i, 979; ii, B, 513; iii, A, 235; iii, B, 335; iv, B, 238; v, B, 344; viii, D, 306; ix, B, 385.
mangyana, i, 991; ix, B, 384.
parangensis, x, B, 179.
rossii, i, 980; iv, B, 238, 280, 293; v, B, 277, 344, 348; viii, D, 306; ix, B, 164, 385; ix, D, 405; x, B, 179.
rossii indefinita, i, 980; viii, D, 306.
rossii mangyana, viii, D, 306.
thorntonii, i, 980; viii, D, 306; ix, B, 384.
- Myzorhynchus, i, 980.
barbirostris, i, 980; iii, B, 299; iv, B, 239; v, B, 279; viii, D, 306; ix, B, 384.
mcgregori, viii, D, 306.
pseudobarbirostris, i, 981; viii, D, 306; ix, B, 384.
sinensis, i, 981; viii, D, 306; ix, B, 384.
sinensis annularis, i, 981.
vanus, i, 981; iii, B, 299; viii, D, 306; ix, B, 384.

N

- Nabaloi, i, 862.
- Nabayuganes, i, 818.
- Nabhay, iv, C, 489.
- Nabis, v, D, 62.
apterus, v, D, 62.
brevilineatus, v, D, 63.
latreillei, v, D, 62.
- Nabugki, ix, C, 486.
- Nacrea, viii, D, 231.
apicipennis, viii, D, 231.
costatipennis, viii, D, 231.
femoralis, viii, D, 231.
fulvicollis, viii, D, 231.
laevipennis, viii, D, 231.
maculata, viii, D, 231.
nigripennis, viii, D, 231.
philippina, viii, D, 230.
- Naculad, iii, C, 430.
- Naga, v, C, 100.
kesara, iv, C, 505.
- Naga, efficiency of Portland cement raw materials from, ix, A, 127.
geology and field relations of Portland cement raw materials at, ix, A, 151.
- Nagasholz, iv, C, 505.
- Nagearlan, distillation of vino de coco at, vii, A, 34.
- Nageia, vi, C, 155.
blumei, vi, C, 158.
cumingii, vi, C, 157.
cupressina, vi, C, 157.
neriifolia, vi, C, 162.
- Naghubo, iv, C, 300, 644.
- Nagkakalonan, iii, A, 209.
- Nagoda, v, D, 163.
nigricans, v, D, 168.
- Nagtan urang, v, C, 81.

- Naja bungarus*, iv, A, 600; iv, B, 204; vi, D, 266.
naja, iv, B, 204; vi, D, 265.
naja var. *cæca*, iv, A, 600; vi, D, 266.
naja var. *miolēpis*, iv, A, 600; vi, D, 266.
naja var. *sputatrix*, vi, D, 268.
samarensis, iv, B, 204; vi, D, 266.
Najadaceæ, vii, C, 153; ix, C, 260.
Najas, vii, C, 153; ix, C, 260.
foveolata var. *auriculata*, ix, C, 260.
Nala, v, C, 100.
Nalasvetan mineral district, vi, A, 464.
Nalitenṅan, vii, A, 105.
Nalui, vi, C, 7.
Name, i, s, 35.
Nami, vii, D, 146.
Nanaso, ix, C, 152.
Nanca, iv, C, 446; vi, C, 199; viii, A, 63; ix, C, 73.
Nancaon, ii, A, 382.
Nañga, i, s, 43; v, A, 443; viii, A, 63.
Nani, iv, C, 535; vi, C, 351.
Nania, iv, C, 535.
vera, iv, C, 535.
Nannocnus eurhythmus, v, D, 107.
Nannosciurus, vii, D, 24.
concinus, vii, D, 24.
samaricus, vii, D, 24.
Nanopetalum myrianthum, iii, C, 190.
Nanophyes, x, D, 24.
concretus, x, D, 24.
discoidalis, x, D, 26.
finitus, x, D, 24.
globulus, x, D, 24.
lythri, x, D, 25.
neuter, x, D, 25.
posticus, x, D, 24.
proles, x, D, 25.
rufipes, x, D, 25.
siculus, x, D, 24.
varicolor, x, D, 27.
Nanophyinae, x, D, 24.
Nanoplaxes, viii, D, 138.
ferruginea, viii, D, 139.
merrilli, viii, D, 138.
Nan-ta-yoh, iv, C, 456.
Naña, iv, C, 529; ix, C, 120.
Napaktiuan, vii, A, 105.
Napalapayag, v, C, 225.
Napgut, vii, A, 105.
Narandaue, v, C, 20.
Naranja, vi, A, 347.
Naranjita, iv, B, 222; vi, A, 346; vii, A, 404.
Naravelia, iii, C, 98; vii, C, 158.
loheri, iii, C, 98.
Nardus ciliaris, i, s, 331.
indica, vii, C, 74.
Narie, vi, C, 263.
Narig, iv, C, 507, 520.
Narra, i, 620, 1055; ii, A, 382; ii, C, 390; iv, C, 466, 467; v, C, 9, 100; vii, D, 238; ix, A, 542.
coloring matter of, v, A, 448.
Naseberry, viii, A, 63.
Nasofrontal duct of the frontal sinus, an accessory, v, B, 475.
Nassa, viii, A, 261.
caniculata, viii, A, 261.
cassiculata, v, A, 329.
dertonensis, viii, A, 261.
siquijorensis, viii, A, 262.
sp., viii, A, 326.
verbeeki, v, A, 329; vi, A, 411; viii, A, 262.
Nassidae, viii, A, 261.
Nassula, v, D, 318.
Nastin treatment of leprosy, iv, B, 329.
Nasturtium, v, C, 350; vii, C, 158.
indicum, v, C, 350; vii, C, 196.
Nastus tjangkorrh, i, s, 392.
Natang, v, C, 383.
Natans, ix, C, 49.
Nateng, iii, C, 433.
Nathusia swietenoides, iv, C, 548.
Natica, ii, A, 395; viii, A, 265.
callosior, v, A, 329.
globosa, v, A, 329; vii, A, 264; viii, A, 265.
mamilla, viii, A, 248, 330.
marochiensis, v, A, 329; viii, A, 266.
ovum, v, A, 329.
rostalina, v, A, 329; viii, A, 266.
sp., viii, A, 266.
Naticidae, viii, A, 265.
Nato, ii, A, 382; ii, C, 391; iv, C, 540; ix, A, 439; x, C, 64.
white, ix, A, 444.
Natrix auriculata, vi, D, 257.
chrysarga, iv, A, 596; vi, D, 257.
crebripunctata, vi, D, 257.
dendrophlops, vi, D, 257, 268.
lineata, vi, D, 257.
spilogaster, iv, A, 596; v, D, 211; vi, D, 257.
stolata, vi, D, 257.
Natu, iii, C, 425.
Nauclea, i, s, 128; ii, C, 305; iii, C, 437; iv, C, 326; viii, C, 40; ix, C, 386; x, C, 101.
angustifolia, iv, C, 326.
bartlingii, viii, C, 41.
bernardoi, x, C, 101.
calycina, ix, A, 449; x, A, 355.
canescens, iii, C, 266.
chalmersii, iv, C, 326.
clavispala, iii, C, 266.
cordata, iii, C, 436.
cordatula, viii, C, 40.
digitata, i, s, 109; ii, C, 433.
glaberrima, ii, C, 375.
jagori, iv, C, 326; viii, C, 45.
kentii, viii, C, 43.
lutea, ii, C, 375.
media, i, s, 128; vi, C, 224; ix, A, 449.
mindanaensis, viii, C, 44.
monocephala, viii, C, 44.
nitida, viii, C, 42.
orientalis, iii, C, 436.
ovata, viii, C, 42.
philippinensis, i, 645; i, s, 128.

- Nauclea*—Continued.
puberula, viii, C, 41.
purpurea, i, 656.
reticulata, iii, C, 437; viii, C, 45.
venosa, viii, C, 45.
vidalii, viii, C, 41.
wenzelii, ix, C, 386.
Naucoria, viii, C, 303; ix, C, 247.
manilensis, viii, C, 303.
pediades, ix, C, 247.
semiorbicularis, ix, C, 248.
Nauphaeus linearis, viii, D, 146.
sexmaculatus, viii, D, 146.
Naupoda platessa, viii, D, 321.
Nautilus, vi, D, 327.
pompilius, vi, D, 303.
Neanias, x, D, 65.
philippinus, x, D, 65.
Necator, iii, B, 195; viii, B, 503.
americanus, ii, B, 6, 333; iv, B, 263; v, B, 341, 508.
Neckera, iii, C, 24.
crinita, v, C, 154.
gracilentia, v, C, 155.
lepineana, iii, C, 24; v, C, 155.
loriformis, v, C, 155.
undulata, ix, C, 41.
Neckeraceæ, ii, C, 341; iii, C, 23; v, C, 152, 314; viii, C, 76; ix, C, 204.
Neckeropsis, v, C, 154; viii, C, 80.
crinita, v, C, 154; ix, C, 210.
gracilentia, v, C, 155; vi, C, 191; viii, C, 80.
lepineana, v, C, 155; viii, C, 80; ix, C, 41.
Necrobia rufipes, i, 223.
Necropsies of pneumonic plague cases, vii, B, 135.
Nectariniidæ, ii, A, 314, 337; iii, A, 280; iv, A, 76; v, D, 113; vi, D, 46.
Nectria, i, s, 279.
manilensis, i, s, 279.
trichospora, viii, C, 255.
Nectriaceæ, viii, C, 395.
Nectrioideaceæ, iii, C, 56.
Needlefish, v, D, 267.
Neem, iv, C, 478.
Neesia altissima, iv, C, 500.
Negretia mitis, i, s, 197; ii, C, 433; v, C, 117.
pruriens, v, C, 117.
urens, v, C, 116.
Negri bodies, v, B, 456.
Negritomyia maculipennis, viii, D, 312.
Negritos, i, 805; vi, D, 107.
Negroid ear, iv, A, 33.
Negros, birds from northern, vi, D, 39.
coal from, i, 882; ii, A, 51.
forest of northern, ix, A, 426.
Neguegan, iii, C, 420.
Nekeraceæ, i, s, 12.
Nelitris paniculata, iv, C, 337; ix, C, 120.
rubra, iv, C, 336, 404.
urvillaci, iv, C, 337.
Nematoda, ii, B, 538.
Nematopus affinis, iv, A, 566.
Nemipterus japonicus, ix, D, 66.
nemurus, iii, A, 525.
upeneoides, v, D, 275.
Nemostira, viii, D, 55.
atricapilla, viii, D, 57.
atriceps, viii, D, 57.
marginata, viii, D, 55.
melanura, viii, D, 56.
melanura var. atripennis, viii, D, 57.
villosa, viii, D, 46.
Nemotelus albiventris, viii, D, 308.
Neocamma, ix, D, 434.
trifasciata, ix, D, 435.
Neochalcis tarsalis, i, 691.
Neocharis, viii, D, 231.
Neococleidea, x, D, 51.
Neodictyophara, v, D, 64.
nasuta, v, D, 64.
Neogria, viii, D, 45.
concolor, viii, D, 45.
Neoitamus longistylus, viii, D, 308.
Neolindbergia, viii, C, 74.
rugosa, viii, C, 74.
Neolitsea, i, s, 56; ii, C, 274; iv, C, 261, 454; v, C, 349.
megacarpa, v, C, 349.
microphylla, i, s, 57.
vidalii, i, 406, 639; i, s, 56.
villosa, iv, C, 261; v, C, 349; ix, A, 450.
zeylanica, i, s, 57; ii, C, 274; iv, C, 261.
Neomacleaya indica, viii, D, 306.
Neope, ix, D, 258.
callipteris, ix, D, 263.
goschkevitsehi, ix, D, 258.
japonica, ix, D, 259.
niphonica, ix, D, 259.
watanabei, ix, D, 259.
Neopeckia, viii, C, 256.
diffusa, viii, C, 256.
Neoplasm, iii, B, 219, 567.
Neopyrgops, vii, D, 382.
albovaria, vii, D, 383.
banksi, vii, D, 382.
Neosalvarsan, treatment of entamoebiasis
with, ix, B, 93.
Neosseia, viii, D, 309.
Neosus cebifrons, vii, D, 38.
Neotermes, viii, D, 273.
Neotriozella, x, D, 265.
bicolor, x, D, 265.
Neottiæ, vi, C, 38.
Neottiinæ-Physuræ, vii, C, 6.
Neottopteris, viii, C, 153.
nidus, ix, C, 42.
Nepa robusta, iv, A, 591.
robusta var. pfeiferiæ, iv, A, 591.
Nepenthaceæ, i, s, 59; ii, C, 274; v, C, 350; vi, C, 205; x, C, 306.
Nepenthes, i, s, 59; ii, A, 195; ii, C, 274; v, C, 350; x, C, 306.
alata, i, 664; i, s, 59; iv, A, 545; v, C, 350; vi, C, 205; x, C, 307.
brachycarpa, x, C, 306.
copelandii, x, C, 307.

- Nepeta pectinata*, ix, C, 137.
 Nepetaceæ, ix, C, 36.
Nephelaphyllum, ii, C, 316.
 mindorense, ii, C, 316.
 pulchrum, ii, C, 316.
Nephelium, ii, C, 371; iv, C, 494.
 chryseum, viii, C, 445.
 intermedium, viii, C, 445.
 lappaceum, iv, C, 494; viii, C, 445.
 litchi, iv, C, 494; viii, C, 458.
 longana, iv, C, 494.
 mutabile, iv, C, 494; viii, C, 457; ix, A, 450.
 robustum, viii, C, 446.
 xerospermoides, viii, C, 446.
Nephesa, v, D, 46.
 rosea, v, D, 46.
Nephopteryx, v, D, 178.
 clientella, v, D, 178.
 proximalis, v, D, 178.
 rhenella, v, D, 178.
 syntaractis, v, D, 178.
Nephrodiiformis, ii, C, 198.
Nephrodium, i, s, 14; ii, C, 3, 192; iii, C, 291.
 abruptum, ii, C, 192.
 acrostichoides, ii, C, 200.
 aridum, ii, C, 3.
 asperulum, ii, C, 191.
 asymmetricum, ii, C, 3.
 bakeri, ii, C, 405.
 basilare, ii, C, 196.
 beddomei, ii, C, 208.
 blumei, ii, C, 3.
 bordenii, ii, C, 3.
 canescens, i, s, 14; ii, C, 3, 194.
 canescens forma nephrodiiformis, ii, C, 3.
 chrysotrichum, ii, C, 158.
 cochleatum, ii, C, 212.
 conterminum, ii, C, 209.
 cucullatum, ii, C, 3.
 cumingii, ii, C, 204.
 cyatheoides, ii, C, 3.
 distans, i, s, 253.
 diversilobum, ii, C, 3, 199.
 erubescens, ii, C, 3.
 erythrosorum, i, s, 174.
 exiguum, vi, C, 146.
 ferox, ii, C, 3.
 foxtii, ii, C, 3.
 haenkeanum, ix, C, 43.
 hippocrepis, x, C, 186.
 hirsutum, i, s, 14.
 immersum, ii, C, 3.
 incisum, ii, C, 214.
 intermedium, ii, C, 3.
 invisum, ii, C, 194.
 lineatum, ii, C, 3.
 luerssenii, ii, C, 208.
 megaphyllum, ii, C, 214.
 molle var. *major*, vii, C, 60.
 molliusculum, ii, C, 197.
 moulmeinense, i, s, 14; ii, C, 205.
 mucronatum, ii, C, 195.
 oppositum, ii, C, 209.
 parasiticum, i, s, 15.
Nephrodium—Continued.
 pennigerum, ii, C, 192.
 philippinense, i, s, 14; ii, C, 196.
 preslii, ii, C, 214.
 procurrens, ii, C, 3.
 pteroides, ii, C, 3.
 purpurascens, ii, C, 213.
 rhodolepis, ii, C, 216; viii, C, 140.
 rubidum, i, s, 14.
 rugulosum, ii, C, 191.
 sarawakensis, viii, C, 140.
 setigerum, ii, C, 3.
 simplicifolia, ii, C, 206.
 sparsum, ii, C, 3, 213.
 subarboreum, ii, C, 214.
 syrmaticum, ii, C, 3.
 truncatum, ii, C, 3.
 unitum, ii, C, 195.
 urophyllum, ii, C, 3.
 webbianum, ii, C, 207.
Nephrolepidina, vi, D, 73.
Nephrolepis, i, s, 15, 146; ii, C, 124; iii, C, 272, 390; v, C, 318; vi, C, 81; vii, C, 152; ix, C, 44.
 acuminata, vi, C, 81.
 acuta, i, s, 15.
 acutifolia, i, s, 147; ix, C, 44.
 barbata, ii, C, 124.
 biserrata, iii, C, 390; vi, C, 81; ix, C, 422.
 clementis, iii, C, 272.
 cordifolia, i, s, 15, 146; ii, C, 4; iii, C, 272; v, C, 318; vi, C, 81; vii, C, 179.
 exaltata, ii, C, 124.
 floccigera, vii, C, 179.
 glabra, i, s, 146.
 hirsutula, ii, C, 4, 124; iii, C, 390; vi, C, 192; vii, C, 179; ix, C, 44.
 laurifolia, ii, C, 4; vi, C, 192.
 rufescens, ii, C, 124.
 volubilis, iii, C, 272.
Nephromium tropicum, viii, C, 115.
Nepthya, viii, D, 439; ix, D, 240; x, D, 1, 167.
Nepthysidæ, ix, D, 239.
Nepidæ, iv, A, 591.
Neptunia, x, C, 12.
 oleracea, v, C, 136; x, C, 12, 190.
Neptunus pelagicus, x, D, 309.
Nericonia glabricollis, x, D, 239.
 morio, x, D, 239.
 trifasciata, x, D, 239.
Nerita, i, 628.
 punctata, i, 628; v, A, 329.
 rumphi, i, 631.
Neritidæ, vii, D, 279.
Neritina pennota, vii, D, 279.
Nerium, vii, C, 164; ix, C, 129.
 divaricatum, ix, C, 130.
 indicum, vii, C, 187; ix, C, 129.
 odorum, ix, C, 129.
 oleander, ix, C, 129.
 tinctorium, iii, C, 306.
Nertera, ii, C, 307; v, C, 390.
 dentata, iii, C, 124.
 depressa, ii, C, 307; iv, A, 28; v, C, 390.
 nigricarpa, v, C, 390.

- Nerve degeneration in fowls fed on unhusked rice, ix, B, 119.
- Nervilia, ix, C, 70.
aragoana, ix, C, 70.
- Nervous system, i, 569; iii, B, 220; iv, B, 9; x, B, 301.
- Nesiolinus, x, D, 123.
- Neslitsea zeylanica, i, 664.
- Nesokia, vii, D, 46.
- Nesolynx flavipes, i, 691.
- Nesomesochorini, i, 692.
- Nesomesochorus oculatus, i, 692.
- Nesopalangia aptera, i, 691.
- Nesotoxeuma petiolata, i, 691.
- Nesting, Caprimulgus griseatus, ii, A, 271.
Crocodilus palustris, ix, C, 313.
Sterna anæsthesia, ii, A, 275.
Sula sula, ii, A, 275.
- Net, drag, iii, A, 526.
fyke, iii, A, 527.
gill, iii, A, 525.
pound, iii, A, 527.
- Nete, ix, C, 51.
- Neti, ix, C, 51.
- Netting fibers, i, No. 5, 438.
- Netuma nasuta, iii, A, 529; vi, D, 310.
- Neurepyris tagala, ix, D, 285.
- Neuritis, multiple, vi, B, 177.
multiplex endemica, i, 710.
- Neurocacus philippinensis, ix, D, 286.
- Neuroctenus, iv, A, 581.
antennatus, iv, A, 582.
caffer, iv, A, 581.
nitidulus, iv, A, 581.
par, iv, A, 581.
serrulatus, iv, A, 581.
weberi, iv, A, 581.
- Neuropogon melaxanthus var. ciliatus, iv, C, 653.
melaxanthus var. sphacelata, iv, C, 653.
- Neuroteleia, ix, D, 293.
- Neustanthus chinensis, v, C, 123.
- Neutrophiles in healthy adult males, Arneth's nuclear classification of the, vi, B, 405.
- Neuwiedia, ii, C, 311.
veratrifolia, ii, C, 311.
- Neyraudia, i, s, 381; iv, C, 250.
madagascarensis, i, s, 381; iv, C, 250.
- Nezara, iv, A, 563.
antennata, iv, A, 563.
antennata var. balteata, iv, A, 563.
antennata var. icterica, iv, A, 563.
viridula, iv, A, 563.
- Ngaluy, v, C, 533.
- Ngarawan, iv, C, 515.
- Ngeret, iv, C, 298.
- Ngilin an Maknongan, viii, D, 103.
- Ngisingisi, i, s, 87.
- Nguhu, vi, D, 233.
- Ngungoy, vi, C, 14.
- Niato balam, iv, C, 542.
- Niblaoen, iii, C, 419.
- Nibong, iv, C, 444.
- Nicholsonia, v, C, 84.
- Nicolaia imperialis, iv, C, 177.
- Nicotiana, i, s, 123; v, C, 384; vii, C, 166; ix, C, 138.
tabacum, i, s, 123; vii, C, 188; viii, C, 508; ix, C, 138, 188.
- Nidularia byssisedus, ix, C, 251.
plicata, ix, C, 252.
- Nidulariaceæ, ix, C, 251.
- Nidulariales, i, s, 292.
- Nidus, viii, C, 153.
- Niederländisch Ostindien, zwei neue Coleopteren aus, v, D, 139.
- Nigas, ix, C, 117.
- Night soil at Taytay, provision for the disposition of, iv, B, 251.
- Nigi, iv, C, 482; vi, A, 2.
- Nigillus sculptus, vii, D, 331.
- Nigroporus vinosus, ix, C, 242.
- Nigue, iv, C, 482; vi, A, 2, 53.
- Nilad, vii, C, 146.
- Nilan, iv, C, 493.
- Nilar, vii, C, 146.
- Nile ulcer, i, 103.
- Nin Bay, iv, A, 10.
- Ninox japonica, ii, A, 283, 302, 345; iv, A, 69.
mindorensis, i, 701.
philippinensis, ii, A, 283; iii, A, 278; v, D, 108.
spilocephala, ii, A, 283; iv, A, 69.
spilonota, ii, A, 303.
- Niog, iv, B, 222.
- Niogniogan, i, s, 44, 103; iv, C, 650; vi, C, 209.
- Nipa, i, s, 32; iii, A, 244; vi, C, 100; vii, C, 154; ix, C, 64.
fruticans, i, 673, 1081; i, s, 32; iii, C, 306; iv, A, 234; vi, A, 110; vi, C, 230; vii, A, 41; vii, D, 138; viii, A, 377; ix, C, 64; 184.
- Nipa distillates, vii, A, 29.
palm, see Palm, nipa.
- Nipai, v, C, 117.
- Nipales, vi, A, 115; viii, A, 379.
- Niphobolus, i, s, 20.
adnascens, ii, C, 5.
flocciger, i, s, 20.
lingua, ii, C, 5.
nummulariæfolius, i, s, 20; ii, C, 5.
sphaerostichus, i, s, 171.
varius, i, s, 20; ii, C, 5.
- Nipis, iv, C, 537.
- Nipot-nipot, ii, A, 382.
- Nira, vi, A, 161.
- Nire, x, D, 292.
- Nireh, iv, C, 482.
- Niri, iv, C, 482.
- Nisotra gemella, viii, D, 233.
- Nitella, vii, C, 69; ix, B, 356.
acuminata, vii, C, 69.
acuminata var. belangeri, vii, C, 69.
acuminata var. indica, vii, C, 69.
indica, vii, C, 69.
mauritiana, vii, C, 69.
polyglochis, vii, C, 69.
roxburghii, vii, C, 69.

- Niter, x, A, 91.
- Nitidulidæ des Philippines recoltés par C. F. Baker, ix, D, 535.
- Nito, vi, C, 122; vii, B, 113; vii, D, 142; ix, D, 486.
- Nitrogen, analyses and calorific values of Philippine coals stored in, vii, A, 312.
metabolism on a diet of rice, vi, B, 361.
- Nitrosophthalimidene, viii, A, 406.
- Nivar, iv, C, 525.
- Niyog, ix, C, 63.
- Njating, iv, C, 520.
mahambong, iv, C, 516.
- Njatoe, iv, C, 541.
balam bringin, iv, C, 541.
doerian, iv, C, 541.
- Njatoh, iv, C, 541.
- Nobara, x, D, 352.
- Nocardia, iii, B, 459.
- Nocotiana tabacum, v, C, 384.
- Noctua c-nigrum, v, D, 171.
segetum, v, D, 171.
suffusa, v, D, 171.
- Noctuidæ, ii, A, 365; iii, A, 31; v, D, 171; x, D, 353.
- Noeza sp., viii, D, 309.
- Nola tæniata, v, D, 170.
- Nolinæ, v, D, 170.
- Noma in the P. I. with report of a case ending in recovery, viii, B, 397.
- Nomada lusca, i, 686.
philippinensis, i, 686.
- Nomadidæ, i, 686.
- Nomenclatural and systematic notes on the Flora of Manila, vi, C, 227.
- Nomenclature of the cultivated anonas, a contribution to the history and vernacular, vii, C, 109.
- Nomia dimidiata, i, 686.
- Nomina conservanda, v, C, 33.
- Nonac, ix, C, 84.
- Nonag, ix, C, 84.
- Non-Christian people of Ambos Camarines, vi, D, 321.
tribes of northern Luzon, i, 791.
- Nonmetallic deposits, vi, A, 443; vii, A, 277.
- Nonmetals, v, A, 333; x, A, 201.
- Nooná, vii, C, 113.
- Nopalea, vii, C, 163; ix, C, 116.
cochinelifera, vii, C, 187; ix, C, 116.
- Norbanus, viii, D, 10.
- Normal School, history of the Spanish, ix, D, 123.
- Normanbya, iv, C, 606; vii, C, 154.
merrillii, iv, C, 606.
muelleri, iv, C, 609.
- North America, a theory of heredity to explain the types of the white race in, iii, A, 215.
- North American woods, approximate fuel value of, vi, A, 13.
- Northern ear, iv, A, 40.
- Norwegian ships, occurrence of beriberi on, vii, B, 288, 452.
- Notaphoebe, iv, C, 454.
- Nothapocyrtus, vii, D, 334.
cylindricollis, vii, D, 336.
erythromerus, vii, D, 336.
translucidus, vii, D, 335.
- Notholaena, vi, C, 86; vii, C, 47, 152.
hirsuta, vi, C, 86.
- Nothopanax, vii, C, 163, 241; ix, C, 125.
cochleatum, vii, C, 187, 241; ix, C, 126.
crispatum, vii, C, 241.
fruticosum, vii, C, 187, 241; ix, C, 125.
guilfoylei, vii, C, 242; ix, C, 126.
ornatum, vii, C, 241.
- Nothophoebe, ix, C, 358.
malabonga, ix, C, 358.
umbelliflora, ix, C, 358.
- Notiophygus, vii, D, 106.
- Notiphila sternalis, viii, D, 331.
- Notobitus, iv, A, 566.
affinis, iv, A, 566.
meleagris, iv, A, 566.
- Notocera, x, D, 369.
- Notodontidæ, ii, A, 370; v, D, 168.
- Notoglossa banksi, i, 686.
- Notogonia laboriosa, i, 687.
manilae, i, 687.
subtessalata, i, 687.
- Notopsila curta, viii, D, 310.
sempunctata, viii, D, 310.
- Notothixos, iv, C, 152.
curranii, iv, C, 152.
philippinensis, iv, C, 153.
sulphureus, iv, C, 152.
- Nucifraga, ii, A, 259.
- Nueva Ecija, malaria and Anopheles surveys in, x, B, 203.
placer deposits in, viii, A, 102.
- Nueva Vizcaya, outcrop and upper-bed coals of, i, 883.
- Nullah, v, B, 194.
- Numenes, v, D, 162.
contrahens, v, D, 163.
insolita, v, D, 162.
siletti, v, D, 162.
- Numenius cyanopus, ii, A, 301, 320.
variegatus, ii, A, 301, 311, 320; v, D, 106.
- Nummularia, i, s, 280; iii, C, 50; viii, C, 260, 273, 400, 486; ix, C, 167.
anthracina, viii, C, 400.
anthracodes, v, C, 164; viii, C, 260, 273, 486.
bulliardi, i, s, 281; viii, C, 400.
glycyrrhiza, ix, C, 167.
microplaca, viii, C, 400.
philippinensis, i, s, 280; iii, C, 50.
placentiformis, iii, C, 50.
scutata, viii, C, 400.
urceolata, viii, C, 187; ix, C, 167.
- Nummulina ramondi, vi, D, 59.
variolaria, vi, D, 58.
- Nummulinidæ, viii, A, 288.
- Nummulites, i, 203; ii, A, 397; v, A, 79; vi, A, 362.
elegans, vi, D, 67.

Nummulites—Continued.

- fichteli, vi, D, 67.
 irregularis, vi, D, 74.
 marginata, vi, D, 74.
 niasi, v, A, 315; viii, A, 240.
 niasi I, vi, D, 75.
 niasi II, vi, D, 58.
 subniasi, vi, D, 58.
 Nunu, ix, C, 74.
 Nusu, iii, C, 403.
 Nut, cashew, ii, A, 440; iv, C, 487; vii, C, 199.
 casoy, viii, A, 66.
 petroleum, iv, A, 115.
 Nutrition, iv, B, 195; vi, B, 1; ix, B, 153.
 Nyatnyat, i, s, 192.
 Nyatto pisang, iv, C, 541.
 Nyctaginaceæ, iii, C, 405; iv, C, 690; v, C, 175; vii, C, 157; ix, A, 557; ix, C, 81.
 Nyctalus, vii, D, 46.
 Nyctanthes multiflora, ix, C, 128.
 sambac, ix, C, 128.
 Nycteolinæ, ii, A, 371; v, D, 170.
 Nycticalos, i, s, 237.
 cuspidatum, i, s, 173, 237.
 Nycticebus, vii, D, 35.
 bengalensis, vii, D, 35.
 menagensis, vii, D, 35.
 Nycticorax manillensis, i, 700; ii, A, 302, 312, 322, 345; iii, A, 277; v, D, 107.
 Nyctimene vittata, x, D, 45.
 Nyctinomus johorensis, vii, D, 20.
 Nyctipao, v, D, 174.
 crepuscularis, v, D, 174.
 strigipennis, v, D, 174.
 Nyctobates podagra, viii, D, 402.
 sanguinierus, viii, D, 403.
 Nyctocalos cuspidatum, vi, C, 221.
 Nymphaea, vi, C, 40.
 lotus, ii, C, 430.
 Nymphaeaceæ, ii, C, 430; vii, C, 157.
 Nymphalidæ, iii, A, 27; x, D, 281.
 Nymphalinæ, x, D, 281.
 Nymphula, v, D, 179.
 nymphæata, v, D, 179.
 turbata, v, D, 179.
 Nypa, vi, C, 195. *See also* Nipa.
 fruticans, iii, C, 306; vi, C, 107.
 Nysia alba, ix, D, 178.
 atrovenosa, ix, D, 178.
 Nyssa aquatica, vi, A, 15.
 sylvatica, vi, A, 15.
 uniflora, vi, A, 15.
 Nyssomyzomyia ludlowii, ix, B, 385.
 rossii, ix, B, 385.
 Nyssorhynchus, i, 981.
 barbirostris, ii, B, 513.
 flavus, viii, D, 306.
 freeræ, viii, D, 306.
 fuliginosus, i, 981; viii, D, 306; ix, B, 384.
 kochii, viii, D, 306.
 lineatus, viii, D, 306.
 maculatus, ix, B, 390.

Nyssorhynchus—Continued.

- philippinensis, i, 981; viii, D, 306; ix, B, 384.
 pseudowillmori, ix, B, 390.
 stephensii, viii, D, 306.
 theobaldii, viii, D, 306.
 willmori, ix, B, 390.
 Nycteor, ix, C, 132.
- O
- Oaig, ix, D, 480.
 Oak, basket, vi, A, 16.
 black, vi, A, 16.
 bur, vi, A, 16.
 Ceylon, iv, C, 495.
 European, ix, A, 463.
 Indian, iv, C, 525.
 overcup, vi, A, 16.
 pin, vi, A, 16.
 post, vi, A, 16.
 red, vi, A, 16.
 scarlet, vi, A, 16.
 silk, iv, C, 447.
 Spanish, vi, A, 16.
 water, vi, A, 16.
 white, vi, A, 16.
 willow, vi, A, 16.
 yellow, vi, A, 16.
 Oaks of the P. I., iii, C, 317.
 Oaned, ix, D, 479.
 Obar suluk, iv, C, 510.
 Obaya, ix, D, 510.
 Oberea, x, D, 36.
 albocuspis, x, D, 42.
 balineæ, x, D, 43.
 demissa, x, D, 38.
 erythrostoma, x, D, 38.
 flavoterminalis, x, D, 41.
 macilenta, x, D, 38.
 makilingi, x, D, 40.
 melanostoma, x, D, 39.
 micholitzii, x, D, 44.
 mimetica, x, D, 44.
 punctiventris, x, D, 43.
 quianga, x, D, 40.
 rubetra, x, D, 40.
 schandenbergi, x, D, 39.
 seminigra, x, D, 37.
 Oberonia, i, s, 38; ii, C, 321; iv, C, 666; v, C, 341; vi, C, 47; vii, C, 8, 156; viii, C, 413.
 anceps, vi, C, 198.
 aporaphylla, ii, C, 322; iv, C, 666.
 benguatensis, vii, C, 8.
 cylindrica, v, C, 341; vi, C, 47; viii, C, 414.
 griffithiana, vii, C, 10.
 hispidula, vii, C, 8.
 insectifera, viii, C, 418.
 iridifolia, i, s, 38.
 mcgregorii, ii, C, 321.
 merrillii, vii, C, 9.
 mindorensis, ii, C, 322.
 setigera, vii, C, 10.
 thisbe, vi, C, 198.
 toppingii, viii, C, 413.

- Oberthüria caeca, x, D, 345.
 falcigera, x, D, 345.
 rutilans, x, D, 345.
 Obispo, x, C, 409.
 Obitolina, ii, A, 397.
 Obstetrical practice, iii, B, 59.
 problems, tropical, x, B, 371.
 Obstetrics in the P. I., iii, B, 245.
 Ocalemia prasina, viii, D, 154.
 vigilans, viii, D, 154.
 Ochanostachys amentacea, iv, C, 449.
 bancana, iv, C, 449.
 Ochetostoma, viii, D, 252.
 Ochlandra travancorica, i, 1076.
 Ochlerotatus alboannulis, viii, D, 307.
 aranetana, viii, D, 306.
 caeca, viii, D, 307.
 flavipennis, viii, D, 306.
 melanoptera, viii, D, 306.
 nigritarsis, viii, D, 307.
 niveoscutellata, viii, D, 307.
 pampangensis, viii, D, 306.
 poicilia, viii, D, 306.
 Ochna, ix, C, 168.
 squarrosa, iv, C, 503.
 Ochnaceae, iv, C, 502.
 Ochrocarpus, v, C, 199; ix, C, 115; x, C, 325.
 excelsus, ix, C, 115.
 longifolius, iv, C, 505; v, C, 200.
 obovalis, ix, C, 115.
 ovalifolius, ix, C, 115.
 pentapetalus, v, C, 199; x, C, 326.
 ramiflorus, x, C, 325.
 siamensis, iv, C, 505; x, C, 326.
 Ochrognesia difficta, x, D, 349.
 Ochrolechia, viii, C, 103.
 pallens, viii, C, 103.
 Ochrosia, iv, C, 315, 552; ix, C, 129.
 borbonica, ix, C, 130.
 elliptica, ix, C, 130.
 littoralis, iv, C, 315.
 mariannensis, ix, C, 129.
 oppositifolia, ix, C, 130.
 Ochthera innodata, viii, D, 332.
 Ochthocharis, ii, A, 202; ii, C, 424.
 javanica, ii, C, 257, 424.
 javanica var. longipetiolata, ii, C, 425.
 Ochthodromus geoffroyi, i, 699; ii, A, 300, 311, 319, 339; v, D, 106.
 mongolus, i, 700; ii, A, 282, 301, 311, 319, 339; v, D, 106.
 Ocimum, iii, C, 433; vii, C, 165; ix, C, 137.
 acrocephalum, vi, C, 357.
 basilicum, iii, B, 248; iii, C, 433; vii, C, 193; ix, C, 137.
 canum, ix, C, 137.
 capitellatum, vii, C, 101.
 sanctum, v, A, 261; vi, C, 221; vii, C, 193; ix, C, 137.
 Oenus imbricatus, vi, D, 314.
 pygmaeus, vi, D, 314.
 Ocotea bullata, iv, C, 452.
 O-cresol, a study of the absorption spectra of, viii, A, 39.
 Octelæocarpus, iii, C, 150.
 Octoblepharum, i, s, 11; iii, C, 12; v, C, 142; viii, C, 68.
 albidum, i, s, 11; iii, C, 12; v, C, 142; viii, C, 68; ix, C, 41.
 Octomeles, i, s, 100.
 moluccana, i, s, 100.
 sumatrana, i, s, 100; iv, C, 522, 707.
 Octomeria stellata, iv, C, 213.
 Oculiomyia fulleri, viii, D, 307.
 Ocypoda, x, D, 15.
 speciosa, ii, C, 371.
 Odias, v, C, 100.
 Odina multijuga, ii, C, 371.
 wodier, iv, C, 489.
 Odonestis, v, D, 168.
 plagifera, v, D, 168.
 potatoria, v, D, 168.
 Odonia truncata, iv, A, 564.
 Odontocyathus, viii, A, 288.
 coloradus, viii, A, 288.
 coronatus, viii, A, 288.
 sp., v, A, 329; vi, A, 411.
 Odontoloma, vi, C, 83; ix, C, 441.
 Odontomachus, i, 689.
 banksi, v, D, 121.
 haematodes, i, 689.
 imperator, v, D, 122.
 infandus, i, 689; v, D, 122.
 papuans, i, 689.
 papuanus, v, D, 121.
 rixosus, v, D, 121.
 sævissimus, v, D, 122.
 Odontonema, vii, C, 166; ix, C, 142.
 nitidum, vii, C, 188; ix, C, 142.
 Odontonycteris, vii, D, 11.
 meyer, vii, D, 11.
 Odontoponera denticulata, i, 689.
 transversa, i, 689; v, D, 122.
 Odontosoria, ii, C, 126; iii, C, 391; v, C, 284, 318; vi, C, 82, 138; vii, C, 48; ix, C, 44.
 chinensis, ii, C, 126; iii, C, 391; v, C, 318; vi, C, 82; ix, C, 44, 422.
 decipiens, vi, C, 82.
 retusa, ii, C, 4, 126; vi, C, 82; ix, C, 45.
 Odontotermes, viii, D, 278.
 fomosana, viii, D, 278.
 Odontychium, iv, C, 155.
 Odosyllis crucigera, vii, D, 394.
 intricata, vii, D, 394.
 mindanaensis, vii, D, 394.
 Odynerus punctum, i, 688.
 Oë, vi, D, 284.
 Oecophylla smaragdina, i, 689.
 smaragdina var. subnitida, i, 689.
 Edaleus nigrofasciatus, x, B, 171.
 Oedemates physopterus, viii, D, 406.
 pretiosus, viii, D, 407.
 purpuratus, viii, D, 406.
 varicolor, viii, D, 407.
 viridulus, viii, D, 407.
 Oedicleadium, iii, C, 23.
 foxworthyi, iii, C, 23; v, C, 152.
 Edicnemidae, v, D, 107.
 Oedogonium, iii, A, 520.
 Oelin, iv, C, 452.

- Oenotheraceæ, i, s, 108, 175; vii, C, 163, 240; ix, C, 125, 428.
- Esophogostomum*, v, B, 481.
apiostomum, viii, B, 501.
brumpti, iv, B, 291; viii, B, 501.
stephanostomum var. *thomasi*, viii, B, 501.
- Oghayan, vi, C, 276.
- Ogos, iii, A, 529; iv, A, 524.
- Ogyris genoveva, v, D, 72.
- O-hydroxybenzyl alcohol, a study of the absorption spectra of, viii, A, 41.
- Oides elliptica*, viii, D, 222.
flavida, viii, D, 221.
metallica, viii, D, 221.
sternalis, viii, D, 221.
subtilissima, viii, D, 222.
- Oidia, iii, B, 448.
- Oidium*, viii, C, 506.
albicans, v, B, 202.
erysipoides, viii, C, 506.
lactis, v, B, 202.
tropicale, v, B, 202.
- Oil, apitong, i, 195.
 coconut, iii, A, 111; ix, A, 187.
 constants, ii, A, 443.
 curcus, ii, A, 440.
 detection of coconut, iii, A, 371.
 exports of coconut, vi, A, 148.
 Indian wood, i, 199.
 keeping qualities of coconut, i, 117.
 lemon grass, iv, A, 111.
 linseed, x, A, 118.
 lumbang, v, A, 200.
 Mountain Province, x, A, 202.
 northwestern Pangasinan, vii, A, 278.
 orange, vii, A, 410.
 panao, i, 198.
 prices of cottonseed, x, A, 105.
 prices of peanut, x, A, 105.
 purification of coconut, iii, A, 45.
 rancidity in coconut, i, 117.
 relation of the nut to the production of coconut, i, 58.
 salicylic acid in gaultheria, iii, A, 103.
 stratigraphy of fields, viii, A, 314, 315.
 supa, i, 191.
 tamanu, ii, A, 444.
 test for lumbang oil in coconut, ii, A, 442.
 turkey-red, ii, A, 444.
 vetiver, iv, A, 118.
 ylang-ylang, *see* Ylang-ylang.
- Oil-bearing seeds, P. I., ii, A, 439; x, A, 105.
- Oils, Manila elemi terpene, ii, A, 1.
 new P. I. essential, vi, A, 333.
 P. I. terpenes and essential, iii, A, 49, 65; iv, A, 93; v, A, 257.
 Philippine wood, i, 191.
 reactions of P. I. vegetable, x, A, 112.
 vegetable, ii, A, 439.
- Okata-Kokubo coccus, experiments with the, i, 722.
- O-kuwa modoki, x, D, 345.
- Oleaceæ, i, s, 51; ii, C, 393, 434; iii, C, 80; iv, C, 253, 449, 707; vii, C, 157, 265; ix, A, 558; ix, C, 78, 288; x, C, 270.
- Oleaceæ, ii, C, 432.
- Olag, i, 837; ix, D, 493.
- Olax, i, s, 51; vii, C, 157.
baticulin, ii, C, 376.
imbricata, i, s, 51; iii, C, 80, 163.
- Oldenlandia, i, s, 126; iii, C, 436; v, C, 243; vii, C, 167; viii, C, 46; ix, C, 146.
alata, v, C, 243.
albido-punctata, ix, C, 147.
biflora, ix, C, 146.
corymbosa, vi, C, 227; vii, C, 188; ix, C, 146.
filifolia, i, s, 126.
nudicaulis, i, s, 127; viii, C, 46.
ovatifolia, viii, C, 46.
paniculata, i, s, 127; iii, C, 436; v, C, 243; vi, C, 227; ix, C, 146.
pterita, v, C, 243; ix, C, 147.
- Olea sp., iv, C, 313.
- Oleaceæ, i, s, 115, 222; ii, C, 434; iii, C, 119, 268, 427; iv, C, 548; v, C, 223, 378; vi, C, 219; vii, C, 164, 329; ix, C, 128; x, C, 338.
- Oleandra, i, s, 15; ii, C, 124; iii, C, 32; vi, C, 81; vii, C, 49.
colubrina, i, 663; i, s, 15; ii, C, 124, 254; iii, C, 32.
colubrina membranacea, vi, C, 192.
colubrina var. *membranacea*, iii, C, 32.
colubrina var. *nitida*, ii, C, 4; iii, C, 33.
neriiformis, ii, C, 4; vi, C, 81.
neriiformis var. *brachypus*, iii, C, 32.
oblanceolata, vii, C, 64.
whitmeei, ii, C, 124.
- Oleoresin of *Aspidium*, the physical and chemical properties of, viii, B, 523.
- Oleoresins of *Pinus insularis*, v, A, 229.
- Olfersia nigrita*, viii, D, 311.
- Oliba, i, s, 24.
- Oligochæta terricolæ* of the P. I., vii, D, 179.
- Oligoclase, x, A, 91.
- Oligodon everetti*, iv, A, 599.
iwahigensis, iv, A, 598; vi, D, 260.
modestus, vi, D, 260.
notospilus, iv, A, 599; vi, D, 260.
schadenbergii, vi, D, 260.
- Oligostigma, ii, C, 259.
- Olis, i, s, 184.
- Oliva, vi, A, 371.
 sp., vii, A, 264.
- Olivia sp., viii, A, 325.
- Olividæ, vii, D, 280.
- Olivine, vi, A, 437; x, A, 91.
- Ollas, i, 848; ix, D, 520.
- Olongapo, antimalarial prophylactic measures and their results at the naval station, v, B, 285.
 malaria at, ii, B, 513.
- Olyra orientalis*, ii, C, 103.
- Ombrophila, viii, C, 262.
aurantiaca, viii, C, 262.
helotioides, viii, C, 262.
roseola, viii, C, 192, 262.
rubescens-rosea, viii, C, 192, 262.
sanguinea, viii, C, 192.

- Omerocerus pallidipes*, i, 691.
O-midori-shijimi, x, D, 292.
Ommatius chinensis, viii, D, 313.
 fulvidus, viii, D, 313.
 nanus, viii, D, 308.
 retrahens, viii, D, 308.
Ommatolampus haemorrhoidalis var. *pygidialis*, viii, D, 148.
Omphalea, iii, C, 236.
 philippinensis, iii, C, 236.
Omphalobium obliquum, iv, C, 126.
 pictum, iv, C, 125.
Omphasus mansuetus, x, D, 45.
Omphisa, v, D, 180.
 anastomosalis, v, D, 180.
Onagraceae, ii, C, 433; iii, C, 83, 209, 424; v, C, 369; vi, C, 218.
Oncocarpus, vi, C, 339.
 ferruginea, vi, C, 340.
 macrophylla, vi, C, 340.
 vitiensis, vi, C, 339.
Oncocephalus, iv, A, 583.
 impudicus, iv, A, 583.
 notatus, iv, A, 583.
Oncodostigma, x, C, 244.
Oncopeltus, iv, A, 571.
 famelicus, iv, A, 571.
 nigriceps, iv, A, 571.
Oncosperma, ii, C, 228; iv, C, 444, 609; vi, C, 195.
 filamentosum, iv, C, 610.
 gracilipes, ii, C, 228; iv, C, 610.
 horridum, iv, C, 610; vi, C, 230; ix, C, 172.
 platyphyllum, iv, C, 609.
One-spine, v, D, 284.
Onion, iv, B, 222; vii, C, 194.
Onwad, vii, A, 104.
Orychium, vi, C, 86; vii, C, 152.
 siliquosum, ix, C, 422.
 tenue, ii, C, 5; vi, C, 86.
Ooencyrtus papilionis, i, 691.
Oori, vi, C, 201.
Oöspora, iii, B, 458; viii, C, 21, 506.
 obducens, viii, C, 506.
Oostindisch paarden vleesch, iv, C, 498.
Opa, iv, C, 690.
Opal, x, A, 91.
Opatrum bilineatum, viii, D, 376.
Operculina, vii, C, 165; viii, A, 283; ix, C, 132.
 complanata, i, 205; ii, A, 230, 249; vi, D, 56.
 costata, vi, D, 56; viii, A, 283, 312; x, A, 248.
 costata var. *tuberculata*, vi, D, 56.
 gaimardi, vi, D, 56.
 peltata, ix, C, 133.
 tuberosa, vii, C, 189; ix, C, 132.
 turpethum, viii, C, 476; ix, A, 461; ix, C, 428.
Ophichthyidae, iv, A, 493.
Ophideres, ii, A, 373; x, D, 354.
 amurensis, x, D, 355.
 fullonica, x, D, 357.
 tyrannus, ii, A, 373; x, D, 354.
Ophiobolus, iii, C, 49; viii, C, 272; ix, C, 165.
 javanicus, viii, C, 272.
 licualae, ix, C, 165.
 livistoniae, iii, C, 49.
 nipae, iii, C, 49.
 seriatus, viii, C, 272.
Ophiocephalidae, iii, A, 516.
Ophiocephalus striatus, iii, A, 529; ix, D, 19; x, D, 311.
Ophioderma pendulum, ix, C, 46.
Ophiodothis, iii, C, 47.
 vorax, iii, C, 47; viii, C, 184.
 vorax var. *pilulaeformis*, viii, C, 184.
Ophioglossaceae, i, s, 23; ii, C, 148; iii, C, 393; iv, C, 3; vi, C, 66; ix, C, 46.
Ophioglossales, i, s, 23.
Ophioglossum, i, s, 23; ii, C, 148; iv, C, 3; vi, C, 66; ix, C, 46.
 braunii, iv, C, 4.
 fibrosum, iv, C, 3.
 gramineum, iv, C, 4.
 intermedium, ii, C, 148, 255; iv, C, 5.
 japonicum, iv, C, 4.
 macrorrhizum, iv, C, 5.
 nudicaule, i, 399; i, s, 23.
 obovatum, iv, C, 4.
 parvifolium, iv, C, 5.
 pedunculatum, ii, C, 148; iv, C, 4.
 pendulum, i, 663; i, s, 23; ii, C, 148; iv, C, 5; ix, C, 46.
 reticulatum, i, s, 23; iv, C, 4; vi, C, 66.
 scandens, ix, C, 46.
 simplex, iv, C, 5.
 timorense, iv, C, 4.
Ophionectria, viii, C, 255.
 erinacea, viii, C, 182.
 trichospora, viii, C, 255.
Ophioninae, i, 692.
Ophionini, i, 692.
Ophiopogon, i, s, 35; v, C, 338.
 japonicus, i, s, 35, 174; v, C, 338.
Ophiorrhiza, i, s, 127; ii, C, 304; iii, C, 436; viii, C, 46; x, C, 99.
 involutrata, vi, C, 224.
 linearifolia, x, C, 99.
 mungos, iii, C, 436; vi, C, 224.
 oblongifolia, i, s, 127; ii, C, 305; vi, C, 227.
 undulata, viii, C, 46.
 venosa, ii, C, 304.
Ophisma attaccicola, v, D, 175.
Ophites, v, D, 213.
 aulicus, iv, A, 596; vi, D, 258.
 subcinctus, iv, A, 596; vi, D, 258.
 tesselatus, vi, D, 258.
Ophiurus, i, s, 329; vii, C, 153.
 corymbosus, i, s, 329.
 exaltatus, i, s, 329.
 laevis, ix, C, 258.
 monostachyus, i, s, 329; ix, C, 258.
 muricatus, i, s, 328.
 perforatus, ix, C, 258.
 undatus, i, s, 329.
 undulatus, i, s, 329.
Ophrydae, vi, C, 38.

- Ophrys, viii, C, 409.
 Ophthalmia, contagious, v, B, 303, 349.
 Opiine, i, 693.
 Opilia, i, s, 50.
 amentacea, i, s, 50; vi, C, 201.
 cumingiana, i, s, 50; vii, C, 233.
 manillana, i, s, 50; vii, C, 233.
 Opiliaceæ, i, s, 50; iv, C, 705; vi, C, 201; vii, C, 157, 233; ix, A, 555.
 Opinus pictus, iv, A, 585.
 rubropictus, iv, A, 585.
 Opisteria, viii, C, 115.
 tropica, viii, C, 115.
 Opisthacantha nigriclavata, ix, D, 286.
 Opisthoglypha, vi, D, 262.
 Opisthorchiasis, ii, A, 19.
 Opisthorchis, iii, B, 204; ix, B, 240.
 felineus, ii, B, 31.
 noverca, ii, B, 17, 31.
 sinensis, ii, B, 17; iii, B, 71, 217; iv, B, 296.
 Opithacanta manille, i, 690.
 nigriclavata, i, 690.
 Opium, its habitual use as a factor in the production of diseases, iii, B, 63.
 resolutions adopted by the Far Eastern Association of Tropical Medicine in regard to, v, B, 354.
 Opius deceptor, i, 693.
 eurytenoides, i, 693.
 philippinensis, i, 693.
 Opismenus, i, s, 28, 363; iii, C, 397; vii, C, 153; ix, C, 56.
 burmannii, i, 396; i, s, 28, 364.
 compositus, i, s, 364; iii, C, 397; vii, C, 180; viii, C, 481; ix, C, 56.
 compositus var. lasiorhachis, i, s, 364.
 echinatus, i, s, 354.
 indicus, i, s, 364.
 limosus, i, s, 354.
 loliaceus, i, s, 364.
 minus, i, s, 28, 364.
 sylvaticus, i, s, 364.
 undulatifolius, i, s, 28, 364; viii, C, 507; ix, C, 513.
 undulatifolius var. imbecillis, i, s, 28, 364.
 Opo, iv, B, 222.
 Optical efficiency of tinted glasses in relieving eye strain, viii, A, 193.
 Opuntia cochinelifera, ix, C, 116.
 sp., ix, C, 116.
 Orange, iv, B, 222; iv, C, 474; vii, A, 404; vii, C, 193.
 bottled juice of, vii, A, 408.
 brandy made from, vii, A, 410.
 oil of, vii, A, 410.
 osage, vi, A, 16.
 manufacture of paper from pulp of, vii, A, 411.
 sour, iv, B, 221.
 Orange-red underwear, an experiment with, v, B, 525, 569; vi, B, 477.
 Orang-outan, malaria parasites of the, v, B, 189.
 studies upon experimental variola in the, i, 278.
 Orani River sand for sand-lime brick, vii, A, 340.
 Orania, i, s, 32; iv, C, 614; ix, C, 164.
 decipiens, iv, C, 614.
 macrocladus, iv, C, 615.
 mindanaensis, iv, C, 615.
 palindan, i, 421; i, s, 32.
 philippinensis, i, s, 32; iv, C, 614.
 regalis, iv, C, 615.
 Orbitoides, i, 203, 627; ii, A, 162, 390; iii, A, 6, 482; v, A, 329; vi, A, 362.
 angularis, i, 206.
 carteri, vi, D, 60.
 dispansa, vi, D, 59.
 gigantea, vi, D, 60.
 insulæ-natalis, vi, D, 71.
 martini, i, 628; vi, D, 66.
 papyracea, vi, D, 73; viii, A, table facing page 252.
 radiata, vi, D, 61.
 richthofeni, i, 205; v, A, 79; vi, D, 66.
 sp., ii, A, 230.
 sumatrensis, vi, D, 59.
 verbeeki, i, 206, 1046.
 Orbitolites, viii, A, 283.
 alveolinella, v, A, 315; viii, A, 240.
 complanata, viii, A, 283.
 martini, vi, D, 55; viii, A, 243.
 Orchestia bottae, x, D, 252.
 humicola, x, D, 252.
 montana, x, D, 252.
 parvispinosa, x, D, 252.
 rectimana, x, D, 252.
 Orchidaceæ, i, s, 37; ii, C, 311; v, C, 1, 340; vi, C, 36, 107, 197; vii, C, 156, 379; viii, C, 31; ix, C, 70; x, C, 188.
 Orchids, collected on or near Mount Halcon, ii, C, 311.
 Guam, ix, C, 11.
 notes on P. I., iv, C, 593, 663; vi, C, 35; vii, C, 1, 125; viii, C, 407.
 Orchipeda foetida, iv, C, 319.
 Orchis triplicata, ii, C, 326; ix, C, 12, 70.
 triplicatis, ii, C, 326.
 Orden, vi, D, 245.
 Ore, Aroroy district, vi, A, 415.
 deposits, ii, A, 232; vi, A, 462; viii, A, 81.
 Oreillia luzonensis, i, 991.
 Oreocharis notha, x, C, 193.
 Oreocichla varia, i, 703.
 Oreocnide, v, C, 467; vi, C, 16, 298.
 rubescens, vi, C, 16.
 trinervis, vi, C, 17, 298; ix, A, 450.
 Oreodoxa, vii, C, 154.
 regia, vii, C, 181.
 Oreostylidium, vii, C, 249.
 Organic peroxides, action on the photographic plate, iv, A, 451.
 Organisms, pipette method in the cultivation of isolated, ix, B, 326.
 Orgyia postica, i, 695.
 Oriental boil, i, 91.
 bouton, i, 101.
 sore, i, 99.
 Origin myths among the mountain peoples of the P. I., viii, D, 85.

- Oringon, iv, C, 294.
 Oriolidæ, iii, A, 281; iv, A, 76; v, D, 113; vi, D, 46.
 Oriolus acrorhynchus, v, D, 113, 220.
 assimilis, ii, A, 308.
 chinensis, i, 704, 770, 775, 908; ii, A, 258, 290, 308, 314, 332, 337, 349; iii, A, 281.
 nigrostriatus, vi, D, 40.
 samarensis, iv, A, 76.
 steerei, ii, A, 290, 308; vi, D, 46.
 xanthonotus, i, 908.
 Orixia ternata, ix, C, 297.
 Ormocarpum, v, C, 76.
 cochinchinense, v, C, 76.
 glabrum, v, C, 76.
 sennoides, v, C, 76.
 Ormosia, i, s, 64; v, C, 58; x, C, 313.
 calavensis, i, 638; i, s, 64; iv, C, 461, 703; v, C, 58; ix, A, 497; x, C, 314.
 paniculata, i, s, 64; v, C, 58.
 villamilii, x, C, 313.
 Ornithoctona batchiana, viii, D, 311.
 nigricans, viii, D, 311.
 Ornithodorus moubata, iii, B, 231.
 Ornithological literature, Philippine, iii, A, 285; iv, A, 79; v, D, 203.
 Orophea, i, s, 54; iii, C, 223; ix, C, 83, 356; x, C, 257.
 aurantiaca, x, C, 255.
 aversa, x, C, 257.
 bracteolata, iii, C, 223; x, C, 258.
 cumingiana, i, s, 54; iii, C, 224.
 diepenhorstii, x, C, 255.
 enterocarpoides, iii, C, 224.
 luzoniensis, iii, C, 224.
 maculata, i, s, 54; iii, C, 224.
 polyantha, x, C, 257.
 reticulata, x, C, 255.
 rugosa, x, C, 255.
 sumatrana, x, C, 255.
 tarrosae, x, C, 258.
 trachycarpa, x, C, 255.
 unguiculata, ix, C, 357.
 villamilii, x, C, 259.
 wenzelii, ix, C, 356.
 williamsii, x, C, 259.
 Oropogon, iv, C, 656.
 loxensis, iv, C, 656.
 loxensis forma fuscescens, iv, C, 656.
 Oroxylum, i, s, 124; vii, C, 166.
 indicum, i, 387; i, s, 124; iv, C, 558; v, A, 445; ix, C, 429.
 Orphnophanes, v, D, 179.
 albisignalis, v, D, 179.
 eucerasalis, v, D, 179.
 Orpiment, treatment of trypanosomiasis with atoxyl and, v, B, 27.
 Ortolia pusilla-maesta, v, D, 232.
 Ortolidæ, viii, D, 310.
 Ortho position, the mutual influence of hydroxyl and carboxyl and some related groups in the, viii, A, 33.
 Orthoclase, x, A, 91.
 Orthocyrtus, vii, D, 302, 347.
 coeruleonotatus, vii, D, 348.
 Orthocyrtus—Continued.
 hopei, vii, D, 348.
 lenis, vii, D, 348.
 pachyrrhynchoides, x, D, 221.
 politus, vii, D, 347; x, D, 221.
 quadrulifer, vii, D, 348.
 schönherri, vii, D, 348.
 subquadrulifer, vii, D, 348.
 triangularis, vii, D, 347; x, D, 220.
 tumoridorsum, vii, D, 348.
 virens, vii, D, 348.
 Orthomnium, iii, C, 20; viii, C, 73.
 loheri, viii, C, 73.
 stolonaceum, iii, C, 20.
 Ortho-nitrophenol, para-nitrophenol, and para-nitrosophenol, the absorption spectra of, vii, A, 371.
 Orthopagus philippinus, ix, D, 173.
 Orthophragmina, ii, A, 397.
 bartolomei, vi, D, 72.
 omphalus, viii, A, table facing page 252.
 Orthopogon burmannii, i, s, 364.
 dichotomus, i, s, 354.
 hirtellus, i, s, 364.
 hispidus, i, s, 354.
 imbecillis, i, s, 28, 364.
 loliaceus, i, s, 354.
 setarius, i, s, 364.
 subverticellatus, i, s, 354.
 sylvaticus, i, s, 364.
 Orthoptera, i, 997; vii, A, 384. *See also* Zoology—Insecta—Orthoptera.
 Orthorhamphus magnirostris, ii, A, 345; v, D, 107, 220.
 Orthosia sinens, v, D, 171.
 Orthotomus, v, D, 104.
 castaneiceps, ii, A, 314.
 cinereiceps, ii, A, 289.
 chloronotus, v, D, 220.
 frontalis, ii, A, 289, 328; iv, A, 74.
 mearnsi, ii, A, 289.
 nigriceps, iv, A, 74.
 Orthotrichacæ, i, s, 12; ii, C, 340; iii, C, 15; v, C, 144, 312; viii, C, 70; ix, C, 204.
 Orudiza, v, D, 175.
 protheclaria, v, D, 175.
 Oryctes rhinoceros, i, 143, 1069; iii, A, 533; vii, A, 384.
 Oryssidæ, i, 694.
 Oryssus maculipennis, i, 694.
 Oryza, i, s, 28, 370; iii, C, 219; vii, C, 154; ix, C, 56.
 aristata, i, s, 370.
 glutinosa, i, s, 370.
 granulata, i, s, 371.
 latifolia, i, s, 370.
 manilensis, iii, C, 219.
 meyeriana, i, s, 370.
 minuta, i, s, 370.
 montana, i, s, 370.
 præcox, i, s, 370.
 ridleyi, iii, C, 219.
 sativa, i, 461; i, s, 28, 279, 370; vi, C, 105; vii, C, 180; ix, C, 56, 423.
 sativa var. binamban, i, s, 370.
 sativa var. glutinosa, i, s, 370.

Oryza—Continued.

- sativa var. lamuyo, i, s, 370.
 sativa var. pilosa, i, s, 370.
 sativa var. praecox, i, s, 370.
 sativa var. quinanda, i, s, 370.
 sativa var. rubra, i, s, 370.
 sativa var. violacea, i, s, 370.
 Oryzæ, i, s, 369; ix, C, 56.
 Orzonoba, v, D, 176.
 clelia, v, D, 176.
 Osaka, Japan, pneumonic plague at, vii, B, 162.
 Osbeckia, v, C, 367.
 ehinensis, v, C, 367.
 Osbornia, iv, C, 333.
 octodonta, iv, C, 333; vi, C, 213.
 Oscillaria sancta, v, B, 12.
 Oscillatoria, v, D, 292.
 Osmanthus fragrans, iv, C, 548.
 Osmium, x, A, 91.
 Osmotreron axillaris, i, 699, 771; ii, A, 281, 300; iii, A, 276; iv, A, 67; v, D, 105, 220; vi, D, 40.
 vernans, i, 699, 903; ii, A, 281, 300, 310, 317; iii, A, 276.
 Osmoxylon pulcherrimum, iii, C, 254.
 Osmunda, ii, C, 147; iv, C, 15; viii, B, 526.
 banksiaefolia, ii, C, 147; iii, C, 284; iv, C, 16.
 bipinnata, iv, C, 15.
 bromeliaefolia, ii, C, 147; iv, C, 16.
 cinnamomea, iii, C, 284; iv, C, 16.
 cinnamomea var. fokienense, iv, C, 16.
 claytoniana, iv, C, 16.
 javanica, iii, C, 284; iv, C, 17.
 lancea, iv, C, 16.
 mildei, iv, C, 15.
 regalis, iv, C, 15.
 regalis var. japonica, iv, C, 15.
 vachelii, iv, C, 17.
 Osmundaceæ, iv, C, 14.
 Osorius bakeri, x, D, 117.
 cribrum, x, D, 118.
 luzonicus, x, D, 118.
 maquilanganus, x, D, 117.
 minutissimus, x, D, 119.
 minutus, x, D, 119.
 philippinus, x, D, 118.
 Osphromenidæ, iv, A, 530.
 Osphromenus insulatus, iv, A, 530.
 Osseous system of Ophiocephalus striatus Bloch, ix, D, 19.
 Osteological and other notes on Sarcops calvus of the P. I., ii, A, 257.
 Osterdamia, i, s, 309.
 matrella, i, s, 342; vii, C, 230.
 Ostodes, iv, C, 283, 482; vi, C, 332; vii, C, 403.
 angustifolia, vii, C, 403.
 ixoroides, vi, C, 332.
 macrophylla, vii, C, 404.
 pauperata, x, D, 45.
 serrato-crenata, iv, C, 283; vii, C, 404.
 Ostrea, viii, A, 280.
 multicostata, viii, A, table III, facing page 252.

Ostrea—Continued.

- orientalis, vii, D, 273; viii, A, 326; x, D, 307.
 palmipes, vii, D, 273; x, D, 307.
 pyxidata, vii, D, 273; x, D, 307.
 sp., v, A, 329; viii, A, 280.
 Ostreidæ, viii, A, 280.
 Otacustes alboannulus, i, 692.
 Otaheite or star gooseberry, viii, A, 72.
 Otidognathus elegans, x, D, 32, 234.
 elegans sericoplagia, x, D, 32.
 fulvopictus, x, D, 234.
 Otolepis nigrescens, i, s, 87.
 Otolithes argenteus, vi, D, 310.
 leuciscus, vi, D, 310.
 Otolithus argenteus, v, D, 280.
 dolorosus, v, D, 280.
 maculatus, v, D, 279.
 orientalis, v, D, 281.
 Otomela cristata, v, D, 112.
 lucionensis, i, 703, 774, 907; ii, A, 289, 307, 314, 329; iii, A, 280; iv, A, 75; v, D, 112.
 Otophora, i, s, 87; vii, C, 161.
 blancoi, iii, C, 80.
 fruticosa, i, 392; i, s, 87; iii, C, 80; viii, C, 445.
 oliviformis, vi, C, 181, 209; viii, C, 445.
 pinnata, i, s, 87.
 setigera, viii, C, 455.
 Otot, ix, C, 127.
 Ottelia, vii, C, 153; ix, C, 259.
 japonica, ix, C, 259.
 philippinensis, ix, C, 259.
 Otters, "clawless," vii, D, 21.
 Otud, ix, C, 127.
 Otus boholensis, ii, A, 323.
 everetti, ii, A, 324.
 romblonis, i, 768.
 Ougeinia-Albizia type, iv, C, 459.
 Ougeinia dalbergioides, iv, C, 462.
 Ouroupartia perrottetii, viii, C, 60.
 Ox warble, i, 1072.
 Oxalic acid, v, A, 281; v, B, 8.
 Oxalidaceæ, i, s, 67; iii, C, 80, 411; iv, C, 472; v, C, 355; vi, C, 206; vii, C, 160; ix, A, 555; ix, C, 95.
 Oxalis, iii, C, 411; v, C, 355; vii, C, 160; ix, C, 95.
 acetosella, ii, C, 431.
 corniculata, ii, C, 431; iii, C, 80, 411; v, C, 355; ix, C, 95.
 martiana, vii, C, 185.
 repens, iii, C, 80, 411; v, C, 355; vi, C, 206; vii, C, 185; ix, C, 95.
 sensitiva, x, C, 191.
 Oxara finlaysonian, vii, C, 188.
 Oxidase, tests for, x, A, 129.
 Oxidation and deterioration of coal, vii, A, 297.
 of Manila copal by the air, v, A, 219.
 of methyl alcohol by hydrogen peroxide, vii, A, 65.
 of methyl alcohol in the presence of oxygen and sunlight, vii, A, 59.
 of phenol, iv, A, 133.

- Oxyambulyx*, ii, A, 369.
semifervens, ii, A, 369.
Oxybelidæ, i, 686.
Oxycarpus, iii, C, 366.
Oxyeleotris, x, D, 311.
 Oxygen and ozone, the effect of, v, A, 9.
Oxymitra, ii, C, 273; iii, C, 134; vii, C, 267;
 x, C, 259.
 bakeri, x, C, 259.
 biglandulosa, x, C, 261.
 glauca, ii, C, 273.
 lanceolata, x, C, 260.
 latifolia, x, C, 262.
 longiflora, iii, C, 134; x, C, 262.
 paucinervis, iii, C, 135.
 philippinensis, x, C, 261.
 pubescens, vii, C, 267.
 urdatensis, x, C, 261.
Oxyna parca, viii, D, 328.
 sororecula, viii, D, 328.
Oxyporhamphus brevis, iv, A, 495.
Oxyptygus exclamationis, x, D, 45.
Oxyrhabdium leporinum, vi, D, 258.
 modestum, vi, D, 258.
Oxyrhachis, x, D, 369.
Oxyrrhynchium, v, C, 161.
 muelleri, ix, C, 207.
 mülleri, v, C, 161.
Oxystelma carnosum, iii, C, 121.
Oxytelus megaceros var. *flavicollis*, vii, D, 247.
Oxytenanthera sp., i, s, 392.
Oxyurichthus amabilis, ix, D, 76.
 cristatus, v, D, 285; ix, D, 75.
Oxyuriethys, iv, A, 532.
Oxyuris, iii, B, 201; iv, B, 186, 296; v, B,
 270; vi, B, 77; viii, B, 54, 169; ix, B,
 81, 236, 446.
 vermicularis, iv, B, 265; v, B, 509.
Oyster, vii, D, 273.
 Philippine pearl, v, D, 88.
Ozomena weberi, viii, D, 232.
 Ozone, the effect of oxygen and, v, A, 9.
Ozopemon, vi, D, 22.
 fuscicollis, vi, D, 24.
 gravidus, vi, D, 24.
 laevis, vi, D, 22.
 major, vi, D, 23.
 obanus, vi, D, 24.
 regius, vi, D, 24.
 rugatus, vi, D, 24.
 sumatranus, vi, D, 24.
 theklae, vi, D, 24.
 theklae var. *singalanguicus*, vi, D, 24.
 theklae var. *sirambeanus*, vi, D, 24.
- P
- Paang daraga*, vii, C, 321.
Pabafunan, i, 837; ix, D, 475.
Pacagoncon, v, C, 50.
Pacan, vii, C, 290.
Pacao, ix, C, 88.
Pacascas, vi, A, 107.
Pacayomcom, i, s, 63.
 castila, v, C, 50.
Pade, ix, D, 490.
Pachinocarpus umbonatus, iv, C, 516.
Pachodag, ix, C, 151.
Pachycentria, i, s, 215.
 formicaria, i, s, 215.
Pachycerina apicalis, viii, D, 316.
 seychellensis, viii, D, 316.
Pachychilus pubescens, vi, C, 51.
Pachycondylinae, i, 689.
Pachygrontha, iv, A, 574; v, D, 59.
 bicornuta, iv, A, 574.
 lineata, iv, A, 574; v, D, 59.
 nigrolineata, v, D, 59.
Pachygronthinae, iv, A, 574.
Pachypeltis, x, D, 78.
Pachyrhizus angulatus, iii, A, 96.
 bulbosus, iii, A, 96; iv, B, 222.
 montanus, v, C, 123.
 teres, v, C, 123.
 thunbergianus, v, C, 123.
Pachyrrhina luconica, viii, D, 307.
 ortiva, viii, D, 307.
Pachyrhizus, i, s, 67; v, C, 4, 135; vii, C,
 160; ix, C, 94.
 angulatus, i, s, 67; v, C, 135.
 bulbosus, i, s, 67; iii, C, 305; v, C, 135.
 erosus, v, C, 9, 135; vii, C, 185; ix, C,
 94, 426.
 jicamas, v, C, 135.
Pachyrrhynchidæ, vii, D, 296.
Pachyrrhynchus, x, D, 221.
 annellifer, vii, D, 324.
 annulatus, vii, D, 311.
 argus, vii, D, 311.
 auroguttatus, vii, D, 303.
 bifasciatus, vii, D, 303.
 chevolati, vii, D, 309.
 chevolati var. *chlorolineatus*, vii, D, 309.
 chevolati var. *concinnus*, vii, D, 310.
 chevolati var. *jagori*, vii, D, 321.
 chevolati var. *mandarinus*, vii, D, 310.
 chlorites, vii, D, 308.
 chlorolineatus, vii, D, 303.
 chrysocompsus, vii, D, 304.
 circulatus, vii, D, 322.
 cochleariger, vii, D, 325.
 coerulans, vii, D, 308.
 congestus, vii, D, 307.
 croesus, vii, D, 307.
 crucifer, vii, D, 308.
 cumingi, vii, D, 309.
 decussatus, vii, D, 303, 309.
 depressus, vii, D, 334.
 dohrni, vii, D, 306.
 elegans, vii, D, 311.
 eques, vii, D, 312.
 erichsoni, vii, D, 307.
 erichsoni var. *chrysocompsus*, vii, D, 307.
 eschscholtzi, vii, D, 304.
 flavomaculatus, vii, D, 304.
 flavopunctatus, vii, D, 304.
 forsteni, vii, D, 305.
 gemmans, vii, D, 310.
 gemmans var. *ardens*, vii, D, 310.
 gemmatus, vii, D, 308.
 gemmatus var. *atratus*, vii, D, 308.
 glabratus, vii, D, 315.
 gloriosus, vii, D, 305.

Pachyrrhynchus—Continued.

- ignipes, vii, D, 304.
 imitator, vii, D, 344.
 immarginatus, vii, D, 308.
 inclytus, vii, D, 306.
 infernalis, vii, D, 304.
 inornatus, vii, D, 303.
 intermedius, vii, D, 315.
 jugifer, vii, D, 310.
 lacunosus, vii, D, 316.
 latifasciatus, vii, D, 311.
 lorquini, vii, D, 308.
 luteoguttatus, vii, D, 304.
 modestior, vii, D, 306.
 möllendorffi, vii, D, 305.
 monilifer, vii, D, 310, 350.
 monilifer var. stellulifer, vii, D, 322.
 morio, vii, D, 318.
 morotaiensis, vii, D, 305.
 multipunctatus, vii, D, 311.
 nobilis, vii, D, 313.
 ochroplagiatus, vii, D, 311.
 orbifer, vii, D, 310.
 perpulcher, vii, D, 307.
 phaleratus, vii, D, 309.
 pinorum, vii, D, 306.
 pinorum var. transversalis, vii, D, 306.
 plebejus, vii, D, 359.
 psittacinus, vii, D, 317.
 pulchellus, vii, D, 306.
 purpureus, vii, D, 308.
 reticulatus, vii, D, 310.
 roseomaculatus, vii, D, 308.
 roseopictus, vii, D, 311.
 rufo-punctatus, vii, D, 304.
 rugicollis, vii, D, 310.
 rugicollis var. crucifer, vii, D, 310.
 rutilans, vii, D, 304.
 sanchezi, vii, D, 319.
 sarcitis, vii, D, 308.
 schönherri, vii, D, 307.
 semperi, vii, D, 314.
 smaragdinus, vii, D, 307.
 speciosus, vii, D, 311.
 stanleyanus, vii, D, 301.
 stellio, vii, D, 320.
 stellulifer, vii, D, 303.
 striatus, vii, D, 308.
 subcostatus, vii, D, 304.
 tristis, vii, D, 315.
 venustus, vii, D, 307.
 viridans, vii, D, 318.
 waltoni, vii, D, 311.
 waterhousei, vii, D, 303.
 Pachyseris, viii, A, 289.
 cristata, v, A, 329; viii, A, 289.
 Pachysoma jagorii, vii, D, 8.
 luzoniense, vii, D, 8.
 Pachystoma, vi, C, 51.
 pubescens, vi, C, 51.
 Pachyura, vii, D, 5.
 edwardsiana, vii, D, 5.
 luzoniensis, vii, D, 5.
 murina, vii, B, 122.
 Pachyzancla licarsialis, v, D, 180.
 Paco, i, s, 17.
 Pacol, vii, D, 290.
 Pacquiling, i, s, 44.
 Padas, vii, A, 389.
 Padauk, iv, C, 467.
 Andaman, iv, C, 466.
 Padi, vi, B, 178.
 Padia meyeriana, i, s, 370.
 Padoo, iv, C, 467.
 Padouk, iv, C, 465; v, C, 9, 100.
 Padraona augiades, i, 214.
 augias, i, 214.
 bambusæ, i, 214.
 chrysozona, i, 212, 695.
 palmarum, i, 214.
 Padu, iv, C, 467.
 Paduck, inland, iv, C, 467.
 Paduka, v, D, 167.
 glandulosa, v, D, 167.
 Paederia, iii, C, 438; v, C, 390; vii, C, 167.
 taepo, x, C, 131.
 tomentosa, iii, A, 28; iii, C, 438; v, C, 390; vi, C, 227; viii, C, 477.
 Paederota minima, vii, C, 100.
 Paederus gemellus, vii, D, 250.
 philippinus, vii, D, 250.
 ruficollis, vii, D, 250.
 Paesia, iii, C, 275; v, C, 321; vi, C, 85; vii, C, 49.
 luzonica, iii, C, 275; v, C, 321.
 rugulosa, v, C, 321.
 Pagago, ix, C, 112.
 Pagalingan, iv, C, 294.
 Pagar anak, iv, C, 472.
 anak jantan, iv, C, 503.
 Pagatpagat, v, C, 203.
 Pagatpat, i, s, 101; iv, C, 525; vi, A, 2, 53; vi, C, 212.
 Pagbonobonan, x, C, 358.
 Pagbubungkal, x, B, 372.
 Pagellia acuticosta, viii, D, 219.
 signata, viii, D, 218.
 Paghing, vi, D, 88.
 Pagiophloeus pacca, vii, D, 391.
 schultzei, vii, D, 390.
 Pagkaban, x, B, 374.
 Pagkukulob, x, B, 375.
 Pagla, iii, C, 368.
 Pagnan, iii, C, 323.
 Pago, ix, C, 112.
 Pagolingan, ii, A, 382.
 Pagsagon, ii, A, 382.
 Pagsahingan, vi, C, 248.
 Pagsahingin, vi, C, 250; ix, A, 448, 506.
 Pagsahinging bark, x, A, 355.
 Pagsahinguin, i, s, 71.
 Pagsainguin, iv, A, 94; v, A, 257; x, A, 109.
 Pagui-pagui, iii, A, 529.
 Paho, viii, A, 61.
 Pahobo, vii, C, 386.
 Pahudia, i, s, 63; v, C, 41; vii, C, 159.
 javanica, iv, C, 462.
 rhomboidea, i, 412, 638; i, s, 63; ii, C, 395; iv, C, 462, 703; v, C, 9, 41; vi, C, 206; viii, C, 277; ix, A, 444.
 Pahutan, i, s, 84; iv, C, 720; ix, A, 497.
 Paiaip gobat, v, C, 135.

- Pain, iii, C, 425; v, C, 214.
 Paina, vi, C, 285.
 Paintot, ix, C, 48.
 Paint, Ilocos Norte mineral, ii, A, 173.
 Paipalesomus, x, D, 237.
 Paitan, iv, C, 386; ix, A, 509.
 Paja, vi, C, 124.
 Paja de meca, i, s, 339; iv, A, 111.
 Pajanelia rheedii, iv, C, 558.
 Pak chong, ix, A, 63.
 Pakak, viii, A, 64.
 Pakalon, iii, A, 207.
 Pakayam, v, C, 129.
 Paking, v, C, 129.
 Paktau, vii, A, 49.
 Paktiu, vii, A, 105.
 Palaan, iii, A, 202.
 Palabunbunġan, iii, A, 520.
 Palacpalac, ix, A, 449.
 Palaemon acanthurus, ix, D, 356.
 carcinus, ix, D, 324.
 dispar, ix, D, 348.
 elegans, ix, D, 341.
 esculentus, ix, D, 397.
 grandimanus, ix, D, 385.
 hilgendorfi, ix, D, 385.
 idae, ix, D, 353.
 jamaicensis, ix, D, 339.
 jaroensis, ix, D, 385.
 lanceifrons, ix, D, 364.
 lanceifrons var. montalbanensis, ix, D, 371.
 lar, ix, D, 380.
 latidactylus, ix, D, 392.
 lepidactylus, ix, D, 389.
 nipponensis, ix, D, 341.
 oenone, ix, D, 397.
 philippinensis, ix, D, 340.
 placidus, ix, D, 385.
 ritsemae, ix, D, 341.
 rosenbergii, ix, D, 325.
 rudis, ix, D, 341.
 sp., ix, D, 397.
 sundaicus, ix, D, 355.
 weberi, ix, D, 341.
 Palaemons of the P. I., ix, D, 319.
 Palaefurius, x, D, 86.
 Palaecomorphe, iii, C, 176.
 Palaga hilitai, ix, C, 91.
 Palaglar, iv, C, 513.
 mienjak, iv, C, 513.
 Palagsi, vii, D, 279.
 Palaistaan, iii, A, 520.
 Palanopoy, iii, C, 328; v, C, 36.
 Palaquium, i, s, 114; ii, C, 298; iii, C, 212, 256, 425; iv, C, 540; x, C, 60.
 angustifolium, i, s, 114.
 bancanum, iv, C, 541.
 barnesii, iv, C, 540.
 bataanense, i, s, 114; iii, C, 425.
 borneense, iv, C, 541.
 celebicum, i, s, 172.
 cuneatum, x, C, 62.
 elongatum, iii, C, 257.
 foxworthyi, x, C, 60.
 Palaquium—Continued.
 glabrum, x, C, 61.
 heterosepalum, x, C, 61.
 javense, iv, C, 541.
 lanceolatum, x, C, 60.
 latifolium, i, s, 114, 281.
 luzoniense, i, 404; i, s, 114; iv, C, 707.
 merrillii, x, C, 62.
 negrosense, x, C, 63.
 obovatum, iv, C, 541; x, C, 64.
 oleiferum, i, 412; i, s, 114; iii, C, 304.
 philippense, iii, C, 304.
 polyandrum, iii, C, 212.
 polyanthum, iv, C, 541.
 retusum, iii, C, 256.
 tenuipetiolatum, i, 387, 638; i, s, 114; iv, C, 703; ix, A, 449.
 whitfordii, i, 406, 665; i, s, 114.
 Palas, iv, C, 472.
 Palasan, i, 417; iii, B, 248.
 Palaspas, vi, C, 206; x, C, 32.
 Palatak, vi, D, 213.
 Palatu, iv, C, 455.
 Palauag, iv, C, 300, 644.
 Palauway, vi, C, 11.
 Palawan, iv, C, 536.
 birds from, i, 903.
 fungi from northern, ix, C, 157.
 malaria and Anopheles surveys in, x, B, 206.
 snakes found in, iv, A, 595.
 two new cyprinoid fishes of the genus Barbus from Lake Manguao, ix, D, 187.
 Palawania, ix, C, 171.
 cocoës, ix, C, 172.
 grandis, ix, C, 172.
 Palay, v, B, 82; vi, B, 139, 178; vii, A, 391; ix, D, 476; x, C, 360.
 nerve degeneration in fowls fed on, ix, B, 119.
 Palek, vii, A, 98.
 Paleng, x, C, 34.
 Paleolithic man in the P. I., v, D, 27.
 Palic, iii, A, 3.
 Palicus, x, D, 51.
 Palilolia, ix, C, 78.
 Palimumog, iv, C, 692.
 Palina, v, C, 38.
 Palindan, i, s, 32.
 Palindiinæ, ii, A, 372.
 Palinurus, ix, D, 324.
 Palipal, vi, D, 84.
 Palis, ix, D, 491.
 Paliurus dao, iii, C, 108.
 dubius, vii, C, 236.
 perforatus, vii, C, 236.
 Palla, vii, A, 107.
 Pallam, v, C, 136.
 Pallial tentacles of Lima, structure of the, vi, D, 327.
 Fallosoma fulgidipennis, i, 687.
 Palm, alcohol from the buri, vi, A, 167.
 betel, i, 1082; i, s, 32.
 brandy from the coconut, vii, A, 41.
 brandy from the nipa, vii, A, 41.

Palm—Continued.

- buri, i, No. 5, 461; i, 1083; vi, A, 107, 167; vii, D, 138.
 coconut, i, 6, 143, 211; i, No. 5, 461; i, 1082; vi, A, 107, 147.
 date, vi, A, 107.
 fish-tail, vi, A, 107.
 insects attacking the coconut, i, 143, 211.
 leaf of the coconut, i, 17.
 nipa, i, 1082; vi, A, 110; vii, A, 113, viii, A, 377.
 oil, vii, C, 194.
 Palmyra, vi, A, 107.
 sago, vi, A, 107.
 sani, vii, A, 113.
 sugar, vi, A, 107, 195; vii, A, 112.
 sugar from nipa, viii, A, 377.
 uses of the coconut, vi, A, 150.
 uses of the nipa, vi, A, 113.
 uses of the sugar, vi, A, 195.
 wine from the date, vi, A, 109.
- Palma, iii, A, 195.
 braba, ix, C, 64.
 brava, iv, C, 444; vi, A, 380.
- Palmaceæ, vi, C, 106, 195.
- Palmæ, i, No. 5, 438; i, 1081; i, s, 31; ii, C, 264; iii, C, 399; iv, C, 444; vii, C, 154; ix, C, 63, 423.
- Palms, i, No. 5, 438.
 a study of some commercially important, vi, A, 99, 147.
 Batanes and Babuyanes, iii, C, 339.
 fibers from, i, 1081.
 P. I, ii, C, 219; iv, C, 601.
 Polillo, vi, C, 229.
 weevils injurious to, i, 154, 1069.
- Palo china, v, C, 50.
 de China, vi, C, 123.
 de hierro, iv, C, 334, 406.
 maria, i, s, 96; ii, C, 391; iv, C, 268, 367; v, C, 38; vii, D, 237; ix, A, 508.
 maria de la playa, i, s, 96; ii, A, 440; ii, C, 391; iv, C, 504; x, A, 107.
 maria del monte, i, s, 97; ii, A, 440; ii, C, 391; ix, A, 497; x, A, 111, 196.
 negro, iv, C, 308.
 piñon, iv, C, 100.
 santo, i, s, 61.
- Palorus, viii, D, 396.
- Palos, iv, B, 219.
- Palosapis, ii, A, 84; iv, C, 511; vi, C, 258; ix, A, 432.
- Palpatoc, v, C, 64.
- Palsahingen, vii, D, 139.
- Palsahinguin, i, s, 71.
- Paltat, iii, A, 529.
- Paltonium chinense, vi, C, 87.
- Paludismo, viii, B, 54.
- Palupo, iii, C, 430; iv, C, 692.
- Palupu, iii, C, 422.
- Palusot, x, C, 359.
- Palyok, iii, A, 519.
- Palyuk, vii, A, 103.
- Pamacoton, x, C, 70.
- Pamalalian, vi, C, 253.
- Pamantuling, vi, C, 253.
- Pamayausin, iv, C, 391.
- Pamayawasin, vi, C, 270.
- Pambolini, i, 694.
- Pambulay, vi, C, 119.
- Pamegyasan, ix, D, 476.
- Pamera, iv, A, 575.
 nietneri, iv, A, 575.
 vincta, iv, A, 575.
- Pamiasin, v, C, 32.
- Pamintang gubat, ix, C, 295.
- Pamitaoyon, v, C, 199.
- Pamitlain, v, C, 199.
- Pamitlatin, v, C, 199.
- Pampanga, malaria and Anopheles surveys in, x, B, 205.
 soils of, ix, A, 33.
- Pampano, iv, A, 505; v, D, 270.
- Pamphila ochracea, x, D, 302.
 rikuchina, x, D, 302.
- Pamusag, viii, B, 495.
- Pamutim, v, C, 235.
- Pan us, ix, D, 78.
- Panaba, ix, D, 497.
- Panaeolus, i, s, 291; viii, C, 303; ix, C, 251.
 campanulatus, ix, C, 251.
 panaiensis, i, s, 291.
 papilionaceus, ix, C, 251.
 pseudo-papilionaceus, i, s, 291.
 veluticeps, viii, C, 303.
- Panagulingon, iv, C, 293.
- Panangtilong, ix, C, 335.
- Panao, i, 413; i, s, 97; ii, C, 373; iv, A, 121; iv, C, 510, 514; vi, C, 248; ix, A, 432; ix, C, 143.
 malapaho oil from, i, 198.
- Panaon Island, gold mines on, iv, A, 350.
- Panapanalahan, v, C, 129.
- Panau, iv, C, 690.
- Panauisaming, v, C, 18.
- Panax aculeatum, i, s, 217.
 cochleatum, vii, C, 241.
 crispatum, vii, C, 241.
 cumingiana, ix, C, 125.
 fruticosum, iii, C, 84, 306; vii, C, 241; ix, C, 125.
 ornatum, vii, C, 241.
 pinnatum, ix, C, 125.
 quinquefolium, vii, C, 241.
- Panay, chlorine content of artesian wells in, x, A, 67.
 geology of, x, A, 211.
 water supplies of, x, A, 148.
- Panchala asinarus, x, D, 297.
 ganesa, x, D, 297.
- Panchonia littoralis, iv, C, 558.
- Pancratium, vii, C, 155.
 littorale, ix, C, 67.
 zeylanicum, vii, C, 194.
- Pancreas in plague, x, B, 305.
- Pandacacui, i, s, 117; vi, C, 219; ix, A, 450.
- Pandakaki, x, B, 376.
- Pandan, i, s, 25; vi, C, 118.
 golo, i, s, 25.
- Pandanaceæ, i, 418; i, s, 25, 177; ii, C, 259, 436; iii, C, 59, 307, 394; iv, C, 443;

Pandanaeae—Continued.

- vi, C, 102, 193; vii, C, 153; ix, C, 47, 422.
- Pandanalea, i, s, 25.
- Pandanophyllum humile, ii, C, 109.
- palustre, ix, C, 267.
- Pandanus, i, s, 25, 178; ii, A, 308; ii, C, 114; iii, C, 59, 394; vii, C, 153; ix, C, 47, 164.
- arayataensis, i, 665; i, s, 25; ii, C, 436; iii, C, 61, 64.
- astrocarpus, vi, C, 120.
- banahaensis, iii, C, 64.
- botryoides, iii, C, 66; vi, C, 193.
- brevispatus, iii, C, 69.
- calycarpus, iii, C, 67.
- caudatus, iii, C, 64.
- clementis, i, s, 178; iii, C, 68; vi, C, 193.
- copelandii, iii, C, 71, 308; v, D, 105; vi, C, 104, 194.
- coronatus, iii, C, 65; vi, C, 104, 194.
- coronatus forma a minor, iii, C, 66.
- cumingianus, iii, C, 70.
- douglasii, iii, C, 63.
- dubius, ii, C, 436; iii, C, 63, 67, 306; ix, C, 48.
- exaltatus, ii, C, 436; iii, C, 64; vi, C, 104.
- exaltatus forma ahernianus, iii, C, 64.
- fascicularis, iii, C, 61, 160.
- fragrans, ix, C, 47.
- glauciphyllus, iii, C, 68.
- gracilis, i, s, 25; ii, C, 436; iii, C, 68.
- guamensis, ix, C, 48.
- inermis, iii, C, 72.
- kafu, ix, C, 47.
- kurzianus, iii, C, 69.
- laevis, iii, C, 72; viii, C, 272.
- lateralis, iii, C, 68.
- latifolius, iii, C, 67, 72, 306.
- linnaei, iii, C, 60.
- luzonensis, i, 404, 638; i, s, 25; iii, C, 67; iv, C, 703; vi, C, 104.
- malatensis, iii, C, 70.
- merrillii, iii, C, 71; ix, C, 163.
- muricatus, iii, C, 71.
- odoratissimus, iii, C, 59.
- pallidus, iii, C, 68.
- paloensis, iii, C, 68.
- polycephalus, iii, C, 64.
- radicans, ii, C, 436; iii, C, 66.
- rubescens, iii, C, 71.
- sabotan, iii, C, 72; vi, C, 103.
- simplex, iii, C, 67; vi, C, 104.
- spiralis, iii, C, 59, 62.
- tectorius, i, 668; i, s, 25; iii, C, 61, 394; vi, C, 104, 194; viii, C, 272, 303, 506; ix, C, 48, 187, 422.
- tectorius var. douglasii philippinensis, iii, C, 63.
- tectorius var. laevis, iii, C, 72.
- tectorius var. sinensis, iii, C, 62.
- tectorius var. spiralis, iii, C, 62.
- tectorius var. surigaensis, iii, C, 64.
- utilissimus, iii, C, 67; vi, C, 104, 193.
- veitchii, viii, C, 282.
- vidalii, iii, C, 59, 65.

Pandanus—Continued.

- whitfordii, i, 664; i, s, 25; ii, C, 436; iii, C, 68.
- Pandapanda, i, 1026.
- Pandionidae, iv, A, 69.
- Pandorocan, Mindoro, ix, B, 144.
- Pang bacal, x, C, 373.
- Pangaldisan, v, C, 81.
- Pangaloan, iii, A, 518.
- Pangardisan, v, C, 81.
- Pangardisin, v, C, 188.
- Pangas, iv, C, 694.
- Pangasi, vii, A, 114.
- Pangasinan, geologic reconnaissance of north-western, vii, A, 255.
- placer deposits of, viii, A, 102.
- soils of, ix, A, 25.
- Pangi, iv, C, 522.
- Pangia, iv, C, 472.
- Pangirani, i, s, 76.
- Pangium, ix, C, 115.
- edule, iv, C, 522; ix, C, 115.
- Panglomboyen, iv, C, 375.
- Panglongbuyan gangaon, iv, C, 383.
- Panglongbuyen copaiopa, iv, C, 356.
- Panglumbuyan, x, C, 275.
- Pango, iv, C, 380, 385; vi, D, 92.
- Pangolin, vii, D, 35; ix, D, 93.
- Pangungan, i, s, 190.
- Paniculati, iii, C, 234.
- Panicum, i, s, 27, 268, 351; ii, C, 261; iii, C, 167, 396; iv, C, 248; v, C, 168, 281, 327; vii, C, 153; ix, C, 55.
- acariferum, i, s, 343.
- acroanthum, i, s, 358.
- altissimum, i, s, 363.
- ambiguum, i, s, 355; ix, C, 55.
- amplexicaule, i, s, 356; vii, C, 180; ix, C, 510.
- amplissimum, i, s, 361.
- angustissimum, i, s, 357.
- arborescens, vii, C, 230.
- arnottianum, i, s, 269, 357; iv, C, 248.
- asperum, i, s, 368.
- auritum, i, s, 366; vi, C, 194; viii, C, 283.
- auritum var. procerius, i, s, 356.
- brevifolium, i, s, 358.
- brizaeforme, i, s, 354.
- brizoides, i, s, 353.
- burmannii, i, s, 364.
- caesium, i, s, 358.
- calacccense, i, s, 355.
- carinatum, i, s, 362.
- caudiglume, i, s, 27, 360; ix, C, 423.
- chrysanthum, i, s, 365.
- ciliare, v, C, 168; ix, C, 54.
- colonum, i, s, 354; iii, C, 396; vi, C, 194; vii, C, 180; ix, C, 55, 510, 513.
- colonum var. pseudocolonum, i, s, 354.
- compositum, i, s, 364; ix, C, 56.
- consanguineum, i, s, 347.
- convolutum, i, s, 359.
- cordatum, i, s, 359; iv, C, 249.
- crassiaciculatum, i, s, 366.
- crispum, i, s, 355.

Panicum—Continued.

- crus-galli, i, s, 354; v, C, 327; vi, C, 194;
vii, C, 180; ix, C, 510.
crus-galli var. muticum, i, s, 268, 354.
crus-galli var. stagninum, i, s, 355.
cumingianum, i, s, 354.
dactylon, i, s, 377; ix, C, 57.
dichotomiferum, iv, C, 249.
didactylum, i, s, 346.
distachyum, i, s, 356; vii, C, 196; ix, C, 55,
423.
divaricatum, i, s, 356.
elatus, i, s, 363.
elytrobepharum, i, s, 348.
extensum, i, s, 360.
flavidum, i, s, 27, 353; vii, C, 196; viii,
C, 475.
flavum, i, s, 365; ix, C, 56.
floridum, i, s, 353.
fluitans, i, s, 353.
gaudichaudii, i, s, 363; ix, C, 54.
glaucescens, vii, C, 230.
glumaepetalum, i, s, 377.
glumaepetalum, i, s, 377.
granulare, i, s, 348.
helopus, i, s, 363.
hermaphroditum, i, s, 361.
heteranthum var. pachyrhachis, iii, C, 167.
hispidulum, i, s, 354.
horizontale, i, s, 346.
humile, i, s, 358.
imbecillis, i, s, 364.
incomptum, i, s, 360.
indicum, i, s, 27, 357; vi, C, 194.
indicum var. angustum, i, s, 357.
isachne, ix, C, 55.
ischaemoides, i, s, 359.
italicum, i, s, 365.
javanicum, i, s, 367.
lanceolatum, i, s, 364.
latifolium, i, s, 356.
latifolium var. majus, i, s, 356.
lene, i, s, 361.
leptanthum, i, s, 384.
leucophaeum, i, s, 363; x, C, 187.
limosum, i, s, 354.
longiflorum, i, s, 347.
luxurians, i, s, 359; iv, C, 249.
luzoniense, i, s, 358; ix, C, 55.
macilentum, i, s, 349.
malabaricum, iv, C, 248.
maximum, i, s, 359; vii, C, 180; ix, C, 56.
mertensii, i, s, 363.
microbachne, i, s, 347.
miliaceum, i, s, 358, 365.
miliare, i, s, 27, 359; iv, C, 249.
miliiforme, i, s, 356.
mindanaense, i, s, 360.
minutulum, i, s, 349; ix, C, 55.
molle, ix, C, 56.
mollicomum, x, C, 188.
montanum, i, s, 27, 359.
multinode, i, s, 268, 357; iv, C, 249.
myosotis, i, s, 349.
myosuroides, i, s, 357.

198492—22

Panicum—Continued.

- myurus, i, s, 27, 356.
nepalense, i, s, 361.
neurodes, i, s, 361.
neurodes var. amplissimum, i, s, 361.
nitens, i, s, 27, 363.
nodosum, i, s, 268, 357; iv, C, 249.
nodosum typicum, i, s, 269.
ouonbiense, i, s, 27, 268, 357.
ovalifolium, i, s, 358.
pallens, i, s, 27, 363.
palmaefolium, i, s, 361; ii, C, 261; v, C,
327.
paludosum, i, s, 359; iv, C, 249.
parvulum, i, s, 27, 347.
paspaloides, i, s, 354.
patens, i, s, 361; iii, C, 396; viii, C, 279.
patens var. parvulum, i, s, 362.
patens var. warburgii, i, s, 362.
pedicellare, i, s, 348.
penicillatum, i, s, 365.
petiveri, i, s, 355.
philippicum, i, s, 367.
pilipes, i, 396; i, s, 27, 361; iii, C, 396.
plicatum, i, s, 361.
poligonatum, i, s, 356.
porterianum, i, s, 356.
proliferum, i, s, 359; iv, C, 249.
prostratum, i, s, 355; iv, C, 249.
psilopodium, i, s, 358; v, C, 168.
puberulum, i, s, 348.
punctatum, i, s, 353.
radicans, i, s, 27, 361.
radicosum, i, s, 346.
ramosum, i, s, 355.
remotum, i, s, 355.
repens, i, 673; i, s, 359; iii, C, 396; vii,
C, 180; viii, C, 266, 475; ix, C, 423, 504.
reptans, iv, C, 249.
reticulatum, i, s, 358.
roxburghii, i, s, 358.
rubiginosum, i, s, 365.
sanguinale, i, s, 346; ix, C, 54.
sarmentosum, i, 396; i, s, 27, 359; ii, C,
261; ix, A, 456.
semialatum, i, s, 367.
setigerum, i, s, 363.
sparsicomum, vii, C, 230.
spinescens, i, s, 368.
stagninum, i, s, 354; iii, C, 396; vi, C, 194;
ix, C, 510.
stipatum, i, s, 348; x, C, 187.
trigonum, i, s, 361.
trypheron, i, s, 27, 358.
tuberculatum, i, s, 359.
tuberosum, i, s, 359.
umbrosum, i, s, 356.
uncinatum, i, s, 362.
undulatifolium, i, s, 364.
vacillans, i, s, 360.
villosum, i, s, 269, 355; v, C, 327.
violaceum, i, s, 357.
violascens, i, s, 347.
warburgii, i, s, 362.
Panigilman, iv, C, 307.

- Paniguiuen, iii, C, 364.
 Panipuyes, i, 826.
 Panique volcanic series, Aroroy district, vi, A, 406.
 Panis, x, B, 376.
 Panlitanan, ix, D, 495.
 Panomanagan, iv, C, 392.
 Panoplites annulifera, i, 989; iii, A, 255.
 uniformis, i, 989; iii, A, 255.
 Pantaki, ix, C, 65.
 Panting-panting, iv, C, 648.
 Pantorhytes, vii, D, 301.
 proximus, vii, D, 301.
 Panuipuyes, i, 826.
 Panus, i, s, 291; ix, C, 157; x, C, 97.
 anthocephalus, x, C, 97.
 badius, i, s, 291.
 connatus, i, s, 291.
 rudis, ix, C, 157, 247.
 Pañuelos, vi, C, 344.
 Paokeke, ix, C, 91.
 Papa atinuang, iv, C, 693.
 Papaco, vii, D, 290.
 Papain, commercial preparation and digestive properties of, x, A, 1.
 Papalsa, x, A, 107.
 Papan, v, D, 108.
 Papao apaca, ix, C, 64.
 atulong, ix, C, 64.
 Papaver somniferum, i, 1031.
 Papaveraceae, i, 1031; iii, C, 407; vii, C, 158.
 Papaw, iv, B, 222.
 Papaya, i, 398; i, s, 100; ii, A, 85; iv, B, 222; vii, C, 199; viii, A, 69; ix, C, 116; x, A, 32.
 latex of, x, A, 30.
 Papelista, ix, D, 106.
 Paper, bamboo in Bataan Province suitable for, vii, A, 121.
 chemicals used in making, ii, A, 99.
 markets for, ii, A, 107.
 mill water for, ii, A, 105.
 orange pulp used in making, vii, A, 411.
 P. I. fibers suitable for making, i, No. 5, 483; i, 1075; ii, A, 81; v, A, 238.
 Paphiopedilum, vi, C, 39.
 ciliolare, vi, C, 39.
 haynaldianum, vi, C, 39.
 lowii, vi, C, 39.
 philippinensis, vi, C, 39.
 rothschildianum, vi, C, 39.
 Papilio, ii, A, 369; v, D, 167; ix, D, 250.
 agamemnon, i, 695.
 alcinuous, ix, D, 255.
 alcinuous var. mansonensis, ix, D, 258.
 alphenor, i, 695.
 bianor, ix, D, 251.
 bradanus, ix, D, 257.
 brama, ii, A, 369.
 canace, x, D, 285.
 charonia, x, D, 286.
 clytie, x, D, 282.
 colus, ix, D, 255.
 confusus, ix, D, 257.
 connectens, ix, D, 255.
 daemonius, ix, D, 257.
 Papilio—Continued.
 decora, ix, D, 257.
 demetrius, ix, D, 251.
 demophon, ix, D, 255.
 demophoon, ix, D, 255.
 eurypilus, ix, D, 253.
 fatuus, ix, D, 257.
 febanus, ix, D, 258.
 haematostictus, ix, D, 257.
 hagus, ix, D, 255.
 helenus, ix, D, 251.
 idaeoides, ii, A, 369.
 ilia, x, D, 281.
 impediens, ix, D, 257.
 intermedia, ix, D, 257.
 iris, x, D, 283.
 kaonnania, ix, D, 258.
 lochooanus, ix, D, 257.
 luctatus, ix, D, 255.
 mansonensis, ix, D, 257.
 melas, ix, D, 255.
 mencius, ix, D, 257.
 moriis, ix, D, 255.
 nagasakii, ix, D, 257.
 neptunus, v, D, 167.
 nipponus, ix, D, 255.
 plutonium, ix, D, 257.
 priamus, v, D, 167.
 rumanzovia, i, 695.
 sarpedon, ix, D, 252.
 sarpedonides, ix, D, 253.
 semifasciatus, ix, D, 255.
 spathatus, ix, D, 257.
 teredon, ix, D, 253.
 xuthulus, ix, D, 250.
 xuthus, v, D, 167; ix, D, 250.
 Papilionatae, v, C, 8; ix, C, 89.
 Papilionidae, ii, A, 369; v, D, 167; ix, D, 250.
 Papillaria, viii, C, 78.
 fuscescens, viii, C, 78; ix, C, 208.
 Pappagan, x, C, 34.
 Papua, vii, C, 193, 241.
 Papualthia, x, C, 242.
 lanceolata, x, C, 242.
 loheri, x, C, 242.
 mariannae, ix, C, 83; x, C, 243.
 reticulata, ix, C, 242.
 sympetala, x, C, 242.
 tenuipes, x, C, 243.
 urdanetensis, x, C, 243.
 Papuan ferns, vi, C, 65; vii, C, 67; ix, C, 1.
 Papuraena, v, C, 94.
 Paque, vi, C, 125.
 Paquit, i, s, 35.
 Parabaena, viii, C, 157.
 echinocarpa, viii, C, 157.
 philippinensis, viii, C, 157.
 Paraboea, i, s, 225.
 luzoniensis, i, s, 225.
 Paracale, black sands of, vii, A, 213.
 gold-bearing veins in, viii, A, 92.
 vein gold deposits of, viii, A, 99.
 Paracale-Mambulao mineral district, vi, A, 461.
 Paracelyphus, viii, D, 315.

- Paracoelidea*, x, D, 51.
Paracritheus, iv, A, 561.
 trimaculatus, iv, A, 561.
Paraderris, v, C, 106.
Paradoxurus, vii, D, 22.
 minax, vii, D, 22.
 philippinensis, vii, D, 22.
 torvus, vii, D, 22.
 typus, vii, D, 22.
Paragonimiasis in the P. I., ii, B, 15.
Paragonimus, iii, B, 203; iv, B, 177.
 westermanii, i, 930; ii, B, 31; iii, B, 71;
 ix, B, 240.
Paragus serratus, viii, D, 313.
Parahopea balangeran, iv, C, 516; vi, C, 269.
Paralecanium, i, 235.
 cocophyllæ, i, 223, 235.
 expansum, i, 236.
 frenchii, i, 235.
Paralemnalia eburnea, ix, D, 237.
 flabellum, ix, D, 236.
 thrysoides, ix, D, 236; x, D, 2, 167.
Paralimna chinensis, viii, D, 332.
 javana, viii, D, 332.
 nitens, viii, D, 332.
 sinensis, viii, D, 332.
Parallelodontidæ, viii, A, 278.
Paralstonia, i, s, 117.
 clusiacea, i, s, 117.
Paramecia, v, B, 12.
Paramecium, ix, B, 356.
Parameria, i, s, 117.
 philippinensis, i, s, 117; iv, A, 166.
Parames, i, 806.
Paramesius, ix, D, 301.
 luzonicus, ix, D, 301.
Paramignya, iii, C, 140; iv, C, 474; x, C, 274.
 mindanaensis, iii, C, 140.
Paramœba hominis, vi, B, 261; viii, B, 254.
Paramœcium, v, D, 305.
Paranephelium xestophyllum, viii, C, 447.
Paranephthya capitulifera, viii, D, 435.
 pratti, viii, D, 451.
Paraŋgasan, vii, D, 137.
Parangi jaca, vii, C, 113.
Parangs, i, 389.
Para-nitrophenol and *para-nitrosophenol*, the
 absorption spectra of ortho- and, vii, A,
 371.
Para-nitrosophenol, the absorption spectra of
 ortho- and para-nitrophenol and, vii, A,
 371.
Paranomia stantoni, i, 686.
Paranzella (drag net), iii, A, 526.
Paraœcanthus sp., i, 1070.
Paraparanahan, v, C, 129.
Parapercis cylindrica, ix, D, 79.
 pulchella, ix, D, 79.
Paraphylax fasciatipennis, i, 692.
 flavus, i, 692.
Parasa lorquinii, i, 695.
Parasan, vii, A, 33.
Pawaselandria imitatrix, i, 694.
Parashorea, iii, C, 114; vi, C, 280.
 plicata, iii, C, 114; iv, C, 516, 712; vi,
 C, 211, 280; ix, A, 425, 517.
 stellata, iv, C, 516.
 warburgii, iii, C, 114; vi, C, 280.
Parasitäre hämoptoë, ii, B, 18.
Parasites, Cavite Province intestinal, vi, B,
 211.
 diseases due to intestinal, iii, B, 280.
 examinations of feces at the San Jose
 Estate for intestinal, ix, B, 172.
 filarial, iv, B, 133.
 five hundred autopsies with reports of
 cases having intestinal, viii, B, 157.
 infections with animal, iv, B, 295.
 intestinal, iii, B, 71; iv, B, 257.
 malarial, iv, B, 235; v, B, 189; ix, B, 181.
 prevalence and distribution of animal, iii,
 B, 191, 261.
 prevalence in Rizal and Cavite Provinces
 and in Cagayan Valley of intestinal, v,
 B, 267.
 statistical study of tobacco haciendas and
 intestinal, vi, B, 77.
Parasitic hæmoptysis, ii, B, 18.
Parasitism, evolution of, iii, B, 77.
 human, i, 1072.
 intestinal, ix, B, 81.
Paraspongodes capitulifera, viii, D, 435.
Parastasia, v, D, 261.
 bimaculata, v, D, 235.
 bipunctata, v, D, 261.
 birmana, v, D, 236.
 canaliculata, v, D, 261.
 confluens, v, D, 261.
 degenerata, v, D, 261.
 discolor, v, D, 261.
 indica, v, D, 262.
 nigriceps, v, D, 262.
 nigroscutellata, v, D, 262.
 nonfriedi, v, D, 262.
 pileus, v, D, 261.
 rubrotesellata, v, D, 261.
 rufopicta, v, D, 236.
 rugosicollis, v, D, 261.
 scutellaris, v, D, 236.
 unicolor, v, D, 236.
 westwoodi, v, D, 262.
Parastemon urophyllus, x, C, 307.
Paratangia, ix, D, 178.
Paratermes canalifrons, viii, D, 276.
Paratrophia cumingiana, ix, C, 125.
Paratrophis, i, s, 183.
 caudata, i, s, 183.
Paratropia crassa, i, s, 110; iii, C, 117.
 obtusa, i, s, 110; iii, C, 117.
Parda, v, C, 135.
Pardaliparus, v, D, 104.
 albescens, ii, A, 293.
 amabilis, i, 907.
 edithæ, ii, A, 294, 348.
 elegans, ii, A, 293, 307; v, D, 137; vi, D,
 45.
 elegans mindanensis, ii, A, 294.
 mindanensis, ii, A, 294.

- Pardomyia quadripunctis*, viii, D, 307.
Pare, ix, A, 246.
Pareitales, i, s, 93.
Parek, vii, A, 99.
Parelecanium, i, 235.
Parenia *bakeri*, ix, D, 459.
 browni, ix, D, 458.
Parexocetus mento, iii, A, 529.
Paria, i, s, 55.
Paridæ, iii, A, 275; vi, D, 45.
Parietaria indica, vi, C, 8.
 microphylla, v, C, 487.
 zeylanica, vi, C, 8.
Parimera negrito, x, D, 225.
 negrito var. *variabilis*, x, D, 226.
 obscura, x, D, 226.
 signata, x, D, 226.
 trivittata, x, D, 225.
 uniformis, x, D, 227.
 vittata, x, D, 226.
 vitticollis, x, D, 227.
Parinarium, i, s, 60; iv, C, 264, 456.
 bicolor, x, C, 309.
 corymbosum, x, C, 309.
 costatum, x, C, 309.
 curranii, iv, C, 264; x, C, 310.
 griffithianum, i, 387; i, s, 60; ii, C, 386;
 iv, C, 456, 707; x, C, 309.
 guianense, iv, C, 457.
 laurinum, x, C, 310.
 mindanaense, x, C, 310.
 multiflorum, x, C, 310.
 nitidum, x, C, 307.
 oblongifolium, iv, C, 457, 508.
 racemosum, iv, C, 264; x, C, 310.
 salicifolium, ii, C, 386; x, C, 310.
 scabrum, x, C, 310.
 villamilli, x, C, 308.
Parishia, vii, C, 281.
 insignis, vii, C, 282.
 malabog, vii, C, 281.
Pariti tiliaceum, ix, C, 112.
Paritium tiliaceum, iii, C, 78; vi, C, 210.
Parkeriaceæ, iv, C, 26; vi, C, 192; vii, C, 152;
 ix, C, 46.
Parkia, i, No. 5, 439; i, s, 62; v, C, 33; vii,
 C, 159; x, C, 9.
 intermedia, v, C, 34.
 roxburghii, i, 385, 639; i, s, 62; ii, A, 84;
 ii, C, 381; iii, C, 46; iv, C, 462, 707;
 v, C, 33.
 sherfeseei, x, C, 9.
 speciosa, iv, C, 462.
 timoriana, v, C, 8; ix, A, 432.
Parlatoria, i, 231.
 greeni, i, 222, 231.
 lucasi-ziziphi, i, 231.
 pergandii, i, 232.
 proteus, i, 232.
Parmaschema vii, D, 106.
 nodimargo, vii, D, 107.
Parmelia, iv, C, 657.
 americana, iv, C, 660.
 biformis, iv, C, 660.
 biformis forma dataensis, iv, C, 661.
 biformis forma pauaiensis, iv, C, 661.
Parmelia—Continued.
 cetrata, iv, C, 659.
 clandellii, iv, C, 659.
 clandellii var. *clemensae*, iv, C, 659.
 coralloidea, iv, C, 658.
 corniculans, iv, C, 658.
 denegans, iv, C, 661.
 endochlora, iv, C, 661.
 fecunda, iv, C, 659.
 hookeri, iv, C, 660.
 latissima var. *cristifera*, iv, C, 659.
 macrocarpoides, iv, C, 659.
 manillensis, iv, C, 659.
 meiphora, iv, C, 660.
 merrillii, iv, C, 658.
 nilgherrensis, iv, C, 657.
 perlata, iv, C, 657.
 saccatiloba, iv, C, 657.
 sorocheila, iv, C, 660.
 stictaeiformis, viii, C, 131.
 subdissecta, iv, C, 660.
 subtiliacea, iv, C, 659.
 zollingeri, iv, C, 657.
Parmeliæ, iv, C, 651.
Parmularia, iii, C, 53; viii, C, 497; ix, C, 184.
 hymenolepidis, iii, C, 53; viii, C, 497.
 javanica, ix, C, 184.
Parochetus communis, v, C, 136.
Parodiella, i, s, 278; iii, C, 44; viii, C, 478;
 ix, C, 160.
 grammodes, viii, C, 478; ix, C, 160.
 perisporioides, i, s, 278; viii, C, 478.
 pumila, iii, C, 44.
Paromatus sp., ix, D, 429.
Paropia, x, D, 189.
Paropiidæ, x, D, 50.
Paropulopa, x, D, 193.
Parorchestia, x, D, 252.
 hawaiensis, x, D, 252.
 lagunæ, x, D, 254.
 luzonensis, x, D, 253.
 sylvicola, x, D, 253.
 tenuis, x, D, 252.
Paros, vii, D, 277.
Parosela, v, C, 68, 354; vii, C, 159.
 glandulosa, v, C, 68, 354; vii, C, 184, 201.
 nigra, v, C, 68.
Parosparosan, vii, D, 278.
Parotrichendron, ix, C, 205.
Parrot fish, iii, A, 518; ix, D, 70.
Parrotia jacquemontiana, iv, C, 456.
Parsonsia, i, s, 118; iii, C, 428; vii, C, 164,
 335; ix, C, 384, 428.
 apoensis, ix, C, 384.
 confusa, i, s, 118; ii, C, 435; iii, C, 428;
 vii, C, 335.
 cumingiana, vii, C, 335.
 oblancifolia, vii, C, 335.
 rheedii, i, s, 118; ii, C, 435.
 spiralis, i, s, 118; vii, C, 335.
Parthenogenesis of the female crescent body,
 v, B, 179, 244.
Partidar, vi, C, 119.
Parua, vi, C, 172.
Parus elegans, ii, A, 293.
Pasang, ix, D, 487.

- Pasania*, iii, C, 321.
 cuspidata, x, D, 296.
Pasasic, iv, C, 648.
Pasig River sand and gravel, v, A, 123; vii, A, 161, 335.
Pasinco, iii, A, 518.
Paspaloideae, i, s, 353.
Paspalum, i, s, 26, 293, 344; iii, C, 167, 396; vii, C, 153; ix, C, 53.
 aureum, i, s, 346; x, C, 187.
 auriculatum, i, s, 345.
 boryanum, i, s, 346.
 brevifolium, i, s, 347.
 cartilagineum, i, s, 344; ix, C, 53.
 chrysotrichum, i, s, 346; x, C, 187.
 conjugatum, i, s, 345; vi, C, 194; vii, C, 180; ix, C, 53.
 digitaria, i, s, 346.
 dilatatum, ix, C, 53.
 distichum, i, s, 346; vii, C, 180.
 elegans, i, s, 346.
 fasciculatum, i, s, 347.
 filiforme, i, s, 348; x, C, 187.
 flexuosum, i, s, 345.
 fuscescens, i, s, 347.
 fuscum, i, s, 347; x, C, 188.
 heteranthum, i, s, 348.
 inaequale, i, s, 346.
 kora, i, s, 344; ix, C, 53.
 longiflorum, i, s, 347; ix, C, 510.
 longifolium, i, s, 345; vi, C, 194.
 longifolium var. trichocoleum, iii, C, 167.
 molle, i, s, 348; x, C, 188.
 mollicomum, i, s, 348.
 orbiculare, i, s, 345.
 pedicellare, i, s, 268, 348.
 pluriracemosum, i, s, 353.
 sanguinale, i, s, 346.
 sanguinale var. ciliare, v, C, 168.
 scrobiculatum, i, s, 26, 344; ii, C, 436; iii, C, 396; vi, C, 194; vii, C, 180; viii, C, 285; ix, C, 53, 423.
 scrobiculatum var. auriculatum, i, s, 345.
 scrobiculatum var. philippinense, i, s, 345.
 sumatrense, i, s, 344.
 thunbergii, i, s, 344.
 villosum, i, s, 344; ii, C, 436.
Paspalus annulatus, i, s, 348.
Passer montanus, ii, A, 308.
Passiflora, vii, C, 163.
 edulis, vii, C, 187.
 foetida, vii, C, 187.
 quadrangularis, vii, C, 187.
Passifloraceae, i, s, 100; iii, C, 421; vi, C, 211; vii, C, 163; x, C, 330.
Pasteurization, viii, B, 468.
Pata, vi, C, 278.
Patanguis, i, s, 52; ix, A, 504.
Patani, v, C, 131.
Patanit-baquit, v, C, 132.
Patatas, iv, B, 222.
Patayog, vii, D, 275.
Patellariaceae, iii, C, 54.
Patero, vii, A, 391.
Patersonia, ii, C, 268.
 lowii, ii, C, 256, 268.
Pathological examinations from the surgical clinic of the Philippine General Hospital, vii, B, 463.
Patianac, iii, B, 246.
Pating, iii, A, 529.
Patis, vii, A, 388.
Patoc-patocan, v, C, 64.
Patola, iv, B, 222; vi, C, 123.
Patsahingin, vi, C, 247.
Pattalophyllia, viii, A, 286.
 bonita, viii, A, 286.
 cyclolitoidea, viii, A, 287.
 sp., viii, A, 326.
Patubo, vi, C, 152.
Pauai, birds from, v, D, 135.
 radium-emanation content of the atmosphere of, ix, A, 73.
Pauay, iii, C, 410; v, C, 67.
Pauh kijang, iv, C, 474.
Pauletia, v, C, 44.
Pauna, v, C, 38.
Paurocephala, viii, D, 293.
 orientalis, x, D, 261.
 psylloptera, viii, D, 294; x, D, 260.
Pauropsylla, x, D, 258.
 bakeri, x, D, 258.
 depressa, viii, D, 297; x, D, 259.
 floccosa, x, D, 259.
 spondiasae, x, D, 260.
 trioptera, viii, D, 296; x, D, 258.
 trioptera setifera, viii, D, 297.
 tuberculata, x, D, 259.
Pauropsyllinae, x, D, 261.
Pavetta, i, s, 132, 239; iii, C, 437; iv, C, 561; vii, C, 167; viii, C, 47; x, C, 117.
 angustifolia, ii, C, 434.
 bakeri, x, C, 117.
 barnesii, i, 645; i, s, 132; vi, C, 227.
 brachyantha, viii, C, 47.
 congesta, ii, C, 427.
 dolichostyla, i, s, 239.
 indica, iii, C, 437; viii, C, 48; x, C, 117.
 involverata, viii, C, 48.
 manillensis, ii, C, 434.
 membranacea, ii, C, 434.
 palawanensis, x, C, 117.
 sambucina, ii, C, 434.
 scaberula, x, C, 118.
Pawit, vi, D, 242.
Payang-payang, v, C, 80, 87, 129.
Payapa, i, s, 42, 46.
Payas, vii, A, 108.
Payena, x, C, 57.
 betis, ii, C, 377; x, C, 56.
 leerii, iv, C, 541.
 lucida, iv, C, 542.
Payeo, ix, D, 502.
Payetan, iv, C, 391, 406.
Payispis, v, C, 81.
P'dada, iv, C, 524.
Peanuts, vii, C, 199.
 a catch crop, x, C, 372.

- Peanuts—Continued.
 neuritis-preventing value of, vii, B, 453.
 prices of oil from, x, A, 105.
- Pearl fishery of Bantayan, v, D, 149.
- Pearling banks, v, D, 90.
 fleet, v, D, 89.
- Pearls and pearl fisheries, v, D, 87.
- Peas, green, iv, B, 222.
 neuritis-preventing value of, vii, B, 453.
- Pecten, ii, A, 395; vi, A, 371; vi, D, 327; viii, A, 273.
 fricatum, viii, A, 274, 330.
 javanus, v, A, 329.
 leopardus, v, A, 329; viii, A, 274, 327; x, A, 199.
 pallium, viii, A, 274.
 reticulatus, v, A, 329; viii, A, 274.
 senatorius, v, A, 329; viii, A, 275, 312; x, A, 199, 248.
 solaris, viii, A, 274.
 subarcuatus, v, A, 329; viii, A, 274.
 sulcatus, viii, A, 274.
- Pectinidae, viii, A, 273.
- Pedada, iv, C, 524.
- Pedaliaceae, i, s, 124; vii, C, 166; ix, C, 141.
- Pedaro, iv, C, 492; vi, C, 179.
- Peddah gomra, iv, C, 554.
- Pedicellaria pentaphylla, iii, C, 182.
- Pedicellatae, v, C, 20.
- Pediculidae, iv, B, 239.
- Pediculus capitis, i, 1072; iv, B, 236; viii, B, 416.
 vestimenti, iv, B, 237.
- Pedioscopus, x, D, 331.
 agenor, x, D, 331.
 angustatus, x, D, 335.
 coloratus, x, D, 336.
 coloratus var. bicolorata, x, D, 338.
 coloratus var. mindanaensis, x, D, 337.
 disjunctus, x, D, 331.
 maquilingsensis, x, D, 333.
 modestus, x, D, 333.
 similis, x, D, 334.
 simplex, x, D, 336.
- Pediris longipes, viii, D, 402.
 sulcigera, viii, D, 401.
- Pegala, v, D, 58.
 biguttula, v, D, 58.
 clemense, v, D, 58.
 metaphæa, v, D, 58.
- Pega-pega, v, C, 87.
- Pehrodium hirsutum, ii, C, 192.
- Pelagia panopyra var. placenta, ix, D, 196.
- Pelagidae, ix, D, 198.
- Pelargopsis gigantea, ii, A, 284, 303, 324; iv, A, 70; v, D, 109.
 gouldi, i, 701, 904; v, D, 109.
- Pelea, iv, C, 474.
- Polekium, iii, C, 26; v, C, 157; viii, C, 85.
 velatum, iii, C, 26; v, C, 157; vi, C, 191; viii, C, 85.
- Peling, iii, A, 204.
- Pellionia mesargyrea, v, C, 504.
- Pellacalyx, i, s, 103.
 pustulata, i, s, 103; vi, C, 213.
- Pellaea nitidula, iii, C, 281.
- Pellagra, general discussion with report of a probable case in the P. I., v, B, 439.
- Pellionia, v, C, 496; vi, C, 295.
 elatostemoides, v, C, 504.
 falcata, v, C, 505.
 insignis, v, C, 504.
 machaerophylla, v, C, 505.
 mindanaensis, v, C, 496.
 picta, v, C, 504.
 robusta, v, C, 504.
 sinuata, v, C, 497.
 vittata, v, C, 504.
- Pelopio manilensis, viii, D, 305.
- Peltigera, viii, C, 112.
 crenulata, viii, C, 113.
 erioderma, viii, C, 112.
 horizontali, viii, C, 113.
 macra, viii, C, 114.
 nana, viii, C, 114.
 polydactylon forma melanacoma, viii, C, 113.
 spuria, viii, C, 114.
 spuriella, viii, C, 114.
- Peltigerae, viii, C, 112.
- Peltophorum, v, C, 57; vii, C, 159; ix, C, 89.
 dasyrachis, iv, C, 462.
 ferrugineum, iv, C, 462; v, C, 57; ix, C, 89.
 inerme, v, C, 57; ix, C, 89.
- Pelvmetry and cephalometry among Filipinas, ix, B, 493.
- Pempelia cautella, v, D, 177.
- Pempheres affinis, x, D, 45.
 habena, x, D, 231.
- Pemphigus contagiosa, iii, B, 426.
- Pemphis, iii, C, 422; ix, C, 117.
 acidula, iii, C, 83, 422; ix, C, 117.
- Pemphredonidae, i, 687.
- Penaeus, ix, D, 319.
- Penak, iv, C, 512.
- Pendjeh ulcer, i, 101.
- Pendulinus guttatus, iv, A, 576.
 uniguttatus, iv, A, 576.
- Penelopides, v, D, 221.
 affinis, iv, A, 71; v, D, 110.
 basilanica, ii, A, 284; v, D, 110.
 manillae, v, D, 110.
 mindorensis, i, 701.
 panini, vi, D, 42.
 samarensis, ii, A, 325.
 subnigra, v, D, 110.
- Penerencipe, x, C, 360.
- Peni, vi, A, 165.
- Penicillium, x, A, 124.
 fungi, i, 1024.
 sp., viii, A, 137.
- Peniow, iv, C, 509.
- Pennagah, iv, C, 504, 505.
- Pennaria, viii, D, 348.
- Pennisetum, i, s, 363.
 cenchroides, i, s, 368.
 compressum, i, s, 368; ii, C, 436.
 macrostachyum, i, s, 368; ii, C, 436.
 nigricans, i, s, 368.

- Pennsylvania, tuberculosis work in, iv, B, 315.
 Pentace burmanica, iv, C, 498.
 Pentacme, iii, C, 115; vi, C, 266.
 contorta, iii, C, 115; iv, C, 516, 703; vi, C, 211, 266; ix, A, 426, 523.
 paucinervis, iii, C, 115; vi, C, 266.
 siamensis, iv, C, 516.
 suavis, iv, C, 516.
 Pentamerocera pacifica, i, 690.
 Pentaphragma, ii, C, 308.
 aurantiaca, ii, C, 308.
 begoniaefolium, ii, C, 308.
 grandiflorum, ii, C, 308.
 macrophylla, ii, C, 308.
 philippinense, ii, C, 308; vi, C, 227.
 ridleyi, ii, C, 308.
 scortechinii, ii, C, 308.
 Pentaptera, iv, C, 531.
 mollis, iv, C, 643.
 Pentarrhaphis sp., i, s, 380; x, C, 188.
 Pentatoma cruciata, iv, A, 562.
 inconspicua, iv, A, 561.
 nepalensis, iv, A, 560.
 pantherina, iv, A, 562.
 punctipes, iv, A, 560.
 tricolor, iv, A, 563.
 ventralis, iv, A, 561.
 viridicollis, iv, A, 561.
 Pentatomidæ, iv, A, 554; v, D, 57.
 Pentatominae, iv, A, 560.
 Pentthimiinae, x, D, 50.
 Penzigia compuncta, viii, C, 261.
 Peperin, vi, A, 375.
 Peperomia, i, s, 40; ii, C, 269; v, C, 342, 406; vi, C, 199; vii, C, 156; ix, C, 72.
 apoana, v, C, 411.
 argyreia, vii, C, 182.
 canlaonensis, v, C, 408.
 elmeri, v, C, 412.
 exigua, v, C, 410.
 guamana, ix, C, 72.
 laevifolia, v, C, 410.
 lagunaensis, v, C, 407.
 lanaoensis, v, C, 410.
 macgregorii, v, C, 412.
 marivelesana, v, C, 413.
 merrillii, v, C, 411.
 mindoroensis, v, C, 413.
 negrosensis, v, C, 412.
 pallidibacca, v, C, 413.
 pellucida, v, C, 411; vii, C, 182; ix, C, 72.
 pellucidopunctulata, v, C, 411.
 puberulifolia, v, C, 412.
 recurvata, ii, C, 269; v, C, 408.
 recurvata forma longispica, v, C, 409.
 recurvata forma pilosior, v, C, 408.
 reflexa, v, C, 342, 410.
 reflexa forma calcicola, v, C, 410.
 reflexa forma capensis, v, C, 410.
 reflexa forma parvilimba, v, C, 410.
 reflexa forma subsessilifolia, v, C, 410.
 rivulorum, v, C, 412.
 rubrivenosa, v, C, 409.
 saipana, ix, C, 72.
 tomentosa, v, C, 409.
 Peperomia—Continued.
 tomentosa β carnososa, v, C, 409.
 ventenatii, iv, C, 408.
 ventenatii β pubescens, v, C, 408.
 Peperonta harringtoni, v, D, 234.
 Pepino, ix, C, 151.
 Pepper, vii, C, 199.
 Chile, iv, B, 223.
 Pepsinæ, i, 687.
 Peracarpa, v, C, 392.
 carnosa, v, C, 392.
 luzonica, v, C, 392.
 Peranium repens, iv, C, 664.
 Peranema, iv, C, 111; v, C, 316.
 cyatheoides, v, C, 316.
 luzonica, iv, C, 111; v, C, 316.
 Peranium, viii, C, 409.
 Percis sexfasciatus, ix, D, 79.
 Perforaria cucurbitula, viii, C, 103.
 Pergeluria, ix, C, 131.
 Pergularia, iii, C, 429; vii, C, 243.
 accedens, vii, C, 243.
 angustiloba, vii, C, 243.
 filipes, iii, C, 429; vii, C, 243.
 glabra, vii, C, 243.
 odoratissima, ix, C, 131.
 procumbens, vii, C, 243.
 Periaman, x, D, 383.
 brevifrons, x, D, 383.
 flavolineatus, x, D, 383.
 Pericallia, iii, A, 30.
 integra, iii, A, 30.
 Pericampylus incanus, viii, C, 270, 483; ix, C, 425.
 Pericardium in plague, x, B, 300.
 Pericopsis mooniana, iv, C, 469.
 Pericrocotus cinereus, i, 702; ii, A, 288; v, D, 111.
 igneus, i, 906.
 Peridinium, iii, A, 187.
 Peridotite, P. I., v, A, 170, 325.
 northwestern Pangasinan, vii, A, 262.
 Perigonia testacea, v, D, 167.
 Perilampidæ, ix, D, 459.
 Perilampus luzonensis, ix, D, 459.
 punctiventris, ix, D, 460.
 Periodides, on the formation of certain alkaloidal, vi, A, 253.
 Periophthalmus, iv, A, 533.
 Peripheral blood of man, occurrence of Bacillus coli communis in the, x, B, 25.
 Periphylla hyacinthina forma dodecabostrycha, ix, D, 196.
 Periplaneta americana, vii, B, 521; ix, B, 1.
 orientalis, vi, B, 171.
 Peris, iii, C, 361.
 Perisoreus, ii, A, 259.
 Perisporiaceæ, iii, C, 44; v, C, 164; viii, C, 181, 251, 391.
 Perisporiales, i, s, 278.
 Peristeridæ, iii, A, 276; iv, A, 68; v, D, 106.
 Peristrophe, v, C, 229.
 lancifolia, v, C, 229.
 Peritoneum, iii, B, 218.
 in plague, x, B, 299.

- Peritonitis, acute, i, 568.
 chronic, i, 568.
 Periwinkle, vii, C, 199.
 Perkinsiella saccharicida, i, 1069.
 Pernis ptilonorhynchus, i, 772.
 ptilorhynchus, iv, A, 69; v, D, 108.
 Perobachne secunda, i, s, 340.
 Peronema canescens, iv, C, 554.
 Peroneutypella, viii, C, 402; ix, C, 163.
 arecae, ix, C, 163.
 cocoas, viii, C, 402; ix, C, 163.
 corniculata, viii, C, 402.
 graphidioides, ix, C, 163.
 Perotis, i, s, 341.
 glabrata, i, s, 341.
 indica, i, s, 341.
 latifolia, i, s, 341.
 rara, i, s, 341.
 Peroxides, organic, their action on the photographic plate, iv, A, 451.
 Perrottet and the P. I., iii, C, 803.
 Perrottetia, v, C, 359.
 alpestris var. philippinensis, v, C, 359.
 Persea, v, C, 350.
 americana, vii, C, 183; ix, C, 84.
 gratissima, ix, C, 84.
 plumieri, ix, C, 84.
 stereulioides, iv, C, 262.
 Persimmon, vi, A, 16.
 Pertusaria, viii, C, 104.
 communis, viii, C, 105.
 copelandii, viii, C, 105.
 cucurbitula, viii, C, 103.
 erythrella, viii, C, 105.
 philippina, viii, C, 105.
 reducta, viii, C, 104.
 submultipuncta, viii, C, 104.
 velata, viii, C, 104.
 Pertusarieae, viii, C, 103.
 Pescados del rey, iii, A, 514.
 Pestalozzia, iii, C, 56; viii, C, 506; ix, C, 188.
 palmarum, iii, C, 56; viii, C, 506; ix, C, 188.
 Pestis ambulans, x, B, 258.
 major, vii, B, 207; x, B, 254.
 minor, x, B, 258.
 Petacas, vi, C, 127.
 Petai, iv, C, 462.
 Petaling, iv, C, 449.
 ayer, iv, C, 521.
 Petalocephala, v, D, 50.
 bohemani, v, D, 50.
 philippina, v, D, 50.
 Petaloma alba, iv, C, 647.
 coccinea, iv, C, 648.
 Petalopoda, x, D, 53.
 Petaquillas, vi, C, 127.
 Petasclaria, iv, A, 565.
 Petate, iv, A, 299; iv, B, 236; vi, C, 96; ix, B, 10.
 habit, iv, A, 401.
 Petaurista, vii, D, 46.
 Petauristidae, vii, D, 25.
 Petermannia cumingiana, vi, C, 388.
 Petillia, iv, A, 565.
 calcar, iv, A, 565.
 tragus, iv, A, 565.
 Petraea, vii, C, 165.
 volubilis, vii, C, 189.
 Petraeovitex, ii, C, 425.
 riedelii, ii, C, 425.
 trifoliata, ii, C, 425.
 Petrodromus, vi, D, 193.
 Petrography, P. I., v, A, 320. *See also* Geology—Petrology.
 Petrophila manilla, i, 703; ii, A, 342; iii, A, 279.
 manillensis, v, D, 112.
 Petroleum, v, A, 334; x, A, 91.
 Cebu, x, A, 281.
 Eastern Cordillera, vi, A, 473.
 Leyte, x, A, 241.
 nuts, iv, A, 115.
 resources of the southern part of Bondoc Peninsula, viii, A, 301.
 southeastern Luzon, vi, A, 478.
 Tayabas, v, A, 1.
 Villaba and Biliran Island, iv, A, 355.
 Petroselinum petroselinum, ix, C, 126.
 Pettit Barracks, vi, B, 469.
 Petunga, ii, C, 426.
 racemosa, ii, C, 426.
 roxburghii, ii, C, 426.
 venulosa, iv, C, 562.
 Peziza, i, s, 278.
 bella, viii, C, 193.
 cretea, viii, C, 193.
 flavoaurantiaca, viii, C, 193.
 hindsii, i, s, 278.
 inaequalis, viii, C, 193.
 testacea, viii, C, 263.
 tricholoma, i, s, 278.
 Pezizaceae, viii, C, 262, 404.
 Pezizales, i, s, 278.
 Pezizellæ, viii, C, 404.
 Phabotreron brevirostris, ii, A, 317.
 Phacelophrynum, ii, C, 268; iv, C, 194.
 bracteosum, ii, C, 268; iv, C, 195.
 interruptum, iv, C, 194; vi, C, 197.
 Phacidiaceae, iii, C, 54; viii, C, 403.
 Phaeanthus, i, s, 54; ii, C, 273; iii, C, 225, 406.
 acuminatus, ii, C, 273.
 cumingii, i, 404; i, s, 54; ii, C, 273; iii, C, 225.
 ebracteolatus, iii, C, 225, 406; vi, C, 204; ix, A, 507.
 malabaricus, iii, C, 225.
 nutans, iii, C, 225.
 Phaenochilus monostigma, viii, D, 241.
 Phaenomerus sundevalli, x, D, 45.
 Phaenopria, ix, D, 307.
 Phaeochora, viii, C, 396.
 Phaeolus, x, C, 92.
 carbonaceus, x, C, 92.
 rigidus, x, C, 92.
 Phaeomeria, iv, C, 177.
 imperialis, iv, C, 177.

- Phaius*, ii, C, 323; iv, C, 671; vi, C, 50; vii, C, 10; viii, C, 422.
flavus, vi, C, 50; vii, C, 11.
grandifolius, iv, C, 671.
halconensis, ii, C, 323.
linearifolius, vii, C, 10.
mindorensis, ii, C, 324.
philippinensis, vi, C, 50; viii, C, 422.
Phakellanthus multiflorus, ii, C, 103.
Phalsena clelia, v, D, 176.
c-nigrum, v, D, 171.
mellonella, ii, A, 374.
palmyra, v, D, 177.
Phalaenopsis, i, s, 39; ii, C, 336; iv, C, 599; vi, C, 37; viii, C, 434.
amabilis, i, s, 39; ii, C, 336.
aphrodite, ii, C, 336.
equestris, iv, C, 599.
lindenii, iv, C, 599.
ludemanniana, vi, C, 198; viii, C, 434.
mariae, viii, C, 434.
rosea, i, s, 39; iv, C, 599.
schilleriana, iv, C, 599.
veitchiana, iv, C, 599.
Phalaridæ, i, s, 371.
Phalaris hispida, vii, C, 229.
minor, ii, C, 421.
zizanioides, vii, C, 228.
Phaleria, i, s, 101.
cumingiana, ix, C, 427.
perrottetiana, i, s, 101; vi, C, 212.
Phallales, i, s, 292.
Phallanthus reticulatus, viii, C, 477.
Phalloidæ, viii, C, 304.
Phallus bambusinus, viii, C, 304.
foetidus, viii, C, 304.
imperialis, viii, C, 304.
impudicus, viii, C, 304.
indusiatus, viii, C, 304.
iosmos, viii, C, 304.
roseus, viii, C, 304.
tunicatus, viii, C, 304.
vulgaris, viii, C, 304.
Phanera, iii, C, 230.
bidentata, v, C, 44.
blancoi, v, C, 43.
cumingiana, v, C, 44.
maculata, iv, C, 265.
semibifida, v, C, 45.
vahllei, v, C, 44.
Phanerosorus, iii, C, 344; iv, C, 28.
sarmentosus, iii, C, 344; iv, C, 28.
Phanerotoma albiscapa, i, 693.
philippinensis, i, 693.
Phapitreron, v, D, 112.
albifrons, ii, A, 317; iii, A, 276; iv, A, 67.
amethystina, ii, A, 281, 317; iv, A, 67; v, D, 105.
brevirostris, ii, A, 281, 318; iv, A, 67.
brunneiceps, ii, A, 281.
leucotis, i, 699; ii, A, 281; v, D, 220.
maculipectus, vi, D, 40.
nigrorum, i, 771; ii, A, 300; vi, D, 41.
occipitalis, ii, A, 281.
Pharaoenus, v, D, 237.
Pharbitis hederacea, ix, C, 132.
Pharetranthus, x, C, 194.
Pharmacophagus, ix, D, 255.
Pharnaceum depressum, x, C, 302.
Pharsalia agenor, x, D, 36.
truncatipennis, x, D, 36.
Pharus urceolatus, i, s, 370.
Pharynx and tonsils in plague, x, B, 281.
Phaseoloides, v, C, 73.
Phaseolus, v, C, 3, 131, 354; vii, C, 160; ix, C, 93.
adenanthus, v, C, 5, 132; vii, C, 185; ix, C, 93.
bulai, v, C, 62.
calcaratus, v, C, 132; vi, C, 206; viii, C, 494.
caracalla, v, C, 133.
ilocanus, v, C, 131.
inamoenus, v, C, 131.
lunatus, v, C, 9, 131, 354; vii, C, 184; ix, C, 94.
lunatus var. *inaemoenus*, v, C, 132.
lunatus var. *inomoenus*, ix, C, 94.
lunatus var. *tunkinensis*, v, C, 132.
lunatus var. *xuaresii*, v, C, 132.
minimus, v, C, 6, 132.
mungo, i, 761; iv, B, 222; v, B, 89; v, C, 132; vi, B, 229; ix, C, 94.
mungo var. *radiatus*, i, 760.
pubescens, v, C, 132.
radiatus, v, B, 67, 88; v, C, 5, 9, 132; vi, B, 136, 229, 253, 401; vii, B, 406; vii, C, 185; ix, C, 94; x, C, 372.
ricciardianus, v, C, 133.
rostratus, v, C, 132.
semierectus, v, C, 5, 132; vii, C, 185; viii, C, 271.
sublobatus, v, C, 133.
trinervius, v, C, 133.
tunkinensis, v, C, 131.
vexillatus, v, C, 131.
vulgaris, v, C, 131; vii, C, 185.
Phasianidæ, iii, A, 276; v, D, 104.
Phatypus schultzei, vi, D, 26.
Phaulomytilus, i, 233.
Pheanthus cumingii, i, 646.
Phegopteris ferruginea, vi, C, 76.
hirta, ii, C, 215.
macrodonata, ii, C, 416.
nervosa, ii, C, 157.
obscura, ii, C, 214.
Pheidole simoni, i, 689.
Pheidologeton diversus, i, 689; v, D, 123.
pygmaeus, i, 689.
pygmaeus var. *albipes*, i, 689.
Phellandrene, ii, A, 24; iv, A, 109.
Phellandrium aquaticum, iv, A, 99.
Phellinus, x, C, 95.
gilvus, x, C, 95.
kermes, x, C, 95.
williamsii, x, C, 95.
Phellodendron amurense, ix, D, 250.
Phellostroma, ix, C, 185.
hypoxylodes, ix, C, 185.

- Phemius, v, D, 61.
 minor, v, D, 61.
 tibialis, v, D, 61.
- Phéni, vi, A, 161.
- Phenice, v, D, 39.
 fritillaris, v, D, 39.
 moesta, v, D, 39.
- Phenol, absorption spectra of, viii, A, 37.
 coloration of, v, B, 6.
 compounds which cause the red color in,
 iii, A, 361.
 oxidation of, iv, A, 133.
- Phenoquinone, absorption spectra of, viii, A,
 51.
- Phenylarsinic acid derivatives, quinine esters
 of, vi, A, 23.
- Phenyldrazine, action on phthaloxime, viii,
 A, 188.
- Pheretima, vii, D, 179.
 albobrunnea, vii, D, 191.
 americanorum, vii, D, 200.
 belli, vii, D, 180.
 benguetensis, vii, D, 183.
 biserialis, vii, D, 195.
 cingulata, vii, D, 180.
 darnleiensis, vii, D, 180.
 decipiens, vii, D, 180.
 eoa, vii, D, 180.
 forbesi, vii, D, 195.
 glandulosa, vii, D, 200.
 incerta, vii, D, 197.
 indica, vii, D, 180.
 madelinæ, vii, D, 180.
 malayana, vii, D, 195.
 martensi, vii, D, 180.
 montana, vii, D, 179.
 monticola, vii, D, 195.
 orientalis, vii, D, 183.
 padasensis var. lokonensis, vii, D, 180.
 padasensis var. madelinæ, vii, D, 180.
 papulosa, vii, D, 200.
 pauaiensis, vii, D, 194.
 philippina, vii, D, 180.
 polytheca, vii, D, 195.
 posthuma, vii, D, 198.
 pura, vii, D, 180.
 quadragenaria, vii, D, 181.
 robusta, vii, D, 181.
 sodalis, vii, D, 192.
 vaillanti, vii, D, 180.
- Phialea cyathoidea forma ciliatula, viii, C, 192.
- Philampelinæ, v, D, 167.
- Philampelus helops, ii, A, 369.
- Philanthaxia lata, ix, D, 83.
- Philanthidæ, i, 687.
- Philicrypsis ficicola, i, 694.
- Philippine General Hospital, vii, B, 463; ix, B,
 81, 441.
 Islands Medical Association, iii, B, 183;
 viii, B, 151; x, B, 87.
 Journal of Science, i, 1.
 Medical School, iii, B, 211, 352; iv, B, 71.
 Philippsite, x, A, 91.
- Philocompus cupidus, viii, D, 310.
- Philodicus albispina, viii, D, 308.
 integer, viii, D, 308.
 longipes, viii, D, 313.
- Philoematomyia, vii, B, 498.
- Philonotis, iii, C, 21; v, C, 149; viii, C, 78;
 ix, C, 41.
 falcata, v, C, 149; ix, C, 209.
 griffithiana, viii, C, 73.
 mollis, viii, C, 74; ix, C, 208.
 revoluta, viii, C, 74.
 secunda, iii, C, 21; viii, C, 74; ix, C, 206.
 speciosa, viii, C, 74.
 turneriana, ix, C, 208.
 wallisii, v, C, 149.
- Philonthus convexus, vii, D, 253.
 inconstans, vii, D, 253.
- Philotrypesis ashmeadii, viii, D, 80.
 collaris, viii, D, 80.
 ficicola, i, 690.
 similis, viii, D, 78.
- Philydraceæ, x, C, 188.
- Philydrum lanuginosum, x, C, 188.
- Phlebia reflexa, x, C, 86.
 rugosissima, x, C, 86.
- Phlebitis associated with amœbiasis, i, 568.
- Phlebocalymna calleryana, iii, C, 243.
- Phlegœnas luzonica, v, D, 106.
- Phlœomys, vii, D, 27.
 albayensis, vii, D, 27.
 cumingi, vii, D, 27.
 pallidus, vii, D, 27.
 schadenbergi, vii, D, 33.
- Phlœotrupinæ, vi, D, 18.
- Phloga polystachya, vi, C, 108.
- Phlogœnas crinigera, ii, A, 281.
 keayi, vi, D, 40.
- Phoberos dasyanthera, x, C, 327.
 lanceolata, x, C, 328.
 saevus, x, C, 328.
- Phoebe, iv, C, 262, 454.
 sterculioides, iv, C, 262; x, A, 196.
- Phoenicanthemum, iv, C, 133.
 pentapetalum, iv, C, 133.
- Phoenix, iii, C, 339, 400.
 dactylifera, vi, A, 107; ix, C, 64.
 hanceana var. formosana, iii, C, 339.
 hanceana var. philippinensis, iii, C, 339,
 400.
 humilis, iii, C, 339.
 sylvestris, vi, A, 105, 107; ix, C, 64.
- Phoenopria exilis, ix, D, 287.
 nigriceps, ix, D, 287.
 rufa, ix, D, 287.
- Pholidocarpus, ii, C, 232.
- Pholidota, i, s, 38; iv, C, 665; vii, D, 35.
 elmeri, viii, C, 434.
 imbricata, i, 661; i, s, 38; vi, C, 198.
 sesquitoria, iv, C, 665.
 ventricosa, iv, C, 665.
- Phoma, ix, C, 40.
 lusitanica, ix, C, 40.
- Phomatospora elastica, viii, C, 397.
- Phomopsis, viii, C, 501; ix, C, 184.
 arecae, ix, C, 184.
 bakeri, viii, C, 501.
 gliricidia, viii, C, 502.

- Phora, viii, D, 309.
 aterrima, x, B, 311.
 femorata, x, B, 310.
- Phoridæ, viii, D, 309.
 their relation to the spread of bacterial infections, x, B, 309.
- Phorodesma gratiosaria, x, D, 349.
- Phorticus, v, D, 62.
 cardui, v, D, 62.
 viduus, v, D, 62.
- Phos acuminatus, v, A, 329; vi, A, 411.
- Phosphate, P. I., v, A, 334.
- Phosphorus metabolism on a diet of rice, vi, B, 361.
 pentoxide in rice, vi, B, 230.
 starvation with special reference to beri-beri, v, B, 81, 98.
- Photinia, i, s, 60; ii, C, 276.
 luzonensis, i, 655; i, s, 60; ii, C, 276.
- Photinopteris, v, C, 323; vi, C, 92, 140.
 speciosa, ii, C, 6; v, C, 323; vi, C, 141.
- Photographic plate, action of organic peroxides on the, iv, A, 451.
- Photometer, a solution of oxalic acid and uranium salts as a chemical, v, A, 281.
- Photoscotosia, v, D, 176.
 miniosata, v, D, 176.
- Phragmites, i, s, 29, 380; vii, C, 154; ix, C, 57.
 communis, i, s, 381.
 karka, i, s, 29, 381; iv, C, 250; viii, C, 268; ix, C, 57.
 phragmites, i, s, 381.
 roxburghii, i, s, 381.
 vulgaris, i, s, 311, 381; vii, C, 180; ix, C, 423, 505.
- Phragmothyrium, viii, C, 255.
- Phreatia, i, s, 39; ii, C, 332; iv, C, 674; vi, C, 53; vii, C, 20; ix, C, 15, 70.
 acuminata, vi, C, 54.
 bracteata, iv, C, 674.
 densiflora, vii, C, 23.
 infundibuliformis, vii, C, 20.
 luzonienses, i, 661; i, s, 39.
 mearnsii, vii, C, 21.
 minutiflora, ix, C, 15.
 myosurus, vii, C, 21.
 prorepens, ii, C, 332; vi, C, 53.
 ramosii, vii, C, 22.
 scaphioglossa, iv, C, 674.
 sulcata, ii, C, 332; vii, C, 22.
 thompsonii, ix, C, 15, 70.
 vanoverberghii, vii, C, 22.
- Phrygilanthus, i, s, 189; iv, C, 151.
 obtusifolius, i, s, 189; iv, C, 151.
- Phrynium, iv, C, 195.
 fasciculatum, iv, C, 196.
 philippinense, iv, C, 195; vi, C, 197.
- Phrynomorpharia, x, D, 50.
- Phrynomorphini, x, D, 50.
- Phthalanil, viii, A, 413.
 oxime, ix, A, 111.
 oxime acetate, ix, A, 112.
- Phthalhydroxamic acid, absorption spectra of, viii, A, 186.
- Phthalic acid, viii, A, 399.
 anhydride, viii, A, 401.
- Phthalides and related compounds, absorption spectra of various, viii, A, 399; ix, A, 105.
- Phthalimide, viii, A, 404.
- Phthalimidene, viii, A, 406.
- Phthalophenone, viii, A, 414.
 anilide, viii, A, 414.
- Phthaloxime, viii, A, 416.
- Phthaloximes, a study of their absorption spectra and constitution, viii, A, 165.
- Phthalylacetic acid, viii, A, 410.
- Phthalylphenylhydrazine, viii, A, 188.
- Phthirus inguinalis, i, 1072; iv, B, 237.
- Phthisis, a study of one thousand cases of, v, B, 313.
- Phthonoloba, v, D, 165.
 benguetana, v, D, 165.
 decussata, v, D, 176.
- Phthoria, viii, D, 389.
- Phucagrostis rotundata, x, C, 2.
- Phul, vi, A, 161.
- Phumosia abdominalis, viii, D, 309.
- Phycidopsis, v, D, 172.
 albiovittata, v, D, 172.
- Phycita, v, D, 178.
 clientella, v, D, 178.
 proximalis, v, D, 178.
 spissicela, v, D, 178.
- Phycomycetes, v, C, 163.
- Phygadeuonini, i, 692.
- Phylacium, i, s, 65; v, C, 94, 354.
 bracteosum, i, s, 65; iii, C, 81; v, C, 94, 354.
- Phyllachne, vii, C, 247.
- Phyllachora, i, s, 280; iii, C, 45; viii, C, 256, 277, 396, 494; ix, C, 38, 168.
 afzeliae, viii, C, 277; ix, C, 38.
 aggregatula, v, C, 165; viii, C, 280.
 andropogonis, viii, C, 256.
 apoensis, viii, C, 278; ix, C, 168.
 ardisiae, iii, C, 46.
 atrofurans, viii, C, 183.
 canarii, iii, C, 45; viii, C, 396, 494.
 circinata, v, C, 165; viii, C, 397.
 coicis, viii, C, 279.
 connari, ix, C, 168.
 cynodontis, viii, C, 279, 396, 495.
 dioscoreae, viii, C, 183.
 dischidia, viii, C, 277.
 elmeri, viii, C, 278, 397.
 fici-fulvae, v, C, 165; viii, C, 278.
 fici-minahassae, iii, C, 45; v, C, 165; viii, C, 256, 278.
 ficum, viii, C, 183, 397.
 graminis, iii, C, 45; viii, C, 279, 396.
 infectoria, i, s, 280; viii, C, 183, 278; ix, C, 168.
 japensis, ix, C, 168.
 kärnbachii, i, s, 280; iii, C, 45; viii, C, 278.
 lagunae, viii, C, 396; ix, C, 168.
 lagunensis, viii, C, 278.
 luzonensis, iii, C, 46; v, C, 165; viii, C, 397; ix, C, 168.

Phyllachora—Continued.

- macarangae, iii, C, 46.
 merrilli, i, s, 280; iii, C, 45.
 minuta, viii, C, 495.
 ochnae, ix, C, 168.
 pahudiae, viii, C, 256, 277.
 parkiae, iii, C, 46; viii, C, 396.
 phaseolina, viii, C, 494.
 pongamiae, iii, C, 46; ix, C, 168.
 pseudos, viii, C, 396.
 pterocarpi, viii, C, 397; ix, C, 168.
 rottboelliae, viii, C, 494.
 roureae, viii, C, 277, 495.
 sacchari, v, C, 165; viii, C, 279.
 sacchari-spontanei, viii, C, 279.
 shiraiana, viii, C, 280.
 sorghi, viii, C, 279.
 spinifera, viii, C, 397.
 sporobili, ix, C, 169.
 stenospora, viii, C, 279.
 tjangkorreh, ix, C, 169.
 topographica, v, C, 165.
 valsiformis, viii, C, 398.
 yapensis, viii, C, 278.

Phyllachoræ, iii, C, 43.

Phyllactinia, viii, C, 268.

suffulta, viii, C, 268.

Phyllanthinae, iv, C, 71.

- Phyllanthus, i, s, 74, 282; iii, C, 200, 414; iv, C, 75, 483; v, C, 356; vi, C, 333; vii, C, 161, 404; ix, C, 103, 489.
 acidissimus, iv, C, 87.
 acidus, iv, C, 87; vi, C, 323.
 acuminatissimus, iii, C, 200; iv, C, 73; ix, C, 491.
 albus, i, s, 75; iv, C, 99.
 benguetensis, iv, C, 78; v, C, 356.
 bicolor, iv, C, 485.
 blancoanus, i, s, 74; ii, C, 435; iv, C, 83.
 buxifolius, i, s, 74; iv, C, 85.
 carolinianus, iv, C, 81.
 cernuus, iv, C, 105.
 chamissonis, iv, C, 77.
 compressicaulis, iv, C, 86.
 cordatulus, iv, C, 76.
 cumingii, iv, C, 99.
 curranii, iv, C, 77; vii, C, 406.
 distichus, iv, C, 87.
 diversifolius, iv, C, 101.
 dumosus, iv, C, 79.
 emblica, iv, C, 486; vi, C, 323.
 eriocarpus, iv, C, 86.
 erythrorichus, vi, C, 333; ix, C, 426.
 everettii, iv, C, 80.
 gaudichaudii var. marianus, iv, C, 88; ix, C, 102.
 gigantifolius, iv, C, 99.
 greenei, vi, C, 334.
 insulanus, iv, C, 86.
 kirganelia, iv, C, 81.
 laciniatus, iv, C, 84.
 lamprophyllus, iv, C, 76.
 lancifolius, ix, C, 489.
 leucogynus, iv, C, 86.
 leytenis, iv, C, 86.

Phyllanthus—Continued.

- littoralis, i, s, 75; iv, C, 92.
 llanosii, i, s, 75; iv, C, 94.
 luzoniensis, vii, C, 404.
 macgregorii, vi, C, 334.
 macrocalyx, vi, C, 335.
 marianus, iv, C, 86; ix, C, 103.
 megalanthus, vi, C, 335.
 microcarpus, iv, C, 77.
 mindorensis, iv, C, 82.
 mollis, iv, C, 95.
 multilocularis, iv, C, 86.
 niruri, i, s, 74; ii, C, 435; iii, C, 414; iv, C, 81; vii, C, 185; ix, C, 104.
 nivosus, ix, C, 105.
 philippinensis, iv, C, 103.
 phillyreaefolius, iv, C, 86.
 podocarpus, vi, C, 330.
 pubescens, iv, C, 94.
 pulcher, iv, C, 86.
 reticulatus, i, s, 75; iii, C, 414; iv, C, 77, 105; v, C, 356; vi, C, 208; ix, C, 426, 513.
 rhamnoides, iv, C, 104.
 robinsonii, vii, C, 405.
 saffordii, ix, C, 104.
 samarensis, iv, C, 79.
 securinegoides, ix, C, 490.
 simplex, iv, C, 81; ix, C, 105.
 stipularis, i, s, 75; iv, C, 82; vi, C, 335.
 tenuipes, iv, C, 78; ix, C, 490.
 tetrandr, i, s, 74; ii, C, 435; iv, C, 83.
 triandrus, iv, C, 92.
 trichogynum, iv, C, 97.
 triphlebius, iv, C, 82.
 urinaria, iv, C, 79; vi, C, 208, 334; vii, C, 185; ix, C, 105.
 virosus, iv, C, 74.
 Phyllaurea variegata, ix, C, 101.
 Phyllitis, vi, C, 78; viii, C, 147.
 durvillei, viii, C, 153.
 intermedia, viii, C, 149.
 longifolia, vi, C, 78; viii, C, 150.
 mambare, vi, C, 78; viii, C, 149.
 schizocarpa, viii, C, 153.
 scolopendrium, viii, C, 148.
 scolopendropsis, viii, C, 149.
 Phyllocladus, ii, C, 259; vi, C, 164.
 hypophylla var. protracta, ii, C, 259.
 hypophyllus, vi, C, 165.
 hypophyllus var. protracta, vi, C, 165.
 protractus, ii, C, 259; vi, C, 165.
 Phyllostegia, v, C, 6.
 Phyllostegium, v, C, 79.
 pulchellum, iii, C, 81; v, C, 80.
 Phylloporina rheediae, viii, C, 190.
 Phyllorhina antirrhoea, vii, D, 15.
 coronata, vii, D, 15.
 larvata, vii, D, 46.
 obscura, vii, D, 16.
 Phyllorhiza, ix, D, 212.
 Phyllosticta, iii, C, 55; viii, C, 281, 501.
 acoridii, iii, C, 55.
 bakeri, viii, C, 281.
 cocophila, viii, C, 501.

- Phyllosticta—Continued.
 graffiana, viii, C, 501.
 manihoticola, viii, C, 501.
- Phyllotreta serricornis, v, D, 142, 226.
- Phymatodes, vii, C, 47.
 phymatodes, ix, C, 45.
- Phymatura, x, D, 124.
- Physalis, iii, C, 433; vii, C, 166; ix, C, 138.
 angulata, iii, C, 433; vii, C, 188; ix, C, 139.
 lanceifolia, ix, C, 138.
 minima, vii, C, 188; ix, C, 139.
- Physalospora, iii, C, 48.
 bambusae, viii, C, 185.
 canarii, viii, C, 398.
 ramosii, iii, C, 48.
- Physarum, ii, C, 114; ix, C, 159.
 bogoriense, ix, C, 159.
 cerebrinum, ii, C, 114.
 cinerum, ii, C, 114.
 rubiginosum, ii, C, 114.
- Physcia, viii, C, 107.
 crispa, viii, C, 107.
 crispa var. hypomela, viii, C, 108.
 crispa var. mollescens, viii, C, 107.
 integrata, viii, C, 107.
 integrata var. obsessa forma subalba, viii, C, 107.
 integrata var. sorediosa forma tristis, viii, C, 107.
 picta, viii, C, 108.
- Physematum philippinum, ii, C, 202.
- Physetobasis macrocarpa, i, s, 118.
- Physic nut, ii, A, 440; vii, C, 199; x, A, 107.
- Physical characteristics of Philippine coal, vii, A, 1.
 development, the relationship of food to, v, B, 163.
 examinations of natives of Taytay, iv, B, 271.
 properties of Portland cement, vii, A, 135.
- Physics:
 Determination of the diurnal variation of the radioactivity of the atmosphere at Manila by the active deposit method (Blackwood), x, A, 37.
 Effect of tropical sunlight on the atmosphere, with some notes on radioactive phenomena in the P. I. (Bacon), v, A, 267.
 Liquid concave mirror (Hulburt and Bacon), v, A, 19.
 Optical efficiency of tinted glasses in relieving eye strain (Pratt), viii, A, 193.
 Quantitative determination of the radium emanation in the atmosphere and its variation with altitude and meteorological conditions (Wright and Smith), ix, A, 51.
- Physiography of the P. I., contributions to the, i, 1043; iii, A, 1; iv, A, 1, 19; viii, A, 206.
- Physiological action of the proteoses, ix, B, 499.
- Physocaulis, x, C, 383.
- Physomeraria, iv, A, 567.
- Physomerus, iv, A, 567.
 calcar, iv, A, 567.
 delineatus, iv, A, 567.
 grossipes, iv, A, 567.
 odymerus, iv, A, 567.
- Phytic acid, its preparation from the bran of white rice, v, B, 91.
- Phytocene, ii, C, 114, 430; vii, C, 293; x, C, 322.
 blancoi, ii, C, 432; vi, C, 209; x, C, 323.
 dasycarpa, x, C, 323.
 loheri, vii, C, 293.
 luzoniensis, ii, C, 432.
 macrophylla, ii, C, 432; x, C, 323.
 obovoidea, x, C, 322.
- Phytophaga, i, 694.
- Phytorus gibbosus, viii, D, 220.
 latus, v, D, 139.
 lineolatus, viii, D, 220.
 puncticolis, viii, D, 221.
 simplex, viii, D, 221.
- Piagao, iv, C, 482; vi, A, 53.
- Pianbois, i, 99.
- Pianggu, iv, C, 472.
- Pias, viii, A, 67.
- Pibrocha egregia, v, D, 38.
- Pica, ii, A, 259.
- Picea alba, vi, A, 14.
 engelmanni, vi, A, 14.
 nigra, vi, A, 14.
 sitchensis, vi, A, 14.
- Pichie, iii, C, 411.
- Picidae, ii, A, 337; iii, A, 275; iv, A, 72; v, D, 111; vi, D, 42.
- Pickeringite, x, A, 91.
- Picoy, ii, A, 324.
- Picrasma, iv, C, 474.
- Pidis, ix, D, 484.
- Pidpid, iv, C, 100.
- Pielan, iv, C, 391.
- Pieris ida, i, 695.
- Piesogaster boettgeri, vi, D, 268.
- Pigeon pea, vii, C, 193.
- Pigs, P. I., vii, D, 38.
 susceptibility to pneumonic plague, vii, B, 228. *See also* Hogs and Swine.
- Piit, iii, A, 529.
- Pilacre, viii, C, 299.
 orientale, viii, C, 299.
- Pilang, iv, C, 470.
- Pilapiles, iv, A, 239.
- Pilau, vi, C, 206.
- Pildis, iii, C, 364.
- Pilea, i, s, 48; v, C, 344, 487; vi, C, 30, 293; vii, C, 157.
 apoensis, v, C, 492.
 benguetensis, v, C, 488; vi, C, 293.
 calcicola, v, C, 493; vi, C, 30.
 celebica, v, C, 494.
 crassifolia, vi, C, 293.
 dataensis, v, C, 494.
 humilis, v, C, 488.
 intumescens, v, C, 492; vi, C, 298.
 johniana, v, C, 488; vi, C, 294.

Pilea—Continued.

- luzonensis, i, s, 48; v, C, 492.
 melastomoides, v, C, 344, 490; vi, C, 295.
 microphylla, v, C, 487; vi, C, 200; vii, C, 182.
 monticola, v, C, 489.
 muscosa, v, C, 487.
 oreophila, v, C, 490.
 peploides, v, C, 488.
 pterocaulis, vi, C, 293.
 rigida, v, C, 491; vi, C, 295.
 rigidiuscula, vi, C, 294.
 robinsonii, v, C, 490; vi, C, 294.
 scripta, v, C, 492.
 sylvatica, v, C, 494.
 trinervia, v, C, 490.
 umbellata, v, C, 482.
- Pili, i, s, 71; ii, A, 382; iv, A, 94; iv, C, 475; vi, C, 206; vi, D, 88; ix, A, 444; x, C, 24.
 nut, x, A, 109.
 resin, ii, A, 2.
- Pilidentatae, vi, D, 18.
 Pilig, vi, C, 230.
 Pilihanay, x, C, 315.
 Piliostigma acidum, v, C, 43.
 Pilis, v, C, 235.
 Pilobolus, viii, C, 23.
 Pilocratera, i, s, 278; iii, C, 54.
 celebica, iii, C, 54; viii, C, 193.
 hindsii, i, s, 278; viii, C, 193.
 sulcipes var. beccariana, viii, C, 193.
 tricholoma, i, s, 278; viii, C, 194.
- Piloecium, viii, C, 96.
 pseudorufescens, viii, C, 96.
 Pilon, v, A, 335; x, A, 381.
- Pilopogon, iii, C, 12; v, C, 140, 312; viii, C, 67.
 blumei, ii, C, 339; iii, C, 12; v, C, 141; viii, C, 67.
 exasperatus, v, C, 140; ix, C, 207.
 spurio-cirratum, ix, C, 214.
 subexasperatus, v, C, 141, 312; ix, C, 214.
- Pilostigma acidum, iii, C, 82.
 Pilotrichopsis, v, C, 151, 314.
 dentata, v, C, 151, 314; ix, C, 209.
- Pilularia, iv, C, 11.
 Pimelea, vi, C, 345.
 brevifolia, vi, C, 346.
 philippinensis, vi, C, 344.
- Pimelodendron dispersum, iv, C, 276.
 Pimpla punctum, i, 692.
 Pimplinae, i, 692.
 Pimplini, i, 692.
- Pinaceae, i, s, 24, 174; ii, C, 257; iv, C, 442; v, C, 325; vi, C, 167, 192; ix, C, 47.
- Pinalia floribunda, iv, C, 209.
- Pinang baik, iv, C, 520.
- Pinanga, i, s, 32; ii, C, 223, 264; iii, C, 340, 399; iv, C, 602; vi, C, 195; viii, C, 506.
 barnesii, i, 664; i, s, 32; iii, C, 340, 399; vi, C, 229.
 barnesii var. macrocarpa, ii, C, 227.
 batanensis, iii, C, 340, 399.
 curranii, ii, C, 226.
 disticha, iv, C, 603.

Pinanga—Continued.

- elmerii, i, 664; i, s, 32; ii, C, 264; iii, C, 341, 399.
 geonomaeformis, iv, C, 602.
 insignis, ii, C, 223; iii, C, 340.
 maculata, ii, C, 264.
 modesta, ii, C, 225.
 negrosensis, iv, C, 606.
 philippinensis, i, s, 32.
 rigida, iv, C, 606.
 sclerophylla, iv, C, 603.
 urosperma, iii, C, 341, 399.
 woodiana, iv, C, 604.
- Pinaoa, v, B, 82.
- Pinatai, vii, A, 386.
- Pinatay, iii, A, 529.
- Pinatubo, the country between Subig and Mount, iv, A, 19.
- Pinawa, vii, B, 294.
- Pinaypayao, ix, D, 485.
- Pincapincahan, i, s, 124; iv, C, 558.
- Pine, blue, iv, C, 443.
 bull, vi, A, 14.
 hard, vi, A, 14.
 loblolly, vi, A, 14.
 longleaf, iv, C, 443; vi, A, 14.
 pitch, vi, A, 14.
 soft, vi, A, 14.
 sugar, vi, A, 14.
 white, vi, A, 14.
- Pineapple, i, No. 5, 438; i, s, 33; iv, B, 222; vii, C, 198; viii, A, 68.
- Pineda monument and the probable site of the first botanic garden in the P. I., vii, C, 363.
- Piney maram, iv, C, 519.
- Pingad, ix, D, 525.
- Pingga, ix, D, 120.
- Pingol bato, i, s, 101; vi, C, 395.
- Pinha, vii, C, 113.
- Pinnatae, v, C, 69.
- Pinnatella, viii, C, 81.
 alopecuroides, viii, C, 81; ix, C, 208.
 luzonensis, viii, C, 81.
- Pinnay, ii, A, 444.
- Pinta, iv, B, 285.
- Pinus, iv, C, 443; v, C, 325; vi, C, 169.
 abies, vi, C, 167.
 dammara, v, A, 173.
 excelsa, iv, C, 443.
 finlaysonianana, vi, C, 169.
 flexilis, vi, A, 14.
 gerardiana, iv, C, 443.
 heterophylla, v, A, 221, 229.
 insularis, i, s, 119, 174; ii, A, 213; iv, A, 231; iv, C, 443; v, A, 201, 220, 229; v, C, 6, 325; v, D, 135; vi, C, 170; ix, C, 236, 349; x, C, 96.
 khasya, iv, A, 231; iv, C, 443; v, C, 325; vi, C, 171.
 lambertiana, vi, A, 14.
 larix, vi, A, 201.
 longifolia, iv, C, 443.
 merkusii, i, s, 174; iv, C, 443; vi, C, 169.
 monticola, vi, A, 14.
 palustris, v, A, 229; vi, A, 15.

Pinus—Continued.

- ponderosa, iv, A, 231; vi, A, 14; vi, C, 171.
 rigida, vi, A, 14.
 sabiniana, iv, A, 115.
 serotina, v, A, 205.
 strobis, vi, A, 14.
 sumatrana, vi, C, 169.
 sylvestris, iii, A, 299; vi, C, 169.
 taeda, vi, A, 14; vi, C, 170.
 timoriensis, vi, C, 171.
 Pinworms, iii, B, 201.
 Piña, i, s, 33; iii, C, 304; iv, B, 222; viii, A, 68.
 Pio palaoan, ix, C, 58.
 titoca, ix, C, 58.
 Piod, ix, C, 78.
 Pionea anastomosalis, v, D, 180.
 Piper, i, s, 40; ii, C, 269; iii, C, 401; v, C, 342, 413; vii, C, 156; ix, C, 71, 176.
 abbreviatum, v, C, 432.
 abraense, v, C, 451.
 acutibaccum, v, C, 459.
 albidirameum, v, C, 428.
 allenii, v, C, 441.
 apoanum, v, C, 454.
 aurilimbium, v, C, 425.
 baccatum, v, C, 462.
 baguionum, v, C, 434.
 basilanum, v, C, 457.
 bathycarpum, v, C, 434.
 betle, iii, C, 306; iv, C, 608; v, C, 431; vii, C, 182; ix, C, 72.
 betle forma b, v, C, 431.
 betle forma c, v, C, 431.
 betle var. densum, v, C, 431.
 blancoi, i, s, 40.
 breviammentum, v, C, 434.
 eacuminum, v, C, 421.
 cagayanense, v, C, 435.
 canaliculatum, v, C, 431.
 caninum, v, C, 458.
 caninum var. glabribracteum, v, C, 459.
 caninum var. lanacense, v, C, 459.
 caninum var. latibracteum, v, C, 459.
 caninum var. sablanum, v, C, 459.
 carnistilum, v, C, 432.
 chaba, v, A, 441; v, C, 432; vi, C, 199.
 chaba forma b, v, C, 432.
 chaba forma c, v, C, 432.
 chaba forma d, v, C, 432.
 chaba forma e, v, C, 433.
 clemensiae, v, C, 449.
 copelandii, v, C, 447.
 corylistachyon, i, s, 40; v, C, 438; vi, C, 199.
 corylistachyon β magnifolium, v, C, 439.
 corylistachyon forma b, v, C, 439.
 corylistachyon forma c, v, C, 439.
 corylistachyon forma d, v, C, 439.
 costulatum, v, C, 420.
 crassinodum, v, C, 445.
 cristatum, v, C, 428.
 cumingianum, v, C, 448.
 curtifolium, v, C, 421.
 dagatpanum, v, C, 455.

Piper—Continued.

- davaoense, v, C, 453.
 delicatum, v, C, 443.
 delicatum glabrum, v, C, 444.
 densibaccum, v, C, 454.
 denudatum, v, C, 444.
 dipterocarpinum, v, C, 455.
 ellipticibaccum, v, C, 449.
 fenixii, v, C, 425.
 firmolimbium, v, C, 435.
 forstenii, v, C, 424.
 fragile, v, C, 421.
 fragile var. multinerve, v, C, 421.
 glabrispicum, v, C, 451.
 guahamense, ix, C, 71.
 haenkeanum, v, C, 462.
 halconense, v, C, 422.
 hallieri, v, C, 458.
 hirsutissimum, v, C, 462.
 interruptum, v, C, 448.
 interruptum β herbaceum, v, C, 448.
 interruptum γ multiplinerve, v, C, 448.
 interruptum δ subarborescens, v, C, 449.
 interruptum forma b, v, C, 448.
 jagori, v, C, 437.
 korthalsii, v, C, 414.
 korthalsii β longibracteum, v, C, 414.
 laevirameum, v, C, 450.
 lageniovarium, v, C, 424.
 langlassei, v, C, 433.
 laxirameum, v, C, 443.
 laxum, v, C, 452.
 lessertianum, v, C, 427.
 lessertianum forma b, v, C, 428.
 lessertianum forma c, v, C, 428.
 lessertianum forma d, v, C, 428.
 lividum, v, C, 462.
 loheri, v, C, 450.
 loheri β multiplinerve, v, C, 450.
 loheri forma b, v, C, 450.
 longistigmum, v, C, 428.
 longivaginanum, v, C, 444.
 longum, v, C, 423.
 luzonense, v, C, 439.
 maagnasanum, v, C, 429.
 malalaganum, v, C, 461.
 malaryatense, v, C, 442.
 malindangense, v, C, 436.
 mariannum, ix, C, 72.
 marivelesanum, i, s, 40; v, C, 457.
 mearnsii, v, C, 447.
 merrillii, v, C, 426.
 merrillii forma b, v, C, 427.
 merrittii, v, C, 460.
 merrittii forma b, v, C, 460.
 methysticum, ix, C, 71.
 mindorense, v, C, 423.
 miniatum, i, s, 40; v, C, 422.
 miniatum β hirtellum, v, C, 422.
 miniatum forma b, v, C, 422.
 miniatum forma c, v, C, 422.
 negrosense, v, C, 454; vi, C, 199.
 nigrum, v, C, 452.
 nigrum β trioicum, v, C, 452.
 oblongibaccum, v, C, 441.
 obovatibracteum, v, C, 447.

Piper—Continued.

- officinarum, v, C, 439.
 oophyllum, v, C, 430.
 ovatibaccum, v, C, 445.
 ovatibaccum forma b, v, C, 446.
 parcipilum, v, C, 445.
 parcirameum, v, C, 445.
 parvispicum, v, C, 433.
 paucinerve, v, C, 456.
 pendulifolium, v, C, 429.
 penninerve, v, C, 440.
 petraeum, v, C, 430.
 philippinense, i, s, 40; v, C, 431.
 philippinum, i, s, 40; v, C, 437.
 pilipes, v, C, 423; vi, C, 199.
 pilispicum, v, C, 452.
 pilispicum forma b, v, C, 453.
 podandrum, v, C, 436.
 polycladum, v, C, 438.
 potamogetonifolium, ix, C, 72.
 pseudochavica, v, C, 427.
 pseudochavica forma b, v, C, 428.
 pseudochavica forma c, v, C, 428.
 pseudochavica forma d, v, C, 428.
 puberulinodum, v, C, 429.
 pulogense, v, C, 453.
 radicans, v, C, 436.
 ramosii, v, C, 426.
 retrofractum, v, C, 439; vii, C, 182.
 rhombophyllum, ii, C, 269; v, C, 433.
 rhyncholepis, v, C, 423.
 rhyncholepis var. brevisuspe, v, C, 424.
 robinsonii, v, C, 445.
 rotundistigmum, v, C, 425.
 rubripunctulatum, v, C, 432.
 rufinerve, v, C, 462.
 sarmentosum, v, C, 424.
 siassiense, v, C, 443.
 sibulanum, v, C, 442.
 striatum, v, C, 441.
 subpeltatum, v, C, 463.
 subprostratum, v, C, 425.
 taumanum, v, C, 462.
 tenuipedunculum, v, C, 460.
 tenuirameum, v, C, 456.
 toppingii, v, C, 446.
 umbellatum, v, C, 463.
 umbellatum var. glabrum forma b, v, C, 463.
 umbellatum var. subpeltatum, v, C, 643.
 usterii, v, C, 439.
 varibracteum, v, C, 421.
 villilimbium, v, C, 461; vi, C, 199.
 viminale, v, C, 436.
 warburgii, v, C, 439.
 williamsii, v, C, 441.
 zamboangae, v, C, 424.
- Piperaceae, i, s, 40, 174; ii, C, 269; iii, C, 401; v, C, 342, 405; vi, C, 199; vii, C, 156; ix, C, 71.
- Piperales, i, s, 40.
- Pipette method in the isolation of single microorganisms and in the inoculation of substances into living cells, ix, B, 307.
- Pipi, v, C, 24; vi, C, 340.
- Pipistrellus, vii, D, 17.
 imbricatus, vii, D, 17.
 irretitus, vii, D, 17.
 tenuis, vii, D, 17.
- Piprisoma æruginosum, i, 703.
- Piptatherum annulatum, i, s, 349.
- Pipturus, i, s, 49; iii, C, 404; v, C, 344; vi, C, 13, 298, 311; vii, C, 156; ix, C, 73.
 arborescens, vi, C, 13, 298, 312; ix, A, 456; ix, C, 424.
 argenteus, vi, C, 16, 298; ix, C, 78.
 asper, i, 678; i, s, 49; iii, C, 404; v, C, 344, 475; vi, C, 13.
 dentatus, vi, C, 311.
 discolor, vi, C, 15.
 ellipticus, vi, C, 15.
 incanus, vi, C, 311.
 mindanaensis, vi, C, 14, 313.
 repandus, vi, C, 15, 298, 313.
 succulentus, vi, C, 15.
 velutinus, vi, C, 311.
- Pirangan, v, C, 129.
- Piratinæ, iv, A, 586.
- Pirinza, iii, A, 520.
- Piris, iii, C, 365.
- Piroplasma, i, 109.
 bigeminum, ii, B, 83; iv, B, 153.
 canis, ii, B, 89; iv, B, 163.
 carus, ii, B, 85.
 equi, iv, B, 163.
 leucocytophagum, iv, B, 122.
 parvum, ii, B, 84; iv, B, 121.
- Piroplasma, cultivation of a bovine, ii, B, 83.
 development of a, iv, B, 147.
- Piroplasmata, iv, B, 121.
- Piroplasmosis hominis, iii, B, 6.
 remarks on, iv, B, 121.
- Pirosoma bigeminum, iv, B, 121.
- Pirot, ii, A, 329; iii, A, 280.
- Pisak, vi, C, 265.
- Pisak, iv, C, 477.
- Pisobia ruficollis, iv, A, 68; v, D, 107.
- Pison lagunae, i, 687.
 punctatus, i, 687.
- Pisonia, v, C, 175; vii, C, 157; ix, C, 82.
 aculeata, vii, C, 183.
 excelsa, v, C, 176; ix, C, 82.
 gammillii, v, C, 175.
 grandis, ix, C, 82.
 inermis, iv, C, 690; ix, C, 82.
 umbellifera, v, C, 176.
 umbellulifera, ix, A, 450.
- Pisoninae, i, 687.
- Pisonitus argenteus, i, 687.
- Pisonoides browni, i, 687.
- Pispis, iii, A, 280.
- Pistacia, iii, C, 107; v, C, 357.
 formosana, v, C, 357.
 integerrima, iv, C, 490.
 lentiscus, v, A, 177.
 philippinensis, iii, C, 107; v, C, 357.
- Pistia, vii, C, 155.
 stratiotes, vii, C, 181; ix, C, 423, 503.
- Pisum, v, C, 4, 108; vii, C, 159.
 sativum, iv, B, 222; v, C, 5, 9, 108; vii, C, 184.

- Pitane fractilinea*, v, D, 169.
Pitarrillos, vii, A, 20.
Pithecanthropus erectus, ii, A, 396.
Pithecolobium, i, s, 61; ii, C, 276; iii, C, 104, 228, 408; v, C, 16, 353; vii, C, 159; ix, C, 85; x, C, 10.
acle, i, 404, 640, 1026; i, s, 61; ii, C, 369; iii, C, 306; iv, C, 463, 707; v, C, 25.
acutum, iv, C, 463.
angulatum, v, C, 19; vi, C, 205.
bigeminum, v, C, 20; x, C, 11.
caulostachyum, x, C, 10.
clypearia, v, C, 21.
dulce, i, 669; i, s, 61; iii, C, 82, 305; iv, C, 463; v, C, 16; vi, A, 17; vii, C, 175; ix, C, 85, 426, 513; x, A, 353.
ellipticum, iii, C, 104; v, C, 19; x, C, 12.
fasciculatum, iii, C, 104; v, C, 19.
lobatum, i, s, 62; iii, C, 228; iv, C, 463; v, C, 17.
mindanaense, v, C, 18.
montanum, i, s, 61; iii, C, 408; iv, C, 463; v, C, 19.
montanum var. *microphylla*, v, C, 20.
multiflorum, x, C, 11.
parvifolium, i, s, 61; v, C, 20.
pauciflorum, iii, C, 229; v, C, 18; x, C, 11.
platycarpum, v, C, 17; x, C, 12.
prainianum, i, s, 61; ii, C, 276; iv, C, 463; v, C, 20.
prainii, i, 656.
saman, y, C, 15; vi, A, 16; ix, C, 85.
scutiferum, iii, C, 228; iv, C, 463; v, C, 17; ix, A, 507.
subacutum, i, s, 171; iv, C, 463; v, C, 19, 353.
williamsii, iii, C, 409; v, C, 26.
Pithecophaga jefferyi, ii, A, 297; iv, A, 484.
Pithecus, vii, D, 36.
cagayanus, vii, D, 36.
mindanensis apoensis, vii, D, 37.
mindanensis mindanensis, vii, D, 37.
suluensis, vii, D, 37.
syrichta, vii, D, 37; viii, B, 363.
Pitogo, x, C, 392.
Pitpit, vi, D, 81, 236; viii, D, 109.
Pitta, v, D, 104.
atricapilla, i, 702, 773, 906; ii, A, 286, 304, 313, 326; iii, A, 279.
erythrogaster, i, 702, 773; ii, A, 286, 326, 346; iv, A, 73; vi, D, 43.
fastosa, ii, A, 286.
moluccensis, ii, A, 286.
steerei, ii, A, 326.
Pittidae, iii, A, 279; iv, A, 73; vi, D, 43.
Pittosporaceae, i, s, 59, 171; ii, C, 275, 430; iii, C, 137, 408; iv, C, 455; v, C, 179, 352; vii, C, 158.
Pittosporum, i, s, 59; ii, C, 275; iii, C, 137, 408; v, C, 179, 352; vii, C, 158.
clementis, iii, C, 137; v, C, 180.
epiphyticum, iii, C, 138.
ferrugineum, ii, C, 430; iv, C, 465.
littorale, v, C, 179.
megacarpum, v, C, 179.
Pittosporum—Continued.
odoratum, i, 664; i, s, 60; ii, C, 275; iii, C, 408; v, C, 179.
pentandrum, i, 391; i, s, 59, 186; ii, C, 430; iv, A, 118; v, C, 180, 352.
ramiflorum, v, C, 180.
ramosii, v, C, 180.
resiniferum, i, 664; i, s, 60, 171; ii, C, 275; iii, C, 138; iv, A, 115; v, C, 352.
Pituitary gland, tumors of the, viii, B, 97.
Pitutan, vi, A, 50.
Piuc, ii, A, 342.
Piuri, v, A, 444.
Piut, ix, C, 78.
Piyugyug, v, D, 113.
Placer deposits, vi, A, 463; viii, A, 100.
Placidus, x, D, 52.
Placopsis, viii, C, 102.
isidiophora, viii, C, 102.
papillosa, viii, C, 102.
Placosphaeria, iii, C, 55.
merrillii, iii, C, 55.
tiglii, iii, C, 55.
Placuna placenta, v, A, 329; vi, D, 296; x, D, 307.
Plagianthus humilis, ix, C, 308.
Plagiochila, v, C, 310.
vittata, v, C, 310.
Plagioclase, x, A, 92.
Plagiogyria, i, s, 153; ii, C, 122, 133; iv, C, 114; v, C, 320.
adnata, iii, C, 280.
christii, i, s, 153; ii, C, 121, 133.
dunnii, iii, C, 281.
egenolfoides, x, C, 148.
euphlebia, i, s, 154; ii, C, 133.
falcata, ii, C, 133.
glauca, i, s, 153; ii, C, 133.
henryi, iii, C, 281.
minuta, x, C, 148.
nana, iv, C, 114; v, C, 320.
pycnophylla, i, s, 154; v, C, 320.
pycnophylla var. *integra*, v, C, 285.
pycnophylla var. *mixta*, i, s, 154.
pycnophylla var. *remota*, i, s, 154.
stenoptera, i, s, 154.
tenuifolia, iii, C, 281.
tuberculata, i, s, 153; ii, C, 120.
tuberculata var. *latipinna*, ii, C, 133.
Plagiolepis longipes, i, 689, 690; v, D, 127.
Plagiostachys, iv, C, 177.
elegans, iv, C, 178.
parviflora, iv, C, 178.
philippinensis, iv, C, 177; vi, C, 197.
rolfei, iv, C, 179.
Plagiostenopterina abrupta, viii, D, 310.
aenea, viii, D, 321.
calcarata, viii, D, 321.
trivittata, viii, D, 321.
zonalis, viii, D, 321.
Plagiotheciopsis, viii, C, 87; ix, C, 205.
philippinensis, viii, C, 87.
Plagiothecium, v, C, 160, 315; viii, C, 87.
miquelii, v, C, 160; vi, C, 191; viii, C, 87.
neckeroidium, v, C, 160, 315; ix, C, 209.

- Plague, v, B, 175.
 a consideration of some of Bail's recent views in connection with the study of immunity and a comparison of the value of protective inoculation with aggression with that of vaccination in, i, 501.
 bacilli of, ix, B, 467.
 bacteriological observations made during the outbreak in Manila in 1912, viii, B, 409.
 bubonic, iii, B, 280.
 cutaneous, x, B, 258.
 difference in susceptibility to cattle, iv, B, 425.
 filtration experiments with virus of cattle, iii, B, 165, 319; iv, B, 37.
 hospital wards in Mukden, vii, B, 132.
 immunity, ii, B, 155.
 immunization of guinea pigs with avirulent bacilli of, vii, B, 245.
 in Japan, i, 465.
 influence of atmospheric temperature upon the spread of pneumonic, viii, B, 241.
 intestinal, x, B, 257.
 observations on cattle, iv, B, 381.
 outbreak in Iloilo, viii, B, 119.
 pathologic anatomy of bubonic, x, B, 249.
 pneumonic, x, B, 253.
 procedure in Hongkong, iii, B, 39.
 reappearance in the P. I. after an absence of six years, ix, B, 5.
 resolutions adopted by the Far Eastern Association of Tropical Medicine in regard to, v, B, 354.
 septicæmic, x, B, 254, 269.
 serum, iii, B, 407; iv, B, 353.
 studies on pneumonic, vii, B, 129.
 susceptibility of cockroaches to bacilli of, vii, B, 521.
 suspension on slides, vii, B, 164.
 the outbreak in Manila during 1912, viii, B, 109.
 vaccination against, i, 181.
- Plai, iv, C, 550.
 Plaice, ix, D, 78.
 Plains, coastal, v, A, 308.
 intermontane, v, A, 309.
 Mindanao, v, A, 346.
 Plaiting and rough weaving fibers, i, No. 5, 439.
 Plalar, iv, C, 518.
 Planchonia, i, s, 102.
 littoralis, iv, C, 526.
 spectabilis, i, 412, 645; i, s, 102; ix, A, 444.
 valida, iv, C, 526.
 Planesticus thomassoni, v, D, 137.
 Plank tree, iv, C, 500.
 Planodes quarternaria, viii, D, 157.
 schultzei, viii, D, 156.
 Plant associations on cleared lands, ix, A, 451.
 lice, i, 1070.
 Plantæ Wenzelianæ, viii, C, 363; ix, C, 353; x, C, 265.
 Plantaginacæ, vii, C, 167; x, C, 193.
 Plantago, vii, C, 167.
 major, vii, C, 188; x, C, 193.
 philippica, x, C, 193.
 Plantain, iv, B, 221.
 Plantains and bananas as material for paper stock, i, No. 5, 452.
 Plants, Bontoc subprovince, vii, C, 71; ix, C, 443.
 Batanes and Babuyan, iii, C, 385.
 collections of Mary Strong Clemens, iii, C, 129.
 Guam, ix, C, 17, 97.
 new or noteworthy aquatic, ix, C, 259.
 new or noteworthy P. I., i, s, 169; iii, C, 219; iv, C, 247; v, C, 167; vii, C, 259; ix, C, 261, 293; x, C, 1, 287.
 physiologically active constituents of P. I. medicinal, i, 1007.
 Wilkes United States exploring expedition, iii, C, 73.
- Plasa, iv, C, 472.
 Plasmodium immaculatum, v, B, 282.
 malarie, i, 514; ix, B, 168, 432.
 petheci, v, B, 189.
 praecox, ix, B, 168, 396.
 vivax, v, B, 245; ix, B, 168, 432.
- Platacidæ, v, D, 283.
 Platalea minor, i, 766.
 Platano arton, x, C, 381.
 Platanus occidentalis, vi, A, 15.
 Plataspidinæ, iv, A, 554.
 Plataspis scipio, iv, A, 554.
 vahlii, iv, A, 554.
 Platax orbicularis, v, D, 283.
 Platea, i, s, 58; ix, C, 313.
 corniculata, vi, C, 179.
 latifolia, i, s, 58; ix, C, 313.
 laxiflora, iii, C, 240.
 philippinensis, ix, C, 313.
- Platinum, x, A, 92.
 Platitos, vii, C, 241.
 Platolenes, viii, D, 420.
 rufipes, viii, D, 421.
 Platonium lanceolatum, vii, C, 49.
 Platycephalidæ, v, D, 286; ix, D, 77.
 Platycephalus indicus, v, D, 286.
 insidiator, iii, A, 529; ix, D, 77.
 Platycerium, ii, C, 142.
 biforme, ii, C, 142.
 coronarium, ii, C, 142.
 Platyclibe, viii, D, 389.
 Platyclinis, i, s, 38.
 glumacea, i, 661; i, s, 38.
 latifolia, i, 661; i, s, 38.
 microchila, vii, C, 26.
 Platycrepis violaceus, viii, D, 414.
 Platydactylus abnormis, vi, D, 25.
 sexspinosus, vi, D, 25.
 Platydus subpurpurascens, iv, A, 565.
 Platygasteridæ, i, 690; ix, D, 286.
 Platyhelminthes, ii, B, 29.
 Platylister, ix, D, 425.
 abruptus, ix, D, 425.
 birmanum, ix, D, 425.
 contiguum, ix, D, 425.

Platylister—Continued.

- emptum, ix, D, 425.
 jobiense, ix, D, 425.
 pini, ix, D, 425.
 sesquistriatum, ix, D, 425.
 Platymerium glomeratum, ii, C, 434.
 Platymerus discolor, iv, A, 585.
 Platynaspis nigra, v, D, 232.
 Platynema laurifolium, vii, C, 236.
 Platynopoda latipes, i, 686.
 tenuicornis, i, 686.
 Platypleura, v, D, 33.
 fulviger, v, D, 33.
 stridula, v, D, 33.
 Platypoda, viii, A, 292.
 Platypodidae, vi, D, 26.
 Platypria ferruginea, viii, D, 238.
 longispina, viii, D, 238.
 Platypus, vi, D, 26.
 caliculus, vi, D, 27.
 jansoni, vi, D, 26.
 lepidus, vi, D, 17.
 philippinensis, vi, D, 17.
 setaceus, vi, D, 17.
 turbatus, vi, D, 17.
 Platyscelio abnormis, ix, D, 286.
 punctatus, ix, D, 286.
 Platysoma abruptum, ix, D, 425.
 abruptus, ix, D, 425.
 charrali, ix, D, 424.
 corticinus, ix, D, 424.
 dufalli, ix, D, 426.
 gorhami, ix, D, 425.
 huzonicum, ix, D, 425.
 ovatum, ix, D, 425.
 ovatus, ix, D, 425.
 ramoicola, ix, D, 425.
 scitutum, ix, D, 426.
 striatiderum, ix, D, 425.
 uniforme, ix, D, 426.
 Platytaenia requiniara, vii, C, 50.
 Platythyrea inermis, v, D, 122.
 Plautia fimbriata, iv, A, 561.
 viridicollis, iv, A, 561.
 Plawan, iv, C, 536.
 Plaxes, viii, D, 138.
 Plecia fulvicollis, viii, D, 305.
 Plectonema wollei, viii, D, 122.
 Plectorhynchus doanei, iv, A, 511.
 Plectranthus, i, s, 235; v, C, 382; viii, C, 332.
 diffusus, i, s, 235; v, C, 382.
 Electronia, i, s, 131; iv, C, 326; vii, C, 167;
 viii, C, 48; ix, C, 160, 387; x, C, 114.
 fenicis, viii, C, 50.
 glabra, iv, C, 327.
 horrida, x, C, 114.
 leytensis, viii, C, 49.
 lycioides, viii, C, 50.
 megacarpa, iv, C, 326.
 mitis, i, s, 131; viii, C, 48.
 monstrosa, viii, C, 48; ix, C, 388.
 paucinervia, viii, C, 51.
 peduncularis, i, 392; i, s, 131; viii, C, 50,
 267, 476; x, C, 114.
 sarcocarpa, x, C, 114.

Electronia—Continued.

- umbellata, i, 411; i, s, 131; vi, C, 227; ix,
 A, 508.
 villarii, i, s, 132.
 viridis, i, 637; i, s, 131; iv, C, 703; viii,
 C, 50.
 wenzelii, ix, C, 387.
 peduncularis, viii, C, 267.
 Pleiogynium, iv, C, 284.
 solanderi, iv, C, 284.
 Pleionogaster, vii, D, 179.
 Pleocnemis, ii, C, 411; viii, C, 141; ix, C, 228.
 cumingiana, ii, C, 158, 418.
 leuzeana var. labato-crenata, ix, C, 4.
 membranacea, ix, C, 4.
 membranacea var. novoguineensis, ix, C,
 4.
 Pleosphaerulina, viii, C, 271.
 phaseoli, viii, C, 271.
 Pleosporaceae, iii, C, 48; viii, C, 185, 257.
 Plethiandra, v, C, 204; viii, C, 335.
 Pleura in plague, x, B, 289.
 Pleurogobius boulengeri, iv, A, 536.
 Pleurogramme, ii, C, 134, 175; v, C, 321.
 loheriana, ii, C, 134, 175; v, C, 321; vii,
 C, 53.
 minor, vii, C, 53.
 pusilla, ii, C, 175; vii, C, 53.
 Pleurolobium, v, C, 86.
 Pleurolobus, v, C, 88.
 Pleuronectidae, v, D, 287; ix, D, 78.
 Pleurolitis producta, i, s, 326.
 Pleuropneumonia, muscular changes brought
 about by intermuscular injection of
 calves with the virus of contagious, vii,
 B, 525.
 Pleuropus, viii, C, 96.
 luzonensis, viii, C, 96.
 Pleurotoma carinata, vii, A, 264; viii, A, 248,
 326.
 carinata var. woodwardi, v, A, 329; vi, A,
 411.
 cataphracta, viii, A, 260.
 coronifera, viii, A, 248.
 flavidula, viii, A, 330.
 gendinganesis, v, A, 329; vi, A, 411; viii,
 A, 248.
 neglecta, viii, A, 248.
 nodifera, v, A, 329.
 suturalis, viii, A, 330.
 tjemoroënsis, viii, A, 326.
 Pleurotomidae, viii, A, 260.
 Pleurotus, i, s, 291; x, C, 98.
 applicatus var. cystidiatus, x, C, 98.
 noctileucens, i, s, 291.
 Pleurozia, v, C, 311.
 gigantea, v, C, 311.
 Plicatula, viii, A, 276.
 imbricata, v, A, 329; viii, A, 276.
 Plinia paniculata, iv, C, 403.
 Ploceidae, iv, A, 76; v, D, 113; vi, D, 46.
 Plociomeria nietneri, iv, A, 575.
 parvula var. a, iv, A, 575.
 Plociomerus nietneri, iv, A, 575.
 Plocoglottis, ii, C, 326.
 acuminata, ii, C, 326.

Plocoglottis—Continued.

- copelandii, ii, C, 326; vi, C, 198.
 javanica, ii, C, 327.
 mindorensis, ii, C, 327.
- Plotheia, ii, A, 372.
 strigifera, ii, A, 372.
- Plotosidæ, v, D, 266; ix, D, 60.
- Plotosus anguillaris, iii, A, 529.
 arab, ix, D, 60.
- Plotus anguillaris, v, D, 266.
- Pluchea, ii, C, 309; vii, C, 168.
 indica, v, C, 395.
 scabrida, ii, C, 309; v, C, 395.
- Plum, Madagascar, iv, C, 521.
- Plumbaginaceæ, vii, C, 164.
- Plumbago, vii, C, 164.
 auriculata, vii, C, 194.
 rosea, vii, C, 195.
 zeylanica, vii, C, 195.
- Plumeria, vii, C, 164.
 acutifolia, iv, A, 131; vi, A, 351; vii, C, 187.
- Plusia eriosoma, i, 695.
- Pneumococcus, viii, B, 415; x, B, 296.
- Pneumonia, iii, B, 213.
- Pneumonic plague, *see* Plague.
- Poa, i, s, 180, 312, 386.
 amboinensis, i, s, 384.
 annua, i, s, 181, 386.
 chinensis, i, s, 379.
 cilianensis, viii, C, 158.
 eragrostis, viii, C, 159.
 interrupta, i, s, 383.
 japonica, i, s, 384.
 luzonensis, i, s, 180, 386.
 malabarica, i, s, 385; iv, C, 248.
 megastachya, viii, C, 159.
 multiflora, viii, C, 159.
 pilosa, ix, C, 57.
 pratensis, i, s, 180.
 tenella, i, s, 383; ix, C, 57.
 viscosa, i, s, 383.
- Poas, i, s, 88.
- Pochazia, v, D, 44.
 fasciata, v, D, 44.
 guttifera, v, D, 44.
 marginalis, ix, D, 179.
- Pochazina bakeri, ix, D, 180.
 handlirschi, ix, D, 180.
- Pocris pedunculata, v, C, 467.
- Podagrion philippinensis, i, 690.
- Podagrioninæ, i, 690.
- Podargidæ, iv, A, 70.
- Podicipes philippinensis, ii, A, 319.
- Podocarpium, v, C, 82.
- Podocarpus, i, s, 24; ii, C, 258; iii, C, 394; v, A, 174; v, C, 324; vi, C, 155.
 agathifolia, vi, C, 158.
 amarus, ii, C, 258; vi, C, 159.
 blumei, i, 644; i, s, 24; ii, C, 258; vi, C, 158.
 bracteata, vi, C, 162.
 brevifolius, vi, C, 160.
 celebicus, ii, C, 259; vi, C, 160.
 costalis, vi, C, 161.

Podocarpus—Continued.

- cumingii, vi, C, 157.
 cupressina, vi, C, 157.
 discolor, vi, C, 162.
 dulcamara, vi, C, 159.
 euryncha, vi, C, 159.
 falseiformis, ii, C, 257; vi, C, 153.
 glaucus, ii, C, 258; vi, C, 159.
 horsfieldii, vi, C, 157.
 imbricatus, vi, C, 157.
 imbricatus var. cumingii, ii, C, 258; v, C, 324; vi, C, 157.
 junghuhniana, vi, C, 162.
 latifolia, vi, C, 158.
 latifolia forma ternatensis, vi, C, 158.
 leptostachya, vi, C, 162.
 macrophylla var. acuminatissima, vi, C, 162.
 neglecta, vi, C, 162.
 nerifolia, iv, C, 442; vi, C, 161.
 nerifolium, i, s, 24.
 nerifolius, i, 647; ii, C, 258; vi, C, 162, 192.
 nerifolius var. brevifolia, vi, C, 160.
 nerifolius var. brevipes, vi, C, 163.
 pedunculata, vi, C, 159.
 philippinensis, vi, C, 163.
 pilgeri, ii, C, 259; vi, C, 160.
 polystachyus, iii, C, 394; vi, C, 161.
 rumphii, ii, C, 258; vi, C, 164.
 sprengelii, vi, C, 159.
- Podochilinae, viii, C, 414.
- Podochilus, ii, C, 322; iv, C, 667; vi, C, 48; viii, C, 416.
 acicularis, iv, C, 669; viii, C, 416.
 bicaudatus, iv, C, 669; viii, C, 415.
 clemensiae, iv, C, 667.
 cornutus, ii, C, 322.
 crotalinus, iv, C, 667; viii, C, 416.
 cumingii, iv, C, 668; viii, C, 415.
 dendrobioides, vi, C, 48.
 distichus, iv, C, 667.
 elmeri, viii, C, 416.
 fenixii, vi, C, 48.
 fruticosus, vi, C, 48.
 intricatus, viii, C, 417.
 lancifolius, iv, C, 667.
 longilabris, viii, C, 415.
 lucbanensis, viii, C, 415.
 luzonensis, viii, C, 415.
 malindangensis, vi, C, 49.
 micranthus, vi, C, 49, 198.
 microphyllus, iv, C, 668.
 negrosianus, viii, C, 416.
 pendulus, ii, C, 322; iv, C, 667.
 perplexus, viii, C, 415.
 philippinensis, ii, C, 322.
 plumosus, iv, C, 668; viii, C, 415.
 ramosii, viii, C, 417.
 reflexus, ii, C, 322.
 robinsonii, vi, C, 49; viii, C, 415.
 scalpelliformis, vi, C, 49.
 sciuroides, iv, C, 668.
 strictus, iv, C, 669; vi, C, 49; viii, C, 415.
 tenuis, iv, C, 669; viii, C, 416.

Podochilus—Continued.

- xytriophorus, ii, C, 322; vi, C, 198.
 zollingeri, iv, C, 668.
- Podocrytis, ii, A, 159.
- Podogymnura, vii, D, 4.
 truei, vii, D, 5.
- Podophyllum, peltatum, i, 663.
- Podops, iv, A, 559.
 serrata, iv, A, 559.
- Podoscypha, x, C, 88.
 obliqua, x, C, 88.
- Podostemonaceæ, x, C, 189.
- Podpod palauan, ix, C, 72.
- Poeciliidæ, v, D, 155.
- Poeciloneuron indicum, iv, C, 505.
- Poecilopsaltria fulvigeræ, v, D, 33.
- Poeciloptera maria, v, D, 45.
- Poecilosphodrus, v, D, 62.
- Poeng, iv, C, 461.
- Poeting, iv, C, 541.
- Pogonatherum, i, s, 26, 327; iii, C, 395; vii, C, 153.
 crinitum, i, s, 327.
 paniceum, iii, C, 395.
 saccharoideum, i, s, 327.
 saccharoideum var. monandrum, i, s, 26, 327.
- Pogonatum, i, s, 12; iii, C, 22; v, C, 150, 314; viii, C, 98.
 albo-marginatum, i, s, 12; iii, C, 22; v, C, 150; viii, C, 98; ix, C, 214.
 cirratum, iii, C, 22; v, C, 150.
 junghuhnianum, iii, C, 22; ix, C, 207.
 macrophyllum, ii, C, 341; iii, C, 22.
 microphyllum, viii, C, 98.
 microstomum, iii, C, 22; v, C, 150, 314; ix, C, 209.
 nudiusculum, iii, C, 22; viii, C, 98; ix, C, 209.
 spinulosum, iii, C, 22; ix, C, 208.
 spurio-cirratum, v, C, 150, 314; viii, C, 98.
 wallisii, v, C, 151.
 warburgii, v, C, 150; viii, C, 98.
- Pogonopsis tenera, i, s, 327.
- Pogostemon, ii, C, 426; v, C, 381; vii, C, 165, 345.
 cablin, vii, C, 345.
 heyneanus, ii, C, 426; vii, C, 346.
 membranaceus, vii, C, 347.
 nepetoides, vii, C, 101, 347.
 nepetoides var. glandulosus, vii, C, 347.
 pachouly, ii, C, 426.
 parviflorus, ii, C, 426.
 patchouli, vii, C, 346.
 patchouli var. suavis, vii, C, 346.
 patchouly, vii, C, 346.
 patchowli, vii, C, 346.
 philippinensis, v, C, 381.
 reticulatus, vii, C, 348.
 suavis, vii, C, 346.
- Pohlia, iii, C, 18; v, C, 146.
 elongata, v, C, 146; ix, C, 208.
 hampeana, iii, C, 18.
 leptocarpa, v, C, 146; ix, C, 207.
 scabridens, v, C, 145; ix, C, 209.
- Pohon-pedang, iv, C, 558.
- Poinciana, v, C, 52.
 pulcherrima, v, C, 54; ix, C, 89.
 regia, ii, C, 114; v, C, 52; ix, C, 88.
 roxburghii, v, C, 57.
- Poison fish, v, D, 284.
- Poisoning, arsenical, i, 720.
 chloroform treatment of strychnine, v, B, 547.
 due to a type of Staphylococcus albus occurring in the udder of a healthy cow, ix, B, 515.
- Poisonous plants, i, 1019.
 P. I. snakes, iv, B, 203.
- Poisons, fish, used by Filipinos, i, 1025.
 P. I. arrow, iii, A, 41.
 relative efficiency of traps and, ix, B, 17.
- Poko Tanjong, iv, C, 540.
- Polania, iii, C, 407.
 icosandra, iii, C, 77.
 viscosa, iii, C, 77, 407; vi, C, 205; ix, C, 425.
- Polemoniaceæ, v, C, 386.
- Polianthes, vii, C, 155; ix, C, 67.
 tuberosa, vii, C, 182; ix, C, 67.
- Polididusaria, iv, A, 590.
- Polillo, birds collected in, v, D, 103.
 botanical notes upon, vi, C, 185.
 coal from, i, 882, 893; ii, A, 51; iii, A, 311.
 palms of, vi, C, 229.
 snakes from, v, D, 211.
- Polinemidæ, v, D, 269.
- Polioaëtus ichthyæus, iv, A, 69; v, D, 197.
- Poliolimnas cinereus, i, 699; ii, A, 281, 318.
- Poliolophus basilanicus, ii, A, 288.
 urostictus, ii, A, 288, 328; iv, A, 74; v, D, 112.
- Polistella manilensis, i, 688.
- Polistes dubius, i, 688.
 hebraeus, i, 688.
 philippinensis, i, 688.
- Polistinae, i, 688.
- Polia, i, s, 34; iii, C, 400; viii, A, 258.
 sorzogonensis, i, s, 34; iii, C, 400.
 sumatrana, vi, C, 196.
- Pollinia, i, s, 265, 324; ii, C, 260; iii, C, 167; v, C, 325; vii, C, 153; ix, C, 51.
 argentea, i, s, 325.
 argentea var. lagopus, i, s, 265, 325.
 articulata, i, s, 324.
 articulata subsp. fragilis var. setifolia, i, s, 324.
 aurea, i, s, 325.
 cumingii, i, s, 325.
 glabrata, ix, C, 51.
 imberbis, i, s, 326.
 imberbis β willdenowia forma monostachya, i, s, 265.
 imberbis var. willdenowiana, i, s, 174.
 imberbis var. β willdenowiana forma monostachya, i, s, 326.
 irritans, i, s, 265, 325.
 japonica var. monostachya, i, s, 265, 326.
 maritima, i, s, 326.
 monantha, i, s, 327; ii, C, 260.

Pollinia—Continued.

- monantha var. *elmeri*, iii, C, 167.
 monantha var. *leptathera*, iii, C, 167.
 nuda, i, s, 174, 265, 312, 326.
 praemorsa, i, s, 327.
 quadrinervis, i, s, 174, 325; v, C, 325.
 setifolia, i, s, 324.
 speciosa, i, s, 325.
 tenuis, i, s, 326.
 Polvox, vii, C, 113.
 Polyalthia, i, s, 53; ii, C, 254; iii, C, 181, 222, 406; vii, C, 158, 268; viii, C, 371; ix, C, 88; x, C, 244.
 agusanensis, x, C, 250.
 barnesii, i, 406, 644; i, s, 53.
 cerasioides, iv, C, 451.
 clusiflora, iii, C, 406; x, C, 237.
 cumingiana, x, C, 250.
 elongata, iii, C, 222.
 flava, i, 410; i, s, 53.
 gigantifolia, x, C, 246.
 glandulosa, x, C, 247.
 glauca, x, C, 250.
 gracilipes, x, C, 248.
 grandifolia, x, C, 250.
 lanceolata, i, 391; vii, C, 269; ix, A, 450; x, C, 242.
 lateriflora, x, C, 245.
 loheri, vii, C, 268; x, C, 242.
 loheri var. *cagayanensis*, vii, C, 269; x, C, 242.
 longifolia, iv, C, 451.
 lucida, x, C, 249.
 macropoda, x, C, 246.
 magnoliaeflora, x, C, 231.
 marianae, ix, C, 83; x, C, 243.
 merrittii, x, C, 250.
 obliqua, viii, C, 371.
 oblongifolia, vi, C, 202.
 palawanensis, x, C, 246.
 persicaefolia, x, C, 250.
 pinnatinervia, x, C, 250.
 ramiflora, x, C, 244.
 ramosii, x, C, 245.
 reticulata, x, C, 242.
 romblonensis, x, C, 242.
 similis, viii, C, 371.
 subcordata, iv, C, 451.
 suberosa, i, s, 54; iv, C, 451.
 tenuipes, vii, C, 269; x, C, 243.
 urdanetensis, x, C, 243.
 venosa, iii, C, 222.
 williamsii, iii, C, 181.
 zamboangaensis, x, C, 245.
 Polybotrya, i, s, 15; iii, C, 32.
 apiifolia, i, 399; i, s, 15.
 appendiculata, i, s, 15.
 Polycarpaea, v, C, 347.
 corymbosa, v, C, 347.
 depressa, x, C, 302.
 Polycarpon, x, C, 302.
 indicum, x, C, 302.
 loeflingiae, x, C, 302.
 polyphyllum, x, C, 302.
 Polycatus, vii, D, 379.
 aurofasciatus, vii, D, 380; x, D, 223.
 eupholoides, x, D, 223.
 Polycaulus elongatus, v, D, 286.
 Polychroa, v, C, 467.
 Polyclada, vii, C, 253.
 Polydactylus plabeius, v, D, 269; vi, D, 310; ix, D, 62.
 tetradactylus, ix, D, 61.
 zophomus, v, D, 269.
 Polydesma, iii, A, 31.
 opala, iii, A, 31.
 Polygala, i, s, 74, 201; ii, C, 277; iii, C, 106; vii, C, 160.
 chinensis, i, s, 74.
 ciliata, vii, C, 237.
 glomerata, i, s, 201.
 japonica, iii, C, 106.
 leptalea, ix, C, 451.
 longifolia, ix, C, 451.
 luzonensis, i, s, 202; iii, C, 106.
 persicariaefolia, iii, C, 106.
 persicariaefolia β *wallichina*, iii, C, 106.
 septemnervia, i, s, 202; iii, C, 106.
 triphylla, iii, C, 106.
 venosa, ii, C, 277.
 Polygalaceae, i, s, 74, 201; ii, C, 277; iii, C, 106; iv, C, 482, 707; vii, C, 160, 237; ix, C, 451; x, C, 316.
 Polygonaceae, ii, C, 272; iii, C, 97, 405; v, C, 346; vii, C, 157; ix, C, 80; x, C, 301.
 Polygonum, ii, C, 272; iii, C, 97, 405; v, C, 346; vii, C, 157; viii, C, 332; ix, C, 80; x, C, 301.
 alatum, iii, C, 97.
 barbatum, iii, C, 97; ix, C, 80.
 benguetense, x, C, 301.
 chinense, ii, C, 272; iii, C, 405; v, C, 346.
 convolvulus, x, C, 302.
 glabrum, iii, C, 97.
 hydropiper, iii, C, 97.
 nepalense, iii, C, 97.
 persicaria, iii, C, 97.
 posumbu, iii, C, 98; v, C, 346.
 praetermissum, iii, C, 98.
 punctatum, v, C, 346.
 tomentosum, viii, C, 266; ix, C, 504.
 Polymorphae, ii, C, 410.
 Polynemidae, iii, A, 529; ix, D, 61.
 Polynemus tetradactylus, v, D, 269.
 Polyneuraria, v, D, 33.
 Polyneuritis endemica, i, 710.
 epidemica, v, B, 140.
 gallinarum, v, B, 56, 66, 83; vi, B, 178, 195, 257, 395; vii, B, 44, 274, 423, 447; viii, B, 351, 469.
 Polynices mamilla, viii, A, 266.
 Polyodontophis bivitatus, iv, A, 596; vi, D, 256.
 Polyommatus baeticus, v, D, 70.
 Polyosma, i, s, 59; v, C, 352; vi, C, 321; vii, C, 271; x, C, 5.
 gitingensis, x, C, 6.
 lagunensis, x, C, 5.
 linearibractea, x, C, 6.

Polyosma—Continued.

- philippinensis, i, 644; i, s, 59; v, C, 352;
vii, C, 273; ix, A, 509; x, C, 6.
- piperi, vii, C, 271.
- retusa, vi, C, 321.
- verticillata, vii, C, 272.

Polyphida affinis, x, D, 238.

- feae, x, D, 238.
- monticola, x, D, 238.

Polypodiaceae, i, s, 14, 171; ii, C, 2; iii, C, 389; v, C, 316; vi, C, 72, 191; vii, C, 47, 152; viii, C, 152; ix, A, 555; ix, C, 42, 422; x, C, 186.

Polypodium, i, s, 20, 159, 255; ii, C, 136, 177, 414; iii, C, 35, 392; iv, C, 114; v, C, 321; vi, C, 88, 148; vii, C, 152; viii, C, 142; ix, C, 45.

- accedens, i, 663; i, s, 20; ii, C, 5, 140;
vi, C, 88.

adfne, ii, C, 201.

adnascens, ix, C, 43.

affine, i, s, 163, 294; ii, C, 141.

albicaulum, vi, C, 90.

albido-squamatum, i, s, 21; ii, C, 6, 141;
v, C, 321.

angustatum, i, s, 171; ii, C, 6.

aquaticum, vi, C, 90.

argutum, i, s, 162, 257; v, C, 321.

asperum, ii, C, 193.

australe, i, s, 159.

beccarianum, vi, C, 76.

beddomei, ii, C, 6.

benguetense, i, s, 256; v, C, 322.

billardieri, vi, C, 90.

binerve, i, s, 159.

bisculcatum, vi, C, 139.

blechnoides, vi, C, 88.

bolsteri, i, s, 257.

brongiartii, ii, C, 416.

brunneum, ii, C, 214.

burbridgei, x, C, 148.

caespitosum, i, s, 159; ii, C, 5; v, C, 322.

calophlebium, ii, C, 140.

canescens, ii, C, 198.

caudiforme, ii, C, 6, 141; vi, C, 90.

celebicum, i, s, 158; ii, C, 5, 138, 407; x,
C, 148.

ceratophyllum, iii, C, 348.

cicutarium, ii, C, 410.

coloratum, iii, C, 347.

commutatum, i, s, 164; ii, C, 6, 141.

congenerum, v, C, 322; ix, C, 6.

coronatus, vi, C, 410.

corticolum, i, s, 256.

craspedosorum, ix, C, 233.

craterisorum, ii, C, 407.

crenatum, ii, C, 214.

cucullatum, i, s, 20, 159; ii, C, 5, 137.

cucullatum var. planum, ii, C, 137.

cumingianum, ii, C, 416.

currani, iv, C, 114.

damunense, vi, C, 88.

decorum, i, s, 160; vi, C, 88; x, C, 149.

decrescens, i, s, 159, 171; ii, C, 138, 407.

diplosorum, ix, C, 6.

dissectum, ii, C, 214; ix, C, 43.

Polypodium—Continued.

distans, ii, C, 214.

dolichopterum, i, s, 162; ii, C, 6; iii, C,
35; v, C, 520.

dolichosorum, i, s, 159.

drepanopterum, ii, C, 161.

ellipticum, i, s, 21, 165; vi, C, 90.

elmeri, v, C, 322.

ensatum, i, s, 162.

erubescens, ii, C, 210.

erythrotrichum, i, s, 160; ii, C, 138.

evectum, ix, C, 46.

extensum, ix, C, 41.

fasciculatum, v, C, 322.

feeii, i, s, 257.

filix mas, ii, C, 212.

flaccidum, ii, C, 178; ix, C, 7.

flexilobum, i, s, 165.

frederici et pauli, i, s, 159.

fuscatum, ii, C, 137.

gedeanum, iv, C, 114.

glandulosum, i, s, 256.

glauco-pruinatum, ii, C, 141.

glaucum, i, 663; i, s, 21; ii, C, 141.

glossipes, vi, C, 89.

glossophyllum, ix, C, 7.

gracillimum, i, s, 159; ii, C, 5, 137; v, C,
322.

granulosum, ii, C, 217.

halconense, ii, C, 138.

hammatisorum, i, s, 256; ii, C, 407.

hastatum, iii, C, 283.

hemionitideum, ii, C, 177.

heracleum, i, s, 166, 171; ii, C, 6, 141; v,
C, 285; vi, C, 140.

heterocarpum, i, s, 162; ii, C, 198.

hippocrepis, ii, C, 410.

hirsutulum, ix, C, 44.

hirtellum, iii, C, 392; v, C, 322.

inarticulatum, i, s, 160.

incurvatum, ii, C, 6.

insigne, i, s, 163; iii, C, 36.

integriore, ii, C, 139.

invisum, ii, C, 194.

jagorianum, i, s, 20; ii, C, 136.

javanicum, viii, C, 142.

khasyanum, viii, C, 143.

kingii, vi, C, 89.

krameri, vi, C, 147.

labruscum, ii, C, 410.

lagunense, ii, C, 140.

latifolium, ii, C, 410.

leuceana, ii, C, 417.

lineare, i, s, 162; iii, C, 283; vii, C, 65;
ix, C, 46.

linguaeforme, vii, C, 68; ix, C, 7, 232.

lobbianum, i, s, 160; x, C, 148.

longifolium, ii, C, 178.

loxogrammoides, vii, C, 65.

luzonicum, i, s, 162.

macrophyllum, ii, C, 6, 140; iii, C, 283;
vii, C, 65.

macrophyllum var. fokienense, iii, C, 283.

macrum, ii, C, 138.

maculosum, iii, C, 283.

membranaceum, vi, C, 89.

Polypodium—Continued.

- mengsteense, i, s, 161, 174, 256.
 merrittii, i, s, 255.
 merrittii var. poense, vii, C, 65.
 meyenianum, i, s, 21, 166.
 millefolium, iii, C, 35.
 mindanense, ix, C, 7.
 mollicomum, ii, C, 137; v, C, 322.
 monstrosus var. integriore, ii, C, 140.
 moseleyi, vi, C, 90.
 moultoni, x, C, 149.
 multicaudatum, i, s, 160.
 multijugatum, vi, C, 90.
 multisectum, vi, C, 90.
 musaeifolium, ii, C, 6; vi, C, 91, 139.
 musifolium, vii, C, 68; ix, C, 7, 232.
 myriocarpum, i, s, 20; ii, C, 177.
 nectariferum, i, s, 166; vi, C, 140; vii, C, 41.
 neglectum, i, s, 256; vi, C, 88.
 neo-guineense, vi, C, 89; ix, C, 7.
 nigrescens, i, s, 21; ii, C, 6; vi, C, 89.
 niponicum, iii, C, 282.
 nummularium, i, s, 256; ii, C, 139, 407.
 nutans, i, s, 160.
 obliquatum, i, s, 20, 160; ii, C, 5, 138, 407.
 obtusissimum, v, C, 322.
 oodes, iii, C, 35; vi, C, 88.
 orientale, ii, C, 207.
 ovatum, ii, C, 177.
 oyamense, vi, C, 147.
 palmatum, i, 663; i, s, 21; ii, C, 6, 141, 178; iii, C, 392; v, C, 322.
 palustre, ii, C, 167.
 papillosum, ii, C, 6, 139.
 papyraceum, vi, C, 90.
 parasiticum, ii, C, 197; ix, C, 43.
 paucisorum, ii, C, 137.
 pectinatum, ii, C, 207.
 pediculatum, ii, C, 5; x, C, 148.
 pentaphyllum, i, s, 163; iii, C, 36.
 persicifolium, ii, C, 139.
 phanerophlebium, i, s, 163.
 phyllomanes, ii, C, 177.
 phymatodes, i, s, 164; ii, C, 6, 141; iii, C, 392; vi, C, 89, 192; ix, C, 7, 45.
 proavatum, iii, C, 347.
 productum, ii, C, 178.
 proteus, i, s, 164.
 pseudoarticulatum, i, s, 160.
 pseudoconnatum, i, s, 161.
 pteroides, ii, C, 416.
 pteroides, ii, C, 204.
 pteropus, i, s, 159, 163; iii, C, 283; vi, C, 90, 148.
 pulogense, vi, C, 148.
 punctatum, i, s, 20; ii, C, 6, 140, 177; iii, C, 392; vi, C, 88, 192; ix, C, 45.
 pyrolifolium, vi, C, 88.
 repandulum, ix, C, 232.
 revolutum, ii, C, 6; ix, C, 233.
 rhynchophyllum, i, s, 256.
 rivulare, i, s, 163; iii, C, 35.
 rubidum, ii, C, 207.
 rudimentum, i, s, 20; iii, C, 35.

Polypodium—Continued.

- rupestre var. leucolepis, vi, C, 88.
 sablanianum, ii, C, 177; iii, C, 348.
 schenkii, ii, C, 407.
 schlechteri, ix, C, 9.
 schneideri, ii, C, 6.
 selligera, i, s, 257; vi, C, 192.
 senescens, vi, C, 88.
 sessilifolium, ii, C, 137.
 setaceum, vi, C, 139.
 setosum, i, s, 20, 171; ii, C, 137, 215.
 setosum var. calvum, ii, C, 136.
 shawii, ix, C, 6.
 sinuosum, ii, C, 6; vi, C, 90, 192.
 solidum, i, s, 256; ii, C, 138.
 sparsipilum, vi, C, 139.
 stenophyllum, i, s, 171.
 streptophyllum, i, s, 159.
 subauriculatum, i, 663; i, s, 20, 161; ii, C, 6, 139; v, C, 322; ix, C, 6.
 subauriculatum integrum, ix, C, 6.
 subvenosum, v, C, 322.
 subfalcatum, ii, C, 138.
 subfalcatum var. semiintegrum, ii, C, 138.
 subgeminatum, ix, C, 7.
 suboppositum, ii, C, 177.
 subpinnatifidum, iv, C, 114; v, C, 323.
 subreticulatum, ix, C, 6.
 subsecundo-dissectum, iv, C, 114.
 subsessile, i, s, 159.
 subtriphyllum, ii, C, 410.
 taeniophyllum, vii, C, 65; x, C, 149.
 taxodioides, i, s, 161.
 tenuinerve, ix, C, 7.
 tenuisectum, i, s, 161; ii, C, 139; x, C, 149.
 tenuissimum, ix, C, 6.
 trabeculatum, iii, C, 283.
 triangulare, iii, C, 347.
 trichopodium, vi, C, 139.
 tricomanoides, i, s, 159.
 trifidum, ii, C, 178.
 triquetrum, i, 663; i, s, 21; ii, C, 141.
 truncatum, ii, C, 192.
 tuanense, ix, C, 8.
 urophyllum, ii, C, 205.
 validum, ii, C, 140.
 varians, viii, C, 497.
 venulosum, ii, C, 138; v, C, 323.
 verrucosum, ii, C, 139; vi, C, 88.
 vulcanicum, i, s, 171.
 whitfordi, i, s, 256; ii, C, 139.
 wrayi, vii, C, 65.
 yoderi, i, s, 161; ii, C, 121, 139.
 zippelii, i, s, 162; ii, C, 6; v, C, 235.
- Polyporales, i, s, 284.
 Polyporeae, viii, C, 299; ix, C, 236.
 Polyporus, i, 427; i, s, 288; viii, C, 299; ix, C, 38, 236, 345.
 affinis, i, s, 288, 294; ix, C, 39.
 amboinensis, i, s, 286.
 anebus, viii, C, 299.
 apiaria, i, s, 286.
 auberiana, x, C, 97.
 auriscalpium, i, s, 286.

Polyporus—Continued.

australis, i, s, 285.
 badius, ix, C, 242.
 benguetensis, ix, C, 236.
 beyrichii, i, s, 290.
 bicolor, ix, C, 346.
 bogoriensis, viii, C, 300.
 brunneolus, i, s, 288.
 caliginosus, i, s, 294; ix, C, 238.
 caperatus, i, s, 288, 294.
 carbonacens, x, C, 92.
 cervicornis, ix, C, 239.
 cervino-gilvus, ix, C, 239.
 corrugatus, ix, C, 39.
 crenatus, x, C, 90.
 cumingii, i, s, 288.
 dealbatus, ix, C, 239.
 dermatodes, i, s, 288; ix, C, 239.
 dichous, x, C, 91.
 dictyopus, x, C, 90.
 discipes, x, C, 95.
 durus, ix, C, 345; x, C, 92.
 elmeri, ix, C, 243.
 elongatus, i, s, 288.
 emerici, x, C, 89.
 endapalus, ix, C, 238.
 endotheius, i, s, 294.
 fastuosus, ix, C, 236.
 flabelliformis, i, s, 288.
 flabellum, i, s, 288.
 fuscella, x, C, 94.
 fusco-badius, ix, C, 39.
 gibbosus, i, s, 294.
 gilvus, i, s, 287.
 gramocephalus, i, s, 288, 294; ix, C, 346.
 ignarius, i, s, 294.
 incanus, i, s, 290.
 intybaceus, i, s, 288.
 korthalsii, ix, C, 237.
 laeticolor, i, s, 294.
 lienoides, i, s, 287.
 lignosus, ix, C, 38.
 lingua, x, C, 96.
 lucidus, i, s, 287, 294.
 luteo-umbrinus, ix, C, 345.
 luteus, i, s, 289.
 mariannus, ix, C, 38.
 meleagris, ix, C, 240.
 meyenii, i, s, 289.
 microloma, i, s, 289.
 modestus, i, s, 289.
 mollissimus, x, C, 92.
 murinus, ix, C, 240.
 mutabilis, ix, C, 239.
 nilgheriensis, ix, C, 345.
 obovatus, x, C, 89.
 occidentalis, i, s, 289; ix, C, 39.
 ochreo-laccatus, i, s, 286.
 ostreaeformis, i, s, 294.
 ostreiformis, ix, C, 345.
 pectinatus, i, s, 294.
 peradeniae, ix, C, 239.
 petaliformis, ix, C, 239.
 philippinensis, i, s, 287.
 polygrammus, ix, C, 239.

Polyporus—Continued.

ramosii, ix, C, 345.
 ravenelii, ix, C, 239.
 rhodophoeus, ix, C, 345.
 rigidus, x, C, 92.
 rimosus, i, s, 286.
 roseo-albus, ix, C, 238.
 rubidus, ix, C, 346.
 rugosum, x, C, 97.
 rugulosus, x, C, 91.
 sanguinarius, x, C, 91.
 sanguineus, i, s, 294.
 scabrosus, ix, C, 39.
 senex, i, s, 286, 294.
 spadiceus, ix, C, 238; x, C, 95.
 squamaeformis, x, C, 90.
 subchioneus, ix, C, 238.
 tabacinus, x, C, 95.
 testudo, x, C, 92.
 tornatus, i, s, 285.
 tostus, i, s, 286.
 unguliformis, ix, C, 239.
 velutinus, i, s, 289.
 vernicipes, x, C, 90.
 versatilis, i, s, 289.
 vibecinus, i, s, 288.
 wightii, i, s, 286.
 xanthopus, i, s, 289, 294.
 zonalis, i, s, 294; ix, C, 345.
 zonalis var. semilaccatus, i, s, 294.

Polyrhachis abdominalis, i, 690.

acantha var. argentea, v, D, 129.
 aciculata, i, 690.
 argentia, i, 690.
 armata, i, 690; v, D, 128.
 bicolor, i, 690.
 bicolor var. concolor, v, D, 129.
 bihamata, i, 690; v, D, 128.
 cyaniventris, i, 690; v, D, 128.
 dives, i, 690; v, D, 71.
 maligna, i, 690.
 mayri, i, 690.
 philippinensis, i, 690.
 pubescens, i, 690.
 rastellata, i, 690.
 sculpturata, v, D, 128.
 sexspinosus, i, 690.
 sexspinosus var. esuriens, v, D, 128.
 textor var. aequalis, v, D, 129.
 trinax, i, 690.
 trinax subsp. javana, i, 690.
 trinax subsp. sayonensis, i, 690.

Polysaccum, viii, C, 307.

tuberisum, viii, C, 307.

Polyschistus paupercula, i, s, 380; x, C, 188.

Polyscias, i, s, 110; ix, C, 125.

cumingiana, ix, C, 125.
 fruticosa, vii, C, 241.
 grandifolia, ix, C, 125.
 nodosa, i, 391; i, s, 110; ii, A, 85; ii, C, 387; iv, C, 537; ix, A, 444.
 obtusa, i, s, 110; iii, C, 117.
 odorata, i, s, 110; iii, C, 117.
 rumphiana, ix, C, 125.

- Polyscopic cell, a new microscopical accessory,
v, D, 79.
- Polystachya, iv, C, 666.
luteola, iv, C, 666.
- Polystichum, i, s, 14, 145; ii, C, 123, 157; v,
C, 317; vi, C, 72.
aculeatum, v, C, 317.
aculeatum var. batjanense, ii, C, 123.
amabile, ii, C, 123; v, C, 317.
aristatum, ii, C, 3; iii, C, 278.
auriculatum, ii, C, 157; v, C, 318.
blepharistegium, i, s, 145.
carvifolium, ii, C, 123.
coniifolium, i, s, 14; ii, C, 123.
copelandi, ii, C, 157.
decatopteron, ii, C, 157.
deltodon, ii, C, 157.
deltodon var. nervosum, ii, C, 157.
dielsii, ii, C, 157.
horizontale, ii, C, 123, 406.
nudum, i, s, 145; ii, C, 3.
obliquum, ii, C, 157.
obliquum var. luzonicum, ii, C, 157.
varium, i, s, 174.
- Polystictus, i, 427; i, s, 288; viii, C, 300; ix,
C, 39, 158, 347.
abietinus forma pallida, ix, C, 349.
affinis, i, s, 288; ix, C, 39, 347.
atypus, ix, C, 348.
badius, i, s, 288.
barbatus, ix, C, 242.
benguetensis, ix, C, 236.
bogoriensis, viii, C, 300.
brunneolus, i, s, 288; ix, C, 348.
callimorphus, ix, C, 242.
caperatus, i, s, 288.
cervino-gilvus, ix, C, 239.
cichoriaceus, i, s, 288.
cinnabarinus, ix, C, 39.
clemensiae, ix, C, 240.
confundens, ix, C, 348.
copelandi, ix, C, 238.
cretatus, ix, C, 239.
crocatu, ix, C, 348.
cumingii, i, s, 288.
curranii, ix, C, 240.
dealbatus, ix, C, 239.
dermatodes, i, s, 288.
discipes, ix, C, 158.
elongatus, i, s, 288.
fiabelliformis, i, s, 288; ix, C, 347.
floccosus forma subresupinata, ix, C, 349.
funalis, ix, C, 240.
gallo-pavonis, i, s, 288.
inquinatus, ix, C, 240.
kurzianus, i, s, 288.
luteus, i, s, 289; ix, C, 347.
meleagris, ix, C, 240, 348.
melleo-flavus, ix, C, 239.
meyenii, i, s, 289; ix, C, 348.
microcylus, ix, C, 241.
microloma, i, s, 289.
modestus, i, s, 289.
mons veneris, ix, C, 240, 349.
murinus, ix, C, 240.
nephelodes, ix, C, 348.
- Polystictus—Continued.
obstinatus, i, s, 289.
occidentalis, i, s, 289; ix, C, 39, 348.
persoonii, i, s, 289.
philippinensis, ix, C, 243.
polyzonus, ix, C, 348.
sanguineus, i, s, 289; ix, C, 39.
spadiceus, ix, C, 241, 348.
spadiceus var. barbatus, ix, C, 242.
squamaeformis, x, C, 90.
squamaeformis forma fuscata, ix, C, 348.
squamaeformis var. nephelodes, x, C, 90.
subdealbatus, ix, C, 240, 348.
substygius, ix, C, 241.
subvernicipes, ix, C, 242.
tabacinus, ix, C, 241, 348.
vellereus, ix, C, 348.
velutinus, i, s, 289.
versatilis, i, s, 289.
versicolor, i, s, 284.
vinosus, ix, C, 242.
xanthopus, i, s, 289; ix, C, 39, 348.
xerampelinus, ix, C, 241.
- Polystomella, viii, A, 313; ix, C, 173; x, A,
249.
craticulata, vi, D, 57.
- Polytoca, x, C, 288.
barbata, i, s, 320.
bracteata, x, C, 288.
heteroclita, x, C, 288.
- Polytrema, x, C, 341.
addisoniense, x, C, 341.
aequifolium, x, C, 342.
pulgarensis, x, C, 342.
vulgare, x, C, 341.
- Polytrias, i, s, 327; vii, C, 153.
amaurea, i, s, 327.
diversiflora, vii, C, 180.
praemorsa, i, s, 327.
- Polytrichaceae, i, s, 12; ii, C, 341; iii, C, 21;
v, C, 150, 314; viii, C, 98; ix, C, 204.
- Pomacentridae, iv, A, 517.
- Pomacentrus elongatus, iv, A, 518.
moluccensis, iv, A, 518.
notaphthalmus, iv, A, 520.
popei, iv, A, 518.
suluensis, iv, A, 519.
trilineatus, iv, A, 519.
tropicus, iv, A, 517.
- Pomegranate, iv, B, 221.
- Pomelo, iv, B, 221; vii, A, 403; vii, C, 193;
viii, A, 68.
- Pometia, iii, C, 418.
pinnata, ii, C, 388; iii, C, 418; iv, C, 495,
707; viii, C, 445; ix, C, 184.
- Pomfret, v, D, 269.
black, ix, D, 63.
white, ix, D, 63.
- Pomme de Cannelle, vii, C, 113.
- Pommier de Cannelle, vii, C, 113.
- Pompano, iii, A, 517.
- Pompilinae, i, 688.
- Ponche Venus, vii, A, 24.
- Pond apple, vii, C, 113.
- Ponds, fish, iii, A, 519; x, D, 307.
- Ponera luteipes, i, 689.

- Ponerinae, i, 689.
 Pongam, v, C, 38.
 Pongamia, i, s, 66; v, C, 38, 101; vii, C, 159.
 elegans, v, C, 105.
 glabra, i, 669; i, s, 66; ii, A, 440; iii, C, 82; iv, C, 468; v, C, 101; viii, C, 507; ix, C, 168; x, D, 299.
 glabra var. *xerocarpa*, v, C, 101.
 grandifolia, v, C, 101.
 mitis, v, C, 101; vi, C, 206; viii, C, 507; ix, C, 168.
 mitis var. *xerocarpa*, v, C, 101.
 sinuata, v, C, 103.
 uliginosa, v, C, 105.
 xerocarpa, v, C, 101.
 Ponit, iv, C, 257.
 Pontederiaceae, i, s, 34; vi, C, 196; vii, C, 155.
 Poon, iv, C, 504.
 seed, ii, A, 444.
 Poot, x, C, 411.
 Popea, i, 990.
 lutea, i, 990; viii, D, 306.
 Popillia, v, D, 254.
 aemula, v, D, 261.
 cetrata, v, D, 260.
 conopyga, v, D, 260.
 depressa, v, D, 261.
 depressiuscula, v, D, 261.
 mcgregori, v, D, 254.
 mutans, v, D, 261.
 mutans var. *relucens*, v, D, 261.
 oculata, v, D, 255.
 pictalis, v, D, 261.
 picticollis, v, D, 254.
 scalpta, v, D, 261.
 variabilis, v, D, 261.
 Poplar, vi, A, 14.
 Popocyrus pictus, vii, D, 359.
 Popowia, iii, C, 224.
 polyandra, iii, C, 224; vi, C, 202.
 Populus balsamifera, vi, A, 14.
 deltoides, vi, A, 14.
 grandidentata, vi, A, 14.
 monilifera, vi, A, 14.
 pyramidalis, x, D, 284.
 tremula, x, D, 284.
 tremuloides, vi, A, 14.
 Popypodium, ii, C, 416.
 Poras, iv, C, 87.
 Porcelain, attempts to make, v, A, 145.
 Porcupine, vii, D, 34.
 Porgy, iii, A, 528; iv, A, 514; v, D, 277; ix, D, 67.
 Poria, ix, C, 347.
 cryptacantha, ix, C, 347.
 Porifera, iv, A, 57.
 Porites, viii, D, 446.
 Porizonini, i, 693.
 Porohylobius, vii, D, 392.
 Porok, iii, A, 529.
 Poronia, i, s, 281.
 pileiformis, i, s, 281.
 Poropterus bengueticus, x, D, 231.
 fossulatus, x, D, 233.
 irritus, x, D, 231.
 Porpa repens, iii, C, 111.
 Porphyrio pulverulentus, ii, A, 319.
 Porphyry, andesite, ii, A, 246.
 feldspar, ii, A, 247.
 Port Arthur and vicinity, geology of, ix, A, 269.
 Port Banga, analysis of mangrove barks from, iv, A, 208.
 Port Barrera, iv, A, 3; vi, A, 410.
 Portia tree, iv, C, 449.
 Portland cement, see Cement.
 Portulaca, iii, C, 406; vii, C, 157, 234; ix, C, 82.
 oleracea, i, 669; iii, C, 406; vi, C, 201; vi, D, 175; vii, C, 183; ix, C, 82, 424, 499.
 pilosa, vii, C, 183, 234.
 portulacastrum, ix, C, 82.
 quadrifida, iii, C, 406; vii, C, 196; ix, C, 82.
 Portulacaceae, iii, C, 406; vi, C, 201; vii, C, 157, 234; ix, C, 82, 424.
 Poso, iv, B, 222.
 Post-Miocene formations, Bulacan, ix, A, 211.
 Pota, iii, A, 203.
 Potamides, viii, A, 269.
 babylonicus, viii, A, 269.
 herklotsi, viii, A, 269.
 herklotzi, v, A, 329.
 jenkinsi, viii, A, 248.
 noetlingi, viii, A, 269.
 palustris, v, A, 329; viii, A, 269.
 sp., viii, A, 324.
 Potamogale, vi, D, 193.
 Potamogeton, vii, C, 153; ix, C, 49, 260, 339.
 angustifolius, ix, C, 240.
 crispus, ix, C, 341.
 crispus var. *serrulatus*, ix, C, 342.
 cristatus, ix, C, 340.
 curtissii, ix, C, 343.
 elegans, ix, C, 344.
 floridanus, ix, C, 343.
 fluitans, ix, C, 49.
 fluitans subsp. *americanus*, ix, C, 49.
 gaudichaudii, ix, C, 49, 341.
 heterocarpus, ix, C, 341.
 heterophyllus, ix, C, 339.
 heterophyllus var. *latifolius*, ix, C, 340.
 hybridus, ix, C, 339.
 indicus, ix, C, 340.
 japonicus, ix, C, 341.
 javanicus, ix, C, 339.
 lucens, viii, C, 1; ix, C, 49, 341.
 lucens var. *heterophyllus*, ix, C, 340.
 maackianus, ix, C, 342.
 malainus, vii, C, 180; ix, C, 50, 341, 503.
 mariannensis, ix, C, 49.
 mucronatus, ix, C, 50, 341.
 natans, ix, C, 343.
 natans var. *mariannensis*, ix, C, 49.
 nipponicus, ix, C, 260.
 nodosus, ix, C, 49.
 occidentalis, ix, C, 341.
 orientalis, ix, C, 339.
 oxyphyllus, ix, C, 341.

Potamogeton—Continued.

- parcifolius, ix, C, 339.
 perversus, ix, C, 343.
 philippinensis, ix, C, 342.
 polygonifolius, ix, C, 344.
 pusillus, ix, C, 342.
 robbinsii var. japonicus, ix, C, 342.
 roxburghianus, ix, C, 340.
 serrulatus, ix, C, 342.
 sumatranus, ix, C, 341.
 tenuicaulis, ix, C, 339.
 tepperi, ix, C, 340.
 trichoides, ix, C, 339.
 wrightii, ix, C, 341.
 zizii, ix, C, 49, 340.
- Potamogetonaceæ, vii, C, 153, 228; ix, C, 49, 260; x, C, 2.
- Potamogetons of the P. I., ix, C, 339.
- Potassium iodide in morphine, codeine, and heroin solutions, vi, A, 260.
- Potato, iv, B, 222.
- Potatoes as a neuritis-preventing substance, vii, B, 452.
- Potean, iv, C, 558.
- Pothidium, i, s, 32.
- lobbianum, i, 409; i, s, 32, 171.
- Pothos, i, s, 32.
- philippinensis, i, 409; i, s, 32.
- Pctian, i, s, 72.
- Poto, iv, B, 220.
- seco, iv, B, 220.
- Potocpotocan, v, C, 63.
- Potomides sulcatus, vii, D, 279.
- Pototan, iv, A, 208; iv, C, 527; vi, A, 2, 50; vi, C, 213.
- Pottery, analysis of the products of primitive peoples, ii, A, 424.
- industry in San Nicolas, ix, D, 117.
- P. I., v, A, 143.
- Pottiaceæ, iii, C, 14; v, C, 143; viii, C, 69; ix, C, 204.
- Poupartia pinnata, iii, C, 108.
- Pouzolzia, iii, C, 404; v, C, 344; vi, C, 6, 297, 299; vii, C, 157.
- arachnoidea, vi, C, 6.
- conglobata, vi, C, 7.
- dentata, vi, C, 7, 311.
- heterophylla, vi, C, 9.
- hirta, vi, C, 9.
- indica, iii, C, 404; v, C, 475; vi, C, 8.
- integrifolia, vi, C, 10.
- macrura, vi, C, 6.
- pentandra, vi, C, 9.
- rubricaulis, vi, C, 8.
- viminea, v, C, 476; vi, C, 9.
- zeylanica, v, C, 475; vi, C, 8, 200, 297.
- Fozitos, vi, A, 380.
- Prachycilibe, viii, D, 389.
- Practicante, ix, B, 159.
- Præochrolea, viii, D, 232.
- basalis, viii, D, 232.
- Prægeluria, vii, C, 243.
- Prapat, iv, C, 525.
- Praravinia, x, C, 107.
- everettii, x, C, 107.
- Pratia, i, s, 241.
- begonifolia, i, s, 241.
- Pratincola caprata, i, 703; ii, A, 307, 314, 328; iii, A, 279; vi, D, 45.
- Prawan, iv, C, 536.
- Prawns, salted, ix, D, 3.
- Precipitin and complement fixation reactions, iii, B, 357.
- Pregnancy and its association with amœbiasis, i, 547.
- use of quinine in, v, B, 195.
- Premna, i, s, 121, 229; iii, C, 215, 431; iv, C, 554; v, C, 226, 380; vii, C, 165; viii, C, 388; ix, C, 136; x, C, 73.
- adenosticta, i, s, 230.
- areolata, x, C, 73.
- benguetensis, iii, C, 215.
- cardiophylla, i, s, 230.
- congesta, i, s, 232.
- cordata, i, s, 230; ii, C, 435.
- cumingiana, i, 387; i, s, 121, 230; ii, C, 435; viii, C, 267; ix, A, 462.
- depauperata, i, s, 231.
- foetida, i, s, 229.
- gaudichaudii, i, s, 229; ix, C, 136.
- integrifolia, i, s, 121, 233; iii, A, 264; iii, C, 431; iv, C, 554; vi, C, 221.
- laevigata, iii, C, 431.
- leucostoma, i, s, 233.
- mariannarum, i, s, 229; ix, C, 136.
- membranacea, i, s, 230.
- membranifolia, viii, C, 388.
- mucronata, i, s, 229.
- nauseosa, i, 391; i, s, 121, 233; viii, C, 489; ix, C, 429.
- nitida, i, s, 234.
- oblongifolia, i, s, 230.
- obtusifolia, iii, C, 431.
- odorata, i, s, 121, 232; ii, C, 435; iii, C, 431; v, C, 380; viii, C, 500; ix, C, 513.
- philippinensis, i, s, 229.
- pubescens, i, s, 229.
- pyramidata, iv, C, 554.
- serratifolia, i, s, 232; ii, C, 435.
- subglabra, i, s, 234; iii, C, 431.
- subscandens, i, s, 230; viii, C, 389.
- tomentosa, i, s, 229; ii, C, 435; iv, C, 555.
- vestita, i, s, 121, 229.
- viburnoides, i, s, 229.
- williamsii, x, C, 74.
- Prenanthes dentata, iii, C, 218.
- javanica, iii, C, 217.
- laciniata, iii, C, 442.
- squarrosa, iii, C, 442.
- Prenolepis longicornis, v, D, 127.
- Presbytis, vii, D, 46.
- Preta, x, D, 193.
- Primitive ear, iv, A, 429.
- type, iv, A, 269, 301, 410.
- Primocarex, vi, C, 58.
- Primulacæ, i, s, 221; ii, C, 298; iii, C, 425; v, C, 377; vii, C, 93; ix, C, 127.
- Primulales, i, s, 112.
- Principal, ix, D, 130.
- Principes, i, s, 31.

- Prochirus cavifrons*, vii, D, 245.
currani, vii, D, 248.
luzonicus, vii, D, 246.
manilensis, vii, D, 247.
philippinus, vii, D, 245.
schultzei, vii, D, 246.
sexdentatus, vii, D, 245.
- Priönastraea*, viii, A, 290.
vasta, viii, A, 291.
- Prioniturus cyaneiceps*, i, 904.
discurus, i, 772; ii, A, 284, 303, 324; iv, A, 69; vi, D, 41.
luconensis, v, D, 104.
mindorensis, i, 701.
montanus, v, D, 136.
- Prionochilus anthonyi*, ix, D, 531.
anthonyi, ix, D, 531.
inexpectatus, i, 703; ii, A, 330.
johannæ, i, 907; ix, D, 531.
olivaceus, ii, A, 290, 330.
quadricolor, ii, A, 308; ix, D, 531.
sp., vi, D, 236.
- Prionodontaceæ*, viii, C, 74; ix, C, 204.
- Priopis gymnocephalus*, v, D, 274.
urotænia, iii, A, 529; ix, D, 65.
- Prioptera immaculata*, v, D, 228.
immaculata var. *fuscopunctata*, v, D, 228.
nigricollis, viii, D, 239.
8-punctata, viii, D, 239.
palawanica, viii, D, 239.
4-impressa, viii, D, 239.
schultzei, iii, A, 259, 263.
sinuata, iii, A, 261; v, D, 228.
sinuata ab. *deficiens*, v, D, 229; viii, D, 240.
westermanni, viii, D, 239.
- Prismatomeris*, v, C, 243.
albidiflora, v, C, 243.
tetrandra, v, C, 243.
- Prisons*, beriberi in Shanghai, vii, B, 288.
of Java and Madura, inspection of, v, B, 67. See also Bilibid.
- Pristhevarma bipunctata*, iv, A, 586.
- Pristipoma hasta*, iii, A, 528; v, D, 276; ix, D, 67.
negeb, v, D, 276.
therapon, v, D, 276.
- Pristomerini*, i, 693.
- Pristomerus flavus*, i, 693.
- Probubalus mindorensis*, vii, D, 45.
- Prochlorite*, x, A, 92.
- Procinetus rectinervis*, ix, D, 287.
- Prockia luzonensis*, ix, C, 323.
- Procris*, i, s, 49; v, C, 505; vi, C, 31, 295; viii, C, 369; ix, C, 78; x, D, 359.
crenata, v, C, 507.
dolichophylla, viii, C, 369.
erecta, v, C, 507.
frutescens, vi, C, 295; viii, C, 369.
grandis, v, C, 507; ix, C, 356.
integrifolia, v, C, 542.
laevigata, i, s, 49; v, C, 505.
lagunensis, v, C, 506; vi, C, 31.
obtusa, v, C, 495.
- Procris*—Continued.
peduncularis, v, C, 495.
pedunculata, viii, C, 370; ix, C, 78.
philippinensis, v, C, 505; vi, C, 200.
pseudostrigosa, v, C, 506; vi, C, 295.
rostrata, v, C, 504.
sesquifolia, v, C, 542.
sinuata, v, C, 497.
violacea, v, C, 508.
- Proctacanthus*, viii, D, 308.
- Proctotrupidæ* (Serphides) des îles Philip-pines, ix, D, 285.
- Proctotrypoidea*, i, 690.
- Prodenia littoralis*, i, 695.
- Prodiocetes rubrovittatus*, x, D, 234.
- Prodromopsis cuneatus*, x, D, 84.
oculatus, x, D, 84.
philippinensis, x, D, 83.
- Prodryinus stantoni*, ix, D, 285.
- Promachus forcipatus*, viii, D, 308.
maculosus, viii, D, 308.
manillensis, viii, D, 308.
varipes, viii, D, 308.
- Promecothea apicalis*, viii, D, 237.
cumingi, v, D, 146; viii, D, 127, 237.
- Promiomera*, ix, D, 183.
rufithorax, ix, D, 183.
- Proprietary medicines in the Orient*, iii, A, 411.
- Prorodeca angulifera*, v, D, 169.
- Prosacantha*, ix, D, 286.
roberti, i, 690.
- Prosaptia*, i, s, 157; ii, C, 136; iv, C, 115; v, C, 318; vi, C, 88.
alata, i, s, 158; ii, C, 136.
ancestralis, ix, C, 232.
brevifrons, ix, C, 232.
contigua, i, s, 158; ii, C, 5, 136; vi, C, 88.
contigua monosora, i, s, 159; ii, C, 136.
cryptocarpa, i, s, 158; ii, C, 5.
linearis, iv, C, 115; v, C, 318.
polymorpha, ii, C, 136.
semicrypta, ix, C, 231.
toppingii, i, s, 158; ii, C, 136.
- Prosenia pectoralis*, viii, D, 314.
- Prosopidæ*, i, 686.
- Prosopis*, i, s, 62; v, C, 31; vii, C, 159.
julifera, i, 669; i, s, 62; v, C, 31; vii, C, 201.
spicigera, iv, C, 464.
tagala, i, 686.
vidaliana, v, C, 31; vii, C, 184; viii, C, 497.
- Prosopocoilus buddha*, vii, D, 97.
palawanicus, vii, D, 97.
- Prosopodasys trachinordes*, v, D, 286.
- Prosparasion cœruleum*, ix, D, 286.
- Protaetia banksi*, vi, D, 332.
venerabilis, vi, D, 332.
- Proteaceæ*, i, s, 49; iii, C, 132; iv, C, 447; x, C, 189, 300.
- Proteales*, i, s, 49.
- Protease*, tests for, x, A, 128.
- Proteides chrysaeglia*, x, D, 301.

- Proteoses and fever, viii, B, 475.
 the physiological action of the, ix, B, 499.
- Protermitidae, viii, D, 272.
- Proteroglypha, vi, D, 264.
- Proteoclea, x, D, 245.
 laterivitta, x, D, 245.
- Proteus, i, 95.
 fluorescens, x, B, 316.
 mirabilis, x, B, 316.
 vulgaris, x, B, 316.
 zenkeri, x, B, 316.
- Prothyma lucidicollis, iii, A, 273.
 schultzei, iii, A, 273.
- Protium, x, C, 30.
 connarifolium, x, C, 30.
 javanicum, iv, C, 476; x, C, 30.
 serratum, iv, C, 475.
- Protocerus grandis, x, D, 34.
 rufifrons, x, D, 33.
- Protolindsaya, v, C, 283.
 brooksii, v, C, 283.
- Protozoa, ii, B, 538; iv, B, 257; v, D, 291.
- Proustite, i, 624.
- Provespa dorylloidea, i, 688.
- Provinces, suppression of outbreak of cholera in, iv, B, 107.
- Prune, Spanish, viii, A, 75.
- Prunella indica, vii, C, 101.
- Prunus, v, C, 180.
 communis, x, D, 358.
 junghuhnianus, v, C, 180.
 laurifolia, x, C, 35.
 serotina, vi, A, 14.
- Pryona bantamensis, v, C, 39.
- Psammobia tenuis, v, A, 329.
 togata, vii, D, 276.
- Psammodynastes pulverulentus, iv, A, 600;
 v, D, 214; vi, D, 264.
- Psammoperca waigiensis, v, D, 274.
- Psammosolen coarctatus, viii, A, 170.
- Psecadia delicata, iii, A, 36.
- Psélaphides (Coléoptères) des îles Philippines,
 ix, D, 451.
- Pselliophora doleus, viii, D, 307.
 idalia, viii, D, 307.
 suspirans, viii, D, 307.
- Psen algii, i, 687.
- Pseudabax chalcus, viii, D, 413.
 formosus, viii, D, 410.
 frater, viii, D, 412.
 nigricollis, viii, D, 411.
 purpureomicans, viii, D, 410.
 viridipennis, viii, D, 414.
- Pseudaclees, vii, D, 391.
- Pseudagenia femorata, i, 688.
 imitator, i, 688.
 rufofemorata, i, 688.
 unifasciata, i, 688.
- Pseudaglossa, ii, A, 366.
 peregrina, ii, A, 366.
- Pseudapanteles agilis, i, 693.
- Pseudapocryptus, vii, D, 326.
 exsectus, vii, D, 328.
 formicarius, vii, D, 327.
 imitator, vii, D, 329.
- Pseudapocryptus—Continued.
 productus, vii, D, 330.
 schadenbergi, vii, D, 327.
- Pseudarthria, v, C, 90.
 viscida, v, C, 90.
- Pseudechinolaena, i, s, 362.
- Pseudepicausta chalybea, viii, D, 310.
- Pseuderanthemum, vii, C, 166, 248.
 bicolor, vii, C, 248.
 pulchellum, vii, C, 248.
- Pseudeuchromia, ii, A, 363.
 catachroma, ii, A, 363.
- Pseudeumolpus iridipennis, viii, D, 408.
 polychromus, viii, D, 409.
 superbus, viii, D, 408.
- Pseudeurina maculata, viii, D, 331.
- Pseudixora auriculata, ii, C, 427.
- Pseudoamia polystigma, v, D, 274.
- Pseudobranchysticha semiaurea, x, D, 137.
- Pseudocrapa championii, iv, C, 480.
- Pseudochromidae, iv, A, 528.
- Pseudochromis aurea, iv, A, 528.
 rex, iv, A, 529.
- Pseudocolonum, i, s, 354.
- Pseudocophora flavipes, viii, D, 224.
 monticola, viii, D, 224.
 ventralis, viii, D, 223.
- Pseudocypbellaria, viii, C, 115.
 argyracea, viii, C, 121.
 argyracea var. reveniens, viii, C, 121.
 aurata, viii, C, 115.
 cinnamomea, viii, C, 120.
 crocata, viii, C, 119.
 dissimulata, viii, C, 118.
 dissimulata var. currani, viii, C, 119.
 dissimulata var. hypophaea, viii, C, 118.
 dissimulata var. nudior, viii, C, 118.
 episticta, viii, C, 117.
 flavicans, viii, C, 115.
 foveolata, viii, C, 121.
 gilva, viii, C, 119.
 homalosticta, viii, C, 117.
 homoeophylla, viii, C, 119.
 intricata, viii, C, 120.
 intricata var. thoursii, viii, C, 121.
 multipartita, viii, C, 116.
 phaeorhiza, viii, C, 116.
 quercifolia, viii, C, 117.
 subpunctulata, viii, C, 119.
 subvariabilis, viii, C, 116.
 tomentosa, viii, C, 121.
- Pseudoganisa, v, D, 162.
 currani, v, D, 162.
- Pseudojana, ii, A, 362.
 clemensi, ii, A, 362.
- Pseudoskeopsis, iii, C, 26.
 decurvata, iii, C, 26; ix, C, 210.
- Pseudomalaia, v, D, 260.
 flavoplosa, v, D, 260; vii, D, 266.
 pilifera, v, D, 260; vii, D, 264.
 semperi, v, D, 260.
 tagala, v, D, 260; vii, D, 265.
 whiteheadi, vii, D, 267.
- Pseudomyrmecinae, i, 689.

- Pseudomyzomyia indefinata*, ix, B, 384.
ludlowii, ix, B, 384.
rossii, ix, B, 384.
Pseudophana lyrata, v, D, 38.
pallida, v, D, 38.
Pseudophyrellia lauta, viii, D, 315.
Pseudophyscia hypoleuca var. *colorata*, viii, C, 106.
Pseudoracelopus, v, C, 150.
philippinensis, v, C, 150.
Pseudoracelapus, ix, C, 205.
Pseudorhabdium longiceps, vi, D, 261.
oxycephalum, vi, D, 262.
Pseudorhiza, ix, D, 212.
Pseudorhombus javanicus, v, D, 287.
misakius, ix, D, 78.
olegolepis, ix, D, 78.
polyspilus, v, D, 287.
russellii, ix, D, 78.
Pseudosalius bipartitus, i, 687.
Pseudoscarus aeruginosa, ix, D, 70.
Pseudosciaena anea, v, D, 280.
diacanthus, v, D, 279.
Pseudosilusa, x, D, 124.
testacea, x, D, 124.
trifoveolata, x, D, 124.
Pseudospiridentopsis, v, C, 154; viii, C, 80.
horrida, v, C, 154; viii, C, 80; ix, C, 206.
Pseudosquilla, x, D, 172.
ciliata, x, D, 172.
megalophthalma, x, D, 172.
oculata, x, D, 173.
ornata, x, D, 172.
oxyrhyncha, x, D, 173.
Pseudostrongylium aberrans, viii, D, 424.
aeneum, viii, D, 425.
banksi, viii, D, 423.
cyanipes, viii, D, 424.
gravidum, viii, D, 424.
opacum, viii, D, 422.
semperi, viii, D, 422.
viride, viii, D, 423.
vollenhoveni, viii, D, 424.
Pseudoterpna, ii, A, 374.
ruginaria, ii, A, 374.
Pseudotsuga douglasii, vi, A, 14.
Pseudotyphoid fever in Deli, Sumatra, x, B, 345.
Pseudouranotania parangensis, viii, D, 307.
triangulata, viii, D, 307.
Pseudoxenodon dorsalis, vi, D, 268.
Pseuduvaria, x, C, 254.
aurantiaca, x, C, 255.
diepenhorstii, x, C, 255.
glandulifera, x, C, 255.
macrophylla, x, C, 255.
philippinensis, x, C, 256.
prainii, x, C, 255.
reticulata, x, C, 254.
rugosa, x, C, 255.
versteegii, x, C, 255.
Psidium, i, s, 103; iv, C, 335; v, C, 366; vii, C, 163; ix, C, 124.
aromaticum, iv, C, 336.
guajava, i, 219, 398, 428; i, s, 103; iv, B, 221; iv, C, 93, 336, 535; v, C, 366;
Psidium—Continued.
 vi, A, 3, 17; vi, C, 214; vii, C, 187; viii, A, 72; viii, C, 482; ix, C, 124, 513.
pomiferum, iv, C, 336.
pumilum, iv, C, 336.
pyriferum, iv, C, 336, 535.
Psilidæ, viii, D, 311.
Psilinae, viii, D, 330.
Psilocephala lateralis, viii, D, 309.
Psilomelane, x, A, 92.
Psilotaceæ, ii, C, 148; vi, C, 192; ix, C, 47.
Psilotum, ii, C, 148; ix, C, 47.
complanatum, ii, C, 148.
nudum, vi, C, 192; ix, C, 47.
Psittacidæ, ii, A, 337; iii, A, 278; iv, A, 69; v, D, 108; vi, D, 41.
Psolus boholensis, vi, D, 313.
boholensis pandanensis, vi, D, 313.
complanatus, vi, D, 313.
Psomiocarpa apiifolia, ii, C, 3.
Psophocarpus, v, C, 4, 136; vii, C, 160; ix, C, 94.
palustris, v, C, 136.
tetragonolobus, v, C, 5, 9, 136; vii, C, 185; ix, C, 94.
Psoralea, v, C, 68.
badocana, v, C, 68.
Psorotheciopsis, viii, C, 404.
decipiens, viii, C, 404.
decipiens var. *bispora*, viii, C, 404.
Psychotria, i, s, 134, 240; ii, C, 306; iii, C, 438; v, C, 243, 389; vii, C, 167; viii, C, 51; ix, C, 148, 456; x, C, 121.
acuminatissima, x, C, 132.
agusanensis, x, C, 123.
alvarezii, viii, C, 56; x, C, 132.
andamanica, x, C, 129.
angulata, x, C, 129.
arborescens, x, C, 130.
arbuscula, ix, C, 148.
aurantiaca, x, C, 130.
balabacensis, x, C, 127.
banahaensis, vi, C, 224; viii, C, 54; ix, C, 457; x, C, 132.
bataanensis, i, 664; i, s, 134, 240; x, C, 132.
beccarii, x, C, 126.
bontocensis, ix, C, 456; x, C, 128.
cagayanensis, viii, C, 51; x, C, 133.
celastroides, i, s, 135; x, C, 123.
cephalophora, iii, C, 438; x, C, 133.
cervina, x, C, 123.
chasalioides, x, C, 125.
crispipila, i, s, 240; v, C, 389; x, C, 133.
cuernosensis, x, C, 123.
diffusa, i, 664; i, s, 134; ii, C, 306; x, C, 123.
diffusa var. *agusanensis*, x, C, 123.
diffusa var. *cervina*, x, C, 123.
divergens, x, C, 129.
elliptifolia, x, C, 123.
epiphytica, x, C, 123.
erythroricha, x, C, 133.
euphlesia, viii, C, 55; x, C, 133.
gitingensis, x, C, 128.
gracilipes, viii, C, 52; x, C, 132.

Psychotria—Continued.

- herbacea, ix, C, 143.
 insularis, ix, C, 148.
 iwahigensis, x, C, 128.
 ixoroides, x, C, 124.
 leptothyrsa, x, C, 126.
 lianoides, x, C, 122.
 linearis, x, C, 123.
 loheri, ix, C, 458; x, C, 132.
 longipedicellata, viii, C, 53; x, C, 133.
 longipedunculata, vi, C, 225; x, C, 133.
 luconiensis, viii, C, 52, 275; x, C, 131.
 lurida, x, C, 140.
 macgregorii, v, C, 389; x, C, 133.
 malaspinae, ix, C, 148.
 malayana, x, C, 132.
 manillensis, i, s, 135; iii, C, 438; x, C, 123.
 mariana, ix, C, 148; x, C, 129.
 mearnsii, x, C, 126.
 membranifolia, x, C, 124.
 membranifolia var. elmeri, x, C, 125.
 microphylla, x, C, 130.
 mindanaensis, viii, C, 54; x, C, 130.
 mindorensis, x, C, 124.
 montana, x, C, 141.
 negrosensis, x, C, 131.
 ovalis, viii, C, 53; x, C, 122.
 palawanensis, x, C, 134.
 paloensis, x, C, 131.
 pauciflora, x, C, 129.
 phanerophlebia, v, C, 243; x, C, 131.
 philippinensis, i, s, 135; x, C, 129.
 pilosella, x, C, 131.
 pinnatinervia, vi, C, 225; viii, C, 52; x, C, 131.
 piperi, x, C, 129.
 plumeriaefolia, x, C, 131.
 pyramidata, x, C, 134.
 ramosii, v, C, 244; x, C, 128.
 ramosissima, x, C, 128.
 repens, x, C, 128.
 rigidaefolia, x, C, 128.
 rizalensis, viii, C, 56; x, C, 130.
 rubiginosa, i, 664; i, s, 135; x, C, 131.
 sarcocarpa, viii, C, 53; x, C, 123.
 sarmentosa, i, s, 135; ii, C, 306; vi, C, 227; x, C, 124.
 serpens, iii, C, 439.
 sibuyanensis, x, C, 128.
 similis, x, C, 134.
 subalpina, x, C, 131.
 subsessiliflora, x, C, 131.
 sulcata, x, C, 129.
 taepo, i, s, 135; ii, C, 306; x, C, 132.
 tayabensis, viii, C, 56; x, C, 133.
 thwaitesii, x, C, 129.
 tortilis, x, C, 142.
 urdanetensis, x, C, 130.
 vanoverberghii, ix, C, 457; x, C, 128.
 velutina, x, C, 133.
 versicolor, x, C, 130.
 viridiflora, ix, C, 148.
 voluta, x, C, 128.
 weberi, viii, C, 54; x, C, 133.
 Psygium, vi, C, 140.
 Psylla, x, D, 258.
 Psylledontus secundus, x, D, 260.
 Psyllidæ, viii, D, 293; x, D, 257.
 Psylliodes splendida, v, D, 142.
 Psylloidea, x, D, 49.
 Ptecticus, viii, D, 308.
 Ptenochirus, vii, D, 8.
 jagorii, vii, D, 8.
 Pteranthera mangachapoi, vi, C, 282.
 Ptericarpus echinatus, v, C, 7.
 Pteridæ, vii, C, 50.
 Pteridium, i, s, 19; ii, C, 134; v, C, 321; vi, C, 85.
 aquilinum, i, 666; i, s, 19; ii, C, 5, 134; v, C, 321; vi, C, 85.
 Pteridophyta, i, s, 13; v, C, 315; vi, C, 191; ix, C, 422.
 halconenses, ii, C, 119, 253.
 Pteridophytes, ix, C, 41.
 Pteris, i, s, 18, 156, 255; ii, C, 133, 171; iii, C, 391; v, C, 321; vi, C, 85; vii, C, 49, 152; viii, C, 142; ix, C, 45.
 alata, x, C, 186.
 barathrophyllum, viii, C, 143.
 beccariana, vi, C, 86.
 biaurita, ii, C, 172; vi, C, 86; vii, C, 179; ix, C, 45.
 blumeana, ii, C, 172.
 blumeana var. asperula, ii, C, 172.
 brooksii, ix, C, 231.
 caesia, i, s, 156.
 cretica, i, 408; i, s, 18; iii, C, 282, 391; v, C, 321; vi, C, 85; vii, C, 54.
 cretica var. stenophylla, ii, C, 173.
 dalhousiae, vi, C, 138.
 decrescens, iii, C, 282.
 deltoidea, vi, C, 85.
 digitata, ii, C, 173.
 dimorpha, iii, C, 282.
 ensiformis, ii, C, 5, 173; iii, C, 282, 392; vi, C, 85.
 ensiformis var. permixta, ii, C, 173.
 excelsa, i, s, 19; ii, C, 5.
 furcans, ix, C, 230.
 furcata, i, s, 156.
 gracillima, vi, C, 364.
 grevilleana, i, s, 156; iii, C, 282.
 heteromorpha, i, s, 19, 171; ii, C, 173; iii, C, 282.
 insignis, iii, C, 282.
 intromissa, ii, C, 173.
 kleiniana, i, s, 19.
 longifolia, ii, C, 5, 186; vi, C, 85, 192; vii, C, 179; ix, C, 422, 487.
 longipes, i, s, 19.
 marginata, ix, C, 45.
 melanocaulon, ii, C, 5.
 moluccana, vi, C, 85.
 nana var. quinquefoliata, iii, C, 282.
 negrosense, viii, C, 143.
 nemoralis, ii, C, 183.
 opaca, ii, C, 5; vii, C, 54.
 parviloba subsp., ii, C, 172.
 parviloba var. pluricaudata, ii, C, 173.
 pellucida, viii, C, 142.

Pteris—Continued.

- pluricaudata, i, s, 156; ii, C, 5.
 quadriaurita, i, s, 19, 156; ii, C, 133, 171;
 iii, C, 392; v, C, 321; vi, C, 86; vii, C,
 179; ix, C, 45, 422.
 quadriaurita var. setigera, ii, C, 5, 133.
 rangiferina, vi, C, 138.
 semipinnata, i, s, 18.
 stenoptera, ii, C, 133.
 stipulacea, iii, C, 347.
 taenitis, vii, C, 53.
 tripartita, i, 666; i, s, 19; ii, C, 5, 134;
 iii, C, 282, 392; vi, C, 86, 192; ix, C,
 45.
 venulosa, viii, C, 142.
 whitfordi, i, s, 255; ii, C, 172.
- Pterisanthes**, ii, C, 423.
 polita, ii, C, 423.
 sinuosa, ii, C, 423.
- Pternandra caerulescens**, iv, C, 537; viii, C,
 360; x, C, 192.
- Pterobium**, x, C, 194.
- Pterobryella**, iii, C, 24; v, C, 152; viii, C, 76.
 longifrons, ii, C, 341; iii, C, 24; v, C, 152.
- Pterobryopsis**, v, C, 152.
 clemensiae, v, C, 152.
- Pterocarpus**, i, 620; i, s, 198; iii, C, 410; iv, C,
 466; v, C, 39, 99; vii, C, 159.
 blancoi, ii, C, 390; v, C, 8, 100.
 dalbergioides, iv, C, 466.
 diadelphus, v, C, 103.
 echinatus, i, s, 171; ii, C, 390; iv, C, 466;
 v, C, 9, 99.
 erinaceus, v, C, 99.
 flavus, v, C, 100.
 frutescens, v, C, 105.
 hypostictus, iv, C, 466.
 indicus, i, 1055; i, s, 198; ii, C, 390; iii,
 C, 410; iv, C, 467, 709; v, C, 9, 100;
 viii, C, 280; ix, A, 542; ix, C, 168.
 klemmei, i, s, 198; ii, C, 390; v, C, 99.
 macrocarpus, iv, C, 467.
 marsupium, iv, C, 467.
 pallidus, v, C, 100.
 papuanus, v, C, 100.
 santalinus, iv, C, 467; v, A, 448; v, C, 100.
 sp., vii, D, 233.
 vidalianus, v, C, 99.
- Pterocaulon cylindrostachyum**, ix, C, 430.
- Pterocymbium**, i, s, 94.
 javanicum, i, s, 94; iv, C, 501.
 tinctorium, i, 387; i, s, 94; ii, A, 85; ii,
 C, 395; iv, C, 501, 707; vi, C, 107; ix,
 A, 446.
 viridiflorum, iv, C, 501.
- Pteroëssa**, iii, C, 168.
- Pterolobium**, v, C, 52.
 indicum, ii, C, 433; v, C, 52.
 membranulaceum, ii, C, 433; v, C, 52.
- Pteroloma**, v, C, 86.
 triquetrum, v, C, 86.
- Pteromalidæ**, i, 691; ix, D, 460.
- Pteromys innornatus**, vii, D, 46.
 petaurista, vii, D, 46.
 philippensis, vii, D, 46.
- Pteropidæ**, vii, D, 7.
- Pteropsaridæ**, ix, D, 79.
- Pteropsis**, i, 629.
 bullata, i, 629; v, A, 329.
- Pteropus**, vi, D, 139; vii, D, 9.
 aegyptiacus, vii, D, 8.
 amplexicaudatus, vii, D, 9.
 auri-nuchalis, vii, D, 10.
 cagayanus, vii, D, 9.
 chinensis, vii, D, 9.
 hypomelanus, vii, D, 9.
 hypomelanus hypomelanus, vii, D, 9.
 jubatus, vii, D, 10.
 lanensis, vii, D, 10.
 leucopterus, vii, D, 9.
 lucifer, vii, D, 10.
 marginatus, vii, D, 7.
 pumilus, vii, D, 9.
 pyrrhocephalus, vii, D, 10.
 rostratus, vii, D, 11.
 speciosus, vii, D, 9.
 vampyrus lanensis, vii, D, 10.
- Pterospermum**, i, s, 93; iii, C, 113, 204; iv,
 C, 501, 707; vii, C, 162, 304; x, A, 197.
 cumingii, iii, C, 113.
 diversifolium, i, 406; iii, C, 78.
 elmeri, vii, C, 304.
 longipes, vii, C, 304.
 niveum, i, 405; i, s, 93; iii, C, 113; v,
 A, 445; vii, C, 305.
 obliquum, i, 407; i, s, 93; iii, C, 113; vii,
 C, 304.
 sp., vi, A, 6.
 suberifolium, iv, C, 501.
 subpeltatum, iii, C, 204; vii, C, 304.
- Pterula**, ix, C, 352.
 pusio, ix, C, 352.
- Pterygia**, x, D, 369.
 horrifeca, x, D, 370.
 horrificus, x, D, 370.
 postica, x, D, 370.
 spinula, x, D, 370.
- Ptilocera amethystina**, viii, D, 308.
 smaragdina, viii, D, 312.
- Ptilocichla basilanica**, ii, A, 288; iv, A, 74.
 mindanensis, iv, A, 74.
- Ptilocolpa carola**, i, 699.
 mindanensis, iv, A, 68.
- Ptilona brevicornis**, viii, D, 326.
- Ptinidæ**, viii, D, 2.
- Ptinus serricorne**, viii, D, 2.
- Ptoleria**, ix, D, 175.
- Ptychanthus**, i, s, 10.
 striatus, i, s, 10.
- Ptychoccyathus**, viii, A, 289.
 incognitus, viii, A, 289.
- Ptychomniacæ**, viii, C, 75; ix, C, 204.
- Ptychophyllum**, i, s, 361.
- Ptychosperma**, iv, C, 609.
- Ptychozoon horsfieldii**, x, D, 96.
 intermedia, x, D, 94.
 kuhli, x, D, 95.
- Ptyelus conifer**, v, D, 49.
 frenulatus, v, D, 49.
 simulans, v, D, 49.

- Puag, vii, A, 113.
 Pucao, ix, D, 485.
 Puccinia, i, s, 282; iii, C, 42; viii, C, 266, 475.
 congesta, viii, C, 266.
 convolvuli, v, C, 163.
 engleriana, viii, C, 475.
 erebia, viii, C, 475.
 heterospora, iii, C, 42; v, C, 163; viii, C, 266, 475.
 merrillii, iii, C, 42; viii, C, 267.
 mesomorpha, v, C, 163.
 paullula, viii, C, 195.
 philippinensis, viii, C, 266, 475.
 purpurea, iii, C, 42; v, C, 163.
 romagnoliana, viii, C, 267.
 rufipes, iii, C, 42.
 thwaitesii, i, s, 282; iii, C, 42.
 Puente at Taytay, iv, B, 285.
 Pueraria, i, s, 67; iii, C, 410; v, C, 122; vii, C, 159.
 phaseoloides, i, s, 67; v, C, 123; vii, C, 196.
 tetragona, v, C, 8, 122.
 textilis, v, C, 123.
 thompsoni, v, C, 124.
 thunbergiana, iii, C, 410; v, C, 123.
 warburgii, iii, C, 231; v, C, 7, 124.
 Puerperium, malarial fever during the, v, B, 193.
 Puffer, iii, A, 528; v, D, 284; ix, D, 74.
 Puffinus chlororhynchus, vi, D, 183.
 Pugahan, vi, A, 107.
 Pugla, x, D, 53.
 Pugua, ix, C, 63.
 Pukan jantan, iv, C, 492.
 Pukit, iii, A, 525.
 Pukot, ix, D, 320.
 Pukyutan, vii, A, 385.
 Pulasan, iv, C, 494.
 Pulat, iv, C, 813.
 Pulex cheopis, ii, B, 131; iii, B, 44; ix, B, 14.
 irritans, iii, B, 45; vii, B, 122.
 pallidus, iii, B, 44.
 philippinensis, vii, B, 119.
 serratriceps, iv, B, 239.
 Pulicidae, iv, B, 239.
 Pullus brunescens, viii, D, 242.
 Pulog, ascent of Mount, iii, A, 99.
 birds from Mount, v, D, 135.
 flora of Mount, v, C, 287, 371.
 Pulp, chemicals for making paper, ii, A, 99.
 comparison of the acid and alkaline processes of making, ii, A, 96.
 from fibers other than wood, ii, A, 91.
 making paper, i, No. 5, 436.
 manufacture of paper from orange, vii, A, 411.
 possibilities of various tree species as sources of paper, ii, A, 83.
 soda wood, ii, A, 87.
 sulphite bamboo, ii, A, 92.
 sulphite wood, ii, A, 89.
 Pulse rate of healthy adult males in the P. I., vi, B, 467.
 Pulut ebusa, vi, A, 171.
 Pulvini of Mimosa pudica, mechanism of curvature in the, vii, C, 37.
 Pulvinulina, iv, A, 487.
 Punai, ii, A, 317.
 Pungai, iv, C, 499.
 Pungianes, i, 826.
 Punica, vii, C, 163; ix, C, 118.
 granatum, iv, B, 221; vi, C, 212; vii, C, 187; ix, C, 118.
 Punicaceae, vi, C, 212; vii, C, 163; ix, C, 118.
 Pungapung, i, s, 33.
 Punlaan, x, C, 358.
 Puok, vi, D, 96.
 Pupalia, vii, C, 157.
 Puppies, experiments on, with milk of beriberic women, vii, B, 80.
 Puppatic, ix, D, 485.
 Pupulo, vi, D, 309; ix, C, 72.
 aniti, ix, C, 71.
 Purification of water supplies, ix, A, 343.
 Pusaetha, v, C, 32.
 Puser, viii, C, 205.
 Pusod nang dagat, viii, D, 89.
 Pusopuso, i, s, 57; iii, A, 409; iii, C, 8, 326; iv, C, 365; ix, A, 462.
 Puspas, iii, B, 249.
 Pussy willow, vi, A, 14.
 Putat, i, s, 102; iv, C, 526; vi, C, 213.
 Putat tepi, iv, C, 448.
 Putian, ii, A, 382; iv, C, 257, 298; vii, C, 321; ix, A, 444.
 Putik, ix, D, 485.
 Putting, ix, C, 120.
 Putiyan, vi, C, 283.
 Putjung, iv, C, 522.
 Putputay, iv, C, 692.
 Putranjiva, iv, C, 483.
 roxburghii, iv, C, 486.
 Putterlickia philippinensis, iii, C, 109.
 Putucan, v, C, 64.
 Putyan, iv, C, 360.
 Putyocanon, x, C, 360.
 Puyot, iii, C, 246.
 Pycanum, iv, A, 564.
 amethystinum, iv, A, 564.
 rubens, iv, A, 564.
 Pycnarrhena, vii, C, 158, 266.
 celebica, vii, C, 266.
 Pycnofurius amorphophalli, x, D, 86.
 puncticollis, x, D, 87.
 Pycnonotidae, iii, A, 279; iv, A, 74; v, D, 112; vi, D, 43.
 Pycnonotus, v, D, 104.
 cinereifrons, i, 907.
 goiavier, i, 702, 774; ii, A, 288, 306, 328, 337; iv, A, 74; v, D, 136, 220.
 Pycnopus, i, s, 289.
 sanguineus, i, s, 289.
 Pycnospora, v, C, 91.
 hedysaroides, v, C, 91.
 nervosa, v, C, 91.
 Pycnostachae, ii, C, 81.

- Pycnothyrium*, viii, C, 503; ix, C, 187.
 lobatum, viii, C, 503.
 pandani, ix, C, 187.
Pycneus, ii, C, 79; iii, C, 397; vii, C, 154.
 capillaris, ii, C, 80.
 globosus, ii, C, 80.
 globosus var. *nilagiricus*, ii, C, 81.
 nitens, ii, C, 79.
 odoratus, vi, C, 195; vii, C, 180; viii, C, 266.
 polystachyus, ii, C, 80; iii, C, 397.
 polystachyus var. *loxiflorus*, ii, C, 80.
 pulvinatus, ii, C, 79.
 sanguinolentus, ii, C, 79.
 sulcinus, ii, C, 80.
Pygeum, i, s, 60; iii, C, 226; v, C, 353; ix, C, 359, 447; x, C, 271, 311.
 arborescens, iii, C, 227.
 clementis, iii, C, 227.
 euphlebioides, x, C, 311.
 glandulosum, iii, C, 226; iv, C, 703; v, C, 353; ix, C, 359.
 latifolium, i, 407, 638; i, s, 60; iii, C, 227.
 maingayi, iv, C, 457.
 megaphyllum, x, C, 312.
 merrillianum, x, C, 312.
 monticolum, x, C, 312.
 parviflorum, ix, C, 359.
 preslii, iii, C, 227; iv, C, 457; v, A, 445; ix, A, 499.
 pubescens, ix, C, 359.
 ramiflorum, ix, C, 447.
Pygmaeopremna, v, C, 225.
 humilis, v, C, 225.
Pygophora *lobata*, viii, D, 315.
Pygospila *costiflexalis*, v, D, 179.
Pyngado, iv, C, 721.
Pyngadu, iv, C, 463.
Pyralidæ, i, 1068; ii, A, 368; iii, A, 34; v, D, 177.
Pyralinæ, iii, A, 35; v, D, 179.
Pyralis, v, D, 179.
 ægnusalis, v, D, 178.
 farinalis, v, D, 179.
 pietalis, v, D, 179.
 pronælis, v, D, 179.
 proximalis, v, D, 179.
Pyramidocarpus, iv, C, 296.
Pyrausta, iii, A, 35.
 matuta, iii, A, 36.
 vastatrix, i, 1069; iii, A, 35.
Pyraustinae, ii, A, 375; iii, A, 35; v, D, 180.
Pyrazisinus *haitiensis*, viii, A, 269.
Pyrenomycetes, viii, C, 181; ix, C, 157.
Pyretophorus, i, 980.
 freeræ, i, 993; ix, B, 384.
 minimus, i, 980; ix, B, 384.
 philippinensis, i, 980; ix, B, 384.
 pitchfordi, i, 980; ix, B, 384.
Pyrgonota, x, D, 372.
 bifoliata, x, D, 372.
 bifurca, x, D, 374.
 philippina, x, D, 373.
Pyrgonota—Continued.
 pinguiturris, x, D, 374.
 semperi, x, D, 374.
 tumida, x, D, 373.
Pyrgops, vii, D, 384.
 aurocincta, vii, D, 386.
 cyanipes, vii, D, 388.
 exigua, vii, D, 387.
 inops, vii, D, 388.
 rufipennis, vii, D, 386.
 stellata, vii, D, 384.
 stellata var. *aurocincta*, vii, D, 385.
Pyrgus, v, C, 220.
Pyrheliometer, vi, B, 105.
Pyridine, absorption spectra of *phthaloxime* and its salts in, viii, A, 182.
Pyrite, vi, A, 437; x, A, 92.
Pyrites and sulphur for paper making, ii, A, 103.
Pyroclastic rocks, Aroroy district, vi, A, 407.
Pyrolusite, Benguet, vi, A, 436; x, A, 92.
Pyroplasmosis hominis, iii, B, 2.
Pyropolyporus fastuosus, ix, C, 236.
 lamaoënsis, ix, C, 237.
 spadiceus, ix, C, 238.
 subextensus, ix, C, 237, 346.
 williamsii, ix, C, 237.
Pyrops perpusilla, v, D, 41.
Pyrotrogon ardens, ii, A, 285, 325; iv, A, 72; v, D, 110.
Pyroxene, x, A, 93.
Pyroxenite, ii, A, 150; v, A, 324.
Pyrranthus littoreus, iv, C, 647; ix, C, 120.
Pyrrherodias manillensis, ii, A, 321.
Pyrrhocoridae, iv, A, 576.
Pyrrhocorinae, iv, A, 576.
Pyrrhocoris koenigii, iv, A, 577.
 solenis, iv, A, 577.
Pyrrhotes abdominalis, iv, A, 570.
Pyrrhula leucogenys, v, D, 137.
Pyrrula, viii, A, 264.
 gigas, viii, A, 248, 312; x, A, 248.
 sp., viii, A, 264; x, A, 248.
Pythamiinae, x, D, 193.
Pythamus, x, D, 198.
 dealbatus, x, D, 189.
 melichari, x, D, 198.
 melichari var. *mindanaensis*, x, D, 200.
Pythauria chrysaeglia, x, D, 301.
Python, excreta of, iv, A, 165.
Python reticulatus, iv, A, 595; v, D, 211; vi, D, 255.
Pyxine, viii, C, 108.
 asiatica, viii, C, 110.
 chrysanthoides, viii, C, 110.
 cocoës, viii, C, 108.
 consocians, viii, C, 109.
 copelandii, viii, C, 110.
 dissecta, viii, C, 108.
 endoleuca, viii, C, 108.
 glaucescens, viii, C, 109.
 meissneri var. *endoleuca*, viii, C, 108.
 microspora, viii, C, 110.
 philippina, viii, C, 110.
 sorediata, viii, C, 110.

Q

- Quadriſinae, ii, A, 365; iii, A, 31; v, D, 174.
 Quadrumana, experimental variola and vac-
 cinia in, i, 239.
 Quaesita, iv, C, 546.
 Quamochitl, vii, C, 175.
 Quamoclit, i, s, 119; vii, C, 165; ix, C, 133.
 phoenicea, vii, C, 188.
 pinnata, vii, C, 188; ix, C, 133.
 quamoclit, ix, C, 133.
 vulgaris, i, s, 119.
 Quantitative determination of the radium
 emanation in the atmosphere and its
 variation with altitude and meteorolog-
 ical conditions, ix, A, 51.
 Quarantine resolutions adopted by the Far
 Eastern Association of Tropical Med-
 icine, v, B, 354.
 Quarry debris for sand-lime brick, vii, A, 342.
 Quartz, vi, A, 436; x, A, 93.
 diiorite, ii, A, 238; vi, A, 405.
 Quasistegomyia gardnerii, viii, D, 306.
 Quassia, iv, C, 474; vii, C, 160.
 amara, vii, C, 185.
 Quauhtzapotl, vii, C, 112.
 Quenocoryec, x, C, 360.
 Quenorales, x, C, 360.
 Quercus, i, s, 41; ii, C, 270; iii, C, 320; iv,
 C, 250, 445; v, C, 342; ix, A, 416; x,
 C, 267, 297.
 acuminatissima, iii, C, 326.
 acuta, x, D, 293.
 alba, vi, A, 16.
 aquatica, vi, A, 16.
 bennettii, i, s, 41; iii, C, 328.
 bicolor, vi, A, 16.
 blancoi, i, s, 171; iii, C, 325.
 campanoana, i, s, 171.
 caraballoana, iii, C, 322.
 castellarnauiana, iii, C, 326.
 caudatifolia, iii, C, 324; x, C, 298.
 celebica, i, s, 171; iii, C, 324.
 cerris, iii, C, 317, 330.
 clementiana, i, s, 41; iii, C, 327.
 clementis, iii, C, 321.
 coccinea, vi, A, 16.
 campanoana, iii, C, 323.
 concentrica, i, s, 41; iii, C, 327.
 cooperta, iii, C, 329.
 costata var. convexa, iii, C, 327.
 currantii, iii, C, 329.
 dentata, x, D, 293.
 digitata, vi, A, 16.
 falcata, vi, A, 16.
 fernandezii, iii, C, 329.
 glabra, iii, C, 325.
 glandulifera, x, D, 293.
 haviglandii, iii, C, 322.
 induta, iii, C, 325.
 jordanae, iii, C, 322.
 lamponga, iii, C, 321.
 lineata, iii, C, 323.
 lipacon, x, C, 268.
 llanosii, ii, C, 270; iii, C, 323.
 luzoniensis, iii, C, 323; v, C, 342.

Quercus—Continued.

- lyrata, vi, A, 16.
 macrocarpa, vi, A, 16.
 merrillii, iii, C, 329.
 merrittii, iii, C, 325.
 michauxii, vi, A, 16.
 mindanaensis, x, C, 268.
 minor, vi, A, 16.
 molucca, iii, C, 317, 327.
 mongolica, x, D, 294.
 nigra, vi, A, 16.
 nitida, iii, C, 330.
 obliquinervia, iv, C, 250.
 obtusiloba, vi, A, 16.
 ovalis, i, s, 42; iii, C, 325.
 pallida, iii, C, 326.
 palustris, vi, A, 16.
 phellos, vi, A, 16.
 philippinensis, iii, C, 328.
 platanoides, vi, A, 16.
 pruinosa, iii, C, 317.
 pulehra, iii, C, 330.
 reflexa, iii, C, 329.
 reinwardtii, iii, C, 327.
 robinsonii, x, C, 297.
 rotundata, iii, C, 330.
 rubra, vi, A, 16.
 serrata, x, D, 294, 351.
 soleriana, iii, C, 327; iv, C, 445; vi, C, 199.
 sp., i, 416, 637; i, s, 42; iii, C, 50, 330;
 iv, C, 703; v, C, 165; x, A, 355.
 sundaica, i, s, 41; iii, C, 322; x, C, 298.
 teysmannii, iii, C, 325.
 tinctoria, vi, A, 16.
 velutina, vi, A, 16.
 vidalii, iii, C, 322.
 wenzelii, x, C, 267.
 wenzigiana, i, s, 41; iii, C, 328.
 woodii, iii, C, 326; v, C, 342.
 Queridas, i, 817.
 Quesley, ix, D, 439.
 Quiangan and vicinity, Ifugaos of, iv, A, 237.
 Quia-quia, ii, A, 382.
 Quibal, v, C, 133; vi, C, 213.
 Quilala, i, s, 323.
 Quiling, ix, D, 495.
 Quinaanes, i, 851.
 Quinanes, i, 851.
 Quinaoang, ix, D, 476.
 Quinarabao, x, C, 360.
 Quinary notation among the Ilongots of
 northern Luzon, vi, D, 47.
 Quinasacasai, v, C, 32.
 Quince, Bengal, iv, C, 473.
 Quingua sand for sand-lime brick, vii, A,
 338.
 Quinine administered to malarial patients and
 its effect on the infection of the mos-
 quitoes, ix, B, 427.
 esters of phenylarsinic acid derivatives,
 vi, A, 23.
 prophylaxis, x, B, 243.
 treatment of a sterile amœbic abscess of
 the liver with, v, B, 224.

Quinine—Continued.

- treatment of malaria with, iv, B, 4.
- use in pregnancy, v, B, 195.

Quinol carboxylic acid, vii, A, 93.

Quirosia anceps, v, C, 62.

- secunda, v, C, 60.

Quisame, i, 1078.

Quiscalus, ii, A, 259.

Quisqualis, i, s, 103; iii, C, 422; iv, C, 649; vii, C, 163.

- densiflora, iv, C, 649.

- indica, i, 669; i, s, 103; iii, C, 422; iv, C, 649; vi, C, 213; viii, C, 489; ix, C, 428.

- malabarica, iv, C, 649.

- spinosa, iv, C, 649.

Quitauita, v, C, 26.

Quiuet, iii, A, 529.

Quiyao, iii, A, 277.

R

Rabanos, iv, B, 222.

Rabbits, effect of tropical sunlight upon, vii, B, 91.

- exposure to the sun, vi, B, 105.

Race, its influence on blood pressure and pulse rate in the tropics, vi, B, 479.

Racelopus, v, C, 150.

- pilifer, ix, C, 211.

Racial anatomy in Taytay, v, D, 1.

Radermachera, i, s, 124, 238; iii, C, 331, 434; iv, C, 558; vii, C, 352.

- acuminata, ii, C, 335.

- banabana, i, 405; i, s, 124; iii, C, 336.

- biternata, i, s, 238; iii, C, 334.

- coriacea, iii, C, 333.

- elliptica, iii, C, 334; vii, C, 352.

- elmeri, iii, C, 334.

- fenicis, iii, C, 335, 434.

- mindorensis, iii, C, 338.

- palawanensis, iii, C, 336.

- pinnata, iii, C, 336; iv, C, 707; vi, C, 221; ix, A, 504.

- pinnata var. glabra, iii, C, 337.

- quadripinna, iii, C, 337.

- whitfordii, vii, C, 352.

Radinacra euthusa, v, D, 172.

Radioactive phenomena in the P. I., v, A, 267.

Radioactivity of clay and soil, ii, A, 432.

- of the atmosphere at Manila, x, A, 37.

- of the waters of Taal Volcano, i, 433; ii, A, 122.

Radiolaria, ii, A, 159; v, A, 327; viii, A, 281.

Radish, iv, B, 222.

Radium emanation in the atmosphere and its variation with altitude and meteorological conditions, ix, A, 51.

Radula javanica, ix, C, 40.

Raffinase, x, A, 132.

Rafflesia manillana, its relation to its host, vii, C, 209.

Ragay coast hills, vi, A, 456, 471.

- Gulf mineral district, vi, A, 464.

Rain tree, vi, A, 16.

Rainfall, Baguio, ii, A, 213.

- Borneo, vi, A, 287.

- Cebu, ii, A, 380.

Rainfall—Continued.

- Lamiao, i, 379.

- Manila, i, 379; vi, A, 238.

- Mindanao, iii, A, 479.

- Mount Maquiling, ix, A, 529.

- Santo Domingo de Basco, iii, A, 4.

- Sulu, iii, A, 479.

- Vigan, Ilocos Sur, ii, A, 150.

Raiz mora, i, s, 311; iv, A, 118.

- oriental, iii, B, 248.

Rajas, vi, A, 2.

Rakit, vii, D, 220.

Rallidæ, iii, A, 277; v, D, 106.

Rallina euryzonoides, i, 699; ii, A, 281.

- fasciata, i, 699.

Ramadasa hieroglyphica, ii, A, 372.

Ramairamai, vi, C, 7.

Ramalina, iv, C, 656.

- gracilenta, iv, C, 656.

- gracilenta forma torulosa, iv, C, 656.

- gracilenta var. torulosa, iv, C, 656.

- linearis, iv, C, 656.

- pollinaria, iv, C, 656.

- pollinaria var. insularis, iv, C, 656.

- pollinaria var. intermediae, iv, C, 656.

- subfraxinea, iv, C, 656.

- subfraxinea var. subcanaliculata, iv, C, 656.

- vittata, iv, C, 657.

Rambeh daun, iv, C, 516.

Ramboetan-oetan, iv, C, 495.

Rambutan, iv, C, 494.

- pachai, iv, C, 495.

Ramee, vi, C, 15.

Ramerame, vi, C, 16.

Ramie, i, No. 5, 438.

Ramila, ii, A, 374.

- acciusalis, ii, A, 374.

Ramirami, vi, C, 5.

Ramphul, vii, C, 113.

Ramularia, i, s, 293; iii, C, 57.

- catappae, i, s, 293; iii, C, 57.

Rana, vi, D, 219.

Ranal, ix, C, 115.

Ranales, i, s, 52.

Ranatra, x, B, 241.

Rancheria, vi, D, 244.

Rancidity in coconut oil, causes of, i, 117.

Randia, i, s, 130; ii, C, 306, 427; iii, C, 163,

- 265, 437; iv, C, 561; v, C, 245, 389; vii,

- C, 167; viii, C, 57; ix, C, 149; x, C, 109.

- angatensis, i, s, 130; v, C, 246.

- auriculata, ii, C, 427; x, C, 109.

- bakeri, x, C, 109.

- corymbosa, ii, C, 427.

- cumingiana, i, s, 130; v, C, 245.

- densiflora, i, s, 130; ii, C, 434; iii, C, 265;

- ix, C, 149.

- dumetorum, iv, C, 561.

- fasciculiflora, i, s, 130; x, C, 113.

- fitzalani, i, 413, 644; i, s, 130; iii, C, 266.

- graciliflora, x, C, 109.

- lanceolata, viii, C, 57.

- obscura, ii, C, 434.

- olaciformis, iii, C, 163; iv, C, 323.

Randia—Continued.

- pulcherrima, iii, C, 164.
 racemosa, ii, C, 426; iii, C, 265; ix, C, 149.
 rigidaefolia, x, C, 128.
 sp., ix, A, 500.
 stenophylla, v, C, 245; viii, C, 58.
 ticaensis, v, C, 245.
 uncaria, i, s, 130.
 wallichii, iii, C, 266; v, C, 389.
 whitfordii, i, 644; i, s, 130; iii, C, 437.
 Ranella elegans, viii, A, 248.
 gyrina, viii, A, 248.
 nobilis, v, A, 329; vi, A, 411; viii, A, 267.
 raninoides, viii, A, 248.
 sp., viii, A, 330.
 spinosa, v, A, 329; vi, A, 411; viii, A, 248.
 subgranosa, v, A, 329; vi, A, 376.
 Rangbia, ix, D, 261.
 Ranunculaceæ, i, s, 175; iii, C, 73, 98; v, C, 347; vi, C, 201; vii, C, 158; ix, C, 445; x, C, 303.
 Ranunculus, iii, C, 99; v, C, 348; ix, C, 445.
 aquatilis var. trichopyllus, viii, C, 1.
 hirtus, ix, C, 446.
 lappaceus, iii, C, 99.
 laxus, ix, C, 445.
 philippinensis, iii, C, 99; v, C, 348; ix, C, 446.
 plebeius, ix, C, 446.
 Raeo, iv, C, 483.
 Rapala schistacea, v, D, 72.
 Rapanea, i, s, 113, 275; ii, C, 297; v, C, 377.
 avenis, i, s, 172, 275.
 myrtillina, ii, C, 297.
 philippinensis, i, s, 113; v, C, 377.
 retusa, ii, C, 297.
 Raphanus, ix, C, 84.
 sativus, iv, B, 222; vii, C, 183; ix, C, 84.
 Raphigaster carrenoi, iv, A, 563.
 Raphitreus bakeri, ix, D, 455.
 dentimanus, ix, D, 455.
 speratus, ix, D, 455.
 Rapuntium, ix, C, 152.
 Rasamala, iv, C, 456.
 Rash, mango, ix, B, 509.
 Rasi, vi, A, 161.
 Rassak, iv, C, 507, 520.
 durian, iv, C, 513.
 Rastrelliger brachysomus, v, D, 270.
 Rat precautions against plague in Manila, ix, B, 7.
 Rat-proofing regulation in Manila, ix, B, 18.
 Rathinda, ii, A, 361.
 cuzneri, ii, A, 381.
 Ratiles, viii, A, 73.
 Ration, Filipino, vi, B, 134, 136.
 Rats, vii, D, 28.
 as propagators of plague, i, 476.
 plague among, viii, B, 112.
 their infection with plague bacilli, vii, B, 251.
 Rattan, i, 417; i, No. 5, 438; i, 1081; vi, C, 117.
 Ratzeburgia, ix, C, 258.
 Rauminia, iv, C, 487.
 Rautnocara, iii, C, 397.
 Rauwolfia, iv, C, 316.
 javanica, iv, C, 316.
 samarensis, iv, C, 316.
 spectabilis, iv, C, 316.
 sumatrana, iv, C, 316.
 Ravenala madagascariensis, iv, C, 156, 199; vii, C, 182.
 Raw materials, natural cement versus brick, ix, A, 163.
 materials, Portland cement, iv, A, 211; v, A, 381; ix, A, 79, 127, 151.
 materials, sand-lime brick, vii, A, 325, 332.
 Rawel, ix, C, 115.
 Realgar, x, A, 93.
 Reconnaissance, geologic, v, A, 57, 345; vi, A, 359, 449; vii, A, 255.
 Red ant, i, 1071.
 color in phenol, iii, A, 361.
 coloration of aniline, v, A, 9, 419.
 lead, analysis and composition of, viii, A, 429.
 Redfish, iii, A, 529.
 Reductase, tests for, x, A, 129.
 Reduviidæ, iv, A, 583; v, D, 60.
 Reduvius collaris, iv, A, 588.
 hæmatogaster, iv, A, 586.
 longicollis, iv, A, 588.
 marginellus, iv, A, 587.
 rivulosus, iv, A, 585.
 Redwood, iv, C, 459; vi, A, 13.
 Andaman, iv, C, 466.
 de Coromandel, iv, C, 480.
 Indian, iv, C, 478, 480.
 Reedomyia, i, 990.
 pampangensis, i, 990.
 Reef sponges, P. I., iv, A, 59.
 Regidor, viii, D, 171.
 Regnellidium, iv, C, 11.
 Regolith, v, A, 335.
 Rehimena, ii, A, 375.
 phyrnealis, ii, A, 375.
 Reichardia decapetala, v, C, 55.
 pentapetala, ii, C, 433; v, C, 52.
 Reichenbachia dama, ix, D, 454.
 laticollis, ix, D, 453.
 manillensis, ix, D, 453.
 rufa, ix, D, 453.
 Reineria, v, C, 69.
 Reinwardtiidendron, i, s, 72.
 merrillii, i, 405, 639; i, s, 72, 172; iv, C, 707; ix, A, 504.
 Relapsing fever, relation of the Indian form of, to African tick fever, iv, B, 187.
 Reloj del monte, ii, A, 324.
 Remigia, iii, A, 32.
 intextilia, iii, A, 32.
 odorata, ii, C, 434.
 Remijia odorata, iii, C, 265.
 obscura, ii, C, 434.
 Remirea, ii, C, 103.
 maritima, ii, C, 103; vi, C, 195.
 Remontados, i, 860.

Renealmia exaltata, iv, C, 181.

gracilis, iv, C, 181.

Rengas, iv, C, 489.

manau, iv, C, 489.

Renghas, iv, C, 488.

Resak, iv, C, 507, 517.

batu, iv, C, 507.

Reservoir, Manila, ix, A, 284.

Resin, vii, D, 139.

balao, iv, A, 121.

impurities of commercial copal, v, A, 179.

mayapis, i, 200.

mineral, v, A, 180.

Resinous products, ii, A, 1.

Restkörper, v, B, 182.

Retrogressive skin lesions of leprosy, their treatment with basic fuchsin, x, B, 357.

Retundol, x, C, 397.

Reviews (book):

Alcock, N. H., A textbook of experimental physiology for students of medicine, v, B, 453.

Allin, Benjamin Casey, Allin's standard English-Visayan dictionary, vi, D, 281.

Bailey, E. H. S., A laboratory guide to the study of quantitative analysis, x, A, 97.

Bailey, E. H. S., The source, chemistry, and use of food products, x, A, 97.

Bainbridge, William Seaman, The cancer problem, x, B, 356.

Baker, Richard T., and Smith, Henry G., A research on the pines of Australia, v, C, 545.

Bartley, Elias H., Text-book of medical and pharmaceutical chemistry, v, A, 305.

Bean, Robert Bennett, The racial anatomy of the Philippine islanders, vi, D, 223.

Beard, Charles H., Ophthalmic surgery, vii, B, 126.

Biglow, S. Lawrence, Theoretical and physical chemistry, vii, A, 131.

Blanchard, Raphaël, L'Insect et l'infection, histoire naturelle et médicale des arthropodes pathogènes, v, B, 357.

Blech, Gustavus M., Practical suggestion in borderland surgery for the use of students and practitioners, v, B, 521.

Brooke, Gilbert E., Essential of sanitary science, iv, B, 69.

Brundage, Albert H., A manual of toxicology, v, B, 571.

Buchanan, Robert Earle, Veterinary bacteriology, vii, B, 472.

Cables, Henry A., Golden rule series. Golden rules of diagnosis and treatment of diseases, viii, B, 407.

Carus, Paul, The mechanistic principle and the non-mechanical, ix, B, 380.

Check-list of North American birds, prepared by a committee of the American Ornithologists' Union, v, D, 313.

Reviews—Continued.

Chesneau, M. G., Theoretical principles of the methods of analytical chemistry based upon chemical reactions, v, A, 305.

Christensen, Carl, Index Filicum. Supplementum 1906-1912, x, C, 153.

Collins, E. Treacher, and Mayon, M. Stephen, Pathology and bacteriology of the eye, vii, B, 65.

Contributions to medical science by Howard Taylor Ricketts 1870-1910, vii, B, 470.

Copeland, Edwin Bingham, The coco-nut, x, A, 171.

Councilman, W. T., Disease and its causes, ix, B, 462.

Crew, Henry, General physics: An elementary text-book for colleges, iii, A, 541.

Dahlgren, Ulric, and Kepner, William A., A text-book of the principles of animal histology, iii, B, 569.

Daniels, C. W., and Newham, H. B., Laboratory studies in tropical medicine, vii, B, 469.

Davison, Alvin, Mammalian anatomy with special reference to the cat, v, B, 358.

De la Mettrie, Julien Offray, Man a machine, ix, B, 304.

Dock, George, Hookworm disease. Etiology, pathology, diagnosis, prognosis, prophylaxis, and treatment, v, B, 521.

Dorland, W. A. Newman, The American illustrated medical dictionary, vii, B, 469; ix, B, 304.

E. Merck's Annual report of recent advances in pharmaceutical chemistry and therapeutics, 1912, volume XXVI, ix, A, 271.

Edgar, J. Clifton, The practice of obstetrics, designed for the use of students and practitioners of medicine, ii, B, 406.

Emery, W. D'Este, Clinical bacteriology and hæmatology for practitioners, iii, B, 445.

Flexner, Abraham, Medical education in the United States and Canada. A report to the Carnegie foundation for the advancement of teaching. Bulletin No. 4, v, B, 573.

Franklin, William S., and MacNutt, Barry, Light and sound, v, A, 55.

Gatewood, James Duncan, Naval hygiene, v, B, 571.

Gerrard, P. N., A vocabulary of Malay medical terms, i, 575.

Gould, George M., The practitioner's medical dictionary. An illustrated dictionary of medicine and allied subjects, including all the words and phrases generally used in medicine, with their proper pronunciation, derivation, and definition. Based on recent medical literature, ii, B, 404.

Reviews—Continued.

- Greenish, Henry George, The microscopical examination of foods and drugs, vii, A, 210.
- Harston, G. Montague, The care and treatment of European children in the tropics, x, B, 97.
- Hemmeler, J. C., Manual of practical physiology, vii, B, 471.
- Henson, Graham E., Malaria, ix, B, 463.
- Hering, Ewald, Memory. Lectures on the specific energies of the nervous system, ix, B, 380.
- Hirsch, Charles S., A compend of genito-urinary diseases and syphilis, including their surgery and treatment, ii, B, 67.
- Hobbs, William Herbert, Characteristics of existing glaciers, vii, A, 210.
- Hobbs, William Herbert, Earth features and their meaning, vii, A, 132.
- Holland, James W., A text-book of medical chemistry and toxicology, vii, B, 124.
- Honan, James Henry, Honan's handbook to medical Europe, vii, B, 123.
- Hooker, Albert H., Chloride of lime in sanitation, viii, B, 406.
- Howell, William H., A textbook of physiology for medical students and physicians, vii, B, 127; ix, B, 461.
- Jackson, C. M., ed., Morris's human anatomy, ix, B, 521.
- James, S. P., and Liston, W. Glen, A monograph of the anopheline mosquitoes of India, vii, D, 207.
- Jordan, Edwin O., A text-book of general bacteriology, iv, B, 205; ix, B, 461.
- Kemper, G. W. H., The world's anatomists: Concise biographies of anatomic masters, from 300 B. C. to the present time, whose names have adorned the literature of the medical profession, i, 789.
- Kofoid, Charles Atwood, The biological stations of Europe, vi, D, 221.
- Koorders, S. H., Exkursionsflora von Java umfassend die Blütenpflanzen mit besonderer Berücksichtigung der im Hochgebirge wildwachsende Arten, vols. 1, 2, and 3, vii, C, 359.
- Lee, Arthur Bolles, The microtome's vademecum, ix, B, 461.
- Leffmann, Henry, and Davis, W. A., Allen's commercial organic analysis, volume I, v, A, 365.
- Leffmann, Henry, and Davis, W. A., Allen's commercial organic analysis, volume II, v, A, 366.
- Leffmann, Henry, and Davis, W. A., Allen's commercial organic analysis, volume III, vi, A, 427.
- Leffmann, Henry, and Davis, W. A., Allen's commercial organic analysis, volume IV, vi, A, 428.
- Lewis, Frederick T., A text-book of histology, ix, B, 462.

Reviews—Continued.

- Lewis, Frederick T., Stöhr's histology arranged upon an embryological basis, ii, B, 69.
- Lusk, Graham, The elements of the science of nutrition, ii, B, 154.
- MacNeal, Ward J., Pathogenic microorganisms, ix, B, 303.
- Mann, C. Riborg, The teaching of physics for purposes of general education, vii, A, 209.
- Mannaberg, Julius, and Leichtenstern, O., Nothnagel's encyclopedia of practical medicine: Malaria, influenza, and dengue, i, 705.
- Manson, Patrick, Tropical diseases, ix, B, 463.
- Marshall, Charles E., Microbiology for agricultural and domestic science students, vii, B, 125.
- May, Charles H., Manual of the diseases of the eye for students and general practitioners, vii, B, 127.
- McAlpine, D., The smuts of Australia, v, C, 547.
- McFarland, Joseph, Biology. General and medical, vii, D, 111.
- McPherson, William, An elementary study of chemistry, ii, A, 255.
- Millikan, Robert Andrews, A first course in physics, ii, A, 256.
- Minot, Charles Sedgwick, Laboratory text-book of embryology, v, B, 572.
- Nichols, Edward L., and Franklin, William S., The elements of physics, iii, A, 541.
- Parkes, Louis C., and Kenwood, Henry R., Hygiene and public health, iii, B, 265.
- Petty, Geo. E., The narcotic drug diseases and allied ailments. Pathology, pathogenesis, and treatment, viii, B, 407.
- Pittenger, Paul S., Biochemic drug assay methods, ix, B, 379.
- Pottenger, Francis Marion, Muscle spasm and degeneration, ix, B, 464.
- Pottenger, Francis Marion, Tuberculin in diagnosis and treatment, viii, B, 405.
- Potter, Samuel O. L., A compend of materia medica, therapeutics and prescription writing, with especial reference to the physiological action of drugs, ii, B, 68.
- Prentiss, Charles William, A laboratory manual and text-book of embryology, x, B, 355.
- Pyle, Walter L., An international system of ophthalmic practice, v, B, 576; x, B, 355.
- Radasch, Henry Erdman, A compend of histology, v, B, 360.
- Reed, Charles A. L., Marriage and genetics, ix, B, 463.
- Reed, John Oren, and Guthe, Karl Eugen, College physics, vii, A, 127.

Reviews—Continued.

- Ricketts, H. T., Infection, immunity and serum therapy in relation to the infectious diseases which attack man, with considerations of the allied subjects of agglutination, precipitation, hemolysis, etc., ii, B, 403.
- Ritchie, John Woodside, and Purcell, Margaret Anna, Primer of sanitation for the tropics, vi, B, 99.
- Roberts, Stewart R., Pellagra. History, distribution, diagnosis, prognosis, treatment, etiology, viii, B, 405.
- Robinson, Victor, An essay on hasheesh, ix, B, 305.
- Rockwood, Elbert W., An introduction to chemical analysis for students of medicine, pharmacy and dentistry, v, A, 56.
- Ross, H. C., Cropper, J. W., Ross, E. H., Further researches into induced cell-reproduction and cancer, ix, B, 464.
- Sahli, Hermann, Diagnostic methods, ii, B, 403.
- Satterthwaite, Thomas E., Cardio-vascular diseases, viii, B, 407.
- Saxe, G. A. DeSantos, Examination of the urine. A manual for students and practitioners, v, B, 453.
- Schamberg, Jay Frank, Diseases of the skin and the eruptive fevers, iv, B, 205.
- Seidenadel, Carl Wilhelm, The first grammar of the language spoken by the Bontoc Igorot with a vocabulary and texts, vi, D, 271.
- Sherman, Henry C., Chemistry of food and nutrition, vii, A, 55.
- Shoemaker, William T., Retinitis pigmentosa, v, B, 145.
- Smith, H. Hamel, and Pape, F. A. G., Coco-nuts: the consols of the east, vii, A, 421.
- Smith, Harold Hamel, Aigrettes and bird-skins. The truth about their collection and export, v, D, 337.
- Snyder, Harry, Human foods and their nutritive value, iv, A, 91.
- Snyder, Harry, Soils and fertilizers, iv, A, 169.
- Sophian, Abraham, Epidemic cerebrospinal meningitis, viii, B, 405.
- Spinney, Louis Bevier, A text-book of physics, vii, A, 129.
- Stanley, William Ford, Mathematical drawing and measuring instruments, ii, A, 80.
- Stanley, William Ford, Surveying and levelling instruments theoretically and practically described: for construction, qualities, selection, preservation, adjustments, and uses: with other apparatus and appliances used by civil engineers and surveyors in the field, ii, A, 79.

Reviews—Continued.

- Stelwagon, Henry W., Treatise on diseases of the skin for the use of advanced students and practitioners, i, 789; iv, B, 69.
- Stengel, Alfred, A text-book of pathology, ii, B, 153.
- Stephenson, H. H., Who's who in science (international) 1912, vii, D, 210.
- Stewart, Francis T., A manual of surgery for students and physicians, vii, B, 473.
- Stewart, G. N., A manual of physiology, x, B, 356.
- Stitt, E. R., Practical bacteriology, blood work, and animal parasitology, iv, B, 463.
- Stitt, E. R., Practical bacteriology, blood work and animal parasitology including bacteriological keys, zoological tables and explanatory clinical notes, vi, B, 343; ix, B, 304.
- Stitt, E. R., The diagnosis and treatment of tropical diseases, ix, B, 522.
- Straub, Paul Frederick, Medical service in campaign, v, B, 521; vii, B, 123.
- Sutton, Francis, A systematic handbook of volumetric analysis, vii, A, 55.
- The American illustrated medical dictionary, ii, B, 69.
- The physician's visiting list (Lindsay & Blakiston's) for 1907, ii, B, 405.
- The provinces of China, together with a history of the first year of H. I. M. Hsuan Tung, and an account of the Government of China. Reprinted from "The National Review Annual," 1910, vi, D, 51.
- Thorington, James, Retinoscopy (or shadow test) in the determination of refraction at one meter distance, with the plane mirror, ii, B, 405.
- Todd, J. C., Clinical diagnosis, vii, B, 128.
- Tyrode, Maurice Vejux, Pharmacology: the action and uses of drugs, iii, B, 355.
- Tyson, James, The practice of medicine, i, 705; ix, B, 303.
- Van Hall, C. J. J., Cocoa, x, A, 171.
- Vedder, Edward B., Beriberi, ix, B, 380.
- Webster, Ralph W., Diagnostic methods, chemical, bacteriological and microscopical, viii, B, 406.
- Wiedersheim, Robert, Comparative anatomy of vertebrates, iii, B, 189.
- Wilcox, Reynold Webb, The treatment of disease, a manual of practical medicine, iii, B, 189; vi, B, 163.
- Wiley, Harvey W., Foods and their adulteration, vii, A, 127.
- Wilcox, Cornelio DeWitt, A reader of scientific and technical Spanish for colleges and technical schools with vocabulary and notes, ix, A, 271.

Reviews—Continued.

- Williams, B. G. R., Laboratory methods with special reference to the needs of the general practitioner, viii, B, 407.
- Reyrey, iii, C, 404.
- Rhabdopyris luzonicus, ix, D, 285.
- Rhabdia lycioides, iv, C, 693.
- Rhabdochaeta bakeri, viii, D, 328.
- pulchella, viii, D, 328.
- Rhabdocnemis lineatocollis, vii, D, 395.
- Rhabdocoris arcuata, iv, A, 569.
- Rhabdornis inornata, ii, A, 296.
- inornatus, ii, A, 296.
- longirostris, vi, D, 45.
- minor, ii, A, 290, 329; iv, A, 75.
- mystacalis, ii, A, 329; v, D, 221; vi, D, 45.
- Rhacelopus, iii, C, 21.
- pilifer, iii, C, 21.
- Rhacopilacæ, ii, C, 342; iii, C, 25; v, C, 161; viii, C, 97; ix, C, 204.
- Rhacopilum, iii, C, 25; v, C, 161; viii, C, 97.
- schmidii, ix, C, 209.
- spectabile, ii, C, 342; iii, C, 25; v, C, 161; viii, C, 97.
- Rhagidia, viii, D, 11.
- Rhagionidæ, viii, D, 308.
- Rhamnaceæ, i, s, 88, 206; ii, C, 280, 374; iii, C, 80, 110, 201, 419; iv, C, 287, 496, 707; v, C, 359; vi, C, 209, 342; vii, C, 162; ix, A, 558; ix, C, 107, 369; x, C, 40.
- Rhamnales, i, s, 88.
- Rhamnus, iii, C, 201; v, C, 359; vi, C, 342.
- chlorophora, v, A, 441.
- formosana, iii, C, 201; vi, C, 342.
- japonicus, v, C, 360.
- jujuba, ix, C, 108.
- philippinensis, vi, C, 342.
- pulogensis, v, C, 359; vi, C, 343.
- utilis, v, A, 441.
- virgatus, v, C, 360.
- zonulatus, ii, C, 374.
- Rhaphidophora, i, 418; i, s, 32; v, C, 335; vii, C, 155; x, C, 265.
- acuminata, x, C, 265.
- merrillii, i, s, 32; v, C, 335; vi, C, 195.
- perkinsae, i, s, 32; x, C, 266.
- Rhaphidostegium, viii, C, 92.
- microcladioides, viii, C, 92.
- recurvans, ix, C, 41.
- saproxyphilum, viii, C, 92.
- tristiculum, viii, C, 98; ix, C, 208.
- Rhaphis stricta, i, s, 336.
- trivalvis, i, s, 338.
- Rheumatism, chronic, and amœbiasis, i, 569.
- Rhinacanthus, vii, C, 166.
- Rhinoceros beetle, i, 143, 1069.
- Rhinogobius caninus, v, D, 285.
- carpenteri, iv, A, 535.
- hongkongensis, ix, D, 74.
- nebulosus, v, D, 285.
- oxyurus, iii, A, 528.
- perpusillus, iv, A, 534.
- Rhinolophidæ, vii, D, 13.
- Rhinolophus, vii, D, 13.
- anderseni, vii, D, 13.
- arcuatus, vii, D, 14.
- arcuatus arcuatus, vii, D, 14.
- arcuatus exiguus, vii, D, 14.
- bicolor, vii, D, 15.
- griseus, vii, D, 15.
- hirsutus, vii, D, 14.
- inops, vii, D, 15.
- luctus, vii, D, 14.
- luctus var. rufa, vii, D, 14.
- philippinensis, vii, D, 13.
- pygmaeus, vii, D, 16.
- rufus, vii, D, 14.
- subrufus, vii, D, 14.
- virgo, vii, D, 13.
- Rhinomyias albigularis, vi, D, 40.
- insignis, v, D, 136.
- ruficauda, ii, A, 287, 327; iv, A, 73.
- Rhinoplia, v, D, 256.
- Rhinoscapha, vii, D, 298.
- Rhipicephalus australis, ii, B, 85.
- Rhipidocerinae, x, D, 273.
- Rhipidocyclina, vi, D, 61.
- Rhipidonema, i, s, 283.
- erectum, i, s, 283.
- Rhipidura albiventris, vi, D, 43.
- cyaniceps, v, D, 136, 220.
- hutchinsoni, ii, A, 357.
- nigritorquis, i, 702, 769, 773, 906; ii, A, 287, 305, 313, 327; iii, A, 279; v, D, 111.
- nigrocinnamomea, ii, A, 357.
- sauli, i, 774.
- superciliaris, iv, A, 73.
- Rhisina puncticeostalis, v, D, 178.
- Rhizogoniaceæ, i, s, 12; ii, C, 341; iii, C, 20; v, C, 149, 313; viii, C, 73; ix, C, 204.
- Rhizogonium, i, s, 12; iii, C, 20; v, C, 149; viii, C, 73.
- longiflorum, iii, C, 20.
- spiniforme, i, 662; i, s, 12; ii, C, 341; iii, C, 20; v, C, 149; vi, C, 191; viii, C, 73.
- Rhizophora, i, s, 102; vii, C, 163; ix, C, 118.
- candelaria, ix, C, 118.
- conjugata, i, 674; i, s, 102; iii, A, 535; iv, A, 206; iv, C, 528; vi, A, 5, 49; ix, C, 118.
- gymnorhiza, ix, C, 118.
- mueronata, iii, A, 535; iv, A, 206; iv, C, 528; vi, A, 3, 48, 166; vi, C, 213; ix, C, 119.
- tagal, iii, C, 306.
- timorensis, iii, C, 306.
- Rhizophoraceæ, i, s, 102; ii, C, 283; iii, C, 247; iv, C, 526; vi, A, 2, 46; vi, C, 213; vii, C, 163; ix, A, 555; ix, C, 118; x, C, 191, 333.
- Rhizopoda, viii, A, 281.
- Rhizostomæ, ix, D, 201.
- Rhizostomata dichotoma, ix, D, 206.
- lorifera, ix, D, 227.
- pinnata, ix, D, 201.
- triptera, ix, D, 207.
- Rhizoxenia, x, D, 157.
- primula, x, D, 159, 205.

Rhizoxenia—Continued.

- rosea, x, D, 157, 205.
thalassantha, x, D, 157.
Rhodamnia cinerea, iv, C, 535.
glabra, iv, C, 304; viii, C, 211.
trinervia, iv, C, 404, 535; x, C, 191.
Rhodeales, i, s, 58.
Rhodinia fugax, x, D, 347.
Rhodobaenus rubrovittatus, x, D, 235.
sanguineus, x, D, 235.
Rhodobryum, v, C, 148; viii, C, 72.
curranii, v, C, 148.
giganteum, v, C, 148; viii, C, 72.
olivaceum, v, C, 148.
Rhodochlamys, x, C, 383.
Rhodochrosite, vi, A, 436; x, A, 93.
Rhododendron, i, s, 111, 220; ii, C, 292; iii, C, 160, 255, 379; v, C, 371; x, C, 55.
apoanum, i, s, 172; iii, C, 380.
celebicum, iii, C, 380.
clementis, iii, C, 160, 381.
copelandi, iii, C, 381.
cuneifolium, ii, C, 292; iii, C, 382.
curranii, iii, C, 255, 381.
jasminiflorum, iii, C, 380.
javanicum, iii, C, 380.
kochii, iii, C, 380; x, C, 55.
leytense, x, C, 55.
lussoniense, iii, C, 256, 381.
malindangense, iii, C, 256, 381.
mindanaense, iii, C, 381.
nortoniae, i, s, 220; iii, C, 380.
oldhami, iii, C, 379; v, C, 371.
quadrasianum, i, 663; i, s, 111; ii, C, 292; iii, C, 382.
quadrasianum var. intermedium, iii, C, 382.
retusum, iii, C, 382.
rosmarinifolium, ii, C, 292; iii, C, 282.
schadenbergii, i, 664; i, s, 111; iii, C, 380.
spectabile, iii, C, 381.
subsessile, iii, C, 379; v, C, 371.
teysmanni, iii, C, 380.
tubiflorum, iii, C, 380.
verticillatum, iii, C, 381.
vidalii, i, 664; i, s, 111; iii, C, 381.
whiteheadii, iii, C, 381.
xanthopetalum, i, s, 111; iii, C, 380.
Rhodomirtus, iii, C, 423; iv, C, 337.
tomentosa, iii, C, 423; iv, C, 337.
Rhodophaea, v, D, 178.
advenella, v, D, 178.
heringii, v, D, 178.
Rhoecol discolor, vii, C, 181.
Rhogadinæ, i, 694.
Rhogadini, i, 694.
Rhogas melanosoma, i, 694.
pacificus, i, 694.
Rhopalinæ, i, 687.
Rhopalum albocollaris, i, 687.
Rhopalus truncatus, iv, A, 570.
Rhopalocera, ii, A, 361; iii, A, 27; v, D, 166; ix, D, 247; x, D, 281.
Rhopilema, ix, D, 227.
esculenta, ix, D, 230.

Rhopilema—Continued.

- hispidum, ix, D, 228.
visayana, ix, D, 227.
Rhotana basipunctulata, ix, D, 438.
excelsa, ix, D, 437.
latipennis, ix, D, 437.
punctovenosa, ix, D, 437.
Rhum, vii, A, 24.
Rhus, iv, C, 490.
toxicodendron, i, s, 85; vii, C, 290.
venenata, vii, C, 290.
Rhyacophilus glareola, ii, A, 282, 301, 320; iv, A, 68; v, D, 107.
Rhynchium argentatum, i, 688.
atrum, i, 688.
Rhynchocyon, vi, D, 142.
Rhynchoglossum, vii, C, 166; viii, C, 168.
merrilliae, viii, C, 168.
Rhyncholepis brevicuspis, v, C, 424.
cumingiana, v, C, 423.
haenkeana, v, C, 444.
Rhynchomyia indica, viii, D, 309.
Rhynchomys, vii, D, 27.
soricoides, vii, D, 27.
Rhynchophorus ferrugineus, i, 154; iii, A, 533; vii, A, 384.
Rhynchoshia, v, C, 128; vii, C, 82.
calosperma, v, C, 7, 128.
densiflora, v, C, 128.
fridericiana, v, C, 128.
henryi, v, C, 110.
lucida, ii, C, 424; v, C, 115.
minima, v, C, 128.
scarabaeoides, v, C, 128.
sericea, v, C, 130.
viscosa, v, C, 128.
volubilis, vii, C, 82.
Rhynchospira, see Rynchospora.
Rhynchostegium, viii, C, 97.
celebicum, viii, C, 97; ix, C, 211.
mendanense, viii, C, 97; ix, C, 211.
mindorense, ii, C, 343.
Rhynchostylis, i, s, 39.
violacea, i, 419; i, s, 39.
Rhynchota, v, D, 57.
palawanica, iv, A, 553; v, D, 33.
philippinensia, v, D, 57.
Rhynchophorus ferrugineus, i, 1069.
Rhyolite in Cebu, ii, A, 407.
Rhyparobia maderæ, vii, B, 521.
Rhyparochromus assimilis, iv, A, 576.
bengalensis, iv, A, 576.
gutta, iv, A, 576.
parvulus, iv, A, 575.
vinulus, iv, A, 575.
Rhysotoecchia acuminata, viii, C, 465.
striata, viii, C, 466.
Rhyssalini, i, 694.
Rhyssalus unicolor, i, 694.
Rhytidhysterium javanicum, viii, C, 263.
quaraniticum, viii, C, 263.
Rhytisma, iii, C, 54; viii, C, 280; ix, C, 184.
lagerstroemiæ, iii, C, 54; viii, C, 280; ix, C, 184.
viburni, iii, C, 54.

- Riana tricapularis*, ii, C, 432.
- Ricania*, v, D, 44.
- fenestrata*, v, D, 44.
- fumosa*, v, D, 45.
- guttifera*, v, D, 44.
- malaya*, v, D, 44.
- proxima*, v, D, 45.
- rosea*, v, D, 46.
- speculum*, v, D, 44.
- subsiniuata*, v, D, 44.
- taniata*, v, D, 44.
- Ricaniinae*, v, D, 44; ix, D, 179.
- Ricaniinaria*, v, D, 44.
- Ricasolia adscripturiens*, viii, C, 137.
- subdissecta forma scrobiculata*, viii, C, 133.
- sublaevis*, viii, C, 137.
- Riccardia*, i, s, 10.
- parvula*, i, s, 10.
- Riccia* sp., ix, A, 461.
- Rice*, i, s, 28; vii, C, 192.
- army-worm infesting, i, 1068.
- as food, vi, B, 361.
- autopsy findings in pigeons and chickens fed on milk and white, x, B, 124.
- beriberi experiments at Bilibid Prison and nature of the, vii, B, 294.
- beriberi theory and white, v, B, 75.
- beriberi-preventing substances contained in polishings of, viii, B, 175.
- beverages made from fermented, vii, A, 101.
- campaign against the use of polished, vi, B, 232.
- difference between white and red, v, B, 66.
- differences in composition between various kinds of, v, B, 84.
- effect on monkeys of white, v, B, 95.
- experiences with beriberi and unpolished, vi, B, 229.
- experimental treatment of human beriberi with constituents of polishings of, x, B, 99.
- fermented drink in northern Luzon, vii, A, 103.
- fowls fed on milk and, viii, B, 472.
- fowls fed on white, v, B, 92.
- highly milled, vi, B, 134, 138.
- influence of a diet of, vi, B, 177.
- insects injurious to, i, 1068.
- its relation to beriberi, v, B, 57, 123; viii, B, 351.
- kinds of P. I., v, B, 129.
- nerve degeneration in fowls fed on unhusked, ix, B, 119.
- nitrogen and amidonitrogen in beans and, vii, B, 40.
- phosphorus content of polished and unpolished, v, B, 88.
- polished, v, B, 111.
- preparation of, v, B, 82.
- recommendations in regard to, v, B, 112.
- Siam, v, B, 79.
- snake, iv, B, 203.
- Rice—Continued.**
- sources of imported, v, B, 128.
- stem borer of, i, 1068.
- straw from, i, No. 5, 461.
- studies in, x, C, 351.
- theory of beriberi, vii, B, 277.
- Ricine suffusa*, v, D, 169.
- Ricinus*, iii, C, 417; ix, C, 105.
- communis*, ii, A, 440; iii, C, 417; vi, C, 208; vii, C, 186; ix, C, 105, 426, 513; x, A, 107.
- Riedelia*, vii, C, 78.
- Riedelia tiliaefolia*, ix, C, 315.
- velutina*, ix, C, 315.
- Riesgos de mar*, viii, D, 178.
- Rigangaian*, iii, C, 5.
- Rigida*, vii, C, 253.
- Rihana atra*, v, D, 57.
- Rima*, viii, A, 64.
- Rimella*, viii, A, 262.
- javana*, viii, A, 262.
- spinifera*, viii, A, 262.
- Rimo*, viii, A, 64.
- Rinderpest*, i, 577.
- an atypical case of, ix, B, 45.
- cultivation of the virus of, ix, B, 259.
- cultivation of the virus in vitro, ix, B, 39.
- duration of the infectiveness of virulent blood in the water leech, viii, B, 509.
- experiments upon the transmission of, ix, B, 49.
- Ring fish*, v, D, 282.
- Ringer-Locke* and the alkaline solution for cholera cases, preparation of, vi, B, 69.
- Rinorea*, i, s, 210; v, C, 201; x, C, 330.
- acuminata*, v, C, 201.
- copelandii*, v, C, 202.
- palawanensis*, i, s, 210.
- Rioxa caeca*, viii, D, 326.
- lanceolata*, viii, D, 310.
- manto*, viii, D, 310.
- Riptortus*, iv, A, 569.
- dentipes*, iv, A, 569.
- linearis*, iv, A, 569.
- Ritha*, iv, C, 495.
- Rivea*, i, s, 119.
- barnesii*, i, s, 119.
- campanulata*, ix, C, 133.
- corymbosa*, vii, C, 189.
- luzonensis*, i, 409; i, s, 119.
- tiliaefolia*, ix, C, 133.
- Rivellia basilaris*, viii, D, 321.
- fusca*, viii, D, 321.
- River fever*, Japanese, iii, B, 1.
- Rivers and flowing streams*, x, A, 141.
- of Mindanao, v, A, 346.
- Rizal*, coal in, ii, A, 51.
- bacteriological examination of artesian wells in Province of, viii, B, 443.
- intestinal parasites in Province of, v, B, 267.
- malaria and *Anopheles* surveys in Province of, x, B, 203.
- outcrop and upper-bed coals of, i, 883.

- Road materials, iv, A, 455; vii, A, 277.
metal, vi, A, 444; x, A, 204.
- Robinia grandiflora*, v, C, 75; ix, C, 90.
mitis, v, C, 101.
pseudacacia, vi, A, 15.
sepium, v, C, 73.
uliginosa, v, C, 105.
- Robinson, jr., Charles Budd, ix, C, 191.
- Rock asphalts and sheet asphalts from Leyte,
x, A, 271.
sponge, P. I., iv, A, 59.
- Rocks, igneous, iii, A, 404; iv, A, 346, 349;
v, A, 66, 100, 155, 165; vi, A, 430; vii,
A, 261; ix, A, 215; x, A, 224.
intrusive, in Leyte, x, A, 252.
kinds of P. I., viii, A, 209.
massive, ii, A, 116; x, A, 238.
metamorphic, v, A, 324; x, A, 238, 310.
petrography of some Benguet, ii, A, 235.
plutonic, x, A, 192.
sedimentary, iv, A, 347; v, A, 325; ix, A,
211.
- Rocky Mountain fever, iii, B, 2.
- Rodentia, vii, D, 24.
- Rodolia podagrica*, v, D, 232.
rufopilosa, v, D, 232.
- Roeselia fragilis*, v, D, 170.
- Rohan, iv, C, 480.
- Rollos, vi, A, 381.
- Romblon, chemical composition of some clays
from, ii, A, 102.
marble and schist formations of, iv, A, 87.
- Romero, x, B, 374.
- Ronabea arboreum*, viii, C, 48.
bipinnata, viii, C, 48.
- Rondeletia asiatica*, ix, C, 150.
longifolia, x, C, 105.
- Ro-rolagnaton qui Ayam, v, C, 476.
- Rosa, v, C, 352.
damascena, ix, C, 85.
indica, ix, C, 85.
multiflora, i, s, 175; v, C, 352; x, D, 352.
- Rosaceæ, i, s, 60, 194; ii, C, 276, 386; iii,
C, 82, 102, 139, 226; iv, C, 264, 456,
705; v, C, 180, 352; ix, A, 557; ix, C,
85, 359, 447; x, C, 307.
- Rosales, i, s, 59.
- Rosapha bicolor*, viii, D, 312.
habilis, viii, D, 308.
- Rosas, v, C, 54.
- Roscoea nigricans*, i, s, 36.
- Roselle, vii, A, 201.
- Rosellinia*, iii, C, 48; viii, C, 257, 273, 401,
485; ix, C, 166.
aquila, viii, C, 401, 485.
aucklandica, viii, C, 401.
bambusae, iii, C, 48; viii, C, 273, 401,
486.
calami, viii, C, 485.
cocoas, iii, C, 48; viii, C, 273; ix, C, 166.
decipiens, viii, C, 273.
emergens, viii, C, 257.
geasteroidi, iii, C, 48.
lamprostoma, viii, C, 273.
leprantha, viii, C, 401.
- Rosellinia*—Continued.
megalosperma, viii, C, 485.
merrillii, viii, C, 485.
perusensis, ix, C, 166.
procera, v, C, 164.
truncata, ix, C, 166.
- Rosewood, Borneo, iv, C, 489.
Indian, iv, C, 465.
- Rosmarinus officinalis*, vi, A, 345; vii, C, 195.
- Rostellarea javana*, v, A, 329; viii, A, 248.
- Rostellularia*, i, s, 126.
procumbens, i, s, 126.
- Rotala mexicana*, vii, C, 187.
ramosior, vii, C, 175.
schröteriana, vi, D, 57.
- Rottboellia*, i, s, 265, 328; iii, C, 395; v, C,
326; ix, C, 257.
coelorhachis, i, s, 328.
corymbosa, i, s, 329.
denudata, i, s, 328.
exaltata, i, s, 328; iii, C, 395; vii, C, 196;
viii, C, 494.
glandulosa, i, s, 328; ix, C, 258.
muricata, i, s, 328.
myurus, i, s, 329.
ophiuroides, i, s, 265, 312, 328; v, C, 326;
viii, C, 269.
ophiuroides var. intermedia, i, s, 265, 329.
repens, i, s, 387; ix, C, 58.
setacea, vii, C, 74.
setosa, i, s, 328.
striata, i, s, 265.
triflora, ix, C, 257.
- Rottlera albicans*, vii, C, 386.
barbata, vii, C, 397.
- Rotula*, iv, C, 693.
aquatica, iv, C, 693.
- Roumegueria*, iii, C, 47.
ichnanthi, iii, C, 47.
- Rourea*, i, s, 61; iv, C, 125; vii, C, 158; viii,
C, 372.
dasyphylla, iv, C, 128.
erecta, iv, C, 125; viii, C, 270, 495; ix,
C, 425.
heterophylla, i, s, 61; iv, C, 125.
multiflora, i, 392; i, s, 61; iv, C, 125.
rugosa, iv, C, 128.
unifoliolata, viii, C, 372.
volubilis, i, s, 61; iv, C, 125; vi, C, 205;
viii, C, 372.
- Rousettus, vii, D, 8.
amplexicaudatus, vii, D, 9.
- Roxburgh's *Hortus Bengalensis*, vii, C, 411.
- Ru, iv, C, 444.
- Rubao, v, C, 74.
- Rubber vine, iv, A, 166.
- Rubia*, v, C, 391.
cordifolia, v, C, 391.
- Rubiaceæ, i, s, 126, 238; ii, C, 302, 375, 426,
434; iii, C, 162, 263, 435; iv, C, 323,
559, 717; v, C, 1, 230, 388; vi, C, 222,
357; vii, C, 167, 379; viii, C, 31, 390;
ix, A, 556; ix, C, 142, 386, 429, 456;
x, C, 99, 194.
- Rubiales, i, s, 126.

- Rubus*, i, s, 60, 194; ii, C, 276; iii, C, 139; iv, A, 23; v, C, 352; ix, C, 448.
alceaefolius, ix, C, 449.
clementis, iii, C, 139.
copelandi, i, s, 194; v, C, 352.
ellipticus, v, C, 352.
elmeri, v, C, 352.
fraxinifolius, i, s, 60; ii, C, 276; v, C, 353.
fraxinifolius subsp. *celebicus*, v, C, 353.
horsfieldii, v, C, 353.
lasiocarpus, v, C, 353.
luzoniensis, i, s, 195.
mearnsii, v, C, 353.
moluccanus, i, 666; i, s, 60; ii, C, 276.
niveus, v, C, 353.
pectinellus, v, C, 353.
rolfei, ii, C, 276; iii, C, 82; v, C, 353.
rosaefolius, i, 666; i, s, 60, 175; iii, C, 82.
rugosus, iii, C, 82.
tagallus, i, 666; i, s, 60, 175.
vanoverberghii, ix, C, 448.
Ruellia, i, s, 125, 248; vii, C, 167; x, C, 347.
colorata, ix, C, 142.
fragrans, ix, C, 140.
nudispica, i, s, 248; x, C, 348.
panayensis, x, C, 347.
parabolica, i, s, 125.
repens, i, s, 125.
Rugo-rugo, v, C, 103.
Rumex acetosella, i, s, 181.
crispus, i, s, 181.
Runchomyia, i, 991.
philippinensis, i, 991.
Rungia, i, s, 248; v, C, 388.
lepida, i, s, 248.
parviflora, v, C, 388.
Runo, i, 820; vi, D, 83, 231.
Ruppia, vii, C, 228; ix, C, 50.
maritima, vii, C, 180, 228; ix, C, 50.
maritima subsp. *rostellata*, vii, C, 228.
Ruprappuuc, vi, D, 309.
Ruri-tateba, x, D, 285.
Rusa, vii, D, 40.
alfredi, vii, D, 40.
culionensis, vii, D, 40.
nigricans, vii, D, 40.
philippinus, vii, D, 40.
steerii, vii, D, 40.
tavistocki, vii, D, 40.
Russelia juncea, vi, C, 221; vii, C, 188.
Rüsselkäfer, Philippinische, vii, D, 295, 347.
Rusticus, v, D, 71.
Rutaceæ, i, s, 68, 200; ii, C, 277, 424, 431; iii, C, 79, 139, 233, 411; iv, C, 269, 473; v, C, 180, 355; vi, A, 345; vi, C, 206; vii, C, 84, 160; ix, A, 555; ix, C, 97, 293, 362, 426; x, C, 272.
Ruteliden der philippinischen Inseln, v, D, 233; vii, D, 255.
Rutelini genuini, v, D, 261.
Rutile, x, A, 93.
Rutilla dubia, viii, D, 309.
Rybaxis gladiator, ix, D, 454.
simoniana, ix, D, 454.
Rye, v, A, 23.
Rykia, iii, C, 70.
Rynchospora, ii, C, 101; vii, C, 154; ix, C, 62.
anomala, ii, C, 98.
articulata, ii, C, 102.
aurea, ii, C, 102; ix, C, 62.
chinensis, ii, C, 102.
corymbosa, ix, C, 62.
discolor, ii, C, 101.
ferruginea, ii, C, 102.
glauca, ii, C, 102.
glauca var. *chinensis*, ii, C, 102.
haenkei, ii, C, 101.
laxa, ii, C, 102.
longiseta var., ii, C, 101.
rubra, ix, C, 62.
wallichiana, ii, C, 101; ix, C, 62.
wightiana, ii, C, 101.
Ryparosa, ix, C, 325.
cauliflora, ix, C, 325.
Ryssopteris dealbata, i, s, 172.
ovata, iii, C, 106.
- S
- Saba*, i, s, 36; iv, B, 221; x, C, 408.
Sabal, viii, C, 399.
adansonii, ix, C, 64.
Sabang, Caramoan Peninsula, geologic section north of, x, A, 311.
Sabang Iloco, x, C, 410.
Sabangan, ix, D, 522.
Sabethinæ, viii, D, 307.
Sabiaceæ, i, s, 88; iv, C, 286, 495; v, C, 195, 359; vii, C, 294; ix, A, 557; x, C, 36.
Sabicea perrottetii, viii, C, 60.
Sabima, x, D, 52.
Sablant, v, C, 113.
Sabong, ix, D, 487.
Saboran, x, C, 358.
Sabotan, vi, C, 98.
kuaya, vi, C, 119.
Sabtan, iii, A, 6.
birds from, v, D, 219.
Sabual, i, s, 197; v, C, 118.
Sabug, x, C, 373.
Sabusab, ix, D, 511.
Sacat, i, s, 103; ii, C, 392; iv, C, 532, 643, 644, 645.
fruit, x, A, 355.
Sacatan, vi, C, 326.
Sacati, vi, C, 10.
Saccharomyces apiculatus, x, A, 124.
cerevisiæ, x, A, 124.
ellipsoides, x, A, 124.
krusei, v, B, 202.
membranaefaciens, x, A, 124.
theobromæ, x, A, 124.
Saccharum, i, s, 26, 323; v, C, 325; ix, C, 51.
alopeuros, i, s, 322.
arundinaceum, i, s, 324.
confertum, i, s, 322.
floridulum, ix, C, 51.
irritans, i, s, 325.
koenigii, i, s, 323.
negrosense, i, s, 322.

Saccharum—Continued.

- officinarum, i, No. 5, 460; i, s, 323; iv, B, 222; vii, C, 180; viii, C, 279; ix, C, 51.
 praegrande, i, s, 322.
 sara, i, No. 5, 457.
 spicatum, i, s, 322.
 spontaneum, i, 386, 620; i, No. 5, 460; i, s, 323; v, C, 325; vi, A, 384; vi, C, 194; viii, A, 308; viii, C, 279; ix, A, 453; ix, C, 511.
 spontaneum subsp. indicum, i, s, 26, 323; vi, C, 105; ix, C, 423.
 spontaneum var. luzonicum, i, s, 324.
 violaceum, i, s, 323.
 Saccolabium, ii, C, 336; iv, C, 675; v, C, 341; viii, C, 435; ix, C, 15, 71.
 chionanthum, iv, C, 675.
 compressum, ii, C, 336; v, C, 341.
 confusum, viii, C, 435.
 guamense, ix, C, 15, 71.
 luzonense, viii, C, 435.
 Saccoloma, ii, C, 125; vii, C, 48.
 moluccanum, ii, C, 125; v, C, 284; vii, C, 49.
 sorbifolium, vi, C, 69.
 Sacrifice, human, held by the Bagobos, iii, A, 188.
 Sacut, iv, C, 645.
 Sadarga, ix, D, 264.
 Sadleria cyatheoides, ix, C, 439.
 fauriei ix, C, 438.
 Sætidentata, vi, D, 24.
 Saffordiella, ix, C, 124.
 bennigseniana, ix, C, 124.
 Safueng, vii, A, 102.
 Saga, v, C, 19, 108.
 baguin, v, C, 108.
 Sagamamin, v, C, 108.
 Sagasa, iv, C, 92, 529, 648.
 Sagasaga, v, C, 108.
 Sagay, v, C, 480; vi, C, 320.
 Sagenia, ii, C, 415.
 angustia, ii, C, 410.
 platyphylla, ii, C, 415.
 Sageraea glabra, vi, C, 203.
 Sageretia, v, C, 359.
 theezans, v, C, 359.
 Sagi, v, C, 485.
 Sagiat, x, C, 264.
 Sagina, iii, C, 97; v, C, 347.
 procumbens, iii, C, 97; v, C, 347.
 Sagittaria, ii, C, 421.
 sagittaefolia var. diversifolia, ii, C, 421.
 sagittifolia, ii, C, 421.
 Sagittipetalum, iii, C, 219, 247.
 mindanaense, iii, C, 247.
 Sagmit, v, C, 54.
 Sagnit, i, s, 92; iv, C, 269; v, C, 57.
 Sago palm, *see* Palm, sago.
 Sagotia, v, C, 85.
 Sagu, ix, C, 69.
 Saguepsep, ix, D, 479.
 Saguerus gamuto, ix, C, 63.
 pinnatus, ix, C, 63.
 rumphii, vi, A, 105.
 Saguet, iv, C, 645.
 Saguin saguin, x, C, 230.
 Saguing machin, i, s, 36; x, C, 390.
 Saguran, vi, C, 117.
 Sagus amicarum, ix, C, 63.
 gomutus, iii, C, 306.
 rumphii, iii, C, 306.
 Sahing, vii, D, 139.
 Sahug River to Butuan, iii, A, 501.
 Sahug-Tagum system, v, A, 349.
 Sai, vi, D, 87.
 Saiao, iii, A, 278.
 Saiau, ii, A, 325.
 Saigon, epidemic of beriberi near, vii, B, 287.
 Saint Paul's Hospital, first obstetrical department at, x, B, 378.
 Saklap, x, B, 375.
 Sakutin, iii, A, 529.
 Sal, iv, C, 509, 518.
 Salab, i, s, 87; vi, C, 209.
 Salabogan, vi, C, 12.
 Salabugan, vi, C, 12.
 Salacia, i, s, 85; vii C, 161, 291.
 griffithii, vii, C, 292.
 integrifolia, i, s, 85.
 macrophylla, iii, C, 80.
 perakensis, vii, C, 292.
 philippinensis, vii, C, 291.
 verrucosa, i, s, 86.
 Salacot, vi, C, 95; vii, B, 108.
 Salag, iii, B, 246; x, B, 373.
 Salagubang, vii, A, 384.
 Salaguin, x, A, 107.
 Salai, i, s, 339; iv, A, 111.
 Salalangin, iv, C, 268; v, C, 38.
 Salamagui, viii, A, 70.
 Salamngay, iv, C, 271.
 Salancugui, v, C, 24.
 Salangana linehi, i, 701; ii, A, 304.
 marginata, i, 701, 769, 773; ii, A, 304, 325, 346.
 troglodytes, i, 769, 905; ii, A, 304, 325.
 whiteheadi, i, 701, 905; ii, A, 304, 313, 325, 339.
 Salap, x, B, 375.
 Salaquin pula, ix, A, 449.
 puti, ix, A, 449.
 Salaway, iv, C, 611.
 Salay salay, iii, A, 528.
 Salebaguito, x, C, 411.
 Saleng, iv, A, 231; iv, C, 443; v, A, 174; vi, C, 169, 172.
 saleng, iii, A, 529.
 Salgada laurifolia, i, s, 193; iv, C, 254; vi, C, 179.
 Salibangbangan, v, C, 45.
 Salibao, ix, D, 491.
 Salibutbut, iii, B, 248.
 Salicaceæ, i, s, 182.
 Salicylic acid, iii, A, 101; vii, A, 85; viii, A, 43.
 Salili, ix, D, 483.
 Salilihan, iv, C, 337.
 Salimbanguin, v, C, 491.
 Saline solution in the treatment of Asiatic cholera, iv, B, 85, 99.

- Saling, iii, C, 232.
 gogon, iv, C, 294.
 singang, iv, C, 337.
 Salinkugi, ix, A, 506.
 Salit, vi, C, 170.
 Salius flavus, i, 687.
 graphicus, i, 687.
 pulchripennis, i, 687.
 Salix, i, s, 182.
 amygdaloides, vi, A, 14.
 azaolana, i, s, 174, 182.
 caprea, x, D, 284.
 discolor, vi, A, 14.
 fluvialis, vi, A, 14.
 nigra, vi, A, 14.
 purpurea, x, D, 350.
 purpurea var. multinervis, x, D, 350.
 rosmarinifolia, x, D, 284.
 sp., x, D, 282.
 tetrasperma, i, s, 182.
 viminalis, x, D, 284.
 Salkan, v, C, 107.
 Sal-lapugud, iv, C, 271.
 Salmon, ix, D, 13.
 Salocot, i, 853.
 Salogon, ii, C, 111.
 Saloko, iii, A, 202.
 Salomague, v, C, 40.
 Salomonina, i, s, 203; vii, C, 160.
 aphylla, i, s, 203.
 ciliata, vii, C, 237.
 cylindrica, i, s, 203.
 oblongifolia, vii, C, 237.
 Salong, vii, D, 139.
 Salotoi, iv, C, 270.
 Salsal, v, C, 35.
 Salsalomague, v, C, 29.
 Salt, v, A, 334; x, A, 93.
 industry and resources of the P. I., x, A, 375.
 milling, x, A, 294.
 mixtures, their influence on the development of polyneuritis gallinarum and beriberi, viii, B, 351.
 in Mountain Province, x, A, 202.
 solution, development of paragonimus ova in, iv, B, 182.
 southeastern Luzon, vi, A, 479.
 southwestern Luzon, v, A, 112.
 Salts of phthaloxime, viii, A, 185.
 Salukugui, v, C, 24.
 Salumagul, v, C, 40.
 Saluncugui, v, C, 24.
 Salunguigui, v, C, 24.
 Salup, vii, A, 99.
 Salurnis, v, D, 45.
 granulosa, v, D, 45.
 Salvadora oleoides, iv, C, 549.
 persica, iv, C, 548.
 Salvadoraceæ, iv, C, 548; vii, C, 164.
 Salvia, v, C, 228.
 scaphiformis, v, C, 228.
 Salviaceæ, ix, C, 35.
 Salvinia, iv, C, 14.
 cucullata, iv, C, 14.
 natans, iv, C, 14.
 Salviniaceæ, iv, C, 13.
 Samadera, iv, C, 474.
 Samak, vii, A, 99.
 Samal Island, vi, A, 374.
 Samar, coals of, i, 883; ii, A, 51.
 geological reconnaissance of southwest-ern, iv, A, 339.
 Samara laeta, viii, C, 215.
 Samaral, iii, A, 529.
 Sambac, v, C, 40.
 Sambag, v, C, 40; viii, A, 70.
 Sambagui, v, C, 40.
 Sambalagui, v, C, 40.
 Sambong, i, s, 139; ix, A, 457; x, B, 375.
 Sambrit, x, C, 34.
 Sambucus, i, s, 137; ii, C, 307; v, C, 391.
 javanica, i, s, 137; ii, C, 307; v, C, 391; ix, A, 450.
 Sambulauan, ii, A, 382.
 Sambus auricolor, ix, D, 84.
 lugubris, ix, D, 84.
 Samilin, i, s, 56.
 Samong, vi, D, 301.
 Sampaloc, i, 620; i, s, 63; v, C, 40; viii, A, 70.
 sampilocan, v, C, 68.
 Sampalok, iv, B, 222, 223.
 Sampasampalucan, iv, C, 81.
 Sampinit, iv, C, 269; v, C, 57.
 Samuyao, vii, A, 404.
 San, iv, C, 540; vii, A, 112.
 San Antonio, parasites at, vi, B, 82.
 San Emilio, ix, D, 526.
 San Esteban, Ilocos Sur, the stone industry at, vii, D, 213.
 Sorsogon, coal in vicinity of, x, A, 290.
 San Fernando, epidemic of typhoid fever at, vi, B, 323.
 San Francisco, ix, C, 142.
 San Isidro, Mount, vii, A, 271.
 San Jose Estate, sanitary survey of, ix, B, 137.
 San Nicolas, Ilocos Norte, pottery industry in, ix, D, 117.
 San Pedro, vi, C, 219.
 San Ramon, soils of, i, 53.
 comparative ecology of Polypodiaceæ at, ii, C, 1.
 geology in vicinity of, iii, A, 482.
 San Vicente, Ilocos Sur, wood-working industry of, vii, D, 231.
 Sanar, vi, A, 152.
 Sanatoriums for treatment of tuberculosis, establishment of, iv, B, 316.
 Sanban, ix, C, 69.
 Sand, available for concrete construction in Manila, iv, A, 463.
 beach, vii, A, 334.
 concrete construction, v, A, 118.
 dry Iwahig coral, ix, A, 168.
 glass, vi, A, 444.
 mortars, Pasig, vii, A, 161.
 Orani River, vii, A, 340.

Sand—Continued.

- Pasig River, vii, A, 335.
 Quingua, vii, A, 338.
 southwestern Luzon, v, A, 111.
 Tarlac, vii, A, 338.
 Sandal, iv, C, 448, 479.
 Sandalaitan, v, C, 59.
 Sandalo, ix, C, 537.
 Sandalwood, East Indian, iv, C, 467.
 white, iv, C, 448.
 yellow, iv, C, 448.
 Sandana, iv, C, 448; vi, C, 258.
 Sanderia malayensis, ix, D, 196.
 Sanders, red, iv, C, 467.
 Sandias, iv, B, 222.
 Sand-lime brick, vi, A, 444; vii, A, 317.
 Sandoricum, i, s, 71; vii, C, 237; ix, C, 100.
 harmsianum, ii, C, 388.
 indicum, i, s, 71; ii, A, 85; ii, C, 392; iv, B, 222; iv, C, 480; vi, C, 207; vii, C, 237; viii, A, 73; viii, C, 482; ix, C, 100.
 koetjape, vii, C, 193, 237; viii, A, 73; ix, A, 444; ix, C, 100.
 vidalii, ii, A, 85; ii, C, 388; iv, C, 480.
 Sands, black, of Paracale, vii, A, 213.
 Sandstone, Canguinsa, viii, A, 328.
 Mountain Province, x, A, 198.
 Sandstones, artificial, vii, A, 317.
 eastern cordillera, v, A, 79.
 P. I., v, A, 326; viii, A, 240.
 Sangay, v, C, 41.
 Sangk, iv, C, 95.
 Sangkabagi, ix, D, 111.
 Sangke, iv, C, 97.
 Sangsanget, iii, A, 210.
 Sangubat, iv, C, 691.
 Sanguido, v, C, 357.
 Sanguilo, v, C, 357.
 Sangumay, vi, C, 107.
 Sani palm, *see* Palm, sani.
 Sanidine, x, A, 93.
 Sanitary conditions and needs in provincial towns, iii, B, 431, 439; iv, B, 247.
 pits as breeding places of flies, iv, B, 288.
 pits, construction of, iv, B, 234, 288.
 survey of the San Jose Estate and adjacent properties on Mindoro Island, ix, B, 137.
 Sanki, iv, B, 223.
 Sankirai, x, D, 287.
 Sansevieria, ix, C, 67.
 zeylanica, i, No. 5, 456; vii, C, 181; ix, C, 67.
 Santa Ana, ix, C, 102.
 Santa Inez, iron deposits near, v, A, 107.
 Santa Teresa, Mindoro, ix, B, 145.
 Santagu, iv, C, 448.
 Santalaceæ, i, s, 50; iv, C, 253, 448; x, C, 189.
 Santalales, i, s, 50.
 Santalin, v, A, 448.
 Santalum album, iv, C, 448.
 freycinetianum, iv, C, 448.
 Santalus congruens, ix, D, 427.
 elongatulus, ix, D, 427.
 latitibus, ix, D, 427.
 mandibularis, ix, D, 427.

Santalus—Continued.

- orientalis, ix, D, 427.
 parallelus, ix, D, 427.
 philippinarum, ix, D, 426.
 piraticus, ix, D, 428.
 rupestris, ix, D, 428.
 tabellio, ix, D, 428.
 Santiria, i, s, 71; iii, C, 143; x, C, 30.
 beccarii, x, C, 31.
 caudata, x, C, 30.
 glabra, iii, C, 143; x, C, 31.
 laevigata, x, C, 32.
 lagunensis, x, C, 31.
 maingayi, x, C, 32.
 nitida, i, 410, 637; i, s, 71; iv, C, 703; ix, A, 497, 504; x, C, 31.
 oblongifolia, iv, C, 476.
 samarensis, x, C, 31.
 Santo Domingo de Basco, monthly rainfall and temperatures, iii, A, 4.
 Santol, i, s, 71; ii, A, 85; ii, C, 392; iv, B, 222; iv, C, 480; vii, C, 193; viii, A, 73; ix, A, 444.
 ore deposit, ix, A, 225.
 Sao, iv, C, 515.
 Saoc, iv, C, 540.
 Saoit, ix, D, 485.
 Saori, iv, C, 530.
 Sap, character of nipa palm, viii, A, 379.
 transportation of nipa palm, viii, A, 394.
 Sapang, i, 1020.
 Saparantu, iv, C, 471.
 Sapetir, iv, C, 471.
 Sapindaceæ, i, 1026; i, s, 86, 172; ii, C, 371; iii, C, 79, 418; iv, C, 492, 704; v, C, 359; vi, C, 181, 209; vii, C, 161; viii, C, 443; ix, A, 556; ix, C, 106.
 Sapindacearum philippinensium novarumque descriptio, enumeratio, viii, C, 443.
 Sapindales, i, s, 84.
 Sapindus cinereus, ii, C, 371.
 rarak, iv, C, 493.
 saponaria, viii, C, 444.
 saponaria forma microcarpus, viii, C, 444.
 trifoliatus, iv, C, 495.
 Sapinit, i, s, 64; v, C, 54, 57.
 Sapiro, x, C, 233.
 Sapium, i, s, 83; iv, C, 482; vii, C, 406.
 crassifolium, vii, C, 383.
 indicum, vii, C, 407.
 lateriflorum, i, s, 83.
 sanchezii, vii, C, 406.
 sebiferum, iv, C, 486.
 subrotundifolium, vii, C, 384.
 virgatum, vii, C, 407.
 Saplit, v, C, 20, 22.
 Saplongan, vi, C, 263.
 Saplungan, iv, C, 300, 644.
 Sapnit, iv, C, 269; v, C, 54, 57.
 Sapodilla plum, viii, A, 63.
 Saponacea, ix, C, 97.
 Saponification of methyl salicylate, methyl benzoate, and the methyl ether of methyl salicylate, viii, A, 1.
 Saponin, toxic action of, i, 1037.
 Sapota zapotilla, ix, C, 127.

- Sapotaceæ, i, 423; i, s, 113, 222; ii, C, 298, 377, 434; iii, C, 212, 256, 425; iv, C, 539, 704; vi, C, 219, 278; vii, C, 164; ix, A, 556; ix, C, 127; x, C, 56.
- Sapote negro, vii, C, 199.
- Sappadille, vii, C, 113.
- Sappan, v, C, 55; vii, C, 193.
wood, v, A, 447.
- Sappang, v, C, 55.
- Saprolegniaceæ, ix, B, 356.
- Sapromyza striata, viii, D, 317.
- Sapsap, iii, A, 529; iv, B, 219; vii, A, 386.
- Saputi, iv, C, 472.
- Sara, x, B, 375.
- Sarai, vi, C, 274.
- Saramullete, iii, A, 529.
- Saramuyo, vii, C, 113.
- Sararanga philippinensis, iii, C, 307.
sinuosa, iii, C, 307.
- Sarawak, analysis of mangrove barks from,
iv, A, 210.
new ferns from, vii, C, 59.
petroleum in, viii, A, 366.
- Saray, vi, C, 272.
- Sarcanthine-Aerideæ, viii, C, 439.
- Sarcanthus, ii, C, 336; viii, C, 439.
striolatus, ii, C, 336.
- Sarcina, ix, B, 222.
suspension on slides, vii, B, 164.
- Sarcocephalus, i, s, 128; iii, C, 436; vii, C, 167; viii, C, 31.
cordatus, i, 405, 678; i, s, 128; ii, C, 375; iii, C, 436; iv, C, 562, 717; ix, A, 506.
hirsutus, vi, C, 225.
junghuhnii, iv, C, 562; vi, C, 225; ix, A, 450.
orientalis, iii, C, 436.
pubescens, vi, C, 225.
- Sarcochilus philippinensis, viii, C, 438.
- Sarcococca, iv, C, 483.
- Sarcoma of the small intestine, viii, B, 91.
- Sarcophaga, i, 1072.
carnaria, x, B, 310.
tibialis, x, B, 310.
- Sarcophagidæ, iv, B, 236; x, B, 320.
- Sarcophanops steerei, ii, A, 286; iv, A, 72.
- Sarcopodium, vi, C, 53; viii, C, 426.
acuminatum, viii, C, 426.
acuminatum var. lyonii, vi, C, 53.
dearei, vii, C, 127.
lyonii, vi, C, 53.
stella silvae, iv, C, 673; viii, C, 426.
- Sarcops calvus, i, 704, 770, 775; ii, A, 257, 309, 332, 337; v, D, 114.
melanonotus, ii, A, 258, 291, 309, 314, 332; iii, A, 281; iv, A, 77; v, D, 114.
- Sarcóptes scabiei, v, B, 471.
- Sarcopyramis, ii, C, 285; v, C, 368.
delicata, v, C, 368.
nepalensis, ii, C, 285.
- Sarcosperma arboreum, iv, C, 542.
- Sarcostemma, v, C, 379.
brunonianum, v, C, 379.
- Sarcostemon, v, C, 413.
- Sarcostigma, vii, C, 293; x, C, 276.
philippinensis, x, C, 276.
wallichii, x, C, 277.
- Sarcoxydon conjunctum, viii, C, 261.
- Sardine, iii, A, 529.
- Sardines, canning, ix, D, 10.
- Sardinella clupeioides, iii, A, 529.
fimbriata, ix, D, 11.
gibbosa, ix, D, 11.
klunzi, ix, D, 11.
longiceps, ix, D, 11.
melanostica, ix, D, 11.
moluccensis, ix, D, 11.
sundaica, ix, D, 11.
vancibris, ix, D, 11.
zunazi, ix, D, 11.
- Sardonyx, x, A, 94.
- Sargassum siliquosum, vi, D, 309.
- Sarcocarpum scandens, ii, C, 422.
- Saropsarop, vii, D, 275.
- Sarracinales, i, s, 59.
- Sarothripinæ, ii, A, 372; v, D, 173.
- Sarcochilus amplexicaulis, x, C, 189.
- Sarcophaga brevis, viii, D, 309.
frontalis, viii, D, 309.
sericeonitens, viii, D, 309.
spininervis, viii, D, 309.
- Sarten ulcer, i, 101.
- Saru-tori-ibara x, D, 287.
- Sasa, i, s, 32; vi, C, 230; ix, C, 309.
- Sasabang, v, C, 365.
- Sasagusa, ix, D, 259; x, D, 302.
- Sasalit, ii, C, 392; iv, C, 556; ix, A, 439.
- Sassak, iv, C, 518.
suppok, iv, C, 517.
- Sassafras, vi, A, 15.
sassafras, vi, A, 15.
variifolium, vi, A, 15.
- Satinwood, iv, C, 474.
East Indian, iv, C, 473.
- Saturation deficit, average, i, 381.
- Satyridæ, ix, D, 258.
- Satyrion repens, iv, C, 664; viii, C, 409.
- Satyrum marginalis, ix, D, 262.
- Sauale, i, 1078.
- Sauangan, x, C, 27.
- Saungan, vi, C, 283.
- Saurauia, i, s, 95, 208; ii, C, 282; iii, C, 205; v, C, 361; vii, C, 91, 306; ix, C, 376, 453, 521.
altissima, ix, C, 523.
ampla, ix, C, 521.
bakeri, ix, C, 521.
bontocensis, ix, C, 453.
clementis, i, s, 208; ix, C, 522.
confusa, ix, C, 522.
denticulata, iii, C, 205.
elegans, ii, C, 282; v, C, 361.
elmeri, ix, C, 523.
fasciculiflora, ix, C, 524.
ferox, ix, C, 523.
gracilipes, ix, C, 524.
klemmei, ix, C, 525.
latibracteata, ii, C, 282; ix, A, 450.
leytensis, ix, C, 526.

Saurauia—Continued.

- longistyla, i, s, 209.
 luzoniensis, i, s, 209; ix, C, 524.
 macgregorii, vii, C, 306; ix, C, 454.
 negrosensis, ix, C, 524.
 palawanensis, ix, C, 527.
 panayensis, ix, C, 528.
 papillulosa, ix, C, 529.
 philippinensis, ii, C, 282.
 samarensis, ix, C, 530.
 subglabra, i, 645; i, s, 95; ix, C, 529.
 vanoverberghii, vii, C, 91.
 wenzelii, ix, C, 376.
 whitfordii, vi, C, 210.
- Saurida argyrophaneus, iii, A, 529.
 tumbil, v, D, 264.
- Sauriri, v, C, 26.
- Sauropatis chloris, ii, A, 324.
- Sauropus, iv, C, 72; vii, C, 407.
 albicans, iv, C, 72; x, C, 190.
 androgynus, iv, C, 72.
 macranthus, iv, C, 72.
 robinsonii, vii, C, 407.
 scandens, iv, C, 72.
- Saururus loureirii, i, s, 174.
- Sauting, iv, C, 104.
- Savadug, iii, C, 422.
- Sawale, ix, A, 459.
- Saxifragaceae, i, s, 59, 175; ii, C, 275; iii, C, 408; v, C, 177, 351; vi, C, 321; vii, C, 271; ix, A, 557; x, C, 5.
- Saybong, v, C, 255.
- Sayomyia, i, 991.
 manillensis, i, 991.
- Scabies at Taytay, iv, B, 284.
- Scadra, v, D, 61.
 illuminata, v, D, 61.
 lanius, v, D, 61.
- Scaevola, ii, C, 427; v, C, 249; vii, C, 353; ix, C, 152.
 acuminatissima, v, C, 249.
 amboinensis, v, C, 249.
 dajocensis, ii, C, 427; v, C, 249.
 frutescens, vii, C, 353; ix, C, 152.
 frutescens var. sericea, vii, C, 354.
 koenigii, v, C, 250; vi, C, 228; vii, C, 353; ix, C, 152.
 micrantha, v, C, 250.
 minahassae, ii, C, 427; v, C, 249.
 mindorensis, v, C, 250.
 novoguineensis, v, C, 249.
 oppositifolia, v, C, 249.
 pedunculata, v, C, 251.
 pedunculata var. mollis, v, C, 251.
 plumieri, v, C, 250; vii, C, 354.
 sericea, v, C, 250; vii, C, 354.
 similis, v, C, 249.
- Scale in boilers, ix, A, 373.
 insects, i, 217, 1069.
- Scamandra, v, D, 37, 64.
 banksi, v, D, 64.
 hermione, v, D, 37.
 lydia, v, D, 64.
 rosea, v, D, 37, 64.
 saturata, v, D, 64.
- Scamboneura dotata, viii, D, 307.
- Scaphopoda, viii, A, 292.
- Scapopria, ix, D, 310.
 atriceps, ix, D, 310.
- Scarichthyidae, iv, A, 524; ix, D, 70.
- Scaridae, iii, A, 518.
- Scarodocarpus, ix, C, 289.
- Scatophagidae, v, D, 282.
- Scatophagus argus, v, D, 282.
- Scelio, ix, D, 289.
 aratigena, ix, D, 290.
 bisectus, ix, D, 290.
 consobrinus, ix, D, 290.
 luzonicus, ix, D, 291.
 philippinensis, i, 690; ix, D, 289.
 variicornis, ix, D, 290.
- Scelionidae, i, 690; ix, D, 289.
- Scelioninae, i, 690.
- Sceliphron bengalensis, i, 687.
 bengalensis var. conspicillatum, i, 687.
 madraspatanum, i, 687.
 violaceum, i, 687.
- Sceliphroninae, i, 687.
- Scelodonta aeneola, viii, D, 218.
 nitidula, viii, D, 218.
- Scepasma buxifolia, iv, C, 85.
- Schefflera, i, s, 109, 218; ii, C, 290; iii, C, 117, 156, 211, 254, 424; v, C, 210, 369; vi, C, 354; vii, C, 95, 163, 318; ix, C, 178, 329, 456; x, C, 195.
 acuminatissima, i, s, 109; iii, C, 118; ix, C, 330; x, C, 198.
 agamae, x, C, 196.
 albida, vii, C, 95.
 avenis, iii, C, 160.
 banahaensis, x, C, 197.
 benguetensis, x, C, 198.
 binuangensis, vi, C, 354; x, C, 203.
 blancoi, i, 664; i, s, 109; ii, C, 433; iii, C, 160; v, C, 369.
 bordeni, i, s, 110.
 brevipes, v, C, 210; vi, C, 355.
 caudata, iii, C, 118, 157, 255; v, C, 369; ix, C, 330; x, C, 199.
 caudatifolia, ix, C, 331.
 cephalotes, iii, C, 160.
 chartacea, ix, C, 456.
 clementis, iii, C, 156, 255; v, C, 211; ix, C, 332.
 crassifolia, ix, C, 332.
 crassissima, x, C, 195.
 cumingii, iii, C, 118.
 curranii, x, C, 199.
 demesae, ix, C, 330; x, C, 201.
 digitata, i, s, 109.
 divaricata, x, C, 199.
 eucaudata, x, C, 200.
 foetida, ii, C, 290.
 foxworthyi, iii, C, 254.
 gigantifolia, iii, C, 157.
 glabra, x, C, 201.
 gracilipes, iii, C, 158.
 insularum, ii, C, 290; iii, C, 157; vi, C, 218; x, C, 195.
 leytenensis, v, C, 211.

Schefflera—Continued.

- longifrutescens, iii, C, 255.
 luzoniensis, i, s, 218; v, C, 369; ix, C, 456; x, C, 197.
 macgregorii, x, C, 202.
 macrantha, iii, C, 156.
 microphylla, i, s, 218; v, C, 369.
 mindanaensis, iii, C, 157.
 multiflora, x, C, 203.
 nitida, x, C, 204.
 obliqua, iii, C, 159.
 oblongifolia, v, C, 369; x, C, 196.
 obovata, ix, C, 329.
 odorata, iii, C, 117, 424; x, C, 195.
 ovoidea, iii, C, 160.
 palawanensis, x, C, 204.
 simplicifolia, iii, C, 159; vi, C, 218.
 stellulata, vii, C, 318.
 trifoliata, iii, C, 118; vi, C, 218.
 venulosa, i, 418; i, s, 110; iii, C, 117; x, C, 205.
 williamsii, iii, C, 211.
- Schima, iii, C, 113.
 crenata, iv, C, 503.
 noronhae, iii, C, 113; iv, C, 503.
 wallichii, iv, C, 503.
- Schiroseuji-aoshaku, x, D, 351.
- Schisma, v, C, 310.
 sikkimense, v, C, 310.
 wichurae, v, C, 310.
- Schismatoglottis, v, C, 335.
 rupestris, v, C, 335.
- Schistochila, i, s, 10; v, C, 311.
 aligera, i, 662; i, s, 10.
 sumatrana, v, C, 311.
- Schistomitrium, iii, C, 13; v, C, 142; viii, C, 68.
 apiculatum, v, C, 142; viii, C, 68.
 copelandii, iii, C, 13.
 nieuwenhuisii, v, C, 142; ix, C, 206.
 robustum, viii, C, 68.
- Schistopterum moebii, viii, D, 328.
- Schistosoma cattol, i, 83.
 haematobium, ii, B, 29; iii, B, 204; iv, B, 291.
 japonicum, i, 83; ii, B, 17, 31; iii, B, 71, 204; iv, B, 291; viii, B, 173; ix, B, 236.
- Schistosomiasis, ii, B, 19.
 condition of the liver in, iii, B, 223.
- Schistosomum haematobium, i, 83; iii, B, 223.
 japonicum, iii, B, 223; iv, B, 296.
- Schists, eastern cordillera, v, A, 75.
 Ilocos Norte, ii, A, 155.
 Romblon Island, iv, A, 87.
- Schizachne, v, C, 332.
- Schizachyrium, i, s, 335.
- Schizaea, ii, C, 146; iv, C, 20; vi, C, 67.
 dichotoma, ii, C, 146; iv, C, 21; vi, C, 67.
 digitata, ii, C, 146; iv, C, 21; vi, C, 67.
 fistulosa, iv, C, 21.
 malaccana, iv, C, 21.
- Schizaenaceae, i, s, 22; ii, C, 146; iii, C, 393; iv, C, 17; vi, C, 67, 192; vii, C, 152; ix, C, 46, 422; x, C, 186.

- Schizandra elongata, ii, C, 432.
- Schizaster, viii, A, 291.
 sp., viii, A, 327.
 subrhomboidalis, viii, A, 291, 325.
- Schizmatoglottis, i, s, 33.
 rupestris, i, s, 33.
- Schizogony of Trypanosoma evansi in the spleen of the vertebrate host, vii, B, 53.
- Schizoloma, i, s, 149, 252; v, C, 284; vi, C, 84; ix, C, 45.
 angustum, i, s, 252.
 divergens, i, s, 253.
 ensifolium, i, s, 149; vi, C, 84; vii, C, 48; ix, C, 45.
 fuligineum, i, s, 252; x, C, 148.
 guerinianum, i, s, 253.
 heterophyllum, i, s, 149.
 heterophyllum var. speluncae, v, C, 284.
 induratum, x, C, 148.
 jamesonioides, i, s, 252.
 ovata, i, s, 252.
 pellaeforme, i, s, 253.
- Schizomitrium apiculatum, ii, C, 340.
 nieuwenhuisii, ii, C, 340.
- Schizomyces, iii, B, 459.
- Schizophyllum, i, 427; i, s, 291, 312; ix, C, 39.
 alneum, i, s, 291; ix, C, 39.
 commune, i, s, 294; ix, C, 39.
- Schizosema, ix, D, 183.
 cellularis, ix, D, 183.
- Schizostachyum, i, s, 391; ii, C, 420; iii, C, 169, 397; v, C, 273; vi, C, 289; vii, C, 154; viii, C, 205; ix, C, 169.
 acutiflorum, i, s, 391; iii, C, 397; v, C, 273; viii, C, 205, 280.
 blumei, i, s, 391; iii, C, 169.
 brachycladum, viii, C, 206.
 curranii, v, C, 277.
 dielsianum, i, s, 391; v, C, 274; viii, C, 205.
 durie, v, C, 270.
 fenixii, vi, C, 289; viii, C, 205.
 hallieri, v, C, 274; viii, C, 205.
 hirtiflorum, ii, C, 420; v, C, 275.
 longispiculatum, viii, C, 206.
 luzonicum, v, C, 277; vi, C, 289.
 merrillii, v, C, 278.
 mucronatum, iii, C, 169; v, A, 237; v, C, 276; ix, A, 432.
 palawanense, v, C, 274; viii, C, 205.
 toppingii, v, C, 276.
- Schizostege, i, s, 155.
 calocarpa, i, s, 155; ii, C, 5.
 lydgatei, i, s, 155.
 pachysora, i, s, 155; ii, C, 5.
- Schizostoma exasperatum, ix, C, 252.
- Schizotheca hemprichii, x, C, 2.
- Schizothyrium, iii, C, 52; viii, C, 275.
 aceris, iii, C, 52; viii, C, 275.
- Schizotrypanum cruzi, vii, B, 54.
- Schizoxylon stellatum, viii, C, 403.
- Schleichera trijuga, iv, C, 495.
- Schleidendia parciflora, iv, C, 695.

- Schlottheimia, iii, C, 17; v, C, 145, 312; viii, C, 70.
 luzonensis, viii, C, 70.
 speciosissima, iii, C, 17.
 wallisii, iii, C, 17; v, C, 145, 312; viii, C, 70; ix, C, 214.
 Schmidelia obovata, iii, C, 79.
 racemosa, iii, C, 79.
 Schoenoblinæ, ii, A, 374; iii, A, 34.
 Schoenus, ii, C, 102, 263; v, C, 334; ix, C, 268.
 apogon, ii, C, 102; v, C, 334.
 axillaris, v, C, 334.
 brownii, ii, C, 102.
 falcatus, ix, C, 268.
 hasskarlii, ii, C, 103.
 imberbis, ii, C, 102.
 laxiflorus, ii, C, 102.
 lithospermus, ii, C, 103.
 melanostachys, ii, C, 263.
 ruber, ix, C, 62.
 Scholastes cinctus, viii, D, 310.
 Schönblatt, ii, A, 444.
 Schotia speciosa, v, C, 36.
 Schoutenia ovata, iv, C, 498.
 Schrankia, v, C, 30.
 aculeata, v, C, 30.
 quadrivalvis, v, C, 30; vii, C, 201.
 Schrebera swietenoides, iv, C, 548.
 Schroeteriaster, viii, C, 476.
 cingens, viii, C, 476.
 Schychowskyia interrupta, ix, C, 78.
 ruderalis, ix, C, 78.
 Sciæna aneus, ix, D, 69.
 diacanthus, ix, D, 68.
 Sciænidae, iii, A, 518; v, D, 279; ix, D, 68.
 Sciænoides bauritus, ix, D, 69.
 Science, library of the Bureau of, v, A, 45.
 Philippine Journal of, i, 1.
 Scindapsus, vii, C, 155.
 argyrea, i, s, 171.
 Sciomyzidae, viii, D, 310.
 Sciophila torresiana, ix, C, 78.
 Scipinia, iv, A, 590.
 horrida, iv, A, 590.
 Scirophaga virginia, iii, A, 34.
 Scirpodiendron, ii, C, 422; ix, C, 268.
 costatum, ii, C, 422; vi, C, 195; ix, C, 268.
 ghaeri, ix, C, 268.
 sulcatum, ix, C, 268.
 Scirpophaga, iii, A, 34.
 gilviberbis, iii, A, 34.
 Scirpus, ii, C, 99; v, C, 172, 333; ix, C, 63.
 acutus, ii, C, 100.
 aemulans, ii, C, 100.
 aestivalis, ii, C, 94.
 articulatus, ii, C, 99.
 autumnalis, ii, C, 97.
 barbatus, ii, C, 98; x, C, 191.
 capillaris, ii, C, 98.
 capitatus, ix, C, 60.
 chinensis, ii, C, 101.
 ciliaris, ii, C, 101.
 complanatus, ii, C, 96; ix, C, 61.
 corymbosus, ii, C, 102; ix, C, 62.
 Scirpus—Continued.
 debilis, ii, C, 99.
 dichotomus, ii, C, 93; x, C, 191.
 diphyllus, ii, C, 93; ix, C, 61.
 dipsaceus, ii, C, 93; x, C, 191.
 erectus, ii, C, 99; vi, C, 195; vii, C, 181; ix, C, 63.
 ferrugineus, ii, C, 94.
 globulosus, ii, C, 96; ix, C, 61.
 glomeratus, ii, C, 95.
 grossus, ii, C, 100; vi, C, 195; viii, C, 268; ix, C, 505.
 grossus var. kysoor, ii, C, 100.
 inundatus, ii, C, 99.
 javanus, ii, C, 100.
 junciformis, ii, C, 97.
 juncoides, ii, C, 99.
 kysoor, ii, C, 100.
 lacustris, v, C, 172.
 laxiflorus, ii, C, 90.
 lithospermus, ii, C, 103.
 luzonensis, ii, C, 99.
 margaritifera, ii, C, 102.
 maritimus var. aemulans, ii, C, 100.
 miliaceus, ii, C, 96; ix, C, 61; x, C, 191.
 mucronatus, ii, C, 100; vi, C, 195.
 pauciflorus, v, C, 333.
 plantaginoides, ix, C, 60.
 polytrichoides, ii, C, 92.
 preslii, ii, C, 100.
 puberulus, ix, C, 62.
 schoenoides, ii, C, 92.
 subulatus, ii, C, 100.
 sundanus, ii, C, 100.
 supinus, ii, C, 99; vii, C, 181.
 supinus var. uninodis, ii, C, 99.
 ternatensis, ii, C, 100.
 tetragonus, ii, C, 91.
 timorensis, ii, C, 99.
 triqueter, ii, C, 100; vi, C, 109.
 triqueter var. segregata, ii, C, 100.
 Scirrhia, iii, C, 47; viii, C, 496.
 luzonensis, iii, C, 47; viii, C, 496.
 seriata, viii, C, 496.
 Scirrhia curvispora, viii, C, 399.
 Scitamineæ, i, s, 36; ii, C, 435; iv, C, 157.
 Sciuridae, vii, D, 24.
 Sciuropterus, vii, D, 25.
 crinitus, vii, D, 25.
 nigripes, vii, D, 26.
 ruscicus, vii, D, 25.
 Sciurus, vii, D, 24.
 albicauda, vii, D, 24.
 cagsi, vii, D, 25.
 conceinnus, vii, D, 24.
 juvenis, vii, D, 25.
 melanotis, vii, D, 24.
 mindanensis, vii, D, 25.
 möllendorffi, vii, D, 25.
 philippinensis, vii, D, 25.
 samarensis, vii, D, 25.
 steerii, vii, D, 25.
 volans, vii, D, 25.
 vulgaris, vii, D, 24.
 Sclerella, viii, D, 451.

- Scleria*, i, s, 31; ii, C, 103, 263; iii, C, 399; vii, C, 75; viii, C, 363; ix, C, 63, 168.
androgyna, ii, C, 104.
annularis, ii, C, 104.
caricina, ii, C, 106.
chinensis, i, s, 31; ii, C, 105, 263.
corymbosa, ii, C, 104; viii, C, 364.
foveolata, ii, C, 106.
glaucescens, ii, C, 103.
hebecarpa, ii, C, 105.
japonica, ii, C, 105.
keyensis, ii, C, 106.
lateriflora, ii, C, 105.
laxa, ix, C, 63.
lithosperma, i, s, 31; ii, C, 103; vii, C, 181.
lithosperma var. *roxburghii*, ii, C, 104.
margaritifera, ix, C, 63.
motleyi, ii, C, 104; ix, C, 353.
motleyi var. *densi-spicata*, ii, C, 104.
multifoliata, ii, C, 106.
neesiana, ii, C, 106.
neesii, ii, C, 106.
oryzoides, ii, C, 105.
pergracilis, vii, C, 75.
propinqua, ii, C, 104.
pubescens, ii, C, 106.
purpurascens, ii, C, 106.
purpureo-vaginata, ii, C, 105; vi, C, 195.
scrobiculata, i, s, 31; ii, C, 106; iii, C, 399; ix, C, 513.
sumatrensis, ii, C, 106.
tessellata, ii, C, 104.
timorensis, ii, C, 106.
trigona, viii, C, 363; ix, C, 353.
waigionensis, ii, C, 106.
wichurai, ii, C, 105.
zeylanica, ii, C, 104.
Sclerococcus, iv, C, 328.
laevigatus, vi, C, 222; viii, C, 37.
radicans, iii, C, 436.
Sclerocyrtus, vii, D, 345.
asper, vii, D, 345.
Scleroderma, viii, C, 306; ix, C, 254; x, C, 98.
aurantiacum, viii, C, 306.
aurantium, ix, C, 254.
citrinum, viii, C, 306; ix, C, 254.
columnare, viii, C, 307.
dictyosporum, x, C, 98.
squamatum, viii, C, 306; ix, C, 254.
vulgare, viii, C, 306; ix, C, 254.
zenkeri, x, C, 98.
Sclerodermatales, i, s, 292.
Sclerolips ochrodiscus, viii, D, 142.
Scleron denticolle, viii, D, 373.
discicolle, viii, D, 373.
ferrugineum, viii, D, 373.
tuberculatum, viii, D, 373.
Scleronephthya, viii, D, 450.
Sclerophytum, x, D, 167.
Sclerostoma equinum, ix, B, 283.
pinguicola, ix, B, 269.
Sclerostylis atalantioides, iii, C, 79.
Scoharia dulcis, ix, C, 429.
Scolia aurulenta, i, 688.
capitata, i, 688.
grossa, i, 688.
Scolia—Continued.
manilae, i, 688.
modesta, i, 688.
procera, i, 688.
procera var. *bimaeculata*, i, 688.
pseudofoaminata, i, 688.
quadrifasciata, i, 688.
quadripustulata, i, 688.
rubiginosa, i, 688.
scutellaris, i, 688.
whiteheadii, i, 688.
Scoliidae, i, 688.
Scolliodon walbechmii, iii, A, 529.
Scolopendrium, i, s, 152; viii, C, 147.
durvillei, ii, C, 167; viii, C, 149.
longifolium, i, s, 152; viii, C, 149.
mambare, viii, C, 149.
pinnatum, ii, C, 5; viii, C, 149.
schizocarpum, i, s, 152; ii, C, 5; viii, C, 149.
Scolopia, i, s, 98; ix, C, 116; x, C, 327.
crenata, i, 655; i, s, 98; x, C, 327.
dasyanthera, x, C, 328.
lanceolata, x, C, 328.
luzonensis, i, 644; i, s, 98; vi, C, 211; x, C, 327.
rhinanthra, x, C, 327.
saeva, x, C, 328.
vosmeri, v, D, 276; ix, D, 66.
Scomber japonicus, iii, A, 515.
microlepidotus, iii, A, 515.
Scomberoides lysan, v, D, 272; ix, D, 62.
tolco-parah, iii, A, 525, 529.
Scomberomorus commersoni, iii, A, 515.
guttatum, ix, D, 62.
konam, iii, A, 515.
Scombridae, iii, A, 515; v, D, 270; ix, D, 62.
Scopaeus montalbanensis, vii, D, 251.
Scoparia, i, s, 124; iii, C, 434.
dulcis, i, 396, 669; i, s, 124; iii, C, 434; vi, C, 221; vii, C, 188.
Scopiastes, iv, A, 571.
degeeri, iv, A, 571.
ruficollis, iv, A, 571.
Scopolia spinicosta, viii, D, 309.
Scorodocarpus bornensis, iv, C, 449.
Scorpenidae, v, D, 286; ix, D, 77.
Scorpid, v, D, 282.
Scorpididae, v, D, 282.
Scorpion fish, v, D, 286; ix, D, 77.
Scorpiurus, v, C, 81.
Scotaeus seriato-punctatus, viii, D, 414.
Scotch, v, A, 23.
Scotinophara serrata, iv, A, 559.
Scotophilus, vii, D, 18.
kuhlii, vii, D, 18.
temminckii, vii, D, 18.
Scotosia miniosata, v, D, 176.
Scouts, eradication of beriberi from the Philippine, vi, B, 133.
Scripus pulogensis, v, C, 333.
Scrophulariaceae, i, s, 123, 236; ii, C, 300; iii, C, 124, 434; v, C, 41, 229, 384; vi, A, 346; vi, C, 221; vii, C, 100, 166, 246; ix, C, 140, 429.

- Scurrula haenkeana*, iv, C, 144.
malifolia, iv, C, 144.
philippensis, iv, C, 139.
Scutellaria, i, s, 122; ii, C, 299; iv, A, 556;
v, C, 381; vii, C, 349.
copelandii, vii, C, 349.
indica, vii, C, 350.
luzonica, i, 663; i, s, 122, 176; ii, C, 299;
v, C, 381.
marivelensis, v, C, 381.
russeliaefolia, v, C, 381.
Scutellera buquetii, iv, A, 556.
deplanata, iv, A, 554.
germari, iv, A, 557.
Scutellerinæ, iv, A, 556.
Scutinanthe engleri, iv, C, 273.
Scutomyia, i, 985.
nivea, i, 985.
nonscripta samarensis, i, 985.
Scymnus sp., i, 221.
Scyphiphora hydrophyllacea, iv, C, 562; vi,
C, 227; x, C, 129.
Scyphistoma, x, D, 206.
Scyphomedusæ, ix, B, 292; ix, D, 195.
Scyphozoa, iii, B, 329.
Scyphularia, vi, C, 81.
pentaphylla, vi, C, 81; vii, C, 65.
simplicifolia, vii, C, 64.
triphylla, vii, C, 65.
Scyphiphora hydrophyllacea, vii, C, 146.
Scythropidæ, vii, D, 388.
Sea bass, iii, A, 517; v, D, 274.
birds, newly discovered breeding places of
P. I., vi, D, 167.
cucumber, vi, D, 283.
horse, iii, A, 529; v, D, 269.
turtles and tortoise-shell, P. I., vi, D, 291.
Season, influence of, on blood pressure and
pulse rate, vi, B, 474.
Seasonal index of malaria, x, B, 233.
Seaweeds, P. I. edible, vi, D, 308.
Sebania picta, vii, C, 235.
typica, vii, C, 235.
Sebastiana chamaelea, x, C, 190.
Sebastopol, vi, C, 114.
Sebastopsis marmorata, ix, D, 77.
Sebifera glutinosa, i, s, 57; vi, C, 321.
Secretario, viii, D, 171.
Secundæ, iv, C, 217.
Securinea, iv, C, 73; ix, C, 491.
acuminatissima, iv, C, 73; ix, C, 491.
flexuosa, iv, C, 74; ix, C, 491.
microcarpa, iv, C, 74.
obovata, iv, C, 74.
ovata, iv, C, 74.
Seda, ix, C, 73.
Sedimentaries, Baguio mineral district, ii, A,
229; vi, A, 432.
Caramoan Peninsula Tertiary, x, A, 308.
Lobo Mountains Tertiary, v, A, 85.
Mountain Province, x, A, 193.
northwestern Pangasinan Tertiary, vii, A,
263.
southwestern Luzon, v, A, 66.
suitability of Tertiary, for wells, x, A,
237.
Sedimentary formations of Ilocos Norte, ii,
A, 157.
series, P. I., viii, A, 238.
Sediments, Aroroy district, vi, A, 407.
Sedum, v, C, 351.
australe, v, C, 351.
australis, i, s, 175.
Seed, bonduc, ii, A, 440.
cakes, fertilization value of some P. I.,
ii, A, 449.
poon, ii, A, 444.
Seeds, P. I. oil-bearing, ii, A, 439; x, A, 105.
Segadella, v, C, 136.
Seguidillas, ix, C, 94.
Seines, iii, A, 521.
Seismic disturbances in the P. I. and their
relation to the geologic structure, viii,
A, 199.
Sekar pan, ix, D, 65.
Sekar-poetih, iv, C, 558.
Selaginella, i, s, 23; ii, C, 122; iii, C, 394;
v, C, 324; vi, C, 192; vii, C, 153; ix,
C, 47.
belangeri, ix, A, 461; ix, C, 47.
Selaginellaceæ, i, s, 23; iii, C, 394; v, C,
324; vi, C, 192; vii, C, 153; ix, A, 558;
ix, C, 47, 422.
Selago pusilla, vii, C, 246.
Selandriidæ, i, 694.
Selangan batu, iv, C, 508.
batumireh, iv, C, 509.
Selenocephalaria, x, D, 50.
Selligera vii, C, 47.
Semæostomeæ, ix, B, 292; ix, D, 200.
Semaioi daun basa, iv, C, 448.
Sematophyllaceæ, i, s, 13; ii, C, 342; iii, C, 29;
v, C, 161; viii, C, 92; ix, C, 204.
Sematophyllum, i, s, 13; v, C, 161; viii, C, 94.
altopungens, i, 662; i, s, 13; v, C, 161;
viii, C, 95.
batanense, viii, C, 96.
braunii, viii, C, 95.
brevipes, viii, C, 95.
falcifolium, v, C, 161; viii, C, 96.
gracilicaule, viii, C, 94.
hermaphroditum, viii, C, 96.
hyalinum, i, s, 13; viii, C, 96.
piliferum, viii, C, 96.
robinsonii, viii, C, 95.
subulatum, ii, C, 342; viii, C, 94.
tubulosum, viii, C, 94.
Semecarpus, i, s, 85; iii, C, 418; iv, C, 490;
vi, C, 339; vii, C, 161, 282.
acuminatissima, vii, C, 282; x, A, 355.
albescens, i, s, 85.
anacardium, vii, C, 289.
cuneiformis, vii, C, 289; viii, C, 488; ix,
C, 426, 513.
euphlesia, vii, C, 283.
gigantifolia, i, 422; i, s, 85; ix, A, 450.
lanceolata, vii, C, 284.
macrophylla, vi, C, 340.
megabotrys, vii, C, 285.
micrantha, i, s, 85; vi, C, 340; vii, C,
290.
microcarpa, vii, C, 289.

Semecarpus—Continued.

- obtusifolia, vii, C, 286.
 paucinervia, vii, C, 286.
 perrottetii, i, 391, 637; i, s, 85, 172; ii, A, 185; iii, C, 418; iv, C, 286, 703; vii, C, 289; ix, A, 504.
 perrottetii var. glabra, vii, C, 290.
 philippinensis, vii, C, 290.
 pilosa, vii, C, 287.
 pubescens, vii, C, 289.
 sideroxyloides, vii, C, 289.
 taftiana, vii, C, 290.
 whitfordii, vii, C, 288.

Semele, i, 630.

- dalli, i, 630; v, A, 329.

Semelidae, i, 630.

Sementera, v, B, 505; ix, D, 477.

Semilaccatus, i, s, 294.

Semirara Island, birds from, i, 697.

Semnodema auctum, x, D, 23.

- bakeri, x, D, 22.
 flabellicornis, x, D, 23.
 harmandi, x, D, 23.
 loriai, x, D, 23.
 ornatum, x, D, 23.
 resplendens, x, D, 23.

Semnopithecus albipes, vii, D, 46.

- priamus, ii, B, 463.

Sendukduk, iv, C, 536.

Senecio, i, s, 245; ii, C, 309; iii, C, 127; v, C, 399.

- benguetensis, v, C, 396.
 confusus, v, C, 399.
 luzoniensis, i, s, 245; iii, C, 127; v, C, 399.
 mindoroensis, ii, C, 309; iii, C, 127.
 nemorensis, iii, C, 127; v, C, 399.
 rubiginosus, iii, C, 127.
 saracenicus, iii, C, 127.
 scandens, v, C, 399.

Senecioneæ, v, C, 252, 396.

Sengkawang, iv, C, 518.

Sengon laoet, iv, C, 460.

Sennoki, x, D, 301.

Senoclia albocoerulea, i, 694.

Sensitive plant, vii, C, 199.

Sepedon javanensis, viii, D, 310.

- javensis, viii, D, 315.
 plumbellus, viii, D, 315.
 violaceus, viii, D, 315.

Sepidiosternus praderi, viii, D, 430.

Sepsidæ, viii, D, 311.

Sepsis basifera, viii, D, 311.

- linearis, viii, D, 311.
 revocans, viii, D, 311.
 spectabilis, viii, D, 329.
 testaceus, viii, D, 311.
 viduata, viii, D, 329.

Septaria arenarea, v, A, 329; vii, A, 264; viii, A, 292, 330.

Septicæmia, iii, B, 216.

Septicæmic plague, *see* Plague.

Septobasidium, ix, C, 153, 351; x, C, 85.

- laxum, x, C, 85.
 pedicelatum, x, C, 85.
 subolivaceum, ix, C, 153, 351.

Septobasidium—Continued.

- suffultum, ix, C, 351.
 thwaitesii, x, C, 85.
 Septogloeum aureum, v, C, 166.
 Septoria, i, s, 293; iii, C, 56; viii, C, 281, 503.
 bakeri, viii, C, 281, 503.
 molleriana, i, s, 293; iii, C, 56.
 Sequoia gigantea, vi, A, 13.
 sempervirens, vi, A, 13.
 Sera from dysenteric patients, reactions with, vi, B, 295.
 Serangium spilotum, viii, D, 241.
 Seraya batu, iv, C, 518.
 Serayah samak, iv, C, 518.
 Seriah, iv, C, 511.
 merah, iv, C, 510.
 puteh, iv, C, 510.
 Serianthes, v, C, 15.
 Seriatopora, x, D, 165.
 Sericea, vii, C, 255.
 Sericite, x, A, 94.
 Sericura elegans, i, s, 368.
 Serida, v, D, 40.
 fervens, v, D, 40.
 latens, v, D, 40.
 Serinetha, iv, A, 570.
 abdominalis, iv, A, 570.
 taprobanensis, iv, A, 570.
 Serinetharia, iv, A, 570.
 Serissa pinnata, ii, C, 434.
 Serixia, x, D, 246.
 Sermlyoides, viii, D, 232.
 banksi, viii, D, 231.
 Serpentine, x, A, 94.
 the pseudoconglomerate in Ilcos Norte, ii, A, 155.
 Serphides (Proctotrupides) des Iles Philippines, ix, D, 285.
 Serpicula verticillata, iii, C, 96.
 Serranidæ, iii, A, 517; iv, A, 509; v, D, 274; ix, D, 65.
 Sertorius, x, D, 382.
 erigens, x, D, 383.
 Sertulum bontocense, vii, C, 71; ix, C, 443.
 Serum, a reduction in the cost of anticattle-plague, iii, B, 407.
 benefit of anticholera, vi, B, 70.
 filtration of immune, iv, B, 333.
 immunizing cattle against anticattle-plague, iv, B, 353.
 simultaneous method of inoculating cattle and carabaos with, ix, B, 125.
 therapy and vaccination in the treatment of trypanosomiasis, v, B, 22.
 therapy of habu venom, iii, B, 151.
 treatment of cholera, ii, B, 434.
 tuberculo-toxoidin and immunization, iii, B, 379.
 Serviceum cuspidatum, vii, C, 254.
 japonicum var. philippinense, vii, C, 254.
 luzonense, vii, C, 254.
 sericeum, vii, C, 254.
 Sesame, ii, A, 440; vii, C, 193.
 Sesamum, i, s, 124; ix, C, 141.
 indicum, i, s, 124; ii, A, 440.
 orientale, vii, C, 188; ix, C, 141.

- Sesarma bidens*, vii, D, 128.
Sesban, v, C, 3.
 grandiflorus, v, C, 75.
Sesbania, iv, C, 269; v, C, 74; vii, C, 235;
 ix, C, 90.
 aculeata, v, C, 74.
 aculeata var. *paludosa*, iv, C, 269; v, C,
 74.
 aegyptiaca, v, C, 74; vii, C, 235.
 cannabina, v, C, 74; vii, C, 196; ix, C,
 426, 508.
 cochinchinensis, iv, C, 269; v, C, 74.
 grandiflora, iv, B, 223; iv, C, 269; v, C,
 74; vii, C, 184; ix, C, 90.
 paludosa, iv, C, 269; v, C, 74.
 picta, v, C, 74.
 roxburghii, iv, C, 269; v, C, 74.
 sesban, vii, C, 235.
Sesiidae, iii, A, 28.
Sesquiterpenes, i, 201.
Sessiinae, v, D, 167.
Sessiliflorae, v, C, 20.
Sesuvium, ix, C, 82.
 portulacastrum, vii, C, 183; ix, C, 82.
Setaria, i, s, 28, 365; iii, C, 397; v, C, 327; ix,
 C, 56.
 aurea, i, s, 365.
 caudata, i, s, 367; x, C, 188.
 comosa, i, s, 365.
 composita, i, s, 367; x, C, 188.
 flava, i, s, 28, 365; v, C, 327; vi, C, 194;
 vii, C, 180; ix, C, 56.
 glauca, i, s, 365.
 glauca var. *aurea*, i, s, 365; ix, C, 56.
 globularis, i, s, 367; x, C, 188.
 italica, i, s, 365; iii, C, 397; vii, C, 192.
 laxa, i, s, 366.
 lenis, i, s, 361.
 macrostachya, i, s, 366.
 mauritiana, i, s, 361.
 pilifera, i, s, 367.
 rubiginosa, i, s, 365.
 verticillata, i, s, 366; iii, C, 397.
 viridis, i, s, 366; vii, C, 180.
Setenis aequatorialis, viii, D, 402.
 brevicornis, viii, D, 402.
 manillarum, viii, D, 402.
 penicilligera, viii, D, 402.
 puncticollis, viii, D, 402.
Setina semifascia, v, D, 170.
Setlas, ix, C, 98.
Seyllium capense, vi, D, 312.
 marmoratum, vi, D, 312.
Seymeria, v, C, 41.
Seynesia, viii, C, 488.
 calamicola, ix, C, 172.
 clavispora, viii, C, 190.
 grandis, ix, C, 172.
 ipomoeae, viii, C, 488.
 scutellum, v, C, 165.
S'ferdjel, vii, C, 113.
Shad, basling, iii, A, 529.
Shaddock, viii, A, 68.
Shale, Bondoc Peninsula Vigo, viii, A, 331.
 Leyte Vigo, x, A, 251.
 petroliferous, x, A, 281.
Shales and clays, v, A, 326; viii, A, 238.
 analyses of Batan Island, iv, A, 213.
 eastern cordillera Luzon, v, A, 79.
 Mountain Province, x, A, 199.
 northwestern Pangasinan, vii, A, 264.
 Panay, x, A, 218.
Shanghai, beriberi in prisons at, vii, B, 288.
Shark, iii, A, 529; v, D, 263.
 tanning skin of, vi, D, 312.
Shark-fin industry in the P. I., vi, D, 289.
Sharks' teeth, v, A, 73, 97; viii, A, 242.
Shashitsu, iii, B, 1.
Sheep's-wool sponge, iv, A, 58.
Sheet asphalts and rock asphalts from Leyte,
 analyses of, x, A, 271.
Shell, analysis of burned, vii, A, 328.
 P. I. window, vi, D, 296.
 sunset, vii, D, 277.
 tellen, vii, D, 277.
Sherman, smallpox on transport, viii, B, 438.
Shii, x, D, 296.
Shima mushi disease, iii, B, 1.
Shimey, iv, C, 90.
Shiode, x, D, 353.
Shiro gusu, ix, D, 255.
Shirofu aoshaku, x, D, 349.
Shirosuji tomoye, x, D, 353.
Shorea, i, No. 5, 439; i, s, 98; ii, C, 285; iii,
 C, 115; vi, C, 268.
 acuminata, iv, C, 516; vi, C, 279.
 aptera, iv, C, 516.
 assamica, iv, C, 516.
 balangeran, iv, C, 516; vi, C, 269.
 barbata, iv, C, 517.
 brachyptera, iv, C, 517.
 compressa, iv, C, 517.
 contorta, i, 405, 637; i, s, 98; ii, A, 83;
 ii, C, 386; iii, C, 115; vi, C, 266.
 curtisii, iv, C, 517.
 elliptica, iv, C, 517.
 eximia, iv, C, 517; vi, C, 276; ix, A, 425,
 546; x, A, 195.
 falcifera, iv, C, 517.
 ferruginea, iv, C, 517.
 floribunda, vi, C, 285.
 furfuracea, i, s, 98; iv, C, 517, 712; vi,
 C, 276.
 ghysbertsiana, iv, C, 517.
 glauca, iv, C, 517.
 grandiflora, iv, C, 509.
 gratissima, iv, C, 517.
 guiso, i, 387, 637; i, s, 98; ii, C, 285, 384;
 iv, C, 517, 703; vi, C, 272; ix, A, 432;
 x, A, 196.
 hypochra, iv, C, 517.
 javanica, iv, C, 518.
 lepidota, vi, C, 275.
 leprosula, iv, C, 518.
 macroptera, iv, C, 518.
 malaanonan, ii, A, 83; ii, C, 386; iii, C,
 115; vi, C, 270.
 mangachapoi, vi, C, 282.
 maranti, iv, C, 518.
 martiniana, iv, C, 518.
 mayapis, vi, C, 256.
 negrosensis, vi, C, 274; ix, A, 425, 546.

Shorea—Continued.

- nitens, iv, C, 518.
 obtusa, iv, C, 518.
 palembanica, iv, C, 518.
 parvifolia, iv, C, 518; vi, C, 285.
 philippinensis, vi, C, 272.
 platycarpa, iv, C, 518; vi, C, 275.
 polita, iii, C, 115; vi, C, 270.
 polysperma, i, 411, 637; i, s, 98; ii, C, 394; iv, C, 518, 703; vi, C, 277; viii, C, 491; ix, A, 425, 522; x, A, 196.
 reticulata, vi, C, 262, 285.
 robusta, iv, C, 518, 721; vi, D, 20; ix, A, 414.
 selanica, iv, C, 519; vi, C, 275.
 sericea, iv, C, 519.
 squamata, ii, A, 83; ii, C, 285, 386; iv, C, 519, 715; vi, C, 211, 275; ix, A, 438, 522.
 stellata, iv, C, 516.
 sublacunosa, vi, C, 276.
 talura, iv, C, 519; vi, C, 277.
 teysmanniana, vi, C, 211, 279; ix, A, 438, 522.
 tumbagaia, iv, C, 519.
 utilis, iv, C, 519.
 vidaliana, vi, C, 273.
 warburgii, vi, C, 278.
 Shot-hole coconut weevil, i, 159.
 Shrew, vii, D, 5.
 wood, vii, D, 4.
 Shrimp, vii, A, 387.
 salted, ix, D, 3.
 Shungra, iv, C, 468.
 Shuteria, v, C, 110, 354.
 vestita, v, C, 6, 110, 354.
 Si yao, vii, A, 398.
 Sialang, iv, C, 466.
 Siam, beriberi in, v, B, 73.
 Siangcugi, v, C, 24.
 Siayanes Islands, iii, A, 11.
 Sibachi, v, C, 135.
 Sibay Island, birds from, i, 697.
 Sibog, v, C, 29.
 aso, v, C, 29.
 Sibthorpia evolvulacea, v, C, 225.
 Sibucan, i, 1020; iv, C, 470; v, C, 55.
 Sibug, iv, B, 223.
 Sibuguey, analysis of coal from, vi, A, 365.
 coal mines at, iii, A, 483.
 Sibulao, iv, C, 91.
 Sibung, vii, A, 384.
 Sibusuk, iv, C, 464.
 Sickness in Taytay, iv, B, 253.
 among blonds and brunets, vi, B, 444.
 Sicub, ii, A, 323.
 Sida, i, s, 91; iii, C, 111, 420; v, C, 361; vii, C, 90; ix, C, 112.
 acuta, iii, C, 77; v, D, 49; vi, C, 210; vii, C, 186, 240; ix, C, 112, 427.
 balabacensis, iii, C, 111.
 carpinifolia, i, 396; i, s, 91; iii, B, 247; ix, C, 112.
 cordifolia, i, s, 91; vii, C, 186; ix, C, 427.
 corylifolia, iii, C, 111; vii, C, 91.
 glomerata, ix, C, 112.

Sida—Continued.

- glutinosa, v, C, 163.
 hirta, v, C, 197.
 humilis, i, s, 91; iii, C, 77.
 indica, ix, C, 111.
 javensis, iii, C, 77; viii, C, 266; ix, A, 461; ix, C, 513.
 maura, ix, C, 111.
 mauritiana, ix, C, 111.
 mysorensis, i, s, 91; iii, C, 42.
 puberula, vii, C, 90.
 retusa, i, s, 91; vi, C, 210; vii, C, 186.
 rhombifolia, i, s, 91; iii, C, 77, 420; v, C, 361; vii, C, 186; ix, C, 112, 427.
 rhombifolia var. retusa, i, s, 91.
 veronicaefolia, viii, C, 475.
 Siderite, Benguet, vi, A, 437.
 Sideroxylon, i, s, 114, 222; iii, C, 258; ix, C, 127; x, C, 59.
 angustifolium, i, 655; i, s, 114; viii, C, 276.
 duclitan, i, 412, 638; i, s, 114; ii, C, 434; iv, C, 703; ix, A, 497.
 ferrugineum, iv, C, 542; viii, C, 276; ix, C, 127.
 glomeratum, ix, C, 127.
 luzoniense, i, s, 222.
 macranthum, i, 407; i, s, 114; iii, C, 258; x, C, 60.
 malaccense, iv, C, 542.
 ramiflorum, i, s, 114; ii, C, 434.
 stenophyllum, iii, C, 258.
 tomentosum, iv, C, 542.
 villamilii, x, C, 59.
 Siegesbeckia, iii, C, 441; v, C, 397.
 orientalis, iii, C, 441; v, C, 397.
 Siempre viva, vii, C, 193.
 viva de Manila, ix, C, 85.
 Sigalphinae, i, 693.
 Sigan dagat, iv, C, 689.
 Siganid, v, D, 283; ix, D, 73.
 Siganidae, v, D, 283; vii, A, 386; ix, D, 73.
 Siganuo, iii, A, 529.
 Siganus, vii, A, 389.
 albopunctatus, v, D, 284.
 fucescens, v, D, 284.
 hexagonata, v, D, 284.
 javus, v, D, 283.
 oramin, ix, D, 73.
 vermiculatus, iii, A, 529; v, D, 283.
 Sigbut tala, v, C, 494.
 Siggay, vi, C, 263.
 Signoretia, x, D, 194.
 aureola, x, D, 198.
 gratiosa, x, D, 189.
 greeni, x, D, 198.
 malaya, x, D, 194.
 sumatrana, x, D, 198.
 tagalica, x, D, 196.
 Signoretinae, x, D, 50, 193.
 Sigmit, v, C, 483.
 Sihi, vii, D, 279.
 Sikelaphus soloensis, vii, D, 44.
 Siku Keluang, iv, C, 502.
 Silag, vi, C, 114.

- Silasila, v, C, 103.
 Silberhäutchen, v, B, 82.
 Silda, iv, C, 376.
 Sili, i, s, 123; iii, C, 433; iv, B, 223; v, A, 441.
 Sili Creek, petroleum on, viii, A, 354.
 Silica, analyses of cement raw materials rich in, iv, A, 221.
 Benguet, vi, A, 444.
 in fused cement mixtures, vii, A, 145.
 Siliceous material for sand-lime brick, vii, A, 325.
 Sililihan, iv, C, 407.
 Silingsingang, iv, C, 407.
 Silifiási, iii, A, 514; vii, A, 386, 390.
 Silipanes, i, 827.
 Siliu, iii, A, 529.
 Silk cotton tree, vii, C, 193.
 sponge, Philippine, iv, A, 60.
 Silkworms, i, 1073.
 Sillaginidæ, v, D, 281; ix, D, 69.
 Sillago maculata, ix, D, 69.
 sihama, v, D, 281; ix, D, 69.
 Siluridæ, v, D, 266; ix, D, 60.
 Silusa, x, D, 124.
 Silvanite, x, A, 94.
 Silvanus surinamensis, i, 223.
 Silver, i, 624; v, A, 332; x, A, 94.
 Benguet, vi, A, 438.
 nitrate, tests of the balantidicidal action of, viii, B, 7.
 oxide, i, 439.
 southeastern Luzon, vi, A, 477.
 suboxide, i, 439.
 Silverside, iii, A, 514; iv, A, 496; v, D, 268; ix, D, 60.
 Simaruba, iv, C, 474.
 Simarubacæ, i, s, 70; ii, C, 431; iii, C, 104; iv, C, 474; vii, C, 160, 236, 274; x, C, 18, 190.
 Simarubacearum genus novum philippinense, vi, C, 365.
 Simat, x, A, 395.
 Simblum, viii, C, 305.
 periphragmaticum, viii, C, 305.
 periphragmoides, viii, C, 305.
 Simia, vii, D, 36.
 allaborans, i, 689.
 inuus, vii, D, 36.
 lar, vii, D, 38.
 satyrus, i, 278.
 syrichta, vii, D, 37.
 Similin, i, s, 65.
 Similing, ix, A, 499.
 Simonecaram, iii, C, 439.
 Simplicia, ii, A, 373.
 marginata, ii, A, 373.
 Simplicifoliæ, v, C, 65.
 Simplocacæ, iv, C, 107.
 Simpor, iv, C, 502.
 Sinalitan, ix, D, 485.
 Sinamay, iv, B, 250; vi, C, 107, 121.
 Sinapis juncea, ix, C, 84.
 Sinapistrum, iii, C, 182.
 pentaphyllum, iii, C, 182.
 Sincamas, i, s, 67; iv, B, 222; v, C, 136.
 tubers, iii, A, 96.
 Sinchula, ix, D, 263.
 Sindoor, iv, C, 471.
 Sindora, i, s, 198; v, C, 38; x, C, 314.
 cochinchinensis, iv, C, 471.
 inermis, x, C, 314.
 intermedia, iv, C, 471.
 sumatrana, iv, C, 471.
 supa, i, s, 198; ii, C, 393; iv, C, 268, 471; v, C, 38; x, C, 315.
 wallichiana, i, s, 199; iv, C, 472.
 wallichii, i, 191; i, s, 198; ii, C, 393; v, C, 38.
 wallichii var. intermedia, i, s, 198.
 Sinea horrida, iv, A, 590.
 peltastes, iv, A, 590.
 Singapore, two species of termites from, viii, D, 283.
 Single-cell method, variability of certain strains of dysentery bacilli as studied by, viii, B, 539.
 Sinoxylon, vi, D, 24.
 Sinter, Mountain Province, x, A, 199.
 Sintog, v, C, 22.
 Sintones, vi, A, 347.
 Sintonis, vii, A, 404.
 Sinublan, vii, A, 99.
 Siphonaptera, *see* Fleas.
 Siphonodon, iii, C, 239; vii, C, 161.
 australe, iii, C, 240.
 celastrineus, iii, C, 239.
 pendulum, iii, C, 240.
 pyriforme, iii, C, 240.
 Siphonogama, i, s, 24.
 Siphonogorgia, ix, D, 240.
 variabilis, x, D, 156, 203.
 Sipit elang, i, s, 35.
 Siporia, x, D, 87.
 flaviceps, x, D, 88.
 Sipylus, x, D, 391.
 crassulus, x, D, 391.
 nodipennis, x, D, 392.
 Siquijor, birds from, iii, A, 275.
 Sirenia, vii, D, 45.
 Sirex juvenicus, iii, A, 299.
 Sirl Kaya, vii, C, 113.
 Siricidæ, i, 694.
 Siricoidea, i, 694.
 Sirihuelas, viii, A, 75.
 Sirocauta testulalis, v, D, 180.
 Siris, iv, C, 459.
 white, iv, C, 460.
 Siriu, iii, A, 529.
 Sirosphaera, viii, C, 502.
 botryosa, viii, C, 502.
 Siruelas, i, s, 84.
 Sirup, roselle, vii, A, 204.
 Sisiman andesite, v, A, 109.
 rock concrete, v, A, 124.
 rock quarry debris, vii, A, 343.
 Sissu, iv, C, 465.
 Sistotrema, x, C, 88.
 autochton, x, C, 88.
 Sisymbrium heterophyllum, iii, C, 101.

- Sisyrinchium bulbosum*, vii, C, 233.
palmifolium, vii, C, 233.
Sitao, iv, B, 222; v, C, 133; x, C, 372.
Sitapullum, vii, C, 113.
Sithon moorei, ii, A, 368.
Sitio, ix, D, 465.
Sitones, vii, D, 296.
Sittidae, iii, A, 275; vi, D, 45.
Siva, iii, C, 434.
Skeleton in the flying lemurs, vi, D, 139, 185.
Skimmia, i, s, 201; v, C, 355.
 japonica, i, s, 201; v, C, 355.
Skin, alteration caused by plague, x, B, 262.
 associated *spirochaetae* and *fusiform bacilli*
 in ulcers of the, vi, B, 489.
 blastomycosis of the, iii, B, 395.
 determination of the relative opacity of
 the, v, B, 536.
 diseases at Taytay, iv, B, 283.
 lesions, i, 349; iii, B, 220; x, B, 357.
 temperature, vi, B, 118, 121; vii, B, 97.
 tropical ulcerations of the, i, 91.
Skinneria caespitosa, vii, C, 244.
Skins of aquatic animals, their preparation
 for leather, vi, D, 310.
 water-snake, vi, D, 311.
Skipper, coconut, i, 212.
Skunk, Javan, vii, D, 21.
Slackia, viii, C, 171.
 griffithii, viii, C, 171.
 philippinensis, viii, C, 171.
Slag, an interpretation of a Chicago, vii, A,
 149.
Slates, old, viii, A, 245.
Slip mouth, iii, A, 529; v, D, 272; vii, A, 386;
 ix, D, 63.
Slippery dick, iii, A, 529.
Sloetia sideroxylon, iv, C, 447.
Slug caterpillar, coconut, i, 216.
Smallpox, iii, B, 280; v, B, 174.
 bone lesions of, v, B, 553; viii, B, 67.
 clinical observations on, viii, B, 22.
 experiments on the inoculation of monkeys
 with, viii, B, 429.
 in the P. I., ix, B, 204.
Smerinthus decolor, ii, A, 370.
Smicrocotis, x, D, 193.
Smilacis vicariae, iii, C, 42.
Smilax, i, s, 35; ii, C, 267; iii, C, 96, 306;
 v, C, 173, 339; vii, C, 155; viii, C, 185;
 x, C, 294.
 biflora, v, C, 339.
 bracteata, i, 392; i, s, 35; v, C, 173; viii,
 C, 267; x, C, 295.
 china, ii, C, 267; v, C, 339; x, D, 287.
 helferi, x, C, 295.
 herbacea var. *nipponica*, x, D, 353.
 latifolia, i, s, 35; ii, C, 436; iii, C, 96.
 leucophylla, iii, C, 96.
 loheri, x, C, 294.
 luzonensis, x, C, 295.
 macrophylla, iii, C, 96.
 pygmaea, v, C, 339.
 verruculosa, v, C, 173.
 vicaria, i, s, 35; ii, C, 267, 436; iii, C, 96.
 williamsii, v, C, 173.
Smilia, x, D, 372.
 bifoliata, x, D, 372.
Sminthocoris, iv, A, 585.
 pictus, iv, A, 585.
 zonatus, iv, A, 585.
Sminthus pictus, iv, A, 585.
Smithia, iii, C, 184; v, C, 76.
 bigeminata, v, C, 77.
 ciliata, iii, C, 44, 184; v, C, 77.
 sensitiva, v, C, 76.
Smyrna blastophaga, viii, D, 67.
Snail shell, green, vi, D, 302.
Snake, bamboo, iv, B, 204.
 skins of water, vi, D, 311.
 See also Zoölogy—Reptilia.
Snakes, check-list and key of P. I., vi, D, 253.
 Palawan, iv, A, 595.
 poisonous P. I., iv, B, 203.
 Polillo Island, v, D, 211.
 two new species of P. I., iv, A, 55.
Snakewood, iv, C, 550.
Snapper, iii, A, 516; iv, A, 513; v, D, 275;
 ix, D, 66.
Snout beetles, vii, D, 295, 347.
Soap-nut tree, iv, C, 495.
Sobad, iii, A, 515.
Sobosob, iii, A, 205.
Sobo-sobo, iv, C, 645.
Socsoc, vi, C, 116.
Soda ash and caustic soda for paper making,
 ii, A, 99.
 wood pulps, ii, A, 87.
Sodium acetate, cases of cholera treated with,
 v, B, 378.
 alcoholates, their action on alcohols, iv,
 A, 166.
 bicarbonate, cases of cholera treated dur-
 ing collapse with, v, B, 377.
 bicarbonate, intravenous injection in pa-
 tients suffering from cholera, vi, B, 54.
 carbonate and sodium hydroxide, hydrol-
 ysis of methyl salicylate with, iii, A,
 105.
 carbonate, hydrolysis of methyl salicylate
 with, viii, A, 19.
 chloride and sodium bicarbonate, cases of
 Asiatic cholera treated with, v, B, 380.
 chloride, injection in patients suffering
 from Asiatic cholera, vi, B, 59.
 its action on acetone, ii, A, 67.
 methyl salicylate and its hydrolysis, for-
 mation of, viii, A, 6.
 salicylate and salicylic acid in sunlight,
 vii, A, 91.
Soengkei-melajoe, iv, C, 554.
Soeren, iv, C, 481.
Sogalum, v, C, 492.
Soil, Lamao forest reserve, i, 383.
 mechanical analysis of, vi, A, 35.
 moisture in Mount Maquilang forest, ix,
 A, 529.
Soils, analyses of San Ramon, i, 58.
 Davao, i, 59.
 factors which influence P. I., vi, A, 279.
 Luzon, ix, A, 1.
 P. I., v, A, 335.

- Soja bean, vii, A, 398.
 bean curd, vii, A, 47.
 Sokit, v, C, 57.
 Solanaceæ, i, 1019; i, s, 123, 236; ii, C, 299;
 iii, C, 433; v, C, 383; vi, C, 221; vii,
 C, 166, 350; ix, C, 137, 429; x, C, 193.
 Solanum, i, s, 123, 236; ii, C, 299; iii, C, 433;
 v, C, 383; vii, C, 350, 408; ix, C, 139.
 biflorum, iii, C, 433; v, C, 384.
 blumei, ii, C, 299; vii, C, 351.
 cumingii, i, s, 123; iii, C, 433; vi, C, 221.
 epiphyticum, vii, C, 350.
 ferox, i, 396; i, s, 123; iii, C, 433.
 guamense, ix, C, 139.
 inaequilaterale, i, s, 236; v, C, 383.
 indicum, x, C, 193.
 lycopersicum, ix, C, 138.
 melongena, i, s, 123; iii, C, 433; iv, B,
 222; vii, C, 189; ix, C, 139.
 nigrum, i, s, 123; ii, C, 300; iii, C, 433;
 v, C, 383; vi, C, 221; vii, C, 189; ix,
 C, 139, 513.
 parasiticum, ii, C, 299; vii, C, 351.
 philippinense, vii, C, 351.
 retrorsum, v, C, 383.
 schizocalyx, v, C, 383.
 torvum, i, s, 123; v, C, 383; vii, C, 189.
 trilobatum, x, C, 193.
 tuberosum, i, s, 293; iv, B, 222.
 verbascifolium, i, s, 123; v, C, 383; ix,
 C, 140.
 wendlandii, vii, C, 189.
 Solar, ix, D, 526.
 evaporation, production of salt in the
 P. I. by, x, A, 395.
 heat, its use in salt manufacture, x, A,
 376.
 Solasi, vii, C, 193.
 Soldier fish, iii, A, 518; ix, D, 62.
 Sole, ix, D, 78.
 Solea ovata, ix, D, 78.
 Solecurtus grandis, viii, A, 312; x, A, 248.
 Soleidae, ix, D, 78.
 Solen gracilis, vii, D, 278.
 grandis, vii, D, 278.
 Solenidae, vii, D, 278; viii, A, 270.
 Solenocónchæ, viii, A, 292.
 Solenocurtus acurtidens, vii, D, 278.
 Solenodon, vi, D, 193.
 Solenopsis geminata, i, 689.
 geminata subsp. rufa, v, D, 123.
 Soles faleacea, ix, D, 78.
 Solfataras near Burauen, iv, A, 342.
 on Biliran Island, iv, A, 345, 355.
 Solidago, i, s, 245; v, C, 393.
 virgaurea, i, s, 177, 245; v, C, 393.
 Solori, v, C, 107.
 Solo-solo, iv, C, 645.
 Solva flavipes, viii, D, 312.
 javana, viii, D, 312.
 vittata, viii, D, 312.
 vittipes, viii, D, 312.
 Somatologic study of the life folk of Benguet
 and Lepanto-Bontoc, iii, A, 413.
 Sombrero, vi, C, 97.
 Sonchus, v, C, 401.
 arvensis, v, C, 401.
 oleraceus, vii, C, 190.
 Sonnerila, ii, C, 286.
 heterostemon, x, C, 192.
 obliqua, x, C, 192.
 woodii, ii, C, 286.
 Sonneratia, i, s, 101; vii, C, 163.
 acida, iii, C, 83; iv, C, 524.
 alba, iv, C, 525.
 apetala, iv, C, 525.
 caseolaris, iii, C, 83.
 pagatpat, i, 674; i, s, 101; iv, C, 525; vi,
 A, 17, 53; vi, C, 212.
 Sonneratiaceæ, i, s, 101; iv, C, 524; vi, C, 212;
 vii, C, 163.
 Sonting, v, C, 50.
 Soortana, x, D, 52.
 Soortsack, vii, C, 113.
 Sophora, iii, C, 409; v, C, 58; ix, C, 89, 448.
 heptaphylla, v, C, 58.
 japonica, ix, C, 450.
 philippinensis, ix, C, 448.
 tomentosa, iii, C, 82, 409; iv, C, 472; v,
 C, 58; vi, C, 206; ix, C, 89.
 Sopubia, i, s, 237; v, C, 385.
 trifida, i, s, 237; v, C, 385.
 Sordaria, viii, C, 21.
 Sore, Oriental, i, 99.
 Sorex, vi, D, 161, 187.
 etruscus, vii, D, 5.
 giganteus, iii, B, 46.
 leucodon, vii, D, 5.
 Sorghum, i, s, 336; v, C, 163; vii, C, 192.
 fulvum, i, s, 337.
 fuscum, i, s, 337.
 halepense, i, s, 336; iii, C, 42; v, C, 165.
 laxiflorum, i, s, 267, 337.
 nitidum, i, s, 337.
 saccharatum, i, s, 337.
 vulgare, i, s, 337.
 Sorghum insects, i, 1069.
 Soricidae, vii, D, 5.
 Sorip, iii, B, 295.
 Sorites, vi, D, 56.
 Sorocostia mesozana, v, D, 170.
 Sorostachys kyllingoides, ii, C, 82.
 Sorsogon, coal in vicinity of San Esteban,
 x, A, 290.
 lowland, vi, A, 476.
 Sosohong, vii, A, 384.
 Sostea atramentaria, x, D, 131.
 ebenina, x, D, 132.
 sodalis, x, D, 132.
 Soulames, iv, C, 474.
 Soursop, iv, B, 221; vii, C, 113; viii, A, 66.
 Sower sop, vii, C, 113.
 Sowresoptree, vii, C, 113.
 Sowr-sop, vii, C, 113.
 Sowr-soptree, vii, C, 113.
 Soyaida febrifuga, iv, C, 480.
 Spadefish, ix, D, 71.
 eastern, v, D, 282.
 Indian, ix, D, 71.
 Spaeroderma cyanescens, viii, D, 236.
 Spaerothallia esculenta, vi, A, 201.

- Spalanginae, i, 691.
 Spanish ear, iv, A, 43.
 grass, i, No. 5, 461.
 Normal School, history of the, ix, D, 123.
 Sparasisc philippinense, ix, D, 286.
 Sparridae, iv, A, 514; v, D, 277; ix, D, 67.
 Sparus berda, ix, D, 67.
 calamara, iii, A, 528; v, D, 277.
 datnia, ix, D, 67.
 Spatangidae, viii, A, 291.
 Spathiflorae, i, s, 32.
 Spathiini, i, 694.
 Spathinae, i, 694.
 Spathiostemon javense, vii, C, 391.
 Spathiphyllum, ii, C, 264.
 commutatum, i, s, 171; ii, C, 264; vi, C, 195.
 Spathius fuscipennis, i, 694.
 philippinensis, i, 694.
 Spathodea campanulata, vii, C, 195.
 Spathoglottis, ii, C, 327.
 aurea, ii, C, 327.
 chrysantha, viii, C, 476.
 plicata, ii, C, 327; x, C, 189.
 Spatholobus, v, C, 119.
 gyrocarpus, v, C, 7, 119.
 Spatula clypeata, v, D, 108.
 Spectra, constitution of the two phthaloximes and their absorption, viii, A, 165.
 ortho- and para-nitrophenol and para-nitrosophenol and their absorption, vii, A, 371.
 phenol, o-cresol, o-hydroxybenzyl alcohol, salicylic acid and its methyl ester, methyl ether of salicylic acid and its methyl ester, benzyl alcohol, benzyl acetate, benzyl methyl ether, benzyl chloride, and methyl benzoate and their absorption, viii, A, 33.
 phenoquinone, 2,6-dianilinoquinone, 2,6-dianilinoquinoneanil, and 2,5-dianilinoquinoneanil (azophenine) and their absorption, viii, A, 51.
 phthalides and related compounds and their absorption, viii, A, 399; ix, A, 105.
 Spegazzinia, viii, C, 285.
 meliolae, viii, C, 285.
 Spergula arvensis, i, s, 181.
 serrata, ii, C, 431.
 Spermachiton involutum, i, s, 349.
 Spermaceae, iii, C, 439; vii, C, 167.
 costata, viii, C, 38.
 hirta, ix, C, 145.
 hispidia, iii, C, 439; ix, C, 429.
 meyeniana, vi, C, 222; viii, C, 38.
 philippensis, vi, C, 222; viii, C, 37.
 Spermatophyta, vi, C, 102, 192; vii, C, 379; ix, C, 422.
 Spermatophytes, ix, C, 47.
 Spermophilus citillus, vii, B, 225.
 Sphacelotheca, iii, C, 41.
 hydropiperis, iii, C, 41.
 Sphaeranthus, iii, C, 441; vii, C, 168.
 africanus, iii, C, 441; vii, C, 196; ix, C, 513.
 Sphaerella gargarica, viii, C, 185.
 smilacicola, viii, C, 185.
 Sphaerellaceae, viii, C, 184.
 Sphaeria, i, s, 281; viii, C, 398.
 anthracina, viii, C, 400.
 anthracodes, viii, C, 260.
 apiospora, i, s, 279.
 bambusae, viii, C, 185.
 coenopus, i, s, 280.
 compuncta, viii, C, 261.
 concentrica, i, s, 280.
 diffusa, viii, C, 256.
 emergens, viii, C, 257.
 examinans, i, s, 279.
 fulvo-lanata, i, s, 281.
 micraspis, i, s, 281.
 montagnei, i, s, 279.
 mummularia, viii, C, 400.
 peltata, i, s, 279.
 pileiformis, i, s, 281.
 polymorpha, i, s, 281.
 rubiginosa, i, s, 280; viii, C, 260.
 smilacincola, viii, C, 185.
 vernica, i, s, 280.
 Sphaeriales, i, s, 280; iii, C, 48; v, C, 164; viii, C, 184, 256, 398.
 Sphaeridiophorum linifolium, v, C, 65.
 Sphaeroderma negrosanum, viii, D, 236.
 sp., v, D, 142.
 Sphaerodina dehiscens, viii, A, table facing page 252.
 Sphaeromarisceus microcephalus, vii, C, 231.
 Sphaeromorphaea petiolaris, iii, C, 126.
 russelliana, iii, C, 126.
 Sphaerophoria, viii, D, 309.
 Sphaeropsidaceae, iii, C, 55.
 Sphaeropsidales, i, s, 292.
 Sphaeropsiderarum, ix, C, 185.
 Sphaeropsis, iii, C, 55.
 pandani, iii, C, 55; viii, C, 272.
 Sphaeropsodearum, viii, C, 502.
 Sphaerosacne spectabilis, iv, C, 480.
 Sphaerotilus, iii, B, 459.
 Sphaerotrypae, vi, D, 18.
 barbatus, vi, D, 20.
 blandfordi, vi, D, 20.
 coimbatorensis, vi, D, 19.
 globulus, vi, D, 19.
 philippinensis, vi, D, 18.
 pila, vi, D, 19.
 siwalikensis, vi, D, 19.
 tanganus, vi, D, 20.
 Sphaerotus, viii, D, 407.
 Sphaeroxylon, viii, C, 400.
 Sphaerulina smilacincola, viii, C, 185.
 Sphagna der Philippinen, vii, C, 253.
 Sphagnaceae, iii, C, 11; v, C, 187, 311; viii, C, 65; ix, C, 204.
 Sphagnales, ii, C, 339.
 Sphagnum, ii, C, 254; iii, C, 11; iv, A, 23; v, C, 187, 311; viii, C, 3, 65.
 cuspidatum, vii, C, 255; ix, C, 208.
 cuspidatum var. malaccense, vii, C, 256.
 japonicum, vii, C, 258; ix, C, 210.
 japonicum var. philippinense, vii, C, 258.

Sphagnum—Continued.

- junghuhnianum, ii, C, 339; iii, C, 11; v, C, 137, 311; vii, C, 254; viii, C, 65.
 junghuhnianum forma dasycladum, vii, C, 254.
 junghuhnianum forma gracile, vii, C, 255.
 junghuhnianum var. pseudomolle, vii, C, 255.
 junghuhnianum var. typicum, vii, C, 254.
 luzonense, iii, C, 11; vii, C, 256; viii, C, 65.
 luzonense var. macrophyllum, vii, C, 256.
 luzonense var. sordidum, vii, C, 256.
 malaccense, iii, C, 11; viii, C, 65.
 robinsonii, vii, C, 256.
 sericeum, ii, C, 339; vii, C, 255.
 subrufescens, vii, C, 257.
 Sphaleritæ, x, A, 94.
 Sphecidae, i, 687.
 Sphecinae, i, 687.
 Sphecoidea, i, 686.
 Sphecanolestes, iv, A, 587.
 impressicollis, iv, A, 587.
 xanthopygus, iv, A, 587.
 Spheniscomyia melaleuca, viii, D, 310.
 sexmaculata, viii, D, 328.
 Sphenocercus australis, ii, A, 338, 344.
 formosæ, ii, A, 344.
 Sphenoclea, vii, C, 197.
 zeylanica, vii, C, 189; viii, C, 283.
 Sphenomorpha, vii, D, 301, 366.
 fasciata, vii, D, 297.
 Sphenomorphoidea, vii, D, 342.
 metallicus, vii, D, 342.
 metallicus var. laevicollis, vii, D, 343.
 metallicus var. sphenomorphoides, vii, D, 343.
 metallicus var. suavis, vii, D, 342.
 Sphenomorphus coxi, x, D, 100.
 curtirostris, x, D, 101.
 jagori, x, D, 100.
 mindanensis, x, D, 99.
 palustris, x, D, 102.
 steeri, x, D, 102.
 Spheroides lunaris, iii, A, 528; v, D, 285.
 sceleratus, vii, D, 290.
 spadiceus, ix, D, 74.
 Sphex argentata, i, 687.
 aurulentus, i, 687.
 aurulentus var. ferrugineus, i, 687.
 aurulentus var. lineolus, i, 687.
 sericeus, i, 687.
 splendidus, i, 687.
 sulciscuta, i, 687.
 umbrosus, i, 687.
 umbrosus var. plumbiferus, i, 687.
 umbrosus var. rufipennis, i, 687.
 Sphingidae, ii, A, 369; v, D, 167.
 Sphyracephala cothurnata, viii, D, 310.
 Sphyræna aureoflammea, iv, A, 502.
 jello, ix, D, 61.
 langsar, iii, A, 528.
 obtusata, ix, D, 61.
 toxeusa, v, D, 268.
 Sphyrænidæ, iv, A, 502; v, D, 268; ix, D, 61.

- Spiciligium flicum philippinensium novarum aut imperfecte cognitarum, ii, C, 153; iii, C, 269.
 Spider lily, vii, C, 198.
 Spilanthus, i, s, 246; v, C, 398.
 grandiflora, i, s, 246; v, C, 398.
 ovata, i, s, 246.
 Spilocosmia, viii, D, 327.
 bakeri, viii, D, 327.
 Spilomierus, ix, D, 302.
 carinifrons, ix, D, 302.
 consobrinus, ix, D, 287.
 dispansus, ix, D, 302.
 nitidicornis, ix, D, 302.
 opertus, ix, D, 302.
 philippinensis, ix, D, 302.
 varicicornis, ix, D, 302.
 Spilopelia tigrina, i, 903.
 Spilopompilus holospilus, i, 700; ii, A, 283; iv, A, 69; v, D, 108.
 panayensis, i, 772; ii, A, 323; vi, D, 41.
 stantoni, i, 688.
 Spilota, v, D, 258.
 Spilotichthys pictus, v, D, 276.
 Spilotreron bangueensis, ii, A, 281.
 Spinidentata, vi, D, 18.
 Spinifex, i, s, 28, 369; iii, C, 397; vii, C, 154, 229.
 littoreus, vii, C, 229.
 squarrosus, i, 668; i, s, 28, 369; iii, C, 397; vii, C, 229; viii, C, 265.
 Spinning fibers, i, No. 5, 438.
 Spiraeopsis, iii, C, 101.
 celebica, iii, C, 101.
 Spirama interlineata, x, D, 353.
 pudens, v, D, 175.
 rectifasciata, x, D, 353.
 Spiramia japonica, x, D, 353.
 Spiridens, i, s, 12; iii, C, 22; v, C, 151; viii, C, 73.
 longifolius, iii, C, 22; viii, C, 73; ix, C, 206.
 reinwardtii, i, 662; i, s, 12; ii, C, 341; iii, C, 22; v, C, 151; viii, C, 73.
 Spiridentaceæ, i, s, 12; ii, C, 341; iii, C, 22; v, C, 151; viii, C, 73; ix, C, 204.
 Spirillum, a new intestinal, v, B, 206.
 cholera, ix, B, 467.
 Spirillum cholerae, i, 924; ii, B, 124; iii, B, 82.
 obermeieri, ii, B, 450; iii, B, 232; iv, B, 187.
 rubrum, i, 173.
 zeylanicum, v, B, 207.
 Spirits, distilled, vi, A, 102.
 Spirochæta acuminata, ii, B, 442.
 duttoni, iv, B, 189.
 obermeieri, ii, B, 561; iv, B, 188.
 obtusa, ii, B, 442.
 pallida, i, 517; ii, B, 441.
 pertenuis, ii, B, 441; v, B, 485.
 recurrens, iii, B, 231.
 refringens, ii, B, 442, 553; vi, B, 492.
 Spirochætæ, associated, and fusiform bacilli, vi, B, 489.
 Spirochætosis, bronchial, vi, B, 489.
 Spirochona, v, D, 318.

- Spirodela polyrrhiza*, vii, C, 181.
Spirogyra, ix, B, 344.
Spiromema pallidum, ii, B, 441.
Spizaetus philippensis, i, 700.
Splachnaceae, viii, C, 70; ix, C, 204.
Splachnobryum, viii, C, 70.
 luzonense, viii, C, 70.
 oorschotii, viii, C, 71.
 Spleen, dysentery caused by *Balantidium coli* with coincident filarial infarction of, vi, B, 147.
 enlargement of the, iv, B, 294.
 examinations for malarial parasites, x, B, 219.
 in plague, x, B, 289.
 index, ix, B, 175, 181, 449.
 lesions of the, iii, B, 218.
 rupture in splenomegaly, iii, B, 55.
 schizogony of *Trypanosoma evansi* in the, vii, B, 53.
 Splenomegaly, spleen rupture in, iii, B, 55.
 tropical febrile, i, 533.
Spodiopogon angustifolius, i, s, 331.
 chordatus, ix, C, 52.
 laniger, i, s, 331.
 notopogon, i, s, 331.
Spodiopsar cineraceus, ii, A, 353.
Spodoptera maurita, i, 1063.
Spondias, i, s, 84.
 lutes, i, s, 84.
 mangifera, i, 407; i, s, 84; iii, C, 108; x, D, 260.
 pleiogyna, iv, C, 284.
 purpurea, vii, C, 186; viii, A, 75.
 solanderi, iv, C, 284.
Spondylidæ, viii, A, 275.
Spondylus, viii, A, 275, 324.
 ducalis, viii, A, 276.
 imperialis, viii, A, 312; x, A, 248.
 sp., viii, A, 276.
 Sponge gourd, vii, C, 193.
 Sponges and sponge fisheries, iv, A, 57.
Spongæ, viii, A, 289.
Spongipellis, x, C, 92.
 stramineus, x, C, 92.
Spongodes, x, D, 3.
Sporobolus, i, s, 269, 373; v, C, 171, 328; ix, C, 56, 169.
 ciliatus, i, s, 269, 373.
 diandrus, i, s, 373.
 elongatus, i, s, 373; v, C, 328; viii, C, 285.
 humilis, i, s, 374.
 indicus, i, s, 373; v, C, 328; vii, C, 180; ix, C, 56.
 piliferus, i, s, 269, 373.
 scoparius, i, s, 374; x, C, 188.
 verticillatus, i, s, 384.
 virginicus, v, C, 171; vii, C, 180; ix, C, 57.
Sporocye, iii, C, 58.
 philippinensis, iii, C, 58.
Sporozoa furunculosa, i, 104.
 Spotted fever, Montana, iii, B, 1.
 fever, Rocky Mountain, iii, B, 2.
Springia indica, vii, C, 333.
 Springs, ix, A, 290; x, A, 141.
 analyses of waters from northern Luzon hot, x, A, 203.
 Baguio mineral, ii, A, 216.
 Benguet hot, vi, A, 438.
 Cebu mineral, ix, A, 383, 395.
 Lanot mineral, vi, A, 469.
 Leyte, iv, A, 346.
 mineral, viii, A, 84.
 Tiui hot, vi, A, 468.
 Spruce, black, vi, A, 14.
 Douglas, vi, A, 14.
 tide-land, vi, A, 14.
 white, vi, A, 14.
 Sprue and amebiasis, i, 571.
Squalidæ, v, A, 73.
Squamicapilla, iii, A, 29.
 arenata, iii, A, 30.
Squarrosa, vii, C, 253.
Squash, iv, B, 222; vii, C, 199.
Squatarola helvetica, ii, A, 300, 311, 319.
 squatarola, iii, A, 277; v, D, 106.
Squilla, x, D, 170.
 hieroglyphica, x, D, 171.
 leptosquilla, x, D, 169.
 nepa, x, D, 172.
 oratoria, x, D, 171.
 oratoria var. *perpensa*, x, D, 171.
 raphidea, x, D, 172.
 scorpio, x, D, 170.
Squirrel, vii, D, 24.
Squirrel fish, iv, A, 504.
Stachycarpus, ii, C, 258; vi, C, 155.
Stachyocnide luzonica, vi, C, 6.
Stachyolobus, iv, A, 568.
 macilentus, iv, A, 568.
Stachyomerus, v, D, 62.
Stachys rubisepala, iii, C, 123.
Stachytarpheta, ix, C, 136.
 indica, vi, C, 221.
 jamaicensis, vii, C, 189; ix, C, 136.
Stalagmites dulcis, iii, C, 366.
 nervosa, x, C, 325.
 Stalk borer, i, 1069.
Stantonia flava, i, 693.
Staphyleaceæ, i, s, 86; iii, C, 418; iv, C, 495; v, C, 359; ix, A, 558.
Staphyliniden der Philippinen, neue, vii, D, 245.
Staphylinidenfauna der Philippinen, x, D, 117.
Staphylinus bakeri, x, D, 122.
 pulcherrimus, x, D, 123.
Staphylococcus albus, i, 98; iii, B, 216; iv, B, 398; viii, B, 399; ix, B, 465, 515.
 aureus, i, 95; iii, B, 216, 424; iv, B, 398, 418; viii, B, 371, 399; ix, B, 222, 466; x, B, 316.
 pyogenes albus, ii, B, 494.
 pyogenes aureus, i, 717; ii, B, 494; iii, B, 47; iv, B, 284.
 Star anise, iv, B, 223.
 Starch, buri palm, vi, A, 189.
 P. I. production of, iii, A, 93.
 sugar palm, vi, A, 200.

- Status lymphaticus*, viii, B, 85.
 thymico-lymphaticus among Filipinos,
 viii, B, 77.
Staurogyne, ii, C, 302; vii, C, 167, 248.
 debilis, ii, C, 302; vi, C, 222.
 rivularis, vii, C, 248.
Stauroxanthus maroccanus, x, B, 171.
Steenappelboom, vii, C, 113.
Steere collection of P. I. ferns, ii, C, 405.
Stefculiaceæ, iv, C, 500.
Steganopsis bakeri, viii, D, 315.
 pupicola, viii, D, 315.
Stegelytraria, x, D, 50.
Stegodon, ii, A, 396.
Stegomyia, i, 984; ix, B, 356.
 amesii, i, 984; viii, D, 306.
 aurostriata, i, 995; viii, D, 306.
 calopus, ix, B, 436.
 crassipes, i, 984; viii, D, 306.
 desmotes, i, 984; viii, D, 306.
 fasciata, i, 782, 984; ii, B, 106; vii, B, 507;
 viii, D, 306.
 fasciata persistans, i, 996; iii, A, 243;
 iii, B, 299; viii, D, 306.
 gardnerii, i, 984.
 leucomeres, i, 984; viii, D, 306.
 nigritia, viii, D, 306.
 nivea, i, 985.
 nivea amesii, i, 984.
 panalectoros, i, 983.
 persistans, ii, B, 517; iii, A, 243; iv, B,
 234.
 pseudoscutellaris, ix, B, 489.
 pseudotaeniata, i, 986; iii, A, 249.
 punctolateralis, i, 984; viii, D, 306.
 quasinigritia, viii, D, 306.
 samarensis, iii, A, 246; iv, B, 234.
 scutellaris, i, 985; viii, D, 306.
 scutellaris var. *samarensis*, i, 782, 985.
 sexlineata, i, 985.
 striocrura, i, 195; viii, D, 306.
Stegomyia, i, 996; ii, B, 6.
Stegonotus dumerilii, vi, D, 259.
 mulleri, vi, D, 259.
Stegostoma tigrinum, vi, D, 312.
Stelechocarpus grandifolia, x, C, 255.
Stellaria laxa, i, s, 175.
Stellidæ, i, 686.
Stemmatophyllum acutum, iv, C, 135.
 cumingii, i, s, 187; iv, C, 135.
 luzonense, iv, C, 135.
 nodosum, iv, C, 134.
Stemmodontia biflora, ix, C, 154.
 canescens, ix, C, 155.
Stemodia hirsuta, iii, C, 124.
Stemonitis, ii, C, 113.
 atra, ii, C, 113.
 bauerlinii, ii, C, 113.
Stemonoporus wightii, iv, C, 519.
Stemonurus, ii, C, 278; iii, C, 240; ix, C, 479.
 laxiflorus, ii, C, 240.
 merrittii, iii, C, 240.
Stenia testulalis, v, D, 180.
Stenochlaena, i, s, 18, 152; ii, C, 166; v, C,
 284; vi, C, 80.
Stenochlaena—Continued.
 aculeata, ii, C, 166; vii, C, 67.
 areolaris, ii, C, 406.
 arthropteroides, ii, C, 167.
 brackenridgii, vi, C, 80.
 intermedia, vii, C, 67.
 kingii, vi, C, 80.
 novae-caledoniae, vi, C, 80.
 palustris, ii, C, 167, 406; vi, C, 80, 192;
 viii, C, 152; ix, C, 2.
 recurvata, vi, C, 80.
 sorbifolia, i, s, 18.
 sp., ii, C, 5, 167.
 subtrifoliata, i, s, 152; ii, C, 5, 167.
 williamsii, ii, C, 167.
Stenocotidæ, x, D, 50, 189.
Stenocotinæ, x, D, 50, 192.
Stenocotis, x, D, 193.
Stenomeris, ii, C, 268.
 dioscoreæfolia, ii, C, 268.
Stenopetalum, ii, C, 273.
Stenopodina, iv, A, 583.
Stenosemia, i, s, 146; ii, C, 410; vi, C, 77.
 aurita, i, s, 146; ii, C, 3; vi, C, 77.
 pinnata, i, s, 146; ii, C, 3.
Stenotaphrum, ix, C, 56.
 complanatum, i, s, 369.
 glabrum, i, s, 369.
 subulatum, ix, C, 56.
Stentor, v, D, 297.
Stenus acuminatus, vii, D, 249.
 arachnipes, vii, D, 249.
 bispinus, x, D, 120.
 maquilinganus, x, D, 120.
 montalbanensis, vii, D, 249.
 philippinus, vii, D, 249.
 planifrons, vii, D, 249.
 smaragdinus, x, D, 119.
 tropicus, x, D, 119.
Stephania, ii, C, 272; iii, C, 406; vii, C, 265.
 catosepala, vii, C, 266.
 hernandifolia, ii, C, 272.
 japonica, iii, C, 406.
 ramosii, vii, C, 265.
Stephanidæ, i, 694.
Stephanocoenia sp., v, A, 329.
Stephanotheca, ix, C, 178.
 micromera, ix, C, 179.
Stephanurus dentatus, ix, B, 269.
Stephanus coronator, i, 694.
 indicus, i, 694.
 nigricaudatus, i, 694.
 sulcifrons, i, 694.
 tarsatus, i, 694.
 unicolor, i, 694.
Stephegyne parvifolia, iv, C, 561.
Sterculia, i, s, 94; iii, C, 420; iv, C, 501; vii,
 C, 162; viii, C, 384.
 brevipetiolata, i, 638; i, s, 94; iv, C, 703,
 714.
 campanulata, i, s, 94.
 ceramica, iii, C, 78.
 crassiramea, i, 413; i, s, 94.
 cuneata, vi, C, 210; viii, C, 385.
 cymbiformis, ii, C, 383.
 divaricata, viii, C, 384.

Sterculia--Continued.

- foetida, i, s, 94; iii, C, 306; iv, C, 501; ix, C, 427; x, A, 108.
- luzonica, iii, C, 78.
- montana, i, 656; i, s, 94; iii, C, 420.
- oblongata, i, 387; i, s, 94, 172; iii, C, 420.
- sp., ix, A, 449.
- stipularis, i, s, 172; viii, C, 385.
- Sterculiaceæ, i, s, 98, 172; ii, C, 382, 424; iii, C, 78, 113, 204, 420; iv, C, 291, 500, 714; vi, C, 107, 210; vii, C, 162, 304; viii, C, 384; ix, A, 557; ix, C, 113, 314, 427; x, A, 103, 197.
- Stereocaulæ, iv, C, 661.
- Stereocaulon, iv, C, 661.
- alpina, iv, C, 662.
- arbuscula, iv, C, 662.
- graminosum, iv, C, 662.
- lecidoides var. zeorina, iv, C, 662.
- nanum var. arbuscula, iv, C, 662.
- nesaeum, iv, C, 661.
- nesaeum var. lecidoides, iv, C, 662.
- nesaeum var. zeorina, iv, C, 661.
- tomentosa, iv, C, 662.
- turgescens, iv, C, 662.
- Stereodon, iii, C, 28; v, C, 159; viii, C, 86.
- curvirostris, iii, C, 28.
- deflexifolius, v, C, 159; ix, C, 209.
- luzonensis, iii, C, 28; viii, C, 86.
- Stereodontaceæ, ii, C, 342; iii, C, 26.
- Stereonephthya, ix, D, 240.
- Stereonychus, x, D, 28.
- Stereophyllum, iii, C, 24; v, C, 156.
- anceps, iii, C, 24; v, C, 156.
- Stereosoma celebense, x, D, 157, 207.
- Stereospermum, iv, C, 558.
- banabana, i, s, 124; iii, C, 337.
- chelonioides, iv, C, 558.
- pinnatum, iii, C, 337.
- quadripinnatum, iii, C, 335.
- seemannii, iii, C, 337.
- suaveolens, iv, C, 559.
- Stereum, i, s, 283; ix, C, 158, 235, 350; x, C, 88.
- adustum, i, s, 283.
- australe, ix, C, 158.
- boryanum, x, C, 88.
- cinereo-badium, i, s, 283.
- complicatum, i, s, 283.
- hirsutum, ix, C, 235; x, C, 88.
- illudens, i, s, 283.
- lobatum, i, s, 283.
- lobatum var. concolor, x, C, 88.
- luteo-badium, x, C, 86.
- luzoniense, i, s, 283.
- mellisii, ix, C, 350.
- moseleyi, i, s, 294.
- nitidulum, i, s, 283.
- notatum, ix, C, 350.
- ostrea, i, s, 294.
- perlatum, i, s, 283.
- purpureum, ix, C, 350.
- rimosum, x, C, 88.
- spectabile, i, s, 284; x, C, 88.
- subpurpureum, ix, C, 351.
- Sterna anæstetha, a nesting place of, ii, A, 275.
- bergii, ii, A, 319.
- boreotis, i, 699; ii, A, 300, 311, 319; iii, A, 277; vi, D, 170.
- fuscata, vi, D, 171.
- gracilis, vi, D, 168.
- melanauchen, vi, D, 168.
- sinensis, v, D, 106.
- Sterum, i, 427.
- Stethojulis kalosoma, ix, D, 70.
- Stethomyia, i, 980.
- pallida, i, 980; ix, B, 384.
- Stethorus pauperculus, v, D, 232.
- rotundatus, v, D, 232.
- Sthenaridea, iv, A, 591.
- pusilla, iv, A, 591.
- Stibnite, x, A, 94.
- Sticholotis banksi, v, D, 230.
- limbata, v, D, 230.
- ovata, v, D, 230.
- Stichopogon peregrinus, viii, D, 308.
- Stichopus japonicus, vi, D, 286.
- naso, vi, D, 315.
- variegatus, vi, D, 315.
- Sticky grass, an interesting occurrence with, v, D, 85.
- Sticta, viii, C, 122.
- ambavillaria, viii, C, 124.
- ambavillaria var. papyrina, viii, C, 124.
- boschiana, viii, C, 126.
- canariensis, viii, C, 123.
- caperata, viii, C, 122.
- caperata var. javanica, viii, C, 122.
- carpolomoides, viii, C, 123.
- ciliaris forma duplolumbata, viii, C, 125.
- copelandii, viii, C, 126.
- damaecornis var. rudiuscula, viii, C, 124.
- dichotoma, viii, C, 123.
- dichotomoides, viii, C, 123.
- dilatata, viii, C, 123.
- duplolumbata, viii, C, 125.
- filicinella, viii, C, 126.
- fimbriata, viii, C, 124.
- hypochra, viii, C, 126.
- hypopsiloides, viii, C, 123.
- impressula, viii, C, 124.
- lenormandii, viii, C, 124.
- lingulata, viii, C, 125.
- manilensis, viii, C, 122.
- marginifera, viii, C, 126.
- multifida, viii, C, 116.
- orbicularis, viii, C, 126.
- orbicularis var. pallescens, viii, C, 126.
- pluriseptata, viii, C, 127.
- psilophylla, viii, C, 117.
- pulmonaria var. papillaris, viii, C, 128.
- pulvinata, viii, C, 123.
- quercizans var. trichophora, viii, C, 124.
- recedens, viii, C, 122.
- richardi var. tomentosa, viii, C, 121.
- schaereri, viii, C, 131.
- sinuosa, viii, C, 133.
- tomentosa, viii, C, 128.
- trichophora, viii, C, 123.
- variabilis var. polyschista, viii, C, 116.

- Stictane fractilinea*, v, D, 169.
Stictæ, viii, C, 115.
Stictidæ, viii, C, 191, 403.
Stictina fragillima var. *dissimilis*, viii, C, 120.
strictula, viii, C, 125.
Stictis, viii, C, 403.
stellata, viii, C, 403.
stellata var. *pallidula*, viii, C, 403.
stellata var. *philippinensis*, viii, C, 403.
thelotremoides, viii, C, 191.
Stictocardia, iii, C, 429; vii, C, 165; ix, C, 133.
campanulata, ix, C, 133.
tiliaefolia, iii, C, 429; ix, C, 133.
Stictoptera, ii, A, 373.
costata, ii, A, 373.
Stictopterinae, ii, A, 373; v, D, 173.
Stigma of *Martynia*, the phenomenon of fatigue in the, viii, C, 197.
Stigmatea, viii, C, 257.
cinereo-maculans, viii, C, 257.
pandani, viii, C, 257.
Stigmatodothis, ix, C, 173.
palawanensis, ix, C, 173.
Stigmella, viii, C, 503; ix, C, 189.
manilensis, viii, C, 403; ix, C, 189.
palawanensis, ix, C, 189.
Stilbaceæ, iii, C, 58.
Stilbella, ix, C, 189.
cinnabarina, ix, C, 189.
Stilbomyia fulgida, viii, D, 314.
fuscipennis, viii, D, 314.
Stilbum amethystinum, i, 688.
cyanurum, i, 688.
cyanurum var. *amethystinum*, viii, D, 288.
cyanurum var. *flammeiceps*, viii, D, 288.
splendidum, i, 688.
Stills, illicit, vii, A, 27.
Sting ray, iii, A, 529; v, D, 264.
Stingybark, iv, C, 533.
Stipa littorea, vii, C, 229.
spinifex, i, s, 369; vii, C, 229.
tenacissima, i, No. 5, 456.
Stipellaria parviflora, v, C, 192; vii, C, 382.
Stixis, i, s, 58.
philippinensis, i, 409; i, s, 58.
Stizolobium deeringianum, v, C, 118.
giganteum, v, C, 116; ix, C, 92.
imbricatum, v, C, 116.
niveum, v, C, 118.
pruriens, v, C, 117; ix, C, 92.
Stolephorus delicatulus, ix, D, 11.
gracilis, ix, D, 11.
Stollia bovilla, iv, A, 561.
distacta, iv, A, 561.
guttigera, iv, A, 560.
Stolonifera, x, D, 155.
Stomatitis, i, 559.
Stomatocera sulcata, i, 691.
Stomatopod Crustacea from the P. I., x, D, 169.
Stomatopoda, x, D, 170.
Stomatorrhina lateralis, viii, D, 309.
muscina, viii, D, 309.
Stomoxys, viii, B, 203.
calcitrans, i, 1072; iv, B, 236; vii, B, 475; viii, B, 29, 223; viii, D, 315; x, B, 310.
geniculatus, vii, B, 476.
nigra, vii, B, 477.
Stone available for concrete construction in Manila, iv, A, 463.
Caramoan Peninsula, x, A, 318.
crushing strength of reconstructed Bath, vii, A, 323.
Guadalupe, v, A, 109.
industry at San Esteban, Ilocos Sur, vii, D, 213.
Meycauayan, v, A, 109.
Mountain Province building, x, A, 204.
paving, vii, D, 221.
Polo, iv, A, 355.
southeastern Luzon, vi, A, 478.
Tanauan, iv, A, 355.
tensile strength of Majayjay, iii, A, 395.
used in concrete construction, v, A, 122.
used in Manila, tensile strength of, iii, A, 395.
Wisconsin building, transverse strength of, iii, A, 397.
Stool examinations of blonds and brunets, vi, B, 442.
Stools and blood among the Igorots at Baguio, P. I., v, B, 505.
so-called flagellates, ciliates, and other protozoa encountered in water and in human, vi, B, 155.
Strachia geometrica, iv, A, 562.
subacta, iv, A, 562.
velata, iv, A, 562.
Strangles in the P. I., viii, B, 237.
Stratigraphy of Ilocos Norte, ii, A, 164.
of the P. I., viii, A, 235.
provisional table of P. I., viii, A, 242.
tabulated scheme of P. I., v, A, 318.
Stratiomyidæ, viii, D, 308.
Stratiotes acoroides, ix, C, 50.
Straw, i, No. 5, 439; vi, C, 124.
Streblosa, x, C, 141.
axilliflora, x, C, 141.
tortilis, x, C, 142.
Streblus, i, s, 43; vii, C, 156.
asper, i, 387; i, s, 43; viii, C, 485; ix, A, 444; ix, C, 246, 424; x, C, 91.
Strepsilas interpres, ii, A, 319.
Strepsimallus bicinctus, i, 692.
Streptocarpus, viii, C, 169.
Streptocaulon, i, s, 118; vii, C, 164.
baumii, i, s, 118; ix, A, 461; ix, C, 428, 506.
Streptococcus, i, 103; ii, B, 492; viii, B, 371, 415.
equi, viii, B, 240.
pyogenes, iii, B, 216; x, B, 270.
pyogenes aureus, i, 554.
Streptolasma, viii, A, 285.
Streptopelia dussumieri, i, 699, 768, 772; ii, A, 281, 300, 311, 318; iii, A, 276; v, D, 106, 220.
Streptothricosis pedis, iii, B, 449.

- Streptothricosis with especial reference to the etiology and classification of mycétoma, iii, B, 447.
- Streptothrix, v, B, 247; ix, B, 227.
- actinomyces, iii, B, 452.
- albido-flava, iii, B, 468.
- alpha, iii, B, 468.
- aurantiaca, iii, B, 468.
- beta, iii, B, 468.
- canis, iii, B, 450.
- caprae, ii, B, 498; iii, B, 450.
- carnea, iii, B, 468.
- chalicea, iii, B, 450.
- eppingeri, ii, B, 498; iii, B, 450.
- erythrea, iii, B, 468.
- fosteri, iii, B, 458.
- freeri, ii, B, 478; iii, B, 449.
- leproides, iv, B, 329.
- leucea, iii, B, 468.
- madurae, ii, B, 478; iii, B, 449.
- nocardii, ii, B, 498; iii, B, 450.
- rubra, iii, B, 467.
- Streptothrix of "farcin de boeuf," iii, B, 450.
- Strigidæ, v, D, 108.
- Striglia, i, s, 285.
- Strix, iii, A, 283.
- candida, i, 765; ii, A, 339; iii, A, 283.
- lempiji, ii, A, 324.
- longimembris, iii, A, 283.
- Strobilanthes, i, s, 125, 249; ii, C, 302; iv, C, 322; v, C, 386.
- cinnamalis, i, s, 249.
- haleconensis, ii, C, 302.
- mearnsii, iv, C, 322.
- merrillii, i, 664; i, s, 125; ii, C, 302.
- pluriformis, i, 664; i, s, 125; iv, C, 323; v, C, 386.
- wallichii, i, s, 249.
- Stromateidæ, v, D, 269; ix, D, 63.
- Stromateus argenteus, ix, D, 63.
- cinereus, v, D, 269.
- niger, ix, D, 63.
- Stromatopteris, iv, C, 21.
- Strombidæ, vii, D, 279; viii, A, 262.
- Strombidium, v, D, 318.
- Strombosia, i, s, 51.
- dubia, i, s, 51; ii, C, 393.
- philippinensis, i, 387, 639; i, s, 51; ii, C, 393; iv, C, 449, 707; vi, A, 423; ix, A, 444.
- Strombus, i, 629.
- canarium, vii, D, 279; viii, A, 324.
- isabella, viii, A, 248.
- javanus, i, 629.
- javanus var. semperi, i, 629; v, A, 330.
- labiosus, viii, A, 325.
- Strombus shell, vii, D, 279.
- Strongylium ambiguum, viii, D, 425.
- binodosum, viii, D, 428.
- cupreolineatum, viii, D, 428.
- elegantissimum, viii, D, 427.
- erythrocephalum, viii, D, 425.
- foveolatum, viii, D, 425.
- foveostriatum, viii, D, 425.
- gratum, viii, D, 431.
- gravidum, viii, D, 426.
- Strongylium—Continued.
- insolitum, viii, D, 429.
- mindorensis, viii, D, 430.
- sobrinum, viii, D, 431.
- Strongylodon, i, s, 66; ii, C, 424; iii, C, 184; v, C, 114; ix, C, 92; x, C, 16.
- caeruleus, v, C, 8, 115.
- crassifolius, v, C, 8, 115.
- elmeri, v, C, 8, 114.
- lucidus, ii, C, 424; v, C, 115; ix, C, 92.
- macrobotrys, i, 418, 664; i, s, 66; iii, C, 81; v, C, 8, 114.
- megaphyllus, x, C, 16.
- paucinervis, x, C, 16.
- pulcher, iii, C, 184; v, C, 8, 115.
- ruber, ii, C, 424; v, C, 115.
- warburgii, v, C, 114.
- zschokkei, v, C, 8, 114.
- Strongyloides, ii, B, 334.
- Strongyloides, iii, B, 201; iv, B, 186, 265, 296; vi, B, 77, 212; viii, B, 54, 159, 503; ix, B, 81, 236, 446.
- intestinalis, i, 561; v, B, 271.
- stercoralis, ix, B, 173.
- Strongylus armatus, ix, B, 283.
- Strophanthus, iii, C, 261; vii, C, 164.
- cumingii, iii, A, 44; iii, C, 261.
- dichotomus, iii, C, 261.
- erectus, iii, C, 261.
- Stropharia, ix, C, 249.
- radicata, ix, C, 249.
- Strophoblachia, iv, C, 284.
- fimbriicalyx, iv, C, 284.
- Strychnine poisoning with chloroform, treatment of, v, B, 547.
- tree, iv, C, 550.
- Strychnos, i, s, 116.
- celebica, i, s, 172.
- multiflora, i, 409; i, s, 116.
- nux-vomica, iv, C, 550.
- Sturnella, ii, A, 259.
- Sturnia philippensis, i, 704.
- Sturnidæ, ii, A, 261; iii, A, 281; iv, A, 77; v, D, 114.
- Sturnus, ii, A, 259.
- Stützbündel, x, D, 3.
- Styanax anthracinus, x, D, 23.
- luzonicus, x, D, 23.
- Stylactis, viii, D, 338.
- Stylidiaceæ, vii, C, 167, 249.
- Stylidium, vii, C, 249.
- alsinoides, vii, C, 197, 249.
- kunthii, vii, C, 249.
- tenellum, vii, C, 249.
- tenerrimum, vii, C, 249.
- uliginosum, vii, C, 249.
- Stylocoryna, i, s, 129; iii, C, 266.
- auriculata, ii, C, 427.
- coffaeoides, ix, C, 149.
- macrophylla, i, s, 129.
- racemosa, iii, C, 265; ix, C, 149.
- sambucina, ix, C, 150.
- Stylonychia, v, D, 348.
- Stylopria, ix, D, 307.
- rufa, ix, D, 307.
- Stylosphera, x, A, 224.

- Styracaceæ, iv, C, 547.
 Styrax benzoin, iv, C, 547.
 serrulata, iv, C, 547.
 Sua, vii, A, 404; viii, A, 68.
 Suba, v, B, 157, 238; vii, B, 68.
 Subanuns, drinking customs of the, vii, A, 114.
 Subcabayog, iv, A, 130.
 Subiang, vii, C, 386.
 Subic and Mount Pinatubo, physiography of the country between, iv, A, 19.
 baños pond at, x, D, 308, 312, 313.
 Sucrose in alkaline solution, enzyme destruction of, viii, A, 385.
 in neutral solution, enzyme destruction of, viii, A, 384.
 in nipa sap, percentage, viii, A, 380.
 of buri palm sap, spontaneous inversion of, vi, A, 177.
 Suction pump, ix, A, 54.
 Sudsod, iv, C, 393.
 Sudsud, ix, A, 246.
 Sueco, iv, B, 250.
 Sugar, analysis of solution of nipa sap during the process of purification for making, vi, A, 142.
 apple, vii, C, 113; viii, A, 66.
 buri palm sap as a source of, vi, A, 176, 186.
 cane, iv, B, 222; vii, C, 192.
 cane, a beverage made from the juice of, vii, A, 98.
 cane, experiments with, viii, A, 159.
 cane, insects injurious to, i, 1069.
 cane, leaf hopper infesting, i, 1069.
 cane, method of harvesting, vii, A, 359.
 cane, sap of, vii, A, 113.
 central, extraction test of a modern, vii, A, 357.
 coconut palm sap as a source of, vi, A, 165.
 exported from the P. I., viii, A, 159.
 extraction from nipa juice, viii, A, 395.
 nipa palm as a commercial source of, viii, A, 377.
 palm, *see* Palm, sugar.
 Sugi-sugi, iv, C, 493.
 Sugung, vii, A, 110.
 Suha, viii, A, 68; x, B, 375.
 Suidæ, vii, D, 38.
 Suirsak, vii, C, 113.
 Suja, vi, A, 347.
 Sula cyanops, vi, D, 175, 179.
 leucogastra, vi, D, 168, 179.
 piscator, vi, D, 168.
 sula, i, 700; ii, A, 275, 339.
 Sulib, vii, D, 278.
 Sulipa, i, s, 43.
 Sulo, x, B, 375.
 Sulphite bamboo pulp, ii, A, 92.
 pulp from fibers other than wood, ii, A, 91.
 wood pulp, ii, A, 89.
 Sulphur, v, A, 334; x, A, 95.
 for paper making, ii, A, 99, 103.
 Japanese, ii, A, 104.
 Sulphur—Continued.
 Leyte and Biliran, iv, A, 355.
 Mountain Province, x, A, 203.
 Sulu, geologic reconnaissance of Mindanao and, iii, A, 473; v, A, 345; vi, A, 359.
 Suma, i, 1026; x, A, 197.
 Sumac, ix, C, 149.
 Sumag, ix, C, 149.
 Suman, iv, B, 220.
 Sumatra, beriberi in coal mines of, v, B, 67.
 Sumatran ferns, new, ix, C, 227.
 Sumbava, vii, C, 161.
 Sumbilang, iii, A, 529.
 Sumomo, x, D, 358.
 Sumsuman, vii, A, 109.
 Sun, action of the tropical, on men and animals, vi, B, 101.
 Sundali, iv, C, 463.
 Sundri, iv, C, 500.
 Sune, ix, C, 64.
 Sungeb, ix, D, 476.
 Sunlight, action upon methyl alcohol, vii, A, 57.
 catalysis by means of uranium salts in, ii, A, 129.
 coloration of methyl salicylate and some allied compounds in the, vii, A, 79.
 effect of, in the absence of oxygen and oxidizing influences and a comparison with the behavior of mono- and dimethylaniline, v, A, 419.
 effect of tropical, on the atmosphere, v, A, 267.
 effect of tropical, upon animals, vii, B, 91.
 influence of direct, on blonds and brunets, vi, B, 450.
 influence on the absorption of oxygen by Manila copal, v, A, 226.
 influence on white men, vi, B, 433.
 result of two years' work in the study of tropical, vii, B, 1.
 Sunog, iii, A, 529.
 Sunstroke, vi, B, 129.
 among blonds and brunets in the U. S., vi, B, 456.
 and heat exhaustion of blonds and brunets, vi, B, 448.
 Sunting, v, C, 50.
 Supa, i, s, 199; ii, C, 393; iv, C, 471; v, C, 38.
 oil of, i, 191.
 Suriana, vii, C, 274.
 maritima, vii, C, 274.
 Surigao, coal from, ii, A, 51.
 district of, vi, A, 376.
 iron ore in province of, x, A, 335.
 outcrop and upper-bed coals of, i, 883.
 Suriya mara, iv, C, 460.
 Surmullet, iii, A, 518; ix, D, 67.
 Surniculus lugubris, i, 905.
 velutinus, i, 905; ii, A, 285; iv, A, 72; vi, D, 42.
 Surra, vii, B, 475.
 at Alabang, v, B, 45.
 in Bulacan Province, v, B, 42.
 mechanical transmission of, viii, B, 223.

- Surra—Continued.
treatment of trypanosomiasis with especial reference to, v, B, 21.
- Sus, vii, D, 38.
ahoenobarbus, vii, D, 38.
arietinus, vii, D, 39.
barbatus balabacensis, vii, D, 38.
barbatus palavensis, vii, D, 38.
calamianensis, vii, D, 38.
cebifrons, vii, D, 38.
effrenus, vii, D, 39.
frenatus, vii, D, 39.
inconstans, vii, D, 39.
marchei, vii, D, 39.
microtis, vii, D, 39.
mindanensis, vii, D, 39.
minutus, vii, D, 39.
philippensis, vii, D, 39.
scrofa, vii, D, 38.
verrucosus mindanensis, vii, D, 39.
- Susakka, vii, C, 113.
- Suso, vii, D, 279, 280.
- Susoi, v, C, 64.
- Susong calabao, i, s, 53.
dalaga, vi, D, 301.
puti, vii, D, 279.
- Susosusoyan, v, C, 64.
- Sussea, iii, C, 68.
- Susueidot baybay, vi, D, 309.
- Susuki, ix, D, 262.
- Susum, x, C, 3.
malayanum, x, C, 3.
- Susumbic, i, s, 90.
- Susumbik, ix, A, 450.
- Sutubal, iv, C, 538.
- Suubeabuyo, vi, C, 221.
- Suursak, vii, C, 113.
- Suyasoy, v, C, 337.
- Suyoc gold-bearing veins, viii, A, 92.
- Swamp vegetation in hot springs areas at Los Baños, Laguna, P. I., ix, C, 495.
- Sweat, cooling effect of, vi, B, 126.
- Sweet flag, vii, C, 192.
potato, iv, B, 222; vii, C, 199.
- Sweetgum, vi, A, 15.
- Sweetsop, iv, B, 221; vii, C, 118; viii, A, 66.
- Swertia, iii, C, 214; v, C, 378.
decurrens, iii, C, 214; v, C, 378.
- Swietenia macrophylla, iv, C, 481.
mahagoni, iv, C, 481.
- Swine, kidney-worm infestation of, ix, B, 269.
See also Hogs and Pigs.
- Swintonia, iii, C, 109; iv, C, 490; x, C, 35.
acuminata, x, C, 35.
glauca, x, C, 36.
luzoniensis, iii, C, 109.
schwenkii, iii, C, 109.
- Sycamore, vi, A, 15.
- Sycanaria, iv, A, 588.
- Sycanus, iv, A, 588.
collaris, iv, A, 588.
leucomesus, iv, A, 588.
- Sycidium, iii, C, 132; v, C, 343.
- Sycophaga nota, viii, D, 74.
- Sycophaginae, viii, D, 74.
- Sycoryctes philippinensis, i, 690; viii, D, 77.
- Syenite, v, A, 165, 325.
northwestern Pangasinan, vii, A, 261.
- Sykmere, iv, C, 479.
- Sylviidae, iii, A, 280; iv, A, 74; v, D, 112; vi, D, 45.
- Symbiosis, its influence upon the pathogenicity of microorganisms, iii, B, 77.
- Symblepharis, v, C, 138.
reinwardtii, v, C, 138; ix, C, 211.
- Symphorema, i, s, 122; vii, C, 165.
luzonicum, i, 408; i, s, 122.
- Symphysodon, v, C, 153.
merrillii, ii, C, 341.
subneckeroides, v, C, 153.
- Symphysodontella, viii, C, 78.
subulata, viii, C, 78; ix, C, 214.
- Symplana, ix, D, 277.
viridinervis, ix, D, 278.
- Symplocaceae, i, s, 115, 176; ii, C, 298; iii, C, 1, 426; iv, C, 105, 547; v, C, 378; vii, C, 29; ix, A, 558; ix, C, 382; x, C, 282.
- Symplocos, i, s, 115; ii, C, 298; iii, C, 1, 426; v, C, 378; ix, C, 382; x, C, 282.
adenophylla, ii, C, 298; iii, C, 7.
adenophylla var. merrittii, iii, C, 2, 7.
ahernii, i, 656; iii, C, 6; iv, C, 109; vii, C, 32.
angularis, iv, C, 107; vii, C, 34; x, C, 284.
- betula, iii, C, 8.
- cagayanensis, vii, C, 35.
- ciliata, iii, C, 5; vii, C, 31.
- confusa, i, 655; i, s, 115; iii, C, 3; vii, C, 31.
- congesta, vii, C, 33.
- crataegoides, iv, C, 547.
- cumingiana, iii, C, 8; iv, C, 110; vii, C, 34; x, C, 284.
- curtiflora, iv, C, 107; vii, C, 34.
- depauperata, iii, C, 10; v, C, 378; vii, C, 36.
- depauperata var. angustissima, vii, C, 36.
- depauperata var. sordida, iii, C, 10.
- elmeri, i, 646; i, s, 115; iii, C, 5.
- fasciculata, ix, C, 383.
- ferruginea, i, 644; iii, C, 2.
- ferruginea var. philippinensis, iii, C, 6, 426; iv, C, 109; vii, C, 32.
- floridissima, iii, C, 5; iv, C, 108; vii, C, 32; ix, C, 383.
- floridissima var. serrata, iv, C, 108.
- foxworthii, iii, C, 3.
- fragrans, iv, C, 107; vii, C, 33.
- henschelii, iii, C, 3.
- hutchinsonii, iv, C, 109.
- imbricata, iv, C, 108; v, C, 378; vii, C, 31.
- imperialis, iv, C, 109.
- inconspicua, iv, C, 110.
- lanceolata, iii, C, 8.
- lancifolia, i, s, 176; iii, C, 9.
- loheri, vii, C, 32.
- luzoniensis, iii, C, 9; vii, C, 35.
- megabotrys, ix, C, 383.
- merrilliana, iii, C, 9; iv, C, 110; vii, C, 36.
- montana, iii, C, 9.

Symplecos—Continued.

- oblongifolia, i, 638; i, s, 115; iii, C, 7;
iv, C, 109, 703; ix, A, 499.
pachyphylla, x, C, 283.
palawanensis, iii, C, 10.
patens, iii, C, 4; vii, C, 31; ix, C, 383;
x, C, 283.
patens forma ciliata, iii, C, 5; vii, C, 31.
patens forma elmeri, iii, C, 5.
patens forma eu-patens, iii, C, 5; vii,
C, 31.
peninsularis, iv, C, 110.
phanerophlebia, ix, C, 382.
polyandra, i, 415; i, s, 115; iii, C, 5; iv,
C, 109; vii, C, 32.
pseudo-spicata, iii, C, 5.
purpurascens, vii, C, 33.
racemosa, iii, C, 1.
serrata, vii, C, 32.
sp., ix, A, 450.
spicata, iii, C, 1.
villarii, iii, C, 5.
wenzelii, x, C, 282.
whitfordii, iii, C, 8; iv, C, 110; v, C, 378;
vii, C, 33.

Sympodium, x, D, 157.

Synapta beselii, vi, D, 314.

- dubia, vi, D, 314.
glabra, vi, D, 314.
gracilis, vi, D, 314.
grisea, vi, D, 314.
indivisa, vi, D, 314.
innominata, vi, D, 314.
molesta, vi, D, 314.
nigra, vi, D, 314.
pseudo-digitata, vi, D, 314.
recta, vi, D, 314.
reticulata, vi, D, 314.
similis, vi, D, 314.

Synaptura orientalis, ix, D, 78.

pan, ix, D, 78.

Synchiropus zamboangana, iv, A, 540.

Synchytrium aecidioides, v, C, 163.

Synedrella, ix, C, 154.

- nodiflora, vi, C, 228; vii, C, 190; ix, A,
461; ix, C, 154, 430, 513.

Syngnathidae, iv, A, 503; v, D, 269.

Syngnagma, ii, C, 133; vi, C, 84.

- alismaefolia, ii, C, 4.
alismifolia, vii, C, 50.
angusta, iii, C, 348; vii, C, 50.
borneensis, vii, C, 50.
cartilagidens, vii, C, 50.
hookeri, iii, C, 349; vi, C, 84.
pinnata, vi, C, 84; vii, C, 50
wallichii, vii, C, 50.

Synia melanaria, v, D, 147.

Synodontidae, v, D, 264; ix, D, 59

Synodus japonicus, ix, D, 59.

Synonycha grandis, v, D, 148.

Syntames tubulifer, ix, D, 269.

Syntherisma, i, s, 309.

- filiforme, i, s, 348.
fusca, i, s, 347; x, C, 188.
fuscescens, i, s, 347.
molle, i, s, 348; x, C, 188.

Syntherisma—Continued.

- sanguinalis, i, s, 347.
setosa, i, s, 348.
Syntomidae, iii, A, 29.
Syphilis, inoculation of monkeys with yaws
and, ii, B, 461.
Wassermann reaction in, vi, B, 335.
Sypna, v, D, 174.
ochreicilia, v, D, 174.
omicronigera, v, D, 174.
punctosa, v, D, 174.
Syrgris, v, D, 65.
acutus, v, D, 65.
fasciatus, v, D, 65.
simplex, v, D, 65.
Syringa amurensis, x, D, 300.
vulgaris, vi, A, 201.
Syringogaster, viii, D, 330.
Syricta orientalis, viii, D, 314.
Syrictomyia, viii, D, 330.
Syrnium whiteheadi, i, 904.
Syrphidae, viii, D, 309.
Syrphus balteatus, viii, D, 314.
nectarinus, viii, D, 314.
Syrphopodon, iii, C, 13; v, C, 142; viii, C, 68.
albo-vaginatus, iii, C, 13; viii, C, 68; ix,
C, 211.
ciliatus, viii, C, 68; ix, C, 211.
curranii, v, C, 142.
muelleri, ix, C, 211.
mülleri, viii, C, 68.
revolutus, ix, C, 41.
rigescens, ix, C, 41.
tristichus, viii, C, 68; ix, C, 211.
wallisii, iii, C, 13.
Syrphopodontaceae, v, C, 142.
Systolic blood pressure and the pulse rate of
healthy adult males in the P. I., vi,
B, 467.
Systropus sphecoideus, viii, D, 313.
Syzyganthus multiflorus, ii, C, 103.
Syzygium, iv, C, 331.

acuminatissimum, iv, C, 392.

campanellum, vi, C, 347.

caryophyllaceum, iv, C, 367.

jambolanum, iv, C, 386.

latifolium, iv, C, 386.

longiflorum, iv, C, 366.

nitidum, iii, C, 83; iv, C, 394.

pallidum, i, s, 106; iv, C, 391.

subdecurrens, iv, C, 392.

T

Taal Lake, origin of, v, A, 101.

Volcano, v, A, 64, 91, 314.

Volcano, composition of the fine ejecta
from, vi, A, 93.

Volcano, crater lakes of, ii, A, 115.

Volcano, eruptions of, vi, A, 63, 87.

Volcano, pioneer vegetation of, ix, C, 391.

Volcano, waters of its crater lakes, i, 433.

Taba, x, C, 247.

Tabaco, i, s, 123.

Tabad, vii, A, 33.

Tabak, vi, C, 276.

- Taban, iv, C, 541.
 Tabangan, iv, C, 97.
 Tabanidae, i, 1072; vii, B, 508; viii, D, 308.
 Tabanus, vii, B, 477.
 biguttatus, viii, B, 207.
 factiosus, viii, D, 308.
 ixion, viii, D, 308.
 manilensis, viii, D, 308.
 rubidus, viii, D, 312.
 striatus, viii, B, 197, 223; viii, D, 312.
 vanderwulpi, viii, D, 308.
 Tabao, iv, C, 529, 648.
 Tabaring, x, C, 51.
 Tabernaemontana, i, s, 117; iii, C, 428; iv, C, 316, 552; vii, C, 242, 337; ix, C, 130; x, C, 66.
 arborescens, iii, C, 306.
 caudata, iv, C, 313.
 cordata, vii, C, 337.
 coronaria, v, C, 164.
 cumingiana, i, s, 117, 172; iii, C, 428.
 dichotoma, ix, C, 129.
 divaricata, vii, C, 187; ix, C, 130.
 elliptica, iii, C, 121.
 globosa, iv, C, 319.
 hexagona, x, C, 66.
 linearifolia, iv, C, 317.
 megacarpa, iv, C, 318.
 mindanaensis, x, C, 67.
 mucronata, iv, C, 318; vi, C, 219.
 oligantha, x, C, 68.
 pandacaei, i, s, 117, 392, 428, 641; iii, B, 248; iii, C, 306, 428; iv, C, 319; vii, C, 243; viii, C, 475; ix, A, 450; ix, C, 513; x, C, 68.
 puberula, iv, C, 319.
 semperflorens, iii, C, 306.
 sphaerocarpa, vi, C, 219; vii, C, 243.
 subglobosa, i, 428; vii, C, 242.
 Tabigue, iv, C, 482; vi, A, 2.
 Tabinidae, iv, B, 236.
 Tabios, v, C, 126.
 Tabique, iv, A, 208; vi, A, 53.
 Tabiqui, i, s, 71.
 Tablas Island, birds from, i, 771.
 Tabon, ii, A, 321.
 tabon, x, C, 311.
 Tabuboc, vi, C, 124.
 Tabungao, vi, C, 108.
 Tabuni, vi, A, 109.
 Tabunoki, ix, D, 253.
 Tabun-tabun, x, C, 311.
 Tacaip suso, vi, C, 218.
 Tacca, i, s, 35; vii, C, 155; ix, C, 68.
 palmata, i, s, 35.
 pinnatifida, iii, A, 96; ix, C, 68.
 Taccaceae, i, s, 35; vii, C, 155; ix, C, 68.
 Tachardia lacca, i, 217.
 Tachina, x, D, 294.
 Tachinidae, viii, D, 309.
 Tachornis pallidior, ii, A, 304, 325; iv, A, 72; v, D, 110; vi, D, 42.
 Tachypompilus, i, 684.
 ashmeadii, i, 684.
 Tachysurus venosus, v, D, 266.
 Tacloban, v, C, 35.
 Taddo, ix, D, 486.
 Tadek, iii, A, 208.
 Tadong, iv, C, 299.
 Tadpoles, frog, development in sea water, vi, D, 219.
 Tania, ii, B, 537; iv, B, 186; vi, B, 77, 241; ix, B, 236.
 cucumerina, i, 1037.
 demerariensis, vi, B, 166.
 diminuta, viii, B, 422.
 echinococcus, ii, B, 542.
 hominis, ii, B, 539.
 madagascariensis, vi, B, 166.
 pana, iii, B, 71.
 philippina, ii, B, 542.
 saginata, ii, B, 539; iii, B, 71, 202; iv, B, 296; v, B, 270, 508; vi, B, 212; viii, B, 54, 170.
 solum, ii, B, 540; iii, B, 71, 202; iv, B, 296; v, B, 271; viii, B, 170.
 Taenaptera chrysopleura, viii, D, 311.
 coarctata, viii, D, 311.
 galbula, viii, D, 329.
 monedula, viii, D, 311.
 nigripes, viii, D, 311.
 Taeniophyllum, vi, C, 56; viii, C, 436; ix, C, 16, 71.
 copelandii, viii, C, 436.
 merrillii, vi, C, 56.
 obtusum, i, 661; ix, C, 16.
 zollingeri, ix, C, 16.
 Taeniopsis, ix, C, 231.
 Taeniorhynchus, i, 989.
 ager, viii, D, 307.
 argenteus, i, 989; viii, D, 307.
 aureosquamatus, viii, D, 307.
 lineatopennis, i, 989; viii, D, 307.
 pagei, viii, D, 307.
 whitmorei, i, 989.
 Taenitis, i, s, 20; ii, C, 135; vi, C, 86; vii, C, 47.
 blechnoides, i, s, 20; ii, C, 5, 135; vi, C, 86, 192; vii, C, 48.
 brooksii, vi, C, 138.
 drymoglossoides, iii, C, 349.
 Taetsia terminalis, ix, C, 67.
 Tafel, vi, D, 83; vii, A, 103.
 Taftia prodeniae, i, 691, 695.
 Tafui, vii, A, 103.
 Taga, v, C, 100.
 Tagabi, iv, A, 242.
 Tagac calabao, ii, A, 322.
 Tagaditac, iii, C, 424.
 Tagalipa, iv, C, 284.
 Tagalus, viii, D, 388.
 coarctatus, vi, A, 376.
 impressicollis, viii, D, 889.
 schultzei, viii, D, 390.
 Tagasa, i, s, 102.
 Tagatoy, i, s, 114; iv, C, 289.
 Tagbanua, vii, A, 109.
 Tagelus caribbaeus, viii, A, 270.
 coarctatus, v, A, 330; viii, A, 270.
 coribaeus, v, A, 330.

- Tagete, ix, C, 75.
 Tagetes erecta, vii, C, 190.
 Taggai, vi, C, 263.
 Tagiñi, i, s, 29.
 Tagoa, ix, C, 151.
 Tagolo, v, C, 22.
 Tagomtagom, v, C, 20.
 Tagpo, ix, A, 449.
 Taguati, ii, A, 314.
 Taguete, ix, C, 75.
 Taguibus, iii, A, 529.
 Taguilmboy, ii, A, 382; iv, C, 392.
 Tagulacay, iv, A, 166.
 Tagum, v, C, 67.
 Tagung-tagung, v, C, 67.
 Tahi, iv, C, 517.
 Tahid labuyo, v, C, 52, 98.
 Tahuli, analyses of, vii, A, 51.
 Tahuri, analyses of, vii, A, 51.
 Tairas, iii, C, 418.
 Tairucan, i, s, 55.
 Taisang, plague on the steamship, viii, B, 110;
 ix, B, 6.
 Taivoniella cuneale, x, D, 84.
 fulvigenis, x, D, 84.
 Takir, iv, C, 524.
 Takud, viii, D, 88.
 Talab, v, C, 235.
 Talaban, vii, D, 273.
 Talabog, ix, D, 320.
 Talabong, iii, A, 277.
 Talahib, i, 620, 1075; i, s, 26, 311, 324; ii,
 A, 390; vi, A, 384; viii, A, 303; ix,
 A, 453.
 suitability for paper material, i, No. 5,
 460; ii, A, 108.
 Talakitok, iii, A, 517; iv, A, 505; iv, B, 219.
 Talamponai, i, 1019.
 Talang, viii, A, 70.
 Talanga, ii, A, 375.
 sexpunctalis, ii, A, 375.
 Talang-talang, iii, A, 529.
 Talauma, i, s, 52; iii, C, 133, 406; v, C, 348;
 ix, C, 186.
 luzonensis, iii, C, 406.
 pubescens, iii, C, 133.
 villariana, i, 387, 638; i, s, 52; iv, C, 703;
 v, C, 348; ix, A, 499.
 Talbac, i, s, 37; x, B, 375.
 babayae, i, s, 37.
 Talc, x, A, 95.
 Benguet, vi, A, 437.
 Ilocos Norte, ii, A, 172.
 utilized in paper making, ii, A, 103.
 Tali idgiok, vi, A, 194.
 Taliantang, i, s, 89, 90.
 Talibobong, iv, C, 692.
 Talibunog, iv, C, 691.
 Talicud, i, s, 75; iv, C, 95.
 Talie, iv, C, 530.
 Taligharop, vi, C, 227.
 Talilong, iv, B, 219.
 Talimorong, ix, A, 499, 508.
 Talimorung, i, s, 76.
 Taling bondoc, iv, C, 696.
 Talingting, ii, A, 312.
 Talipot, vi, C, 113.
 palm, i, No. 5, 461.
 Talisai, iv, C, 530; ix, C, 119.
 ganee, ix, C, 119.
 Talisay, i, s, 103; ii, C, 393; iv, C, 530, 532,
 643.
 del monte, i, s, 103; iv, C, 644.
 gubat, iv, C, 644.
 Talitroides, x, D, 251.
 Talitrus allaudi, x, D, 252.
 gulliveri, x, D, 252.
 sylvaticus, x, D, 252.
 Tal-lolong, iv, C, 650.
 Tallowwood, iv, C, 533.
 Talnag, v, C, 326.
 Taloetoe, iv, C, 501.
 Taloipa, x, D, 384.
 tinctoria, x, D, 385.
 Talong, iv, B, 222.
 gubat, iv, C, 305.
 Talongtalungan, vi, C, 221.
 Talpa, vi, D, 187.
 europaea, vi, D, 156.
 Talulong, iv, C, 650.
 Talura, iv, C, 519.
 Taluto, ii, A, 85; ix, A, 446.
 Tamalan, iv, C, 465.
 Tamangka, iii, A, 528.
 Tamanka, iii, A, 528.
 Tamanu oil, ii, A, 444.
 Tamarack, vi, A, 15.
 Tamarao, vii, D, 145.
 Tamaricaceæ, iv, C, 520.
 Tamarina, vii, C, 386.
 Tamarind, iv, B, 222; iv, C, 463; vii, C, 193;
 viii, A, 70.
 Tamarindo, viii, A, 70.
 Tamarindus, i, 620; i, s, 63; v, C, 40; ix,
 C, 87.
 indica, i, s, 63; iv, B, 223; iv, C, 463; v,
 C, 40; vii, C, 184; viii, A, 70; ix, C,
 87; x, C, 87.
 Tamarix articulata, iv, C, 520.
 gallica, iv, C, 520.
 mannifera, vi, A, 201.
 Tamayauan, ix, A, 444.
 Tamayuan, ii, C, 393; iv, C, 449; ix, A, 446.
 Tambalao, i, s, 55; ix, A, 449.
 Tambali, v, C, 39.
 Tambalisa, v, C, 50, 59.
 Tamban, iii, A, 514.
 Tambis, iv, C, 363.
 Tambistambis, iv, C, 361, 379.
 Tambitambis, iv, C, 379.
 Tambo, i, s, 311, 381.
 Tambon-tambon, x, C, 311.
 Tambora, iii, A, 192.
 Tambourissa quadrifida, iv, C, 452.
 Tambubo, vi, C, 124.
 Tambugai, iv, C, 519.
 Tambulian, vi, C, 180.
 Tambu-tambu, vi, A, 2.
 Tamontaca River, v, A, 346.
 Tampihan, x, C, 411.

- Tampines, iv, C, 447.
 Tampipis, ix, D, 486.
 Tampoodan, iv, C, 513.
 Tampoorouw, iv, C, 513.
 Tampohin, x, C, 400.
 Tampoi, iv, C, 365, 369.
 Tampui, iv, C, 369.
 Tampul, iv, C, 369.
 Tampuy, iv, C, 371.
 Tamsi, ii, A, 331.
 Tamulod, iv, C, 407.
 Tanacetum balsamita, iii, B, 247.
 Tanag, i, s, 94.
 Tanaua, iv, C, 690.
 Tanay, Rizal, a geological reconnaissance from
 Infanta, Tayabas, to, iv, A, 483.
 Tancuy, viii, A, 75.
 Tandjoeng, iv, C, 540.
 Tandong, iv, C, 299.
 Tang, v, D, 283.
 Tañgal, iii, C, 306; iv, A, 208; iv, C, 527,
 528; v, A, 440; vi, A, 2, 52; vi, C, 213.
 Tañgantañgan, i, s, 81; ii, A, 440; ix, C, 86.
 tuba, i, 1025.
 Tangao, iii, C, 404; vi, C, 4.
 Tanghinia lactaria, ix, C, 129.
 Tangi, iii, A, 515, 529.
 Tangila, ix, C, 259.
 Tangile, vi, C, 278.
 Tangili, iii, A, 515.
 Tangina, ix, D, 176.
 bipunctata, ix, D, 176.
 quadrilineata, ix, D, 177.
 quadripunctulata, ix, D, 176.
 Tangisang bayauac, i, s, 45; ix, A, 506.
 biawak, ix, A, 449.
 Tanglad, i, s, 339; iv, A, 111.
 Tanglat, iv, A, 111.
 Tañglin, i, s, 72; v, C, 32.
 Tangnaranig, i, s, 76.
 Tangob Creek, petroleum on, viii, A, 356.
 Tangolan, iv, C, 650.
 Tangolo, iv, C, 650.
 Tangolon, iv, C, 650.
 Tangpap, iii, A, 202.
 Tangtang, iii, A, 529.
 Tangud, iii, C, 404.
 Tanguile, ii, C, 394; iv, C, 510, 518; vi, C,
 278; ix, A, 425, 522; x, A, 196.
 Tanguili, i, 413.
 Tanguingue, iii, A, 515.
 Tani, iv, C, 530.
 Tanie, vi, C, 279.
 Tanigi, i, s, 77.
 Tanlad, x, B, 875.
 Tanneries, number and output of P. I., x,
 A, 349.
 Tannin, v, A, 445.
 Tanning materials, x, A, 353.
 process, Filipino, x, A, 354.
 Tansima, ix, D, 262.
 Tanugtug, iii, C, 417.
 Tanygnathus everetti, iv, A, 69; v, D, 108
 freeri, v, D, 108.
 Tanygnathus—Continued.
 lucionensis, i, 701, 772, 904; ii, A, 284,
 303, 312, 324; iii, A, 278; iv, A, 69;
 v, D, 108; vi, D, 41.
 Taohu, vii, A, 49.
 Taol, vii, B, 68.
 Taon, v, B, 157, 238; vii, B, 68; ix, B, 203.
 Taonabo toquian, i, s, 95.
 Taoto, i, s, 94.
 Tapa, iii, C, 403.
 Tapait, iii, C, 422.
 Tapang, iv, C, 465.
 Tapeinidium, ii, C, 125; vi, C, 82; vii, C, 48.
 marginale, vi, C, 82.
 pinnatum, ii, C, 125; iii, C, 346; vi, C, 192.
 Tapeinus pictus, iv, A, 585.
 Tapes, i, 629; vii, A, 264.
 literata, vii, D, 275.
 lobocœnsis, i, 629; v, A, 330.
 rimosa, i, 631; viii, A, 313; x, A, 248.
 sp., x, A, 199.
 striatus, vii, D, 275.
 virginæ, vii, D, 275.
 virgineus, v, A, 103.
 Tapeworm, v, B, 271.
 dwarf, iii, B, 205.
 Taphozous, vii, D, 12.
 perforatus, vii, D, 12.
 philippinensis, vii, D, 12.
 pluto, vii, D, 12.
 Tapinoma melanocephalum, i, 689.
 Tapinus pictus, iv, A, 585.
 Tapioca, i, s, 81; iv, B, 222.
 Tapis, iv, C, 451.
 Tapog, iii, A, 517.
 Tapoi, vii, A, 103.
 Tapui, vi, D, 83; vii, A, 103.
 Tapulao, vi, C, 170; ix, A, 439.
 Tapurao, vi, C, 283.
 Tapuy, i, 840; vii, A, 101; ix, D, 476.
 Taquilis, v, C, 94.
 Taquinis, iv, C, 103.
 Taquip asin, i, s, 79; ix, A, 450.
 Tarachia truncatoloba, ii, C, 164.
 Tarakotokan, iii, A, 529.
 Taran, vii, C, 386.
 Tarbagans, susceptibility to pneumonic plague,
 vii, B, 224.
 Tardigradus coucang, vii, D, 35.
 Tarenna, ix, C, 149.
 asiatica, ix, C, 150.
 glabra, ix, C, 149.
 Tari, vi, A, 161.
 Tarlac sand for sand-lime brick, vii, A, 338.
 soils, ix, A, 33.
 Taro, i, 856; iv, B, 222; vii, C, 192.
 Tarcoengtoeng, iv, C, 529.
 Tarpandi, iv, C, 466.
 Tarpon, iii, A, 528.
 Tarrietia, i, s, 94; ii, C, 424; iv, C, 501.
 cochinchinensis, iv, C, 501.
 javanica, iii, C, 171; iv, C, 502, 715; vi,
 A, 6.
 riedelliana, ii, C, 424; iii, C, 172.

Tarrietia—Continued.

- simplicifolia, iv, C, 502.
 sylvatica, i, 416, 647; i, s, 94; ii, C, 382;
 iii, C, 172; iv, C, 401, 502; vi, A, 423;
 ix, A, 444.
 Tarsier, vii, D, 36.
 Tarsiidae, vii, D, 4, 36.
 Tarsius, vii, D, 36.
 carbonarius, vii, D, 36.
 fraterculus, vii, D, 36.
 philippensis, vii, D, 36.
 Tarsomys, vii, D, 32.
 apoensis, vii, D, 32.
 Tartessus, v, D, 51.
 ferrugineus, v, D, 51.
 feberi, v, D, 51.
 malayus, v, D, 51.
 Tartessusaria, v, D, 51; x, D, 50.
 Tarucus, v, D, 161.
 leopardus, v, D, 161.
 theophrastus, v, D, 69, 161.
 Taruntum, iv, C, 529.
 Tatanic, v, C, 235.
 Tatayas, iii, A, 23.
 Tatik, iii, A, 529; vi, D, 310.
 Tatlang anac, iii, C, 362.
 Tatlong anac, i, s, 97.
 Taug, vi, D, 84.
 Tausi, ii, A, 325.
 Tava-tava, i, 1036.
 Tavia punctosa, v, D, 174.
 Tavola, iv, C, 530.
 Tawalis, iv, C, 334.
 Tawa-tawa, i, 1036.
 Taxaceae, i, s, 24; ii, C, 257; iii, C, 394; iv,
 C, 442; v, C, 324; vi, C, 152, 192.
 Taxithelium, i, s, 13; iii, C, 28; v, C, 160;
 vi, C, 191; viii, C, 89.
 alare, iii, C, 28; viii, C, 91.
 armicola, viii, C, 91.
 benguetae, viii, C, 90.
 horridulum, viii, C, 90.
 inistratum, i, 662; i, s, 13; iii, C, 28; vi,
 C, 191; viii, C, 89.
 lindbergii, iii, C, 28; viii, C, 91; ix, C, 207.
 nepalense, viii, C, 89; ix, C, 211.
 papillatum, iii, C, 29; v, C, 160; viii, C,
 91; ix, C, 211.
 percapillipes, viii, C, 89.
 spurio subtile, v, C, 160.
 subtile, v, C, 160.
 Taxodium distichum, iv, C, 668; vi, A, 13.
 horsfieldii, vi, C, 157.
 Taxotrophis ilicifolia, iv, C, 447; ix, C, 180.
 Taxus, v, C, 324; vi, C, 166.
 baccata, iv, C, 442; vi, C, 166.
 baccata subsp. walliciana, v, C, 324.
 contortus, vi, C, 166.
 virgata, vi, C, 166.
 wallichiana, vi, C, 166.
 Tayabac, i, s, 61, 66; v, C, 114.
 Tayaban, vi, D, 94.
 Tayabas, analysis of oil from, v, A, 334.
 coal from, ii, A, 51.

Tayabas—Continued.

- concrete cubes from Bridge No. 14, P.
 & A. Road, v, A, 125.
 epidemic of malaria along construction
 line of Manila Railroad Company in, x,
 B, 229.
 geology and petroleum resources of the
 southern part of Bondoc Peninsula,
 viii, A, 301.
 malaria and Anopheles surveys in, x, B,
 204.
 outcrop and upper-bed coals of, i, 883.
 petroleum from, v, A, 1.
 soils of, ix, A, 33.
 Tayataya, iv, C, 643.
 Tayoctayoc, vi, C, 122.
 Tayom, v, C, 67.
 tayom, iii, C, 7; iv, C, 337; v, C, 67.
 tayoman, v, C, 67.
 Tayong tayong, iv, C, 375.
 tayongan, v, C, 67.
 Taytay, anthrax in, vi, B, 93.
 medical survey of the town of, iv, B, 207.
 racial anatomy in, iv, A, 359; v, D, 1.
 Tayum, iii, C, 410; v, C, 67.
 Tayung, v, C, 67.
 Tchitrea corvina, ii, A, 341.
 Teak, i, 401; ii, C, 394; iv, C, 555; ix, A, 543.
 goomar, iv, C, 554.
 Johore, iv, C, 457.
 seacoast, iv, C, 560.
 Tear grass, i, s, 320.
 Tebdas, iii, C, 342, 399.
 Technic, collecting: Method of using mag-
 nesium sulphate for the anaesthetization
 of marine animals (Griffin), v, D, 86.
 Technomyrmex albipes, i, 689.
 Tecoma cuspidata, i, s, 237.
 stans, vii, C, 188.
 Tectaria, ii, C, 409; iii, C, 31, 390; vi, C,
 76; viii, C, 141; ix, C, 45.
 ambigua, ii, C, 415; ix, C, 229.
 angelicifolia, ii, C, 410.
 angustius, ii, C, 410.
 apiifolia, ii, C, 410.
 barberi, ii, C, 414.
 brooksii, vi, C, 137.
 bryanti, ii, C, 412.
 calcareo, ii, C, 415.
 cavanilles, ii, C, 409.
 cesatiana, vi, C, 76.
 christii, ii, C, 416.
 cicutaria, ii, C, 410.
 crenata, ii, C, 414; iii, C, 31, 390; vi, C,
 76; ix, C, 45.
 decurrens, ii, C, 412; iii, C, 31; vi, C,
 76, 192; vii, C, 55.
 devexa, ii, C, 415.
 draconoptera, ii, C, 410.
 elliptica, ix, C, 228.
 ferruginea, vi, C, 76.
 gigantea, ii, C, 415; viii, C, 141; ix, C,
 229.
 grandifolia, ii, C, 413.
 gymnocarpa, ix, C, 4.

Tectaria—Continued.

- hippocrepis, ii, C, 410.
 irregularis, ii, C, 416; vi, C, 76, 192.
 irregularis var. brogniartii, ii, C, 417.
 irregularis var. euirregularis, ii, C, 416.
 irregularis var. macrodon, ii, C, 417; iii, C, 390; vi, C, 192.
 irrigua, ii, C, 413.
 kingii, ix, C, 4.
 labrusca, ii, C, 410; vi, C, 137.
 latifolia, ii, C, 410.
 leuzeana, ii, C, 417; vi, C, 77; ix, C, 4, 228.
 lobbii, x, C, 146.
 malayensis, ii, C, 416; vi, C, 76.
 martinicense, ii, C, 410.
 melanocaulon, ii, C, 416.
 menyanthidis, ii, C, 414; vi, C, 76; vii, C, 55.
 olivacea, ix, C, 228.
 papuana, vi, C, 76.
 plumerii, ii, C, 410.
 polymorpha, ii, C, 413.
 siifolia, ii, C, 414.
 singaporiana, ix, C, 229.
 subaequale, ix, C, 5.
 subtriphylla, ii, C, 410.
 trifoliata, ii, C, 410.
 tripartita, vi, C, 76.
 vasta, ii, C, 411.
 weberi, vii, C, 54.
Tectocoris obscura, iv, A, 556.
Tectona, v, C, 227.
 grandis, i, 401; ii, C, 394; iv, C, 555, 721; ix, A, 543; ix, C, 136.
 hamiltoniana, iv, C, 556; v, C, 227.
 philippinensis, v, C, 227.
 Teeth, deer's and sharks', viii, A, 242.
 Teggui, iii, A, 513.
 Tegiti, iv, B, 219.
 Tehong, vii, D, 278.
 Teichosporella negeriana, viii, C, 272.
 Teinnostachyum, viii, C, 205.
 dulloa, viii, C, 205.
 Tekam, iv, C, 509.
 Tekin, v, C, 20.
 Tekis, iv, C, 615.
 Telambu, iv, C, 501.
 Telbang, v, C, 113.
 Teleasinae, i, 690.
 Telenomus catacanthæ, i, 690; ix, D, 286.
 Teleopsis belzebuth, viii, D, 329.
 motatrix, viii, D, 310.
 selecta, viii, D, 310.
 Telephae obliquefasciata, x, D, 45.
 Teles, v, C, 26.
 Telescopium sp., x, A, 248.
 telescopium, vii, D, 279; viii, A, 324.
 Telesto, x, D, 167.
 Tellina, i, 630.
 capsoides, vii, D, 278.
 incerta, vii, D, 278.
 pellucida, vii, D, 278.
 perplexa, vii, D, 278.

Tellina—Continued.

- plicata*, v, A, 330.
 timorensis, vii, D, 278.
 Telluride, Benguet, vi, A, 438.
 Telosma, vii, C, 243; viii, C, 477; ix, C, 131.
 angustiloba, vii, C, 243.
 odoratissima, vii, C, 195, 243; ix, C, 131.
 procumbens, vii, C, 243.
 Telostylus binotatus, viii, D, 329.
 decemnotatus, viii, D, 329.
 maccus, viii, D, 329.
 niger, viii, D, 329.
 vittatus, viii, D, 329.
 Telphasia, x, D, 227.
 Teluto, ii, C, 395; iv, C, 501; vi, C, 107.
 Tembusu, iv, C, 549.
 paya, iv, C, 550.
 talang, iv, C, 550.
 tembaga, iv, C, 550.
 Temelucha philippinensis, i, 693.
 Temperature and humidity rates for Manila and six large cities in the U. S., v, B, 544.
 at Baguio, ii, A, 212.
 at Cebu during 1904 and 1906, ii, A, 380.
 at Lamao, i, 382.
 at Manila, i, 212, 381, 382; iii, A, 5; v, B, 544.
 at Masbate for 1909, vi, A, 399.
 at Mindanao stations during 1907, iii, A, 480.
 at Santo Domingo de Basco for 1904 to 1906, iii, A, 5.
 of localities in the P. I., vi, A, 281.
 of the atmosphere and its influence upon pneumonic plague, vii, B, 157; viii, B, 241.
 of undergrowth in forest of Mount Maquilang, ix, A, 526.
 on Mount Mariveles, i, 653.
 Temple flower, vii, C, 199.
 Tendipedidae, viii, D, 305.
 Tendipes trochanteratus, viii, D, 305.
 Tenebrioniden der Philippinen, viii, D, 373, 401.
 Tengah, iv, C, 527, 528.
 puti, iv, C, 527.
 Tengjawang blongseng, iv, C, 516.
 Tengkwang lajar, iv, C, 518.
 seloengsoeng, iv, C, 516.
 Teniente, ix, D, 465.
 Ten-pounder, iii, A, 528.
 Tentacles of Lima sp., structure of, vi, D, 327.
 Teosinte, i, s, 319.
 Teou fou, vii, A, 49.
 Tephritis, viii, D, 310.
 sinensis, ix, D, 78.
 Tephrosia, v, C, 63; vii, C, 150; ix, C, 90.
 dichotoma, v, C, 69; ix, C, 426.
 luzoniensis, iii, C, 81; v, C, 69.
 mariana, ix, C, 90.
 obovata, v, C, 69.
 piscatoria, iii, C, 81; v, C, 69.
 purpurea, iii, C, 81; v, C, 69.
 vestita, v, C, 69.

- Tephrosticta, viii, C, 271.
 ficina, viii, C, 271.
 Tepon agugu, ix, C, 77.
 Teraling, iv, C, 502.
 Teramnus, v, C, 110; vii, C, 83; ix, C, 92.
 angustifolius, vii, C, 83.
 labialis, v, C, 110; vii, C, 184; ix, C, 92.
 Teratoma, axillary, viii, B, 231.
 Teratophyllum, ii, C, 166.
 Terebra bandongensis, viii, A, 248.
 jenkinsi, viii, A, 248.
 Terekia, ii, A, 301.
 cineræa, ii, A, 301, 320.
 Teridina, ii, A, 395.
 annulata, v, A, 330.
 Termes canalifrons, viii, D, 276.
 flavipes, viii, D, 277.
 formosana, viii, D, 278.
 gilvus, viii, D, 286.
 satsumensis, viii, D, 273.
 singaporensis, viii, D, 284.
 speratus, viii, D, 277.
 vulgaris, viii, D, 278.
 Terminalia, i, s, 103; iii, C, 422; iv, C, 300, 530, 642; v, C, 202; vii, C, 163; ix, C, 119.
 alata, iv, C, 646.
 angustifolia, ii, C, 380; iv, C, 531, 643.
 arjuna, iv, C, 647.
 arunja, iv, C, 531.
 belerica, ii, C, 380; iv, C, 530, 643.
 belerica var. laurinoidea, iv, C, 645.
 bialata, ii, C, 378; iv, C, 532.
 blancoi, iv, C, 645.
 calamansanai, ii, C, 378; iv, C, 646.
 calamansanai var. acuminata, iv, C, 646.
 calamansanai var. platypteris, iv, C, 646.
 calamansanay, iv, C, 532.
 catappa, i, 669; i, s, 103, 293; ii, C, 393; iii, C, 83, 422; iv, C, 301, 530, 642; v, A, 445; vi, C, 213; ix, C, 119, 163.
 chebula, iv, C, 300, 530, 644.
 citrina, iv, C, 531.
 comintana, iv, C, 300, 532, 644.
 darlingii, v, C, 202.
 edulis, i, 415; i, s, 103; ii, C, 380; iv, C, 532, 643, 709; vi, C, 213; ix, C, 119.
 ellipsoidea, iv, C, 532, 644.
 glabrata, iv, C, 643.
 latifolia, ii, C, 393; iv, C, 642.
 litoralis, iii, C, 83; iv, C, 643; ix, C, 119.
 magarapali, iv, C, 643.
 mauritiana, iv, C, 642.
 mollis, iv, C, 532, 643.
 multiflora, i, s, 103; iv, C, 300, 644.
 nitens, i, 391; i, s, 103; ii, C, 392; iv, C, 532, 645, 709; v, A, 445; ix, A, 506; x, A, 355.
 oliveri, iv, C, 531.
 oëcarpa, iv, C, 644.
 ovocarpa, i, s, 103; iv, C, 644.
 paniculata, iv, C, 532.
 parviflora, iv, C, 646.
 pellucida, ii, C, 381; iv, C, 532, 644, 709; ix, A, 450.
 Terminalia—Continued.
 polyantha, iv, C, 300, 646.
 procera, iv, C, 643.
 quadrialata, iv, C, 301, 647, 714.
 saffordii, ix, C, 119.
 tomentosa, i, 401; iv, C, 531.
 Termites, i, 1070.
 of Japan with descriptions of one new species, viii, D, 271.
 two species from Singapore, viii, D, 283.
 Termopsinae, viii, D, 272.
 Ternate, x, C, 404.
 Ternstroemia, i, s, 95; ii, C, 283; iii, C, 113; x, C, 324.
 japonica, iv, C, 503; x, C, 324.
 lobbiana, iii, C, 113.
 penangiana, iii, C, 113.
 toquian, i, 637; i, s, 95, 172; iii, C, 113; iv, C, 703; ix, A, 499.
 Ternstroemiaceae, iii, C, 78.
 Terpene oils of Manila elemi, ii, A, 1.
 Terpenes, iii, A, 49, 65; iv, A, 93; v, A, 257.
 in Manila copal, v, A, 205.
 Terpinene, ii, A, 31.
 Terpsiphone nigra, ii, A, 340.
 Terraces, Mindanao, v, A, 359.
 Tertiary divisions of the P. I., v, A, 315.
 Tertiary limestones, eastern cordillera, Luzon, v, A, 79.
 sedimentaries of P. I., v, A, 85; vii, A, 263; x, A, 237, 303.
 Terukan, i, s, 57.
 Terulia, x, D, 53.
 Terungtang, iv, C, 488.
 Tessaratoma alternata, iv, A, 564.
 Tessaratominæ, iv, A, 564.
 Test of a modern sugar central, extraction, vii, A, 357.
 Tests for formaldehyde, interference of hydrogen peroxide with, vii, A, 77.
 Tetanus antitoxin, preparation of, x, B, 31.
 toxin, duration of passive immunity against, viii, B, 139.
 Tetibias, ii, A, 314.
 Tetracera, i, s, 94; vii, C, 162; ix, C, 375.
 philippinensis, ix, C, 375.
 sarmentosa, i, 392; i, s, 94; ix, C, 184.
 Tetractomia, iv, C, 474.
 Tetradenia, i, s, 56.
 Tetragonolobus simplicifolius, v, C, 91.
 Tetrahedrite, x, A, 95.
 Tetralopha, viii, C, 58.
 lenticellata, vi, C, 227.
 motleyi, vi, C, 226.
 nigra, viii, C, 58.
 philippinensis, vi, C, 226.
 polillensis, vi, C, 226.
 Tetrameles nudiflora, iv, C, 522.
 Tetramorium guinensis, i, 689.
 pacificum, i, 689.
 pacificum subsp. subscabrum, i, 689.
 Tetranychus telarius, v, D, 232.
 Tetraodon fluviatilis, v, D, 235.
 immaculatus, v, D, 284.

- Tetraodontidæ, iii, A, 529; v, D, 284; vii, D, 290; ix, D, 74.
- Tetraplasandra, i, s, 219.
paucidens, i, s, 219.
philippinensis, i, s, 172, 219.
- Tetrastichinæ, i, 691.
- Tetrastichoides brownii, i, 691.
manilensis, i, 691.
- Tetrastichus flavobasalis, i, 691.
philippinensis, i, 691.
- Tetrastigma, i, s, 88; v, C, 360; vii, C, 85, 162; ix, C, 370.
angustifolium, v, C, 360; vii, C, 87.
brunneum, vii, C, 85.
glabratum, vi, C, 210.
harmandii, ix, C, 427.
lanceolarium, i, 392; i, s, 88; ii, C, 432; vii, C, 87.
loheri, vii, C, 87.
pergamaceum, vii, C, 86.
philippinense, vii, C, 86.
sepulchrei, vii, C, 88.
trifoliolatum, ix, C, 370.
- Tettigometridæ, x, D, 137.
- Tettigometrini, x, D, 137.
- Tettigonia impudica, v, D, 50.
sanguinolenta, v, D, 36.
vaginata, v, D, 35.
- Tettigoniella, v, D, 50; ix, D, 418.
differentialis, ix, D, 420.
impudica, v, D, 50.
kinbergi, ix, D, 420.
makilingensis, ix, D, 419.
quinquenotata, ix, D, 420.
spectra var. nigrilinea, ix, D, 418.
unimaculata, ix, D, 420.
viridis, v, D, 50.
whiteheadii, ix, D, 418.
- Tettigoniellidæ, ix, D, 409; x, D, 50, 189.
- Tettigoniellinæ, v, D, 50; x, D, 50.
- Tettigoniellini, x, D, 50.
- Tetyra excellens, iv, A, 556.
vahlî, iv, A, 554.
- Teuerium, vii, C, 100.
philippinense, vii, C, 100.
tomentosum, vii, C, 101.
- Texaltzapotl, vii, C, 112, 113.
- Texas fever, i, 587; iv, B, 154.
- Textile papers, i, No. 5, 439.
- Textiles, natural, i, No. 5, 438.
- Textularia, iv, A, 487.
megeriana, ii, A, 230.
- Thabutkyi, iv, C, 451.
- Thagria, x, D, 53.
- Thalasis carinata, ii, C, 336.
- Thalassema arcassonensis, viii, D, 261.
baronii, viii, D, 262.
caudex, viii, D, 262.
decameron, viii, D, 263.
diaphanes, viii, D, 261.
elegans, viii, D, 263.
erythrogrammon, viii, D, 262.
exilii, viii, D, 262.
faex, viii, D, 261.
formosulum, viii, D, 248.
- Thalassema—Continued.
fuscum, viii, D, 261.
gigas, viii, D, 261.
gogoshimense, viii, D, 263.
griffini, viii, D, 249.
hupferi, viii, D, 261.
inanense, viii, D, 262.
kokotonienne, viii, D, 262.
lankesteri, viii, D, 261.
leptodermon, viii, D, 262.
lunare, ix, D, 69.
manjuyodense, viii, D, 262.
mellita, viii, D, 262.
moebii, viii, D, 262.
mucosum, viii, D, 262.
neptunii, viii, D, 261.
ownstoni, viii, D, 261.
papillosum, viii, D, 263.
pellucidum, viii, D, 262.
sabinum, viii, D, 262.
semoni, viii, D, 247.
sorbillans, viii, D, 243.
stuhlmanii, viii, D, 262.
tænoides, viii, D, 255.
vegrande, viii, D, 262.
verrucosa, viii, D, 263.
viridis, viii, D, 263.
- Thalassemæ, P. L., with a revision of the genus, viii, D, 243.
- Thalassia, vii, C, 153; x, C, 2.
hemprichii, viii, D, 335; x, C, 2.
- Thalassina anomala, vi, D, 213; vii, D, 128.
- Thalassinidæ, viii, A, 293.
- Thalassochelys caretta, vi, D, 292.
- Thalia cannaeformis, iv, C, 193; ix, C, 69.
- Thallophyta, viii, A, 281.
- Thaliophytes, ix, C, 37.
- Thamniun, viii, C, 81.
ellipticum, viii, C, 81.
- Thamnopteris, ii, C, 131; v, C, 284; viii, C, 153.
- Thamnotettix, x, D, 189.
- Than, iv, C, 531.
- Tharra, x, D, 52.
carinata, x, D, 58.
labena, x, D, 57.
- Thatch materials, i, No. 5, 439.
- Thaumastopeus cupripes, x, D, 271.
mcgregori, x, D, 271.
pugnator, x, D, 271.
- Thayeria, i, s, 165; ii, C, 2; vi, C, 140; vii, C, 41.
cornucopia, i, s, 165; ii, C, 6; vi, C, 140; vii, C, 42.
nectarifera, i, s, 166; vii, C, 41.
- Thea, i, s, 95; ii, C, 283.
cincta, v, D, 147.
montana, i, 643; i, s, 95; iii, C, 78; vi, C, 210.
- Theaceæ, i, s, 95, 172; ii, C, 283; iii, C, 113, 206, 421; iv, C, 503, 704; v, C, 361; vi, C, 210; ix, A, 556; ix, C, 316, 377; x, C, 190, 324.
- Thecla attilia, x, D, 293.
orientalis, x, D, 292.

- Thecostele*, viii, C, 434.
 elmeri, viii, C, 434.
Thecurus, vii, D, 34.
 pumilus, vii, D, 34.
 sumatrae, vii, D, 34.
Thelasis, ii, C, 336; iv, C, 675.
 capitata, iv, C, 675.
 elongata, vi, C, 198.
 macrobulbon, iv, C, 675.
 obtusa, iv, C, 675.
Thelephora, i, s, 284.
 adusta, i, s, 283.
 badia, i, s, 283.
 caperata, i, s, 284.
 dendritica, i, s, 283; ix, C, 236.
 diamesa, i, s, 284.
 dolosa, ix, C, 350.
 hirsuta, ix, C, 235.
 hirsutum, x, C, 88.
 lamellata, i, s, 284.
 lobata, i, s, 283.
 moluccana, i, s, 283.
 paradoxa, i, s, 284.
 pulverulenta, x, C, 86.
 suffulta, ix, C, 351.
Thelephorales, i, s, 282.
Thelephoreae, ix, C, 235.
Thelypteris, vi, C, 146.
Themeda, i, s, 340; iii, C, 396; v, C, 326; vii, C, 153.
 forskalii, i, s, 340.
 gigantea, i, s, 340; iii, C, 396; ix, C, 423.
 gigantea subsp. *intermedia* var. *dubia*, i, s, 341.
 gigantea var. *genuina*, i, s, 340; v, C, 326.
 gigantea var. *vulpina*, i, s, 341.
 triandra, i, s, 340; v, C, 326; viii, C, 265.
 triandra var. *vulgaris*, i, s, 340.
Theobaldiomyia *gelida*, viii, D, 307.
 gelida var. *cuneata*, viii, D, 307.
 whitmorei, viii, D, 307.
Theobroma, ix, C, 114.
 cacao, i, 1070; i, s, 186, 278; iii, C, 57; iv, A, 560; v, D, 46; vi, C, 210; vi, D, 21; vii, A, 399; vii, C, 186; viii, C, 281; ix, C, 114.
Theophila, x, D, 345.
 falcigera, x, D, 345.
 mandarina, x, D, 348.
Therapon, v, D, 276.
 cuvieri, ix, D, 66.
 jarbua, iii, A, 528; v, D, 277; ix, D, 67.
 puta, v, D, 277.
 quadrilineatus, v, D, 277.
 theraps, ix, D, 67.
Theraponidae, iv, A, 512; v, D, 276; ix, D, 66.
Therevidae, viii, D, 309.
Thermoesthesiometer, ix, B, 297.
Thesiastes crassipes, ix, D, 451.
Thespesia, i, s, 92; iii, C, 419; vii, C, 162; ix, C, 112.
 campylosiphon, ii, C, 385; iii, C, 112.
 lampas, i, s, 92; v, A, 443.
Thespesia—Continued.
 populnea, i, 669; i, s, 92; iii, C, 78, 419; iv, C, 499; ix, C, 112.
Thevetia, ix, C, 130.
 neriifolia, vii, C, 187; ix, C, 130.
 peruviana, ix, C, 130.
 thetia, ix, C, 130.
Thielaviopsis ethacetica, ix, A, 179.
Thingadu, iv, C, 516.
Thingan, iv, C, 508, 515.
Thinkadu, iv, C, 512.
Thinwin, iv, C, 469.
Thiophthalanil, ix, A, 109.
Thiophthalic anhydride, ix, A, 106.
Thiophthaloxime, ix, A, 113.
 acetate, ix, A, 117.
 sulphate, ix, A, 115.
Thitsein, iv, C, 530.
Thitsi, iv, C, 489.
Thitya, iv, C, 513.
Thoa edulis, vi, C, 175.
 pendula, vi, C, 175.
Thoopterus, vii, D, 8.
 nigrescens, vii, D, 8.
Thoreldora, ix, C, 474.
Thosea, i, 229.
 cinereamarginata, i, 216, 229.
Thracia javanica, v, D, 40.
Thrasychroma javana, viii, D, 234.
 submetallica, viii, D, 234.
Threadfin, iii, A, 529; v, D, 269; ix, D, 61.
Three-spine, v, D, 284.
Threospex stantoni, i, 687.
Thriponax hargitti, vi, D, 42.
 javensis, ii, A, 285, 304; v, D, 136.
 mindorensis, i, 702.
 multilunatus, ii, A, 285.
 pectoralis, ii, A, 285, 326.
 philippinensis, vi, D, 43.
Thrixspermum, ii, C, 337; viii, C, 436.
 amplexicaule, viii, C, 438; x, C, 189.
 mcgregorii, ii, C, 337.
 mindanaense, viii, C, 436.
 pallidum, vi, C, 198; viii, C, 437.
 philippinense, viii, C, 437.
 vanoverberghii, viii, C, 438.
Throat, associated *spirochaetae* and *fusiform bacilli* in ulcers of the, vi, B, 489.
Thuarea, i, s, 28, 369; vii, C, 154.
 involuta, i, s, 369.
 sarmentosa, i, s, 28, 360.
Thuidium, i, s, 13; iii, C, 26; v, C, 157, 315; viii, C, 85; ix, C, 41.
 casuarinum, v, C, 158, 315.
 cymbifolium, iii, C, 26; viii, C, 85.
 glaucinoides, iii, C, 26.
 glaucinum, iii, C, 26; ix, C, 211.
 meyenianum, v, C, 157.
 plumulosum, ii, C, 342; v, C, 158; viii, C, 85; ix, C, 41, 211.
 trachypodium, i, s, 13; ix, C, 211.
Thunbergia, i, s, 125; ii, C, 426; ix, C, 142.
 alata, ii, C, 426; vii, C, 188; ix, C, 142.
 erecta, vii, C, 195.

Thunbergia—Continued.

- fragrans, i, s, 125.
 grandiflora, vii, C, 188.
 Thuya gigantea, vi, A, 13.
 occidentalis, vi, A, 13.
 thwaitesii, iv, C, 546.
 Thymelaeaceae, i, s, 101; iii, C, 422; iv, C, 523; v, C, 366; vi, C, 212, 345; vii, C, 92, 312; ix, A, 558; ix, C, 116, 427; x, C, 44, 332.
 Thymus gland in beriberi, x, B, 121.
 Thyone rigida, vi, D, 313.
 villosa, vi, D, 313.
 Thyonidium cebuense, vi, D, 313.
 Thyreocephalus philippinus, vii, D, 252.
 Thyreocoris cinctus, iv, A, 555.
 complanatus, iv, A, 554.
 deplanatus, iv, A, 554.
 seminulum, iv, A, 555.
 vahlII var., iv, A, 554.
 variegatus, iv, A, 555.
 Thyrididae, ii, A, 364.
 Thyroid gland, diseases of the, iii, B, 220.
 Thysananthus angustiformis, ix, C, 40.
 Thysanolaena, i, s, 26, 343.
 acarifera, i, s, 343.
 agrostis, i, s, 26, 343.
 maxima, i, s, 26, 343.
 Thysanophrys bataviensis, ix, D, 78.
 bobosok, v, D, 287.
 neglectus, ix, D, 78.
 scaber, v, D, 287.
 tentaculatus, v, D, 286.
 Thysanostoma thysanura, ix, D, 197.
 Tiaŋga, iv, A, 569.
 Tiaŋgao, i, 1068.
 Tiangi, v, A, 356.
 Tiaong, vi, C, 279; ix, A, 438, 522.
 white, vi, C, 272.
 Tiaridium indicum, iv, C, 695.
 Tiauanac, i, s, 389.
 Tibagan, ix, A, 245.
 Tibalao, v, C, 103.
 Tibalas, iii, A, 280.
 Tibanglan, v, C, 107.
 Tibicininae, v, D, 36.
 Tibig, i, s, 43, 44; vi, C, 199; ix, A, 462.
 Tibungao, iv, C, 274.
 Tic convulsif, v, B, 335.
 Ticala, v, C, 179.
 Ticarol, ii, A, 324.
 Ticera castanea, i, 695.
 Tick fever, iii, B, 1, 231; iv, B, 187.
 Ticks, *see* Zoölogy—Arachnida.
 Ticling, iii, A, 277.
 Ticog, vi, C, 122.
 Ticoria aculeata, ii, C, 280.
 Tie-wee buzzard, migration of, v, D, 199.
 Tie material, i, No. 5, 438.
 Tientsin, vi, C, 105.
 Tiga, iv, C, 334.
 everetti, i, 906.
 Tigbao, i, No. 5, 460.
 Tigbasbay, iii, A, 528.
 Tigbaya, iii, A, 279.
 Tigbi, i, s, 321.
 Tige, ix, D, 497.
 Tighiman, v, C, 50.
 Tigi, ix, D, 497.
 Tigon River water, chemical analysis of, x, A, 70.
 Tigsup, ii, A, 259.
 Tiguey, ix, D, 495.
 Tiguiti, iv, B, 229.
 Tigyama, vi, D, 133.
 Tii, iii, A, 514.
 Tikhan, vii, D, 278.
 Tili, v, C, 26.
 Tilia americana, vi, A, 14.
 heterophylla, vi, A, 14.
 Tiliaceae, i, No. 5, 438; i, s, 90, 206; ii, C, 281; iii, C, 78, 111, 202; iv, C, 497, 705; v, C, 360; vi, C, 210; vii, C, 89, 162, 239, 296; ix, A, 555; ix, C, 109, 374, 427; x, A, 196; x, C, 323.
 Tillandsia pseudo-ananas, iii, C, 308.
 Tilletia, viii, C, 265.
 opaca, viii, C, 265.
 oryzae, i, s, 279.
 Tilmadoche, ii, C, 115.
 gyrocephala, ii, C, 115.
 nutans, ii, C, 115.
 oblonga, ii, C, 115.
 Timac, i, s, 29; v, C, 279.
 Timeliidae, iii, A, 275; iv, A, 74; vi, D, 44.
 Timer, vii, D, 273.
 Timing system, a simple, ix, B, 298.
 Timmiella, iii, C, 14; viii, C, 69.
 merrillii, iii, C, 14; viii, C, 69.
 Timonius, i, s, 132; iv, C, 327; v, C, 246; viii, C, 59; ix, C, 388; x, C, 114.
 appendiculatus, iv, C, 327.
 arborea, i, 644; i, s, 132.
 confertiflorus, x, C, 114.
 epiphyticus, viii, C, 59.
 ferrugineus, x, C, 115.
 gammilii, x, C, 115.
 gracilipes, viii, C, 60.
 jambosella, i, s, 132.
 longistipulus, viii, C, 59.
 macrophyllus, v, C, 246; x, C, 116.
 quinqueflorus, x, C, 116.
 stipulosus, v, C, 247.
 trichophorus, ix, C, 388.
 Timor Island; its supposed volcano and its probable tectonic relations, vii, A, 283.
 Timsim, vi, C, 105.
 Timsin, vi, C, 105.
 Tinaan pantay, ix, A, 446.
 Tinaja, vi, A, 136; viii, D, 188; x, A, 382.
 Tinalong, x, C, 402.
 Tinapa, vii, A, 389.
 Tinatinan, iv, C, 77.
 Tinda bispinosa, viii, D, 308.
 indica, viii, D, 308.
 Tindalo, i, s, 63; ii, A, 382; ii, C, 395; iv, C, 462; v, C, 40, 41, 48; ix, A, 444.
 Tinductinducan, iv, C, 538; vi, A, 17.
 Tinea circinata, iv, B, 284.
 cruris, v, B, 197.
 imbricata, iv, B, 285.

- Tinea—Continued.
 nigra, iv, B, 285.
 tonsurans, iv, B, 285.
 versicolor, iv, B, 284.
- Tineid sp., i, 695.
- Tineidae, iii, A, 36; v, D, 165.
- Tingalan, x, A, 358.
- Tingap, vi, D, 84.
- Tinga-tinga, vii, D, 290.
- Tingga-tingga, iii, A, 529.
- Tinggian, iii, A, 197.
- Tinggianes, i, 851.
- Tingians, i, 851; viii, D, 456.
- Tingididae, v, D, 59.
- Tingues, i, 851.
- Tinguili, i, s, 98.
- Tinican, i, s, 58.
- Tinitrigo, i, s, 330.
- Tinobregmus, x, D, 51.
- Tinodco, ix, D, 485.
- Tinomiscium, viii, C, 157.
 molle, viii, C, 157.
 philippinensis, viii, C, 158.
- Tinospora, i, s, 52; iii, C, 406; vii, C, 158;
 viii, C, 158; ix, C, 83.
 cordifolia, i, 1030.
 crispa, i, 1029; iii, C, 306.
 homosepala, viii, C, 158; ix, C, 83.
 reticulata, i, s, 52; iii, C, 406; vi, A, 34;
 viii, C, 158.
- Tinta europa, vi, C, 219.
- Tintatintahan, iv, C, 77.
- Tinted glasses in relieving eye strain, the
 optical efficiency of, viii, A, 193.
- Tintinnoina, v, D, 318.
- Tinto seco, vii, A, 29.
- Tinumbaga, x, C, 407.
- Tinya, iv, C, 514.
- Tinyu, iv, C, 444.
- Tioay, ix, D, 495.
- Tipapop, iv, C, 530.
- Tiphia compressa, i, 689.
 intrudens, i, 689.
- Tiphiidae, i, 689.
- Tipop, iv, C, 530.
- Tipujo, iii, C, 401.
- Tipula pedata, viii, D, 307.
- Tipulidae, viii, D, 307.
- Tique, v, C, 20.
- Tiquis-tiquis, i, s, 37.
- Tiqui-tiqui, vi, B, 178.
 feeding data of hogs fed on copra, corn,
 and, v, A, 39.
 treatment of infantile beriberi with the
 extract of, x, B, 81.
- Tiranlay, vi, C, 283.
- Tiroon, iv, C, 300.
- Tiroron, iv, C, 644.
- Tiruray district, vi, A, 371.
 tableland, v, A, 352.
- Tison, vi, A, 347.
- Titanite, x, A, 95.
- Titibac, iii, B, 295.
- Titima, ix, C, 153.
- Titimi, iv, C, 347.
- Titimo, ix, C, 125.
- Titipuhó, iii, C, 422.
- Tiuayuay, ii, A, 341.
- Tiui hot springs, vi, A, 468.
- Tiut-tiut, ii, A, 312.
- Tiway, ix, D, 497.
- Tjelelgan, iv, C, 524.
- Tjempaca-kuning, iv, C, 450.
- Tjengal, iv, C, 515.
- Tjinkang, iv, C, 515.
- Tmesiphorus simoni, ix, D, 445.
- Tmesipteris, ii, C, 148.
 tannensis, ii, C, 148.
- Toba, x, D, 51.
- Tobacco, vii, C, 199.
 haciendas of Cagayan Valley, a statistical
 study of intestinal parasites in, vi, B,
 77.
 insects, i, 1070.
- Tobas, ii, A, 393.
- Tocang calao, ix, C, 535.
- Tochong, ix, D, 477.
- Tocod langit, ix, A, 540.
- Tocud langit, i, s, 110.
- Toddalia aculeata, v, A, 442; vi, A, 344.
 asiatica, oil of, vi, A, 344.
- Toddy, vi, A, 107, 150.
- Toki, x, D, 295.
- Tokod, viii, D, 88.
- Toledo, Cebu, petroleum at, x, A, 282.
- Tolol, iv, C, 522.
- Tolumnia, iv, A, 560.
 longirostris, iv, A, 560.
 trinotata, iv, A, 560.
- Toma, ix, D, 486.
- Tomate, ix, C, 138.
 chaca, ix, C, 139.
- Tomates aniti, ix, C, 90.
- caputi, ix, C, 138.
- Tomato, iv, B, 221; vii, C, 199.
- Tomicus perforans, vi, D, 24.
- Tomoc, x, C, 400.
- Toneud langit, iv, C, 288.
- Tondoc, x, C, 413.
- Tongcala, ix, D, 490.
- Toog, iv, C, 302, 484, 647; vi, A, 423.
- Toon, iv, C, 481.
 tree, iv, C, 481.
- Toona, iii, C, 105; iv, C, 481; vii, C, 279.
 calantas, iii, C, 105; iv, C, 481.
 ciliata, iv, C, 481.
 febrifuga, iii, C, 105; iv, C, 481.
 paucijuga, vii, C, 279.
 serrata, iv, C, 481.
- Toong, Mindoro, ix, B, 146.
- Top shell, great, vi, D, 301.
- Topaz, x, A, 95.
- Topi, iv, C, 282.
- Topidonotus aff. hypomelas, vi, D, 268.
- Topu, vii, A, 49.
- Toqua, vii, A, 49.
- Tordan, x, C, 397.
- Torenia, i, s, 123; ii, C, 300; vii, C, 166.
 hirta, vi, C, 221; vii, C, 246.
 peduncularis, i, s, 123.
 polygonoides, ii, C, 300; vi, C, 221.

- Torrey Barracks, vi, B, 469.
 Torreya nucifera, ix, D, 260.
 Tortoise-shell, vi, D, 291.
 Tortor, x, D, 193.
 Tortorace, iv, C, 650.
 Tortrix insulana, v, D, 170.
 Torula rosæ, iii, B, 81.
 Torulinum, ii, C, 89, 262; ix, C, 63.
 confertum, ii, C, 89, 262; vi, C, 195.
 ferax, ii, C, 89; vii, C, 181; ix, C, 63.
 Tormidæ, i, 690; viii, D, 77.
 Totanus eurhinus, i, 700; ii, A, 282, 301, 311, 320; v, D, 106.
 incanus, ii, A, 320.
 Totok, iii, A, 529.
 Totonai, iv, C, 500.
 Touchiroa, v, C, 39.
 bantamensis, v, C, 39.
 Toullichida, v, C, 58.
 Tournefortia, i, s, 120; iii, C, 430; iv, C, 693; v, C, 379; vii, C, 165; ix, C, 134.
 arborea, iv, C, 693.
 argentea, iii, C, 430; iv, C, 693; ix, C, 134.
 hirsutissima, iv, C, 694.
 horsfieldii, iv, C, 694; v, C, 379.
 sarmentosa, i, s, 120; iii, C, 430; iv, C, 694; vi, C, 220; ix, C, 429, 501.
 urvilleana, iv, C, 694.
 Tovomitia pentapetala, v, C, 199; x, C, 326.
 Toxara, viii, D, 330.
 Toxicum, viii, D, 401.
 flavofemoratum, viii, D, 397.
 planicolle, viii, D, 398.
 quadricorne, viii, D, 396.
 ramiferum, viii, D, 397.
 Toxocarpus, i, s, 295; iii, C, 429.
 merrillii, i, s, 295.
 Toxorhynchites, i, 779, 982.
 argenteotarsis, viii, D, 306.
 gratus, viii, D, 306.
 immisericors, i, 982.
 lewaldii, viii, D, 306.
 Toxorhynchitinae, i, 779, 982.
 Toxotes jaculatrix, v, D, 282.
 Toxotidæ, v, D, 282.
 Toxylon pomiferum, vi, A, 16.
 Toyo sauce, vii, A, 398.
 Trachelina, v, D, 318.
 Trachelospermum, vii, C, 97.
 fragrans, vii, C, 97.
 jasminoides, vii, C, 97.
 philippinense, vii, C, 97, 334.
 vanoverberghii, vii, C, 97.
 Trachinocephalus myops, ix, D, 59.
 Trachurus trachurus, ix, D, 62.
 Trachycyrtus, vii, D, 303, 374.
 acutipennis, vii, D, 374.
 adpersus, vii, D, 375.
 bispinosus, vii, D, 374.
 chevrolati, vii, D, 374.
 concinus, vii, D, 374.
 dives, vii, D, 374.
 germari, vii, D, 374.
 gibbicollis, vii, D, 375.
 immitus, vii, D, 374.
 miser, vii, D, 375.
 Trachycyrtus—Continued.
 nanus, vii, D, 374.
 profanus, vii, D, 375.
 pulverulentus, vii, D, 375.
 ruficollis, vii, D, 375.
 sparsus, vii, D, 374.
 spinipes, vii, D, 375.
 subfasciatus, vii, D, 374.
 viridulus, vii, D, 374.
 Trachyloma, v, C, 152, 314; viii, C, 76.
 indicum, viii, C, 76.
 tabitense, v, C, 152, 314; ix, C, 208.
 Trachymene saniculaefolia, ii, C, 292.
 Trachypodopsis, v, C, 154; viii, C, 79.
 crispatula, v, C, 154; viii, C, 79; ix, C, 208.
 Trachypus, iii, C, 24; v, C, 154; viii, C, 79.
 humilis, viii, C, 80; ix, C, 209.
 subbicolor, iii, C, 24; v, C, 154; viii, C, 79; ix, C, 209.
 Trachyrhamphus caba, iv, A, 503.
 Trachys bakeri, ix, D, 90.
 cornuta, ix, D, 89.
 dubia, ix, D, 89.
 formosana, ix, D, 90.
 subbicornis, ix, D, 90.
 Tradescantia malabarica, vii, C, 232; ix, C, 66.
 Tragia, i, s, 81; ix, C, 491.
 bracteata, ix, C, 492.
 hirsuta, ix, C, 492.
 innocua, ix, C, 492.
 irritans, ix, C, 491.
 Tragopus pygmaeus, x, D, 232.
 Tragulidæ, vii, D, 39.
 Tragulus, vii, D, 39.
 indicus, vii, D, 39.
 nigricans, vii, D, 39.
 Tragus racemosus, i, s, 342.
 Trametes, i, 427; i, s, 290; viii, C, 800; ix, C, 39, 158, 242, 349; x, C, 94.
 aspera, ix, C, 349.
 badia, i, s, 288; ix, C, 158.
 beyrichii, i, s, 290.
 cingulata, x, C, 94.
 cinnabarina, ix, C, 349.
 conchatus, i, s, 294.
 cornea, x, C, 94.
 corrugata, ix, C, 39, 243, 349; x, C, 94.
 dermatodes, i, s, 288; ix, C, 289.
 elmeri, ix, C, 243.
 flava, x, C, 94.
 fuscata, x, C, 94.
 grisea, viii, C, 800; x, C, 94.
 incana, i, s, 290; ix, C, 349.
 mollis, i, s, 294.
 muelleri, ix, C, 349.
 obstinatus, i, s, 289.
 occidentalis, i, s, 294.
 paleacea, ix, C, 349.
 scopulosa, x, C, 94.
 strigata, ix, C, 158, 349.
 versatilis, i, s, 289; x, C, 95.
 Traps for rats, efficiency of poisons and, ix, B, 17.
 Tras, iv, C, 74.

- Traumatism of internal organs due to tropical conditions and practices, peculiar cases of, iii, B, 55.
- Travertine, Bondoc Peninsula, viii, A, 322.
- Mountain Province, x, A, 199.
- Trawl line, iii, A, 527.
- Tree cotton, ii, A, 440.
- cricket, i, 1070.
- species, pulp-making possibilities of different, ii, A, 88.
- Trees, two important Borneo timber, vi, C, 179.
- Tree-shrew, vii, D, 6.
- Trema, i, s, 42; iii, C, 401; vii, C, 156, 260.
- amboinensis, i, s, 42; iii, C, 401; iv, C, 446; vii, C, 261; viii, C, 276; ix, A, 452, 543; ix, C, 424.
- vulcanica, vii, C, 260.
- Trematocoris subvittata, iv, A, 565.
- vittata, iv, A, 565.
- Trematoda, ii, B, 29, 538.
- Trematode of man, a new intestinal, iii, B, 385.
- Trematodes, vi, B, 77; viii, B, 159.
- Trematodon, iii, C, 11; v, C, 137; viii, C, 65.
- acutus, iii, C, 11; v, C, 137; ix, C, 206.
- drepanellus, v, C, 137; ix, C, 206, 210.
- paucifolius, iii, C, 11; viii, C, 65; ix, C, 207.
- Trematosphaeria, i, s, 281.
- palaquii, i, s, 281.
- Tremella auricula, i, s, 282; ix, C, 38.
- Tremellinae, viii, C, 299; ix, C, 235.
- Tremex nigricollis, i, 694.
- Tremolite, x, A, 95.
- Trengaloe, iv, C, 476.
- Trenggoeli, iv, C, 464.
- Trepang, vi, D, 283.
- Trepanosoma evansi, schizogony of, vii, B, 53.
- Trepidaria territa, viii, D, 311.
- Treponema pallidum, ii, B, 107, 558; v, B, 434; vi, B, 338, 491.
- pertenuis, ii, B, 441; iv, B, 285; v, B, 434; vi, B, 340.
- Treron nipalensis, i, 903.
- Treronidae, iii, A, 276; iv, A, 67; v, D, 105; vi, D, 40.
- Tres Reyes coal, analysis of, vi, A, 365.
- Trewia, i, s, 79; iv, C, 482.
- ambigua, i, s, 79; ix, A, 445.
- nudiflora, iv, C, 486.
- Triacanthidae, iii, A, 529; v, D, 284.
- Triacanthus blochi, v, D, 284.
- Trianthema portulacastrum, vii, C, 183.
- Tribes of Luzon and Mindanao, types among, viii, D, 455.
- Tribolium ferrugineum, iii, A, 299; viii, D, 392.
- Tribulus, iii, C, 411; ix, C, 95.
- cistoides, iii, C, 411; vii, C, 185; ix, C, 95.
- Tribunal de cuentas, viii, D, 184.
- Tricalysia, i, s, 131; x, C, 113.
- fasciculiflora, x, C, 113.
- fasciculiflora var. oblongifolia, x, C, 113.
- negrosensis, x, C, 114.
- Tricalysia—Continued.
- puberula, x, C, 113.
- singularis, x, C, 113.
- Tricentrus, x, D, 384.
- attenuatus, x, D, 388.
- capreolus, x, D, 386.
- convergens, x, D, 385.
- decoratus, x, D, 387.
- fairmairei, x, D, 385.
- gibbosulus, x, D, 388.
- pilinervosus, x, D, 387.
- plicatus, x, D, 387.
- Trichadenia, iv, C, 298.
- philippinensis, iv, C, 298.
- zeylanica, iv, C, 299, 522.
- Trichecus dugon, vii, D, 45.
- Trichelostylis, ii, C, 95.
- Trichia, ii, C, 114.
- balfourii, ii, C, 114.
- Trichilia nervosa, vii, C, 237.
- pentandra, i, s, 72.
- rimosa, iv, C, 273.
- Trichiuridae, iii, A, 528; v, D, 272; vii, A, 390.
- Trichiurus haumela, v, D, 272.
- Trichocarya racemosa, x, C, 307.
- splendens, x, C, 307.
- Trichocephalasis, iii, B, 545.
- Trichocephalus, vi, B, 212.
- dispar, i, 716; ii, B, 6; iii, B, 217, 418, 548; v, B, 507.
- hominis, iii, B, 550.
- trichuris, iii, B, 550.
- Trichoderma, x, D, 123.
- Trichodesma, iv, C, 696; vii, C, 165.
- indicum, iv, C, 696.
- zeylanicum, iv, C, 696.
- Trichoglottis, i, s, 39; iv, C, 675; viii, C, 439.
- bataanensis, i, s, 39.
- lanceolaria, iv, C, 676.
- latispala, iv, C, 675.
- mindanaensis, viii, C, 439.
- retusa, iv, C, 676.
- wenzelii, viii, C, 440.
- Tricholoma, ix, C, 245.
- tenuis, ix, C, 245.
- Trichomanes, i, s, 13, 144, 251; ii, C, 142, 156; iii, C, 270, 389; v, C, 315; vi, C, 70; ix, C, 41.
- acrosorum, vi, C, 72.
- adiantoides, ix, C, 42.
- alagense, iii, C, 270.
- anceps, vi, C, 71.
- aphlebioides, vi, C, 71; ix, C, 228.
- apiifolium, ii, C, 143; vi, C, 71.
- atrovirens, vi, C, 72.
- auriculatum, i, s, 13.
- bauerianum, ii, C, 143; vi, C, 71.
- bimarginatum, ii, C, 142.
- bipunctatum, i, 662; i, s, 14, 251.
- chinense, ix, C, 44.
- christii, i, s, 251; vi, C, 191.
- craspedoneurum, vii, C, 53.
- cumingii, ii, C, 143; vi, C, 191.
- eupressoides, ii, C, 143; iii, C, 389; vi, C, 71, 191.

Trichomanes—Continued.

- densinervium, vi, C, 71.
 dentatum, vi, C, 71.
 diffusum, ii, C, 156.
 flabellatum, iii, C, 270.
 glauco-fuscum, ii, C, 143.
 grande, vi, C, 70, 191.
 humile, vi, C, 72; ix, C, 41.
 javanicum, i, s, 14, 144; ii, C, 143, 156;
 iii, C, 389; vi, C, 72, 191; ix, C, 41.
 javanicum var. intercalatum, ii, C, 156.
 kingii, vi, C, 72.
 latipinnum, vi, C, 71.
 maximum, i, s, 14; ii, C, 143; vi, C, 71,
 191.
 meifolium, ii, C, 143.
 merrillii, i, s, 144.
 microlirion, x, C, 146.
 millefolium, vi, C, 71.
 mindorense, iii, C, 270.
 minutum, iii, C, 389.
 motleyi, i, s, 13.
 nitidulum, ii, C, 156.
 nitidum, ii, C, 142.
 pallidum, i, 662; i, s, 14; ii, C, 143; vi,
 C, 71, 191.
 parvulum, i, s, 14; ii, C, 156.
 pluma, ii, C, 143.
 proliferum, ii, C, 142.
 pulcherrimum, ix, C, 227.
 pyxidiferum, i, s, 251; ii, C, 142.
 radicans, ii, C, 143.
 rhomboideum, ii, C, 143, 156.
 rigidum, i, s, 14; ii, C, 143; vi, C, 71.
 smithii, ii, C, 143.
 solidum, ix, C, 43.
 speciosum, ix, C, 228.
 tenuifolium, ix, C, 43.
 treubii, vi, C, 191.
 trichophyllum, vi, C, 70.
 Trichomonas intestinalis, vi, B, 213; viii, B,
 313.
 Trichomyceta, iii, B, 459.
 Trichomycosis palmellina in the P. I., etiology
 of, ix, B, 219.
 Trichomytilus, i, 233.
 Trichoon roxburghii, ix, C, 57.
 Trichopeltis reptans, viii, C, 190.
 Trichopeziza sulcipes, viii, C, 193.
 Trichophyton cruris, v, B, 203.
 perneti, v, B, 203.
 Trichopria, ix, D, 310.
 analís, ix, D, 310.
 caudata, ix, D, 310.
 insulæ, ix, D, 287.
 maquilingensis, ix, D, 310.
 semirufa, ix, D, 310.
 Trichosanthes, i, s, 138; iii, C, 439; iv, C, 330;
 vii, C, 167; ix, C, 458.
 cucumerina, i, s, 138.
 himalensis, ix, C, 459.
 quinquangulata, i, s, 138; iii, C, 84, 439;
 viii, C, 481.
 vanoverberghii, ix, C, 458.
 villosa, iv, C, 330.

Trichospermum, i, s, 206; ix, C, 374.

- leytense, ix, C, 374.
 regulinoides, viii, C, 184.
 regulinoides var. arengae, viii, C, 184.
 sacchari, viii, C, 184.
 trivalvis, i, s, 206.
 Trichosporum, i, s, 124, 226; ii, C, 300; iii,
 C, 434; v, C, 386; vi, C, 222; viii, C,
 506; x, C, 81, 340.
 bakeri, x, C, 340.
 brachysepalum, x, C, 81.
 cardinale, iii, C, 434.
 copelandi, i, s, 227.
 foxworthyi, x, C, 84.
 irigaense, x, C, 84.
 littorale, i, s, 226.
 loheri, x, C, 341.
 macgregorii, x, C, 81.
 malindangense, x, C, 83.
 mindorense, x, C, 83.
 nervosum, v, C, 386.
 olivatum, viii, C, 486.
 ovatum, i, s, 226.
 philippinense, i, s, 124; ii, C, 300; v, C,
 386; x, C, 82.
 rizalense, x, C, 82.
 rubrum, i, s, 227; ii, C, 300.
 Trichosteleum, iii, C, 29; v, C, 161; viii, C, 93.
 boschii, v, C, 161.
 brevisetum, viii, C, 93.
 cylindricum, v, C, 161; viii, C, 93.
 hamatum, ii, C, 342; iii, C, 29; v, C, 161;
 viii, C, 93; ix, C, 211.
 mindanense, viii, C, 94.
 subduriusculum, viii, C, 69.
 Trichostomum, viii, C, 69.
 subduriusculum, ix, C, 214.
 Trichothyrium, viii, C, 492.
 orbiculare, viii, C, 492.
 Trichotosia, iv, C, 222.
 bracteolata, viii, C, 423.
 Trichrysis aspera, i, 688.
 Trichuris, iii, B, 72, 197; iv, B, 186, 262, 296;
 v, B, 268; vi, B, 77, 241; viii, B, 54,
 135, 165; ix, B, 81, 233, 446.
 affinis, iii, B, 557.
 crenatus, iii, B, 557.
 depressinsculus, iii, B, 557.
 trichiura, i, 561; ii, B, 389; iii, B, 557;
 viii, B, 173; x, B, 296.
 ungiculatus, iii, B, 557.
 Tricocephalus dispar, i, 84; vi, B, 494.
 Tridaena, viii, A, 279.
 gigas, v, D, 98; viii, A, 280.
 Tridaenidæ, viii, A, 279.
 Tridentiger bifasciatus, ix, D, 77.
 Tridesmis ochnoides, iv, C, 294.
 Trifnæ, ii, A, 371; v, D, 171.
 Trifoliatæ, ii, C, 410.
 Trifoliatæ-Polymorphæ, ii, C, 410.
 Trifolium, v, C, 64.
 hybridum, v, C, 64.
 incarnatum, v, C, 64.
 melilotus-indica, x, C, 15.

- Trifolium*—Continued.
 pratense, i, s, 181; v, C, 64.
 repens, i, s, 181; v, C, 65.
Trigo, i, s, 330.
Trigochlamys griffithii, iv, C, 476.
Trigonachras brachycarpa, viii, C, 447.
 cultrata, viii, C, 447.
 cuspidata, vi, C, 182, 209; viii, C, 447.
 membranacea, viii, C, 468.
 obliqua, viii, C, 467.
 rigida, viii, C, 467.
 spectabilis, viii, C, 469.
Trigonalys lachrymosa, i, 688.
Trigone biroi, i, 686.
Trigonocephalus, iii, B, 151.
Trigonometopus albiseta, viii, D, 317.
 bakeri, viii, D, 318.
 brevicornis, viii, D, 317.
 monochæta, viii, D, 317.
Trigonopleura, x, C, 275.
 malayana, x, C, 276.
 philippinensis, x, C, 275.
Trigonostemon, vi, C, 335; vii, C, 408; viii, C, 380; ix, C, 492.
 everettii, vii, C, 408.
 hirsutus, vi, C, 335.
 longipedunculatus, vii, C, 410.
 macrophyllus, vii, C, 404.
 oblanceolatus, vi, C, 337.
 oblongifolius, vii, C, 409.
 philippinensis, vi, C, 336.
 polyanthus, ix, C, 492.
 sumatranus, vii, C, 410.
 villosus, vi, C, 336; viii, C, 381.
 wenzeli, viii, C, 380; ix, C, 493.
Trigonotis, i, s, 228; iv, C, 697.
 philippinensis, i, s, 228; iv, C, 697.
Trimeresurus flavomaculatus, v, D, 214; vi, D, 267.
 flavoviridis, iii, B, 152.
 gramineus, iv, A, 600; iv, B, 204; v, D, 214; vi, D, 267.
 halieus, v, D, 214; vi, D, 268.
 riukiuanus, iii, B, 152.
 schultzei, iv, A, 601; vi, D, 267.
 sumatranus, iv, A, 601; vi, D, 267.
 wagleri, iv, A, 601; vi, D, 267.
Trincomali, iv, C, 497.
Tringoides hypoleucos, ii, A, 320.
Triopteris jamaicensis, v, C, 191.
Trioza, viii, D, 296; x, D, 265.
 asiatica, x, D, 266.
 eugeniæ, x, D, 265.
 koebelei, x, D, 266.
 magnoliæ, x, D, 266.
Triphasia, iv, C, 474; ix, C, 98.
 monophylla, iii, C, 79.
 trifolia, ix, C, 98.
 trifoliata, iii, C, 79; vii, C, 185; viii, A, 68; ix, C, 98.
Triphlebia, viii, C, 147.
 dimorphophylla, viii, C, 149.
 pinnata, i, s, 152.
Triplatoma exornata, viii, D, 160.
 maclayi, viii, D, 161.
Trischosteleum boscii, ix, C, 212.
Trismegistia, v, C, 159; viii, C, 87.
 korthalsii, v, C, 159; viii, C, 87.
 lancifolia, v, C, 159; vi, C, 191; viii, C, 87; ix, C, 211.
 rigida, ix, C, 211.
Tristania, i, s, 107; iv, C, 334, 536; vii, C, 316.
 burmannica, iv, C, 536.
 decorticata, i, 422, 665; i, s, 107; iv, C, 334, 536.
 littoralis, vii, C, 317.
 merguensis, iv, C, 536.
 obovata, iv, C, 536.
 whitiana, iv, C, 536.
Tristegineæ, i, s, 342.
Tristellateia, i, s, 73; vii, C, 160, 236.
 australasie, vii, C, 236.
 australasica, i, s, 73; vii, C, 236.
 australis, vi, C, 207; vii, C, 236.
 malintana, vii, C, 236.
Tristicha bifaria, x, C, 189.
 hypnoides, x, C, 189.
Tristilophus luzonicus, ix, D, 448.
Tristira pubescens, i, s, 172; viii, C, 456.
 pubescens forma genuina, viii, C, 456.
 pubescens forma hemidasya, viii, C, 456.
 triptera, viii, C, 445.
Tristiropsis oblonga, viii, C, 456.
 ovata, viii, C, 445.
 subfalcata, viii, C, 455.
Tritaxis macrophylla, vii, C, 404.
Triticum, i, s, 387.
 luzoniensis, i, s, 387; x, C, 187.
 vulgare, i, s, 388.
Tritonidæ, vii, D, 280; viii, A, 266.
Tritonidea, viii, A, 258.
 ventricosa, v, A, 330; viii, A, 248, 258.
Triumfetta, i, s, 91; iii, C, 111, 203; v, C, 360, vii, C, 239, 296; viii, C, 285; ix, C, 110.
 annua, iii, C, 78.
 bartramia, vii, C, 186, 239; ix, C, 427, 513.
 fabreana, vii, C, 296; ix, C, 110.
 lappula, ix, C, 110.
 pilosa, v, C, 360.
 procumbens, iii, C, 111; vii, C, 296; ix, C, 110.
 radicans, vii, C, 296.
 repens, iii, C, 111; vii, C, 296.
 rhomboidea, i, 396; i, s, 91; iii, C, 78; vii, C, 200, 239; ix, C, 110.
 semitriloba, vii, C, 186; ix, C, 110.
 subpalmata, iii, C, 111.
 suffruticosa, iii, C, 203.
 tomentosa, ix, C, 110.
Trochidæ, vii, D, 280.
Trochocyathus nummiformis, viii, A, 286.
Trochus, ii, A, 395.
 fenestratus, viii, A, 312; x, A, 248.
 niloticus, vi, D, 301.
 sp., v, A, 330.
Trogaspidia bicolor, i, 689.
 minor, i, 689.
Trogineæ, x, D, 272.
Trogonidæ, iv, A, 72; v, D, 110.

- Trombidium, iii, B, 4; x, B, 346.
 Trompa elefante, i, s, 120; iv, C, 695.
 Troostwyckia, iv, C, 127.
 Tropical bronchomycosis, v, B, 197.
 climate, influence of, vi, B, 413, 471.
 febrile splenomegaly, i, 533.
 infantile dysentery, iii, B, 31.
 obstetrical problems, x, B, 371.
 residence, influence of, vi, B, 408, 472.
 sun, action of, vi, B, 101.
 sunlight, v, A, 267; v, B, 1; vii, B, 1.
 ulcerations of the skin, i, 91.
 Tropidia, ii, C, 315; vii, C, 7.
 angulosa, vii, C, 7.
 calcarata, vii, C, 7.
 graminea, ii, C, 316.
 mindorensis, ii, C, 315.
 Tropidocephala philippina, ix, D, 273.
 Tropidonotus dorsalis, vi, D, 268.
 Tropidophorus misamisensis, x, D, 106.
 partelloi, x, D, 89.
 rivularis, x, D, 106.
 Trox montalbanensis, x, D, 272.
 Truntum, iv, C, 538.
 Trupheoneura opaca, x, B, 311.
 perennis, x, B, 311.
 trinervis, x, B, 311.
 Tryblidiaceæ, viii, C, 191, 263.
 Tryblidiella, iii, C, 53; viii, C, 263, 497; ix, C, 184.
 balansae, viii, C, 263.
 mindanaensis, iii, C, 53; viii, C, 263; ix, C, 184.
 rufula, viii, C, 191, 263, 497.
 Tryblidium quarantanicum, viii, C, 263.
 Trychophyton perneti, v, B, 203.
 Trygonalidæ, i, 688.
 Tryonyx japonicus, vi, D, 295.
 Trypan red and arsenic, treatment of trypanosomiasis with, v, B, 28.
 Trypanea amoena, viii, D, 328.
 Trypaneidæ, viii, D, 310.
 Trypanosoma brucei, iv, B, 163; v, B, 28.
 brucei (pecaudi), vii, B, 55.
 cazalboui, vii, B, 484.
 dimorphon, vii, B, 476.
 equinum, vii, B, 476.
 evansi, iii, B, 86; iv, B, 151; vii, B, 475; viii, B, 229.
 gabiense, v, B, 24; vii, B, 53, 476.
 hippicum, vii, B, 477.
 leptodactyli, vii, B, 54.
 lewisi, ii, B, 83; iv, B, 149; vii, B, 508.
 pecorum, vii, B, 476.
 rhodesiense, vii, B, 54; ix, B, 382.
 soudanense, vii, B, 488.
 vivax, vii, B, 500.
 Trypanosoma of cattle, development in artificial culture media, iv, B, 147.
 Trypanosomata, ii, B, 447.
 compounds tested for action on, vi, A, 34.
 Trypanosomiasis, i, 587.
 treatment of, v, B, 21.
 Trypauchen vagina, ix, D, 77.
 Trypeticus grouvelli, x, D, 21.
 longicollis, x, D, 20.
 Trypetidarum, viii, D, 138.
 Tryphomys, vii, D, 31.
 adustus, vii, D, 31.
 Trypoxylidæ, i, 687.
 Trypoxylon bicolor, i, 687.
 elongatum, i, 687.
 philippinensis, i, 687.
 Tryptophane, its formation from Witte's peptone, x, A, 23.
 Tsina-Panosou, vii, C, 113.
 Tsitsao, iv, B, 222.
 Tsjka, viii, A, 64.
 Tsubana, ix, D, 260.
 Tsuga canadensis, vi, A, 13.
 mertensiana, vi, A, 13.
 Tsutsugamushi disease, iii, B, 1.
 Tsuzura-fuji, ix, D, 256.
 Tuai, ix, A, 444.
 Tuak-tuak, iv, C, 542.
 Tualang, iv, C, 466.
 Tualing baculao, v, C, 48.
 Tuay, i, s, 78.
 Tuba, i, 1025; i, s, 323; ii, A, 440; v, B, 239; vi, A, 150; vii, A, 22, 98; viii, A, 378.
 analyses of, vi, A, 126, 134; viii, A, 398.
 camaisa, i, 1026; vii, C, 390.
 sa hidiup, vii, A, 112.
 sa niug, vii, A, 106.
 tuba, v, C, 105.
 Tubaltubal, iv, C, 371.
 Tubang dalag, i, s, 121.
 Tubercle bacilli, immunization of guinea pigs by the inoculation of avirulent, x, B, 145.
 Tuberculina, iii, C, 42.
 persicina, iii, C, 42.
 Tuberculosis, iii, B, 212, 280; v, B, 174.
 adrenal, vi, B, 345.
 among Filipinos, v, B, 313.
 animals inoculated with, x, B, 145.
 at Taytay, iv, B, 280.
 in Mindoro, ix, B, 177.
 in 100 autopsies in the P. I., iii, B, 74.
 in the P. I., iv, B, 453; v, B, 331; ix, B, 206.
 intestinal, ix, B, 454.
 prizes offered by the International Congress on, 1908, iii, B, 266.
 resolutions adopted by the Far Eastern Association of Tropical Medicine in regard to, v, B, 353.
 result of one year's specific treatment of 80 cases of pulmonary, v, B, 563.
 sixth international congress of, iv, B, 311.
 Tuberculo-toxoidin and immunization serum, iii, B, 379.
 Tubero, viii, A, 378.
 Tuberoze, vii, C, 198.
 Tub-fig, vii, A, 100.
 Tubifera celeber, viii, D, 309.
 Tubiflora, i, s, 119.
 Tubipora chamissonis, x, D, 164.
 musica, x, D, 155.
 sp., vi, D, 307.
 Tubiporidae, x, D, 166.

- Tubju, iii, C, 389.
 Tubjus, iii, C, 407.
 Tubli, v, C, 107.
 Tubo, iv, B, 222.
 Tubularia cornucopiæ, x, D, 205.
 crocea, viii, D, 349.
 mesembryanthemum, viii, D, 348.
 Tubulina, ii, C, 113.
 cylindrica, ii, C, 113.
 Tucan calao, ii, C, 395; iv, C, 476.
 Tucmo, ii, A, 318.
 Tucson, Arizona, investigations of sunlight at,
 vii, B, 7, 27.
 Tudicla, viii, A, 264.
 Tudlo dalaga, x, C, 402.
 Tudlong dato, x, C, 402.
 Tudlug dato, x, C, 402.
 Tuff, bedded volcanic, x, A, 237.
 Benguet andesitic, ii, A, 246.
 Benguet basaltic, ii, A, 248.
 crushing strength of andesitic, iii, A, 394.
 formation, southwestern Luzon, v, A, 95.
 Mountain Province, x, A, 195.
 northwestern Pangasinan, vii, A, 267.
 volcanic, iii, A, 391; vii, A, 318, 340; ix,
 A, 92.
 water-laid, southwestern Luzon, v, A, 73.
 Tuffaceous sandstone, Mountain Province, x,
 A, 198.
 Tufts, v, A, 326; viii, A, 241.
 Baguio mineral district, ii, A, 231.
 Isarog, x, A, 306.
 Pliocene, x, A, 308.
 Tugabang, iv, C, 269; v, C, 57.
 Tugabi, i, 1026.
 Tugayong, v, C, 20.
 Tugbia, ii, A, 327.
 Tugjie, iii, C, 424.
 Tugle, v, C, 104.
 Tugurare, v, C, 20.
 Tuhak, vii, A, 112.
 Tui, iv, C, 557.
 Tuia, vi, C, 8.
 Tujubs, vi, A, 380.
 Tukab, vi, D, 233, 239.
 Tukud, viii, D, 88.
 Tulacue, ii, A, 340.
 Tulambis, iv, C, 379.
 Tulang putih, iv, C, 492.
 Tuldac, x, C, 407, 413.
 Tulihaio, ii, A, 314, 332.
 Tulinangan, iii, A, 515.
 Tulip tree, iv, C, 499; vi, A, 14.
 wood, vi, A, 14.
 Tulis, iii, A, 529.
 Tulisan, iii, A, 529.
 Tulitangalung, iv, C, 75.
 Tulla, vii, D, 276.
 Tulostoma, i, s, 292.
 pusillum, i, s, 292.
 wightii, i, s, 292.
 Tulugtugul, iv, C, 104.
 Tulumorung, i, s, 76.
 Tumaga River, v, A, 351.
 Tumalin, iv, C, 625.
 Tumnoh, vii, A, 104.
 Tumors of the pituitary gland, viii, B, 97.
 Tumu, iv, C, 527, 528.
 Tumulod, iv, C, 370.
 Tumunoh, vi, D, 237.
 Tundan, x, C, 397.
 Tundoc, i, s, 36; x, C, 413.
 Tung oil, ii, A, 440.
 Tungao, iii, C, 432.
 tungauan, vi, C, 218.
 Tunggang, vii, A, 113.
 Tun̄gob, vi, D, 238.
 Tunguatingan, ii, A, 382.
 Tunsoy, iii, A, 514, 529.
 Tuol, vi, D, 244.
 Tuoy, iv, C, 365.
 Tuoyac, vi, A, 380.
 Tupaia, vi, D, 142, 193; vii, D, 6.
 cuyonis, vii, D, 6.
 everetti, vii, D, 7.
 ferruginea, vii, D, 6.
 ferruginea palawanensis, vii, D, 6.
 möllendorffii, vii, D, 6.
 Tupaiidæ, vii, D, 6.
 Tupo, ix, C, 51.
 Tupu, ix, C, 51.
 Tuquill, vi, A, 116.
 the modified bamboo, viii, A, 392.
 Turbanidæ, vii, D, 280.
 Turbinella ilocana, viii, A, 257.
 tjidamarensis, viii, A, 257; x, A, 199.
 Turbinolia, vi, A, 382.
 hippuritiformis, viii, A, 285.
 Turbinolidæ, viii, A, 287.
 Turbo, i, 628; ii, A, 395.
 borneensis, i, 628; v, A, 330; vi, A, 368;
 vii, A, 264; viii, A, 252, 326; x, A, 199.
 marmoratus, vi, D, 301.
 nivosus, v, A, 330.
 Turdidæ, iii, A, 279; v, D, 112; vi, D, 44.
 Turdinus rufifrons, i, 907.
 Turdus nigrorum, vi, D, 40.
 obscurus, i, 767.
 Turricula jonkeri, v, A, 330.
 Turmeric, v, A, 442.
 Turnicidæ, iii, A, 275.
 Turnip bean, iv, B, 222.
 Turnix celestinoi, ii, A, 292, 317.
 fasciata, i, 699.
 whiteheadi, ii, A, 292, 317.
 worcesteri, ii, A, 292.
 Turpentine, P. L., iv, A, 231.
 Turpinia, i, s, 86; iii, C, 418; v, C, 359.
 pomifera, i, 405, 645; i, s, 86; iii, C, 418;
 iv, C, 495; v, C, 359; ix, A, 449.
 Turraea, vii, C, 160; ix, C, 306.
 humilis, ix, C, 307.
 membranacea, ix, C, 306.
 palawanensis, ix, C, 307.
 pubescens, ix, C, 307.
 pumila, ix, C, 307.
 Turricula, viii, A, 259.
 bataviana, viii, A, 248.
 jonkeri, viii, A, 259.
 Turris, viii, A, 260.
 agusana, viii, A, 261.
 andaensis, viii, A, 260.

Turris—Continued.

- carinata* var. *woodwardi*, viii, A, 260.
flavidula var. *sonde*, viii, A, 260.
Turritella, viii, A, 267.
batanensis, viii, A, 267.
cingulifera, v, A, 330; viii, A, 267.
cinquelifera, vi, A, 376.
terebra, v, A, 330; viii, A, 267.
Turritellidae, viii, A, 267.
Turtur dussumieri, ii, A, 318.
Turukop bumi, iv, C, 464.
Tuscidae, vii, D, 280.
Tutong, x, B, 372.
Tuturiae, v, D, 112.
Tuyo, iv, B, 219, 229.
Tuyu, vii, A, 389.
Tuyud, ii, A, 319.
Twelve c 105, x, C, 360.
 2,5-dianilinoquinone, the absorption spectra of, viii, A, 51.
 2,5-dianilinoquinoneanil, the absorption spectra of, viii, A, 51.
 2,5-dianilinoquinonedianil, the absorption spectra of, viii, A, 51.
Tylidae, viii, D, 311.
Tylinæ, viii, D, 330.
Tyloncyteris, vii, D, 17.
pachypus, vii, D, 17.
Tylophora, i, s, 296; iii, C, 428; v, C, 379; vii, C, 164; viii, C, 480.
elmeri, i, s, 296; v, C, 379.
excisa, i, s, 297.
luzonica, i, s, 296.
merrillii, i, s, 297.
tenuis, i, s, 296, 297.
whitfordii, i, s, 297.
Tylostema, viii, C, 305; ix, C, 252.
exasperatum, ix, C, 252.
mussooriense, viii, C, 305.
Tylosurus anulatus, v, D, 267.
caudimaculatus, ix, D, 60.
giganteus, iii, A, 529.
strongylurus, v, D, 267.
Types, Filipino, iv, A, 263, 297.
Typha, iii, C, 394.
angustifolia, vii, C, 180.
angustifolia javanica, ix, C, 504.
orientalis, iii, C, 394.
Typhaceæ, iii, C, 394; vii, C, 153.
Typhlocybini, x, D, 50.
Typhlogeophis brevis, vi, D, 262.
Typhlopidae, vi, D, 254.
Typhlops braminus, iv, B, 204; vi, D, 254.
cumingii, vi, D, 255.
jagori, vi, D, 254.
olivaceus, vi, D, 255.
ruber, vi, D, 255.
ruficauda, vi, D, 255.
Typhoid, ix, A, 341.
bacillus, ix, B, 466.
fever, iv, B, 281; v, B, 176; vi, B, 299; vii, B, 115; ix, B, 206, 367, 455.
Typhonium, vii, C, 155; ix, C, 65.
cuspidatum, ix, C, 65.
Typhoons, iii, A, 533.
Batanes Islands, iii, A, 5.
Typhus fever in Indo-China, iii, B, 131.
Tyraphus baeri, ix, D, 454.
Tyroglyphus, v, B, 473.
Tyromyces elmeri, ix, C, 243.
subchioneus, ix, C, 238.
unguliformis, ix, C, 239.
Tyrphoninæ, i, 692.
Tzypipatlis, vii, C, 113.
 U
Uak, ii, A, 333.
Uakbata, iii, A, 278.
Ualisualisan, iv, C, 337; vi, C, 221.
Uang, i, 143; iii, A, 533; vii, A, 384.
Uangta, iii, C, 430.
Uanuna na puti, iv, C, 100.
Uaoha, iii, A, 279.
Uas, i, s, 88.
Uauaquen, iii, C, 407.
Uay, i, 390; vi, C, 117.
Uayan, iii, C, 326.
Ubag, iii, B, 295.
Ubanan, vi, C, 276.
Ubaya, ix, D, 479.
Ubi, iv, B, 222; vii, C, 192; vii, D, 146.
Ubus, vii, A, 384.
Uca annulipes, vii, D, 114.
dussumieri, vii, D, 93.
forcipata, vii, D, 114.
gimardi, vii, D, 114.
marionis, vii, D, 114.
marionis nitida, vii, D, 114.
pugnax, vii, D, 115.
rathbunæ, vii, D, 91, 114.
urvillei, vii, D, 93.
Ud Banawul, vi, D, 89.
Udiloöl, ii, A, 444.
Ufa, ix, C, 113.
Ugabang, iv, C, 269; v, C, 57.
Ugena alba, vi, C, 97.
semihastata, vi, C, 97; ix, C, 46.
Uguggip, vi, C, 334.
Ugyops granulatus, ix, D, 175.
Ujango, iii, C, 394.
Ujna, ix, D, 416.
consors, ix, D, 417.
delicatulæ, ix, D, 417.
philippinensis, ix, D, 416.
Ulaian, iii, C, 328.
Ulalisin, v, C, 28.
Ulam, iv, C, 300.
Ulan, iii, C, 328.
Ulayan bark, x, A, 355.
Ulcer, Nile, i, 103.
Pendjeh, i, 101.
Sarten, i, 101.
Yemen, i, 101.
Zambesi, vi, B, 493.
Ulcerations of the skin, tropical, i, 91.
Ulcers occurring in the P. I., chronic, ii, B, 561.
duodenal, ix, B, 458.
perforation of intestinal, i, 561.
relation of liver abscesses to the location of intestinal, i, 560.

- Uli, v, A, 174.
 Uliba, i, s, 24.
 Ulin, iv, C, 452.
 Uling, Cebu, coal at, x, A, 292.
 Ulingon, iv, C, 293.
 Uliva, vi, C, 152.
 Ulmaceæ, i, s, 42, 171; ii, C, 270; iii, C, 401;
 iv, C, 251, 445, 707; v, C, 174; vii, C,
 156, 260; ix, A, 555; ix, C, 424.
 Ulmus alata, vi, A, 15.
 americana, vi, A, 15.
 fulva, vi, A, 15.
 parvifolia, x, D, 292.
 racemosa, vi, A, 15.
 Uloma contracta, viii, D, 394.
 denticornis, viii, D, 392.
 fracticollis, viii, D, 393.
 orientalis, viii, D, 392.
 picicornis, viii, D, 393.
 retusa, viii, D, 392.
 westringii, viii, D, 393.
 Ulopa, x, D, 189.
 Ulpidæ, x, D, 50.
 Ultra-violet light for purification of water,
 ix, A, 343.
 rays, their effect on amœbæ, vi, B, 333.
 Uma-no-suzukusa, ix, D, 256.
 Umbelliferæ, i, s, 110; ii, C, 292; iii, C, 84,
 424; v, C, 370; vi, C, 218; vii, C, 164;
 ix, C, 126.
 Umbellifloræ, i, s, 108.
 Umbrella tree, iv, C, 499.
 Umbrina, vi, D, 310.
 russelli, iii, A, 528; v, D, 279.
 Uncaria, i, s, 128; ii, C, 305; iii, C, 266, 436;
 viii, C, 60; ix, C, 166; x, C, 102.
 canescens, x, C, 103.
 ferrea, viii, C, 60.
 florida, iii, C, 436.
 hookeri, viii, C, 60.
 pachyphylla, x, C, 102.
 perrottetii, viii, C, 60.
 philippinensis, ii, C, 305; vi, C, 227.
 pteropoda, x, C, 103.
 setiloba, iii, C, 436.
 velutina, iii, C, 266.
 Uncinaria, i, 84; iii, B, 558; iv, B, 306.
 americana, ii, B, 334; v, B, 257.
 duodenale, i, 716; iv, B, 419; v, B, 343.
 Uncinariasis among white men in the P. I.,
 statistical study of, v, B, 249, 341.
 Uncinia, v, C, 334; vi, C, 58.
 riparia, v, C, 334.
 rupestris var. capillacea, v, C, 334; vi,
 C, 58.
 Undaria, viii, A, 289.
 Undok, iii, A, 529.
 Ungulina, x, 97.
 auberiana, x, C, 97.
 contracta, x, C, 97.
 Unhydrolyzed extract of rice polishings in
 treatment of human beriberi, x, B, 110.
 Uniola paniculata, i, s, 384.
 Unit, ix, D, 521.
 Unona, i, s, 53, 190; ii, C, 273; iii, C, 224.
 agusanensis, x, C, 250.
 cauliflora, x, C, 264.
 chinensis, vii, C, 194.
 chrysea, x, C, 235.
 cleistogama, x, C, 237.
 clusiflora, i, 412, 638; i, s, 53; iv, C, 703;
 x, C, 237.
 coelophloea, x, C, 237.
 costata, x, C, 235.
 dasymaschala, x, C, 237.
 desmantha, i, s, 191.
 dinhensis, x, C, 235.
 discolor, x, C, 235.
 ebracteola, x, C, 230.
 hahnii, x, C, 235.
 latifolia, ii, C, 430.
 leytensis, x, C, 230.
 littoralis, vi, C, 204.
 littoralis var. miquelii, vi, C, 204.
 longiflora, x, C, 237.
 merrittii, i, s, 190; x, C, 250.
 mindorensis, ii, C, 273; x, C, 235.
 miniata, x, C, 235.
 odoratissima, iii, A, 66.
 ovalifolia, vi, C, 204.
 palawanensis, x, C, 235.
 rubra, iii, C, 224; x, C, 235.
 subbiglandulosa, x, C, 235.
 sympetala, vi, C, 203; x, C, 235.
 teysmannii, x, C, 235.
 tripetala, iii, C, 225.
 velutina, x, C, 235.
 virgata, x, C, 240.
 Unpic, v, C, 45.
 Uok, vii, A, 384.
 Uono, iii, C, 405.
 Upas tree, iii, A, 42.
 Upeneoides luzonius, v, D, 279.
 moluccensis, ix, D, 68.
 sulphureus, v, D, 279; ix, D, 68.
 tragula, v, D, 278; ix, D, 68.
 vittatus, v, D, 278.
 Upeneus bensasi, ix, D, 68.
 displurus, ix, D, 67.
 sulphureus, iii, A, 529.
 Uplands, Mindanao, intermediate, v, A, 352.
 P. I. intermediate, v, A, 311.
 Upling gubat, vi, C, 199.
 Upo, vi, C, 108.
 Upoc, ix, D, 497.
 Uradgao, i, s, 231.
 Uræmia, deficient blood pressure as the prin-
 cipal cause of post choleraic, iv, B, 104.
 Uragin-shijimi, x, D, 297.
 Uragomadara-shijimi, x, D, 300.
 Uralite, x, A, 95.
 Uram-uram, iii, A, 529.
 Uranami-akashijimi, x, D, 295.
 Urandra, i, s, 86; iii, C, 242; iv, C, 542; v,
 C, 194.
 apicalis, iv, C, 491; v, C, 195.
 corniculata, vi, C, 179.
 elliptica, v, C, 195.
 hallieri, v, C, 194.

Urandra—Continued.

- luzoniensis, iii, C, 242; ix, A, 504.
pauciflora, iii, C, 243.

Uranium acetate, decomposition of oxalic acid by sunlight in the presence of, v, B, 8.
salts and oxalic acid as a chemical photometer, a solution of, v, A, 281.
salts in the sunlight, catalysis by means of, ii, A, 129.

Uranotaenia, i, 990; iv, A, 548.

- cæruleocephala, viii, D, 307.
cæruleocephala lateralis, i, 990; iii, B, 299.
falcipes, i, 1004; viii, D, 307.
lateralis, viii, D, 307.
nitidoventer, i, 990.
philippinensis, viii, D, 307.
powelli, viii, D, 307.

Uraria, v, C, 93; vii, C, 159.

- lagopodioides, v, C, 93.
lagopoides, iii, C, 81; v, C, 93.
picta, iii, C, 81; v, C, 93.

Urasse-fish, v, D, 281.

Urat mata, iv, C, 511.

Urceola, x, C, 68.

- brachysepala, x, C, 69.
imberbis, x, C, 68.
laevis, x, C, 69.
philippinensis, x, C, 69.

Urea, suppression in Asiatic cholera, v, B, 386; vi, B, 57.

Uredinaceæ, iii, C, 42.

Uredinales, i, s, 282.

Uredinæ, v, C, 163; ix, C, 157.

Uredo, i, s, 282; iii, C, 43; viii, C, 267, 476.

- abri, iii, C, 43; viii, C, 267, 477.
antidesmae-dioicae, viii, C, 477.
arthroxonis-ciliaris, iii, C, 43.
castaneae, iii, C, 43; v, C, 164.
davaoensis, i, s, 282.
desmum, viii, C, 267.
dioscareae-alatae, viii, C, 267.
fiei, iii, C, 43.
fulrenae, iii, C, 43.
gossypii, viii, C, 476.
hygrophilae, i, s, 282.
kaembachio, iii, C, 43.
knoxiae, iii, C, 43.
kuehnii, v, C, 164.
manilensis, v, C, 164.
nerviceda, viii, C, 476.
ngamboensis, viii, C, 477.
operculinæ, viii, C, 476.
philippinensis, i, s, 282; iii, C, 43; viii, C, 267.
premnae, viii, C, 267.
rostrupii, iii, C, 43.
wedeliae-biflorae, i, s, 282; iii, C, 43; viii, C, 476.

Urena, i, s, 92; iii, C, 420; ix, C, 118.

- lobata, vi, C, 210; vii, C, 186; ix, C, 113, 513.

lobata var. scabriuscula, i, s, 92; iii, C, 77, 420.

Urena—Continued.

- lobata var. sinuata, ix, C, 113.
sinuata, i, 396; i, s, 92; vi, C, 210; ix, C, 113.

Urera, v, C, 467.

- baccifera, v, C, 475.
gaudichaudiana, v, C, 481.
sandwicensis, vi, C, 17.

Urethra of man, unidentified larvæ of some dipterous insect developing in the, v, B, 515.

Urinary examinations of blonds and brunets, vi, B, 442.

system in plague, x, B, 302.

Urine, degree of acidity in cases treated with chloride and bicarbonate and acetate of sodium, v, B, 370.

nitrogen and phosphoric anhydride excretion in, vi, B, 373.

sprinkled on grass, its infectiveness in rinderpest experiments, ix, B, 69.

Urines, clinical method for determining the ammonia coefficient of, iv, A, 153.

Urochloa, i, s, 367.

- paspaloides, i, s, 355.
semialata, i, s, 367.

Urogale, vii, D, 6.

- cylindrura, vii, D, 7.
everetti, vii, D, 7.

Urogaster albinervis, i, 693.

- opacus, i, 693.
philippinensis, i, 693.
stantoni, i, 693.

Uroloncha everetti, i, 704, 908; ii, A, 290, 332, 349; iv, A, 76; v, D, 113, 221; vi, D, 46.

Uromyces, i, s, 282; iii, C, 42; viii, C, 266, 475.

- appendiculatus, viii, C, 266.
deeringiae, i, s, 282.
hewittiae, i, s, 282; iii, C, 42; v, C, 163; viii, C, 266, 475.
linearis, viii, C, 266, 475.
malloti, viii, C, 266.
muconae, v, C, 164; viii, C, 266.

Urophyllum, i, s, 129; ii, C, 305; iv, C, 562; v, C, 247; viii, C, 61; x, C, 106.

- acuminatissimum, x, C, 106.
acuminatum, i, 664; i, s, 129.
arboresum, vi, C, 227; x, C, 106.
bataanense, i, 664; i, s, 129; ii, C, 305; viii, C, 62.

- elliptifolium, v, C, 247.
glabrum, ii, C, 305; iv, C, 562; vi, C, 227.
grandistipulum, viii, C, 61.

- leytense, viii, C, 62.
lucbanense, vi, C, 227.

- negrosense, v, C, 247.
sabanense, iii, C, 165.

- streptodium, i, s, 129; v, C, 248.
subaneurum, v, C, 247.

Uroscelio, ix, D, 291.

- luteipes, ix, D, 291.

Urostachya, iv, C, 202.

- Urostigma, iii, C, 130; v, C, 358.
 caulocarpum, iii, C, 402.
 stipulosum, iii, C, 402.
- Urtica, v, C, 344, 474.
 arborea luzonis, vi, C, 320.
 arborescens, v, C, 475; vi, C, 13.
 argentea, vi, C, 16; ix, C, 78.
 atrovirens, v, C, 474.
 baccifera, v, C, 475; vi, C, 13.
 bullata, v, C, 344, 474.
 candidissima, iii, C, 130.
 capitata, v, C, 475.
 capitellata, vi, C, 27.
 celebica, vi, C, 5.
 elongata, v, C, 476.
 ferox, v, C, 475.
 grandidentata, v, C, 474.
 hirta, vi, C, 9.
 horrida, v, C, 475.
 interrupta, v, C, 476; ix, C, 78.
 japonica, vi, C, 9.
 manillensis, v, C, 475.
 melastomoides, v, C, 490.
 meyeniana, v, C, 475.
 moluccana, vi, C, 11.
 nivea, v, C, 475; vi, C, 4; ix, C, 76.
 pentandra, vi, C, 9.
 repanda, vi, C, 15.
 rubescens, vi, C, 16.
 ruderalis, v, C, 476; ix, C, 78.
 sessilifolia, v, C, 476.
 squamigera, vi, C, 11.
 tenacissima, vi, C, 4.
 thunbergiana, v, C, 474.
 umbellata, v, C, 475.
 villosa, v, C, 475; vi, C, 8.
- Urticaceæ, i, No. 5, 438; i, s, 48, 184; iii, C, 130, 179, 404; iv, C, 447; v, C, 344, 465; vi, C, 1, 199, 291, 299, 314, 320; vii, C, 156; viii, C, 368; ix, A, 556; ix, C, 76, 424; x, C, 269, 298.
- Urticales, i, s, 42.
- Urticastrum, v, C, 467, 477.
- Urung, iv, C, 549.
- Usiu, v, C, 279.
- Usnea, i, 661; iv, C, 652.
 australis, iv, C, 652.
 australis forma subinermis, iv, C, 652.
 ciliata, iv, C, 653.
 cinchonarum, iv, C, 652.
 flexilis, iv, C, 655.
 florida, iv, C, 652.
 florida var. subcomosa, iv, C, 652.
 fragilis, iv, C, 655.
 furcata, iv, C, 655.
 furcata var. communis, iv, C, 655.
 furcata var. marivelensis, iv, C, 655.
 longissima, iv, C, 655.
 longissima var. misamisensis, iv, C, 655.
 longissima var. rubiginosa, iv, C, 654.
 longissima var. typica, iv, C, 655.
 perplexans, iv, C, 652.
 philippina, iv, C, 653.
 philippina var. mearnsii, iv, C, 653.
 philippina var. primaria, iv, C, 653.
 pyncoclada, iv, C, 653.
- Usnea—Continued.
 squarrosa, iv, C, 654.
 trichodea, iv, C, 653.
 trichodea var. ciliata, iv, C, 653.
 trichodea var. rubiginosa, iv, C, 654.
 vriesiana, iv, C, 655.
- Ussa ambrosianus, vii, D, 41.
 atheneensis, vii, D, 41.
 barandanus, vii, D, 41.
 baryceros, vii, D, 41.
 brachyceros, vii, D, 41.
 chrysotrichos, vii, D, 42.
 cinereus, vii, D, 42.
 corteanus, vii, D, 42.
 crassicornis, vii, D, 42.
 dailliardianus, vii, D, 42.
 elorzanus, vii, D, 42.
 francianus, vii, D, 42.
 garcianus, vii, D, 42.
 gonzalinus, vii, D, 42.
 gorrichanus, vii, D, 42.
 guevaranus, vii, D, 43.
 guidoteanus, vii, D, 43.
 hipolitianus, vii, D, 43.
 longicuspis, vii, D, 43.
 macarianus, vii, D, 43.
 maraisianus, vii, D, 43.
 marzaninus, vii, D, 43.
 michaelinus, vii, D, 43.
 microdontus, vii, D, 43.
 nublanus, vii, D, 43.
 ramosianus, vii, D, 44.
 rosarianus, vii, D, 44.
 roxasianus, vii, D, 44.
 rubiginosus, vii, D, 44.
 spatharius, vii, D, 44.
 telesforianus, vii, D, 44.
 tuasoninus, vii, D, 44.
 verzosanus, vii, D, 44.
 vidalinus, vii, D, 44.
 villemerianus, vii, D, 44.
- Ustalignales, i, s, 281.
- Ustilaginaceæ, iii, C, 41.
- Ustilagineæ, v, C, 163; ix, C, 157.
- Ustilaginoidea, i, s, 279; viii, C, 283.
 ochracea, i, s, 279; viii, C, 283.
 oryzæ, i, s, 279.
 virens, i, s, 279.
- Ustilago, viii, C, 265; ix, C, 159.
 andropogonis-aciculati, ix, C, 159.
 axicola, i, s, 281.
 bursa, viii, C, 265.
 sorghii, viii, C, 265.
 tonglinensis, v, C, 163.
 virens, i, s, 279.
- Ustulina, iii, C, 50.
 maxima, iii, C, 50.
- Usuba-tsubamega, x, D, 357.
- Uto-uto, ix, A, 508.
- Utraria furfuracea, viii, C, 306; ix, C, 253.
- Utricularia, ii, C, 301; vii, C, 102, 166, 247;
 ix, C, 141.
 bifida, ix, C, 141.
 exoleta, vii, C, 102.
 nivea, vii, C, 247; ix, C, 141.
 orbiculata, ii, C, 301.

Utricularia—Continued.

- racemosa var. filicaulis, vii, C, 247.
 scandens, vii, C, 247.
 tenerrima, vii, C, 247.
 wallichiana, vii, C, 247.

Uttu, iv, C, 293.

Uvaria, i, s, 53; vii, C, 158; x, C, 228.

- alba, i, 641; i, s, 53.
 amuyon, x, C, 264.
 concava, x, C, 230.
 ebracteolata, iii, C, 225.
 elliptifolia, x, C, 229.
 lancifolia, x, C, 228.
 lanotan, ii, C, 430.
 leytenensis, x, C, 230.
 littoralis, vi, C, 204.
 lurida, x, C, 230.
 micrantha, x, C, 230.
 nudistellata, x, C, 230.
 odorata, ix, C, 83.
 ovalifolia, i, s, 53.
 reticulata, x, C, 254.
 rufa, i, 392; i, s, 53; iii, C, 44.
 rugosa, x, C, 255.
 scandens, vi, C, 204.
 sibuyanensis, x, C, 230.
 stellata, x, C, 230.
 tripetala, iii, C, 225.
 virgata, v, C, 240.

Uxantis, v, D, 47.

- conspua, v, D, 47.
 siccifolia, v, D, 47.

Uyaue, vi, D, 81.

Uyod, iii, C, 394.

V

Vaccination against plague, i, 181.

- and serum therapy in the treatment of
 trypanosomiasis, v, B, 22.
 in plague, comparison of the value of
 protective inoculation with aggressin
 with that of, i, 501.

Vaccines, observations on therapeutic inoculations of bacterial, v, B, 565.

treatment of bacterial diseases by the inoculation of bacterial, iii, B, 421.

Vaccinia and variola in quadrumana, i, 239.

relationship of variola and, viii, B, 17.

Vaccinium, i, s, 112, 221; ii, C, 293; iii, C, 161, 371; iv, A, 23; iv, C, 304; v, C, 372; vii, C, 96, 321; x, C, 52.

- alvarezii, iv, C, 304.
 apoanum, iii, C, 162, 372.
 bancanum, vii, C, 322.
 banksii, ii, C, 293; iii, C, 372.
 barandanum, ii, C, 294; iii, C, 376; iv, C, 304; v, C, 372; vii, C, 323; x, C, 54.
 benguetense, iii, C, 376; iv, C, 304; v, C, 372.
 camiguinense, vii, C, 321.
 caudatum, iii, C, 376; x, C, 53.
 coriaceum, iii, C, 372.
 cumingianum, i, 655; i, s, 112; iii, C, 375.
 epiphyticum, vii, C, 322.
 halconense, ii, C, 294; iii, C, 377.
 hutchinsonii, ii, C, 294; iii, C, 376; vii, C, 323.

Vaccinium—Continued.

- indutum, iii, C, 376; vii, C, 96; x, C, 54.
 irigaense, x, C, 52.
 jagori, i, 655; i, s, 112; iii, C, 377; vii, C, 321; x, C, 55.
 lanaense, iii, C, 161, 372.
 loheri, vii, C, 323.
 luzoniense, iii, C, 377.
 macgregorii, x, C, 53.
 microphyllum, i, s, 172, 221; iii, C, 371; vii, C, 323.
 mindorensis, ii, C, 293; iii, C, 371; vii, C, 323.
 palawanense, iii, C, 373.
 philippinense, iii, C, 377.
 pyriforme, ii, C, 295; iii, C, 373.
 tenuipes, iii, C, 375.
 turbinatum, x, C, 54.
 varingiaefolium, iii, C, 374.
 vidalii, iii, C, 374.
 villarii, ii, C, 294; iii, C, 374; v, C, 372.
 whitfordii, ii, C, 295; iii, C, 372.

Vadino, iii, C, 429.

Vaimosa microstomia, iv, A, 538.

Vajusa, iii, C, 433.

Valanoy, iii, C, 433.

Valatino, iii, C, 412.

Valit, iii, C, 399.

Valita, x, A, 107.

Vallaris, vii, C, 335; x, C, 70.

- angustifolia, vii, C, 335; x, C, 70.

daronensis, x, C, 70.

gitingensis, x, C, 70.

holmanii, x, C, 70.

lancifolia, vii, C, 336.

Vallea calomala, x, C, 43.

Vallisneria gigantea, ix, C, 422, 503.

octandra, vii, C, 73.

spiralis, vi, C, 119; vii, C, 180.

Valsaceæ, iii, C, 50; v, C, 164; viii, C, 189, 258, 402.

Valsaria, viii, C, 259.

consors, viii, C, 259.

kriegeriana, viii, C, 259.

staphylina, viii, C, 259.

Valsella pinangae, v, C, 164.

Vanaiti, iii, C, 417.

Vanati, iii, C, 417.

Vanda, vi, C, 37.

- sanderiana, viii, C, 282.

Vandæ, vi, C, 38.

Vandellia, i, s, 124, 237; ii, C, 300; v, C, 384; vii, C, 246; ix, C, 141.

cordifolia, vi, C, 221.

crustacea, i, s, 124; v, C, 384; vi, C, 221; vii, C, 188; ix, C, 429.

grandiflora, i, s, 237; ii, C, 300.

hirsuta, vii, C, 246.

pedunculata, vi, C, 221.

pusilla, vii, C, 246; ix, C, 429.

pyxidaria, ix, C, 141.

seabra, i, s, 124; vi, C, 221; vii, C, 246.

viscosa, vii, C, 246.

Vanessa, x, D, 285.

benguetana, x, D, 286.

canace, x, D, 286.

- Vanessa—Continued.
 canace race *haronica*, x, D, 288.
 charonia, x, D, 286.
 charonides, x, D, 287.
 drilon, x, D, 287.
 glauconia, x, D, 286.
 io, ix, D, 264.
 no-japonica, x, D, 286.
 siphnos, x, D, 286.
 Vangta, iv, C, 694.
 Vanilla *fasciola*, ix, C, 71.
 Vanoverbergh, plants collected in Bontoc sub-province by Father Morice, vii, C, 71; ix, C, 443.
 Vanoverberghia, vii, C, 76.
 sepulchrei, vii, C, 76.
 Varanus, v, D, 215.
 Varicella, histology of the skin lesions in, i, 349.
 Variola and vaccinia in *quadrumana*, i, 239.
 the relationship of *vaccinia* and, viii, B, 17.
 Varioloid in Manila, viii, B, 403.
 Varnish tree, iv, C, 489, 519.
 Varnishes, oleoresinous, v, A, 191.
 Varta, x, D, 52.
 Varuna *litterata*, ix, D, 4.
 Vasango, iii, C, 427.
 Vastæ, ii, C, 410.
 Vateria *acuminata*, iv, C, 519; vi, A, 165.
 astrotricha, iv, C, 520.
 indica, iv, C, 519.
 indicans, vi, A, 165.
 seychellarum, iv, C, 520.
 Vatica, i, s, 98; vi, C, 281.
 affinis, vi, C, 285.
 aptanthera, vi, C, 282.
 astrotricha, vi, C, 283.
 bancana, iv, C, 520.
 bantamensis, iv, C, 520; vi, C, 284.
 chinensis, iv, C, 520.
 cinerea, iv, C, 520.
 eximia, vi, C, 276.
 faginea, iv, C, 520.
 grandiflora, vi, C, 285.
 mangachapoi, i, 638; i, s, 98; iv, C, 520, 703; vi, C, 282.
 rassak, iv, C, 520; vi, C, 284.
 scaphula, vi, C, 285.
 sublacunosa, vi, C, 276.
 Vaucheria, ix, B, 356.
 Vayasubas, iii, C, 394.
 Vecino, viii, D, 171.
 Vegetable fibers for paper making, i, No. 5, 437.
 oils, ii, A, 439; x, A, 112.
 Vegetables utilized by natives of Taytay, iv, B, 222.
 Vegetation, areas covered by different classes of, ix, A, 419.
 Lamao forest reserve, i, 373, 637.
 Taal Volcano pioneer, ix, C, 391.
 Vein filling, viii, A, 86.
 gold deposits, P. I., viii, A, 96.
 Veins, alteration in, viii, A, 87.
 gold-bearing, viii, A, 92.
 Veinte cohoh, x, C, 402.
 Vekunta *lineata*, ix, D, 270.
 Velitra, iv, A, 585.
 rubropicta, iv, A, 585.
 Veluticeps, ix, C, 350.
 philippinensis, ix, C, 350.
 Venereal diseases, iv, B, 282; vi, B, 455.
 Veneridæ, viii, A, 272.
 Venom, habu, and its serum therapy, iii, B, 151.
 Ventilago, iii, C, 110; iv, C, 287; ix, C, 369; x, C, 40.
 dichotoma, iv, C, 287.
 gracilis, iii, C, 110; iv, C, 287.
 lanceolata, x, C, 40.
 leiocarpa, iv, C, 287.
 lucens, iv, C, 287.
 luzoniensis, iv, C, 287.
 maderaspataana, iv, C, 287.
 monoica, iv, C, 287.
 multinervia, ix, C, 369.
 oblongifolia, iv, C, 287.
 Venus *alta*, vii, D, 277.
 granosa, viii, A, 273.
 pulcherrima, v, A, 330.
 squamosa, v, A, 330; vi, A, 376; viii, A, 248.
 Venus thrombosis, i, 568.
 Verania *nigrilabris*, v, D, 148.
 Veratonia *malayana*, x, C, 3.
 Veratrum *malayanum*, x, C, 3.
 Verbena *indica*, ix, C, 136.
 Verbenaceæ, i, s, 121, 229; ii, C, 299, 389, 425, 435; iii, C, 215, 262, 430; iv, C, 320, 553, 707; v, C, 225, 380; vi, C, 220; vii, C, 98, 165, 245, 338; viii, C, 388; ix, A, 555; ix, C, 134, 385, 429; x, C, 70, 193.
 Verbesina *alba*, ix, C, 153.
 argentea, ix, C, 155.
 biflora, ix, C, 154.
 canescens, ix, C, 155.
 chinensis, iii, C, 125.
 nodiflora, ix, C, 154.
 prostrata, vii, C, 251.
 Verbo *apoplegia*, iii, B, 247.
 Vermetidæ, viii, A, 292.
 Vermetus, viii, A, 292.
 giganteus, viii, A, 292.
 junghuhni, v, A, 330.
 Vermiculite, x, A, 95.
 Vermiform appendix, i, 1061; vii, B, 29.
 Vermouth, vii, A, 24.
 Vernal insolation, v, B, 493.
 Vernifolia, ii, A, 364.
 hyalipuncta, ii, A, 364.
 Vernonia, i, s, 138; iii, C, 439; v, C, 252, 393; vii, C, 106; ix, C, 154.
 acrophila, v, C, 253; vii, C, 107.
 albicans, iii, C, 439.
 arborea, i, 656; i, s, 138; iv, C, 563; v, C, 253.
 chinensis, i, 669; i, s, 138; iii, C, 439; ix, C, 154.
 cinerea, i, s, 138; v, C, 252; vi, C, 228; ix, C, 154, 430, 510.

Vernonia—Continued.

- elmeri, v, C, 252.
 lancifolia, v, C, 253.
 maritima, iii, C, 440.
 patula, iii, C, 439; vi, C, 228; vii, C, 196;
 ix, C, 154.
 phanerophlebia, vii, C, 106.
 philippinensis, i, s, 177; v, C, 393.
 vidalii, i, s, 138.
 villosa, ix, C, 154.
 Veronica, v, C, 384.
 monantha, v, C, 385.
 Verrilliana, ix, D, 237.
 Verrucaria nitens, i, s, 281.
 Versura maasi, ix, D, 197.
 Vertige paralyzant, kubisagari or, ii, B, 409.
 Vesicularia, viii, C, 88.
 campylothecium, viii, C, 89; ix, C, 214.
 dubyana, viii, C, 88.
 filicuspes, viii, C, 88.
 meyeniana, viii, C, 88.
 pilireti, viii, C, 89.
 reticulata, vi, C, 191; viii, C, 88; ix, C,
 211.
 splendida, viii, C, 89.
 Vespa analis, i, 688.
 annulata, i, 688.
 cincta, i, 688.
 deusta, i, 688.
 luctuosa, i, 688.
 nigripennis, i, 688.
 philippinensis, i, 688.
 Vespertilio alecto, vii, D, 12.
 capaccini, vii, D, 46.
 chinensis, vii, D, 46.
 eschscholtzii, vii, D, 18.
 ferrum-equinum, vii, D, 13.
 formosa, vii, D, 16.
 hardwickii, vii, D, 19.
 imbricatus, vii, D, 17.
 irretitus, vii, D, 17.
 jagorii, vii, D, 19.
 macrotarsus, vii, D, 17.
 meyeri, vii, D, 17.
 muricola, vii, D, 46.
 myotis, vii, D, 16.
 pachypus, vii, D, 17.
 pellucidus, vii, D, 19.
 pipistrellus, vii, D, 17.
 plicatus, vii, D, 20.
 rufo-pictus, vii, D, 16.
 schreibersii, vii, D, 18.
 spasma, vii, D, 13.
 speoris, vii, D, 16.
 suillus, vii, D, 19.
 temminckii, vii, D, 18.
 tenuis, vii, D, 17.
 tibialis, vii, D, 18.
 tristis, vii, D, 19.
 ursinii, vii, D, 18.
 vampyrus, vii, D, 9.
 Vespertilionidae, vii, D, 16.
 Vesperugo abramus, vii, D, 46.
 maurus, vii, D, 46.

Vesperugo—Continued.

- noctula, vii, D, 46.
 tylopus, vii, D, 46.
 Vespidae, i, 688.
 Vespinae, i, 688.
 Vespoidea, i, 684.
 Vetiver, vii, C, 192.
 oil, iv, A, 118.
 Vetteria, i, s, 337.
 zizanioides, vii, C, 228.
 Vexillaria, v, C, 109.
 Vian, iii, C, 395.
 Vibrio cholerae, iii, B, 47; vi, B, 283; x, B,
 320.
 nasik, ii, B, 436.
 vitality of the cholera, ix, B, 479.
 Viburnum, i, s, 137; iv, C, 328; v, C, 391;
 x, C, 284.
 coriaceum, iv, C, 329; x, C, 285.
 erosum, v, C, 591.
 floribundum, iv, C, 328.
 glaberrimum, iv, C, 329; x, C, 285.
 luzonicum, i, s, 176; iv, C, 329; v, C,
 391.
 odoratissimum, i, 656; i, s, 137, 176; iii,
 C, 44; v, C, 391.
 platyphyllum, x, C, 284.
 sinuatum, i, 664; i, s, 137, 176.
 Vicarya, i, 628; viii, A, 267.
 callosa, i, 206, 620; vi, A, 362; vi, D,
 55; viii, A, 236; x, A, 218.
 callosa var. semperi, i, 628; v, A, 330; viii,
 A, 268.
 verneuili, i, 631; viii, A, table facing
 page 252.
 Vicentia, ix, C, 59.
 Vicia sativa, vii, B, 40.
 Vigna, i, s, 67; iii, C, 411; v, C, 3, 133; ix, C,
 94.
 catjang, v, B, 67; v, C, 133.
 lutea, i, s, 67; iii, C, 81; v, C, 133; vi,
 C, 206; vii, C, 185; viii, C, 266; ix, C,
 94, 426.
 luteola, iii, C, 411; v, C, 134.
 pilosa, v, C, 134.
 repens, v, C, 134.
 retusa, v, C, 133.
 sesquipedalis, vii, C, 185, 193; viii, C, 266;
 x, C, 372.
 sinensis, iv, B, 222; v, B, 67; v, C, 9,
 133; ix, C, 94.
 unguiculata, x, C, 372.
 vexillata, v, C, 134.
 Vigneandra, ii, C, 107.
 Vigo shale, viii, A, 331; x, A, 251.
 Valley, viii, A, 316.
 Vilfa diandra, i, s, 373.
 pilifera, i, s, 373.
 verticillata, i, s, 384.
 Villaria, iii, C, 437; v, C, 248.
 acutifolia, v, C, 243.
 littoralis, iii, C, 437; v, C, 248.
 philippinensis, v, C, 248.
 Villebrunea, i, s, 49; iii, C, 404; v, C, 467;
 vi, C, 314.

- Villebrunea—Continued.
 frutescens, vi, C, 17.
 rubescens, vi, C, 17.
 trinervis, i, 645; i, s, 49; iii, C, 404; vi, C, 17.
- Vinai, ix, C, 463.
- Vinca rosea, ix, C, 129.
- Vincent's angina, vi, B, 489.
- Vincetoxicum carnosum, iii, C, 121.
- Vinegar, coconut-sap, vi, A, 166.
 nipa, vi, A, 140.
- Vino, iv, A, 252; vi, A, 107, 150; vii, A, 23.
 de coco, vi, A, 151; vii, A, 25.
 de nipa, vii, A, 24.
 de palma, vi, A, 197.
- Vinta, iii, A, 501.
- Vin-vin, iv, C, 517.
- Vinias lowland, vi, A, 458, 475.
- Viola, v, C, 200, 364.
 diffusa, v, C, 201.
 mearnsii, v, C, 201.
 odorata, vii, C, 187; x, C, 191.
 patricinii, i, s, 175.
 patrinii, v, C, 200.
 philippica, x, C, 191.
 serpens, v, C, 364.
 toppingii, v, C, 364.
- Violaceae, i, s, 210; v, C, 200, 364; vii, C, 163; x, C, 191.
- Viperidae, vi, D, 267.
- Virgen, x, C, 385.
- Virus, cattle plague, iii, B, 165, 319; iv, B, 37.
 cultivation of rinderpest, ix, B, 259.
- Viscum, iv, C, 151.
 angulatum, iv, C, 151.
 articulatum, iv, C, 151.
 capense, iv, C, 151.
 compressum, iv, C, 151.
 cumingianum, iv, C, 153.
 falcatum, iv, C, 151.
 japonicum, iv, C, 152.
 monoicum, iv, C, 151.
 opuntia, iv, C, 152.
 opuntioides, iv, C, 151.
 orientale, iv, C, 151.
 oxycedri, iv, C, 151.
 philippense, iv, C, 151.
 ramosissimum, iv, C, 151.
- Visenia tomentosa, ix, C, 315.
 umbellata, ix, C, 315.
- Visiania pubinervis, vii, C, 329.
- Vistapol, vi, C, 114.
- Vitaceae, i, s, 88; ii, C, 280, 423; iii, C, 80, 110, 419; v, C, 196, 360; vi, C, 209; vii, C, 85, 162; ix, A, 555; ix, C, 370, 427, 452.
- Vital statistics of Taytay, iv, B, 241.
- Vitamine used in treating cases of human beriberi, x, B, 112.
- Vitamines contained in rice polishings, viii, B, 175.
 progress in the investigation of, x, B, 95.
- Vitessa, iii, A, 35.
 splendida, iii, A, 35.
 suradeva, iii, A, 35.
- Vitex, i, s, 121; iii, C, 432; iv, C, 320, 556, 674; v, C, 227; vii, C, 165, 343; ix, C, 136.
 aherniana, ii, C, 392; iv, C, 556, 713.
 altissima, ii, C, 389; iv, C, 556.
 incisa, ix, C, 136.
 latifolia, ii, C, 389.
 littoralis, i, 676, 1055, 1070; i, s, 121; ii, C, 389; iv, C, 556, 707; v, C, 227.
 longifolia, v, C, 227.
 negundo, i, s, 121; vi, C, 221; ix, C, 136.
 nitida, vii, C, 343.
 ovata, i, s, 121; iii, C, 432.
 parviflora, v, C, 227; vi, A, 423; ix, A, 416, 542; ix, C, 429.
 pentaphylla, iv, C, 320; vii, C, 344.
 pubescens, ii, C, 389; iv, C, 557; vi, A, 17.
 timoriensis, i, s, 121; iv, C, 556.
 trifolia, iii, C, 432; vi, C, 221; ix, C, 136.
 trifolia var. unifoliolata, i, s, 121.
 turczaninowii, i, s, 121, 229.
- Vitis, vii, C, 109.
 barbata, iii, C, 110.
 imperialis, iii, C, 110.
 ochracea, iii, C, 110.
 pedata, i, s, 88.
- Vittaria, i, s, 19, 157; ii, C, 134, 174; iii, C, 275, 392; vi, C, 87; vii, C, 47; ix, C, 45.
 alternans, i, s, 157; ii, C, 5.
 amboinensis, ii, C, 134.
 caricina, iii, C, 282.
 elongata, i, s, 19; ii, C, 134, 174; iii, C, 392; vi, C, 87, 192; vii, C, 48; ix, C, 45.
 elongata var. alpina, iii, C, 275.
 falcata, ii, C, 5, 175.
 filipes, iii, C, 282.
 flexuosa, iii, C, 282.
 isoeifolia, v, C, 285.
 lineata, i, 419; i, s, 19; vi, C, 87, 192.
 lineata trichoides, i, s, 157.
 longicoma, v, C, 285.
 merrillii, ii, C, 174.
 minor, ii, C, 5; vii, C, 53.
 pachystemma, ii, C, 174.
 philippinensis, ii, C, 174.
 scabricoma, vi, C, 87.
 scolopendrina, ii, C, 135; vi, C, 87, 192; vii, C, 48.
 sessilis, ix, C, 231.
 subcoriaceae, ii, C, 175.
 taeniophylla, i, s, 157.
 zosterifolia, vi, C, 87.
- Viverra binturong, vii, D, 23.
 mungos, vii, D, 23.
 niger, vii, D, 22.
 tangalunga, vii, D, 22.
 zibetha, vii, D, 22, 46.
- Viverricula malacensis, vii, D, 46.
- Viverridae, vii, D, 22.
- Vlaade-appel, vii, C, 113.
- Voacanga, i, s, 117; iv, C, 319; vii, C, 336.
 cumingiana, i, s, 117; iv, C, 319.
 globosa, iv, C, 319; vi, C, 219.
 megacarpa, vii, C, 336.
 plumeriaefolia, iv, C, 318; vi, C, 219.

- Voandzeia subterranea, v, B, 67.
 Voc-voc, v, C, 111.
 Vodadin, iii, C, 419.
 Volcanic agglomerate, Bondoc Peninsula, viii, A, 335.
 mountains, P. I., v, A, 155.
 region, southwestern Luzon, v, A, 62.
 tuff, iii, A, 391; ix, A, 92.
 Volcano, Timor Island, vii, A, 283.
 Volcanoes, Mindanao, v, A, 358.
 P. I., v, A, 312; viii, A, 83.
 southwestern Luzon extinct, v, A, 86.
 Volkameria commersonii, vii, C, 245; ix, C, 135.
 nereifolia, vii, C, 245.
 Volkeliopsis, x, D, 81.
 frontalis, x, D, 82.
 Vollenhovia banksi, v, D, 126.
 oblonga subsp. dispar, v, D, 125.
 oblonga subsp. dispar var. samoensis, v, D, 126.
 oblonga subsp. levithorax, v, D, 125.
 subtilis, v, D, 126.
 Voluta, viii, A, 259.
 pellis serpentis, v, A, 330.
 sp., viii, A, 259, 324.
 Volutida, vii, D, 280; viii, A, 259.
 Volvaria, viii, C, 302.
 pruinosa, viii, C, 302.
 Vonitan, iii, C, 400.
 Vovavoy, iii, C, 339, 400.
 Vrydagzynea, ii, C, 313.
 albida, ii, C, 313.
 Vuhuan, vi, C, 29.
 Vulcanism in the Batanes Islands, iii, A, 14.
 Vuitalao, iii, C, 420.
- W**
- Wa, iv, C, 464.
 Wad, x, A, 95.
 Wahlbergia, i, s, 242; v, C, 392.
 bivalvis, i, s, 242; v, C, 392.
 gracilis, i, s, 242; v, C, 392.
 Wakis, ix, D, 477.
 Wallaceodendron, iii, C, 409; v, C, 26.
 celebicum, i, s, 171; iii, C, 409; iv, C, 463; v, C, 26.
 Wallichia arborea, vi, C, 227.
 oblongifolia, ii, C, 229.
 Walnut, black, vi, A, 16.
 East Indian, iv, C, 459.
 Indian, iv, C, 483.
 Walsura, iii, C, 148; viii, C, 378; ix, C, 308.
 brachybotrys, viii, C, 378.
 multijuga, iii, C, 148; viii, C, 379.
 quadrilocularis, iii, C, 148.
 villamilii, ix, C, 308.
 Waltheria, i, s, 93; ix, C, 114.
 americana, i, s, 93; vii, C, 174; ix, C, 114, 427.
 elliptica, ix, C, 114.
 indica, vii, C, 174; ix, C, 114.
 Wao, ix, D, 497.
 Warburgiella, viii, C, 93.
 cupressinoides, ii, C, 342; viii, C, 93; ix, C, 206.
 Warwick Barracks, vi, B, 469.
 Washington, investigations of sunlight at, vii, B, 7, 27.
 Wassermann reaction in syphilis, leprosy, and yaws, vi, B, 335.
 Water, artesian, v, A, 337; x, A, 367.
 bacteriological analyses of Taytay, iv, B, 215, 290.
 breeding places for mosquitoes, iv, B, 234.
 Caramoan Peninsula artesian, x, A, 319.
 chemical analyses of Taytay, iv, B, 217.
 hydrolysis of methyl salicylate in, viii, A, 21.
 Manila city, iv, B, 54.
 method of drawing, iv, B, 250.
 mosquito which breeds in salt and fresh, iii, B, 335.
 Mountain Province medicinal, x, A, 205.
 protozoa encountered in human stools and in, vi, B, 155.
 quantitative analyses of Taal Volcano, ii, A, 118.
 relations of the coconut palm, i, 36.
 snake skins, vi, D, 311.
 softening and scale prevention, ix, A, 375.
 supplies of the P. I., iii, B, 121, 187; iv, B, 107, 211, 249; v, B, 173; vi, B, 259; ix, A, 273; x, A, 65, 135.
 supplies, pollution of, ix, A, 340.
 Taytay drinking, iv, B, 234, 249.
 use of ultra-violet rays in the sterilization of, vi, B, 383.
 Water-borne diseases, ix, A, 341.
 Watermelon, iv, B, 222; viii, A, 70.
 Waters, analyses of mine, viii, A, 126.
 analyses of northern Luzon hot-spring, x, A, 203.
 analyses of some P. I., ii, A, 106.
 Iloilo Province boiler, x, A, 75.
 mineral, v, A, 334; ix, A, 381.
 radioactivity of Taal Volcano, i, 433; ii, A, 122.
 vitality of the cholera vibrio in Manila, ix, B, 479.
 Wattle, black, iv, C, 470.
 Weasel, vii, D, 21.
 Webera, i, s, 133; viii, C, 71.
 auriculata, ii, C, 427.
 corymbosa, ix, C, 150.
 duriuscula, viii, C, 71.
 hampeana, viii, C, 71.
 luzoniensis, i, s, 133.
 meyeri, i, s, 133.
 Wedelia, i, s, 139; iii, C, 441; vii, C, 251; ix, C, 154.
 argentea, ix, C, 155.
 biflora, i, 669; i, s, 139, 282; iii, C, 441; vi, C, 228; viii, C, 476; ix, C, 154, 430, 510.
 canescens, ix, C, 155.
 chamissonis, ix, C, 155.
 prostrata, vii, C, 196, 251.
 Weevil, Asiatic palm, i, 154.
 boña, i, 161.
 four-spotted coconut, i, 163.

- Weight an index to growth, vi, B, 40.
- Weinmannia, i, s, 60; ii, C, 275; x, C, 7.
 hutchinsonii, ii, C, 275.
 lucida, x, C, 7.
 luzoniensis, i, 656; i, s, 60; x, C, 8.
- Weisia, v, C, 143.
 flavipes, v, C, 143; ix, C, 204, 209.
- Well, Iloilo; Panay, x, A, 219.
 Janiuay, Iloilo, Panay, x, A, 220.
 Pasay, v, A, 310.
- Wells, appropriation for deep, ix, A, 274.
 bacteriological examination of artesian,
 viii, B, 443.
 chlorine content of artesian, x, A, 67.
 deep, ix, A, 300; x, A, 138.
 Iloilo, ix, A, 339; x, A, 67.
 location of artesian, x, A, 231.
 southeastern Luzon, vi, A, 479.
 surface, ix, A, 285; x, A, 140.
 Taytay, iv, B, 213.
- Wendlandia, i, s, 128; iii, C, 263, 436; iv, C,
 562; v, C, 389; x, C, 101.
 brachyantha, i, s, 128; iii, C, 436.
 excelsa, iv, C, 562.
 exserta, iv, C, 562.
 glabrata, iii, C, 436; v, C, 389.
 luzoniensis, i, s, 128; ix, C, 429.
 nervosa, iii, C, 263.
 peniculata, i, s, 128.
 rufescens, x, C, 101.
 williamsii, x, C, 101.
- Wenzelia, x, C, 272.
 brevipes, x, C, 273.
- Wenzelianæ, plantæ, viii, C, 363; ix, C, 353;
 x, C, 265.
- Werbera, ix, C, 150.
- Wernerite, x, A, 96.
- West Indian papain, x, A, 12.
- Wharf fish, iii, A, 529; ix, D, 65.
- Whelk, vii, D, 279.
- Whipworm, iii, B, 197.
- Whisky, v, A, 23; vii, A, 24.
- White race in North America, a theory of
 heredity to explain the types of the, iii,
 A, 215.
- Whiting, ix, D, 69.
- Widal examinations on the blood of healthy
 adult natives, vi, B, 308.
 reactions among healthy adult Filipinos,
 ix, B, 253.
- Wikstroemia, i, s, 101; iii, C, 422; v, C, 366;
 vii, C, 92, 313; ix, C, 116; x, C, 332.
 angustissima, vii, C, 92.
 elliptica, ix, C, 116.
 indica, ix, C, 117.
 lanceolata, i, 664; i, s, 101; v, C, 366; vii,
 C, 93.
 meyeniana, i, s, 101; ix, A, 450.
 ovata, i, 664; i, s, 101.
 polyantha, x, C, 332.
 rotundifolia, ix, C, 117.
 viridiflora, iii, C, 422.
- Wilkes United States exploring expedition,
 the P. I. plants collected by the, iii,
 C, 73.
- Williamsia, iii, C, 165; ix, C, 389; x, C, 107.
 caudata, ix, C, 389.
 glabra, x, C, 108.
 multinervia, x, C, 107.
 sablanensis, iii, C, 165; ix, C, 389; x, C,
 108.
- Willoughbya, iv, C, 320; viii, C, 387.
 luzoniensis, iv, C, 320.
 pauciflora, viii, C, 387.
- Willow, Azaola's, i, s, 182.
 black, vi, A, 14.
 glaucous, vi, A, 14.
 peach-leaved, vi, A, 14.
 river bank, vi, A, 14.
 sandbar, vi, A, 14.
- Willughbaeya scandens, ii, C, 308.
- Wilsoniella, viii, C, 65.
 squarrosa, viii, C, 65.
- Window-shell, Philippine, vi, D, 296.
- Wine, palm, *see* Palm wine.
 rice, vii, A, 29.
 roselle, vii, A, 204.
- Wines of domestic manufacture, imitation, vii,
 A, 25.
- Wisconsin building stone, transverse strength
 of, iii, A, 397.
- Wisenia indica, ix, C, 315.
- Wistaria, v, C, 73.
- Wiwik, vi, D, 242.
- Wodier, iv, C, 489.
- Wolframite, x, A, 96.
- Wollastonia canescens, ix, C, 155.
 prostrata, vii, C, 251.
 scabriuscula, ix, C, 154.
- Wong fa yu, ix, D, 69.
- Wood, Andaman bullet, iv, C, 540.
 apple, iv, C, 474.
 calamander, iv, C, 546.
 chittagong, iv, C, 478.
 condori, iv, C, 459.
 coral, iv, C, 459.
 cork, iv, C, 499.
 Coromandel, iv, C, 546.
 eucalyptus red, iv, C, 534.
 koa, iv, C, 470.
 oil, Indian, i, 199.
 oils, P. I., i, 191.
 pulp for papers, i, No. 5, 439.
 pulp, soda, ii, A, 87.
 pulp, sulphite, ii, A, 89.
 sappan, iv, C, 470.
 yellow, iv, C, 562.
- Woods, approximate fuel value of North
 American, vi, A, 13.
 Indo-Malayan, iv, C, 409, 567.
 P. I., ii, A, 83; ii, C, 351, 397.
- Woodwardia, iii, C, 35, 391; v, C, 320.
 harlandi, iii, C, 280.
 japonica, iii, C, 280.
 kempii, iii, C, 280.
 orientalis var. prolifera, iii, C, 280.
 radicans, v, C, 320.
 radicans var. prolifera, iii, C, 35, 391.

- Wood-working industry of San Vicente, Ilocos Sur, vii, D, 231.
- Worcesteria, i, 779, 982.
grata, i, 780, 982; ii, B, 517; iii, A, 235.
- Worcesterianthus, ix, C, 288; x, C, 270.
casearioides, ix, C, 288; x, C, 270.
magallanensis, x, C, 270.
- Worm, Cochinchina diarrhoea, iii, B, 191.
- Wormia luzoniensis, i, s, 95.
sibuyanensis, ix, C, 322, 519.
subsessilis, ix, C, 521.
suffruticosa, ix, C, 521.
- Worms, intestinal, iv, B, 185, 261.
- Wrasse, iii, A, 529; ix, D, 69.
- Wrightia, i, s, 118; iii, C, 121; iv, C, 551; vii, C, 164.
calycina, iii, C, 121.
javanica, iv, C, 551.
laniti, i, 387; i, s, 118; ii, C, 385; iv, C, 551, 717; ix, C, 428.
ovata, i, s, 118; ii, C, 385.
tinctoria, iv, C, 551.
tomentosa, iv, C, 552.
- Wyeomyia nepenthicola, iv, A, 550; viii, D, 307.
- X
- Xanthocephalus xanthocephalus, ii, A, 259.
- Xanthochrous, x, C, 95.
discipes, x, C, 95.
- Xanthochymus, iii, C, 360.
dulcis, iii, C, 362.
- Xantholæma, v, D, 104.
hæmatocephalum, i, 702; iv, A, 72.
roseum, i, 773; ii, A, 299, 304; vi, D, 42.
- Xanthophyllum, i, s, 74; iv, C, 482; x, C, 316.
pseudostipulaceum, x, C, 316.
villarii, iv, C, 328.
vitellinum, iv, C, 482.
- Xanthophytum, iv, C, 328.
fruticulosum, iv, C, 328; vi, C, 227.
- Xanthopimpla kriegeri, i, 692.
- Xanthostemon, iv, C, 334.
merrillii, iv, C, 334.
speciosus, iv, C, 334.
verdugonianus, ii, C, 388; iv, C, 334, 536.
- Xanthoura, ii, A, 259.
- Xanthoxylon schinnifolium, ix, D, 250.
- Xanthoxylum pteleaefolium, vii, C, 377.
torvum, ii, C, 242.
- X-bodies as artefacts in glass slides, vi, B, 421.
- Xenaspis polistes, viii, D, 310.
- Xenopyris compressicornis, ix, D, 285.
- Xenia, x, D, 209.
hicksoni, x, D, 165.
rigida, x, D, 165.
- Xeniidae and Stolonifera, x, D, 155.
- Xenopeltis unicolor, vi, D, 253.
- Xenophora dunkeri, viii, A, 325.
- Xenopsylla cheopis, vii, B, 119.
- Xenoteleia flavipennis, ix, D, 286.
- Xenotoma, ix, D, 310.
philippinensis, ix, D, 310.
soror, ix, D, 310.
- Xeocephus rufus, v, D, 111; vi, D, 43.
- Xeromys silaceus, vii, D, 26.
- Xerospermum muricatum, iv, C, 495.
noronhianum, iv, C, 495.
- Xerotus, i, s, 292.
fuliginosus, i, s, 292.
- Xestocephalaria, x, D, 50.
- Xestocephalus, x, D, 50.
- Ximenia, i, s, 190; ix, C, 78, 289.
americana, i, s, 190; iv, C, 450; ix, C, 78.
- Xiphagrostis, ix, C, 51.
floridula, ix, C, 51.
- Xoridini, i, 692.
- Xyaste trigonocephala, x, D, 247.
uniformis, x, D, 245.
varioscapus, x, D, 246.
- Xylaria, i, s, 281; iii, C, 52; viii, C, 261, 274.
allantoidea, viii, C, 189.
anisopleura, viii, C, 274.
bataanensis, iii, C, 52.
botuliformis, viii, C, 188.
compuncta, viii, C, 188.
copelandii, iii, C, 52.
corniformis, iii, C, 52; viii, C, 189.
dealbata, viii, C, 188.
euglossa, viii, C, 189.
fulvella, viii, C, 261.
fulvo-lanata, i, s, 281.
gigantochloae, viii, C, 261.
gracilentia, v, C, 165; viii, C, 274.
gracillima, viii, C, 188.
hypoxylon, i, s, 281, 294.
luzonensis, i, s, 281.
myosurus, viii, C, 188.
obtusissima, v, C, 165.
polymorpha, i, s, 281.
 trianae, viii, C, 261.
tuberosa, v, C, 165.
- Xylariaceæ, iii, C, 50; v, C, 164; viii, C, 187, 260.
- Xyleborinæ, vi, D, 24.
- Xyleborus, vi, D, 24.
abnormis, vi, D, 25.
capito, vi, D, 17.
kraatzii, vi, D, 24.
kraatzii var. philippinensis, vi, D, 17.
perforans, vi, D, 24.
perforans var. philippinensis, vi, D, 25.
- Xylia dolabriformis, i, 401; ii, C, 369; iv, C, 463, 721; v, C, 25.
xylocarpa, iv, C, 463.
- Xylocarpus, i, s, 71; iv, C, 482; ix, C, 100.
granatum, i, 674; i, s, 71; iv, C, 482; vi, A, 53; ix, C, 100.
obovatus, iv, A, 208; iv, C, 482; v, A, 445; vi, A, 17, 53; vi, C, 207.
sp., vi, A, 16.
- Xylocopa adusta, i, 686.
aestuans, i, 686.
amauroptera, i, 686.
bombiformis, i, 686.
bryorum, i, 686.
dissimilis, i, 686.
euchlora, i, 686.

Xylocopa—Continued.

- fuliginosa, i, 686.
- ghilianii, i, 686.
- latipes, i, 686.
- occipitalis, i, 686.
- philippinensis, i, 686.
- rufescens, i, 686.
- sonorina, i, 686.
- sulcifrons, i, 686.
- tricolor, i, 686.
- trifasciata, i, 686.
- vachali, i, 686.

Xylocopidae, i, 686.

Xylophylla obovata, iv, C, 74.

Xylophyllus rolfeana, iv, C, 253.

Xylopia, i, s, 54.

dehiscens, i, 391; i, s, 54; iv, C, 707.

parvifolia, iv, C, 451.

Xylorrhiza adusta, x, D, 45.

Xylosma, ix, C, 323.

cumingii, ix, C, 323.

luzonensis, ix, C, 323.

suluensis, ix, C, 324.

Xylotrechus, i, 1067.

australis, x, D, 45.

Xyridaceæ, v, C, 172; vii, C, 155.

Xyris, v, C, 172; vii, C, 155.

anceps, v, C, 172.

Xysterna abbreviatus, v, D, 278.

kapas, iii, A, 529; v, D, 278.

lucidus, v, D, 278.

oyena, v, D, 278.

punctatum, ix, D, 67.

Xystidium barbatum, i, s, 341.

maritimum, i, s, 341.

Xystinae, i, 690.

Y

Yabnay, iii, C, 402.

Yacal, ii, A, 382; ii, C, 396; iv, C, 508; vi, C, 263; vi, D, 19.

blanco, vi, C, 283, 284.

Bornean, iv, C, 508.

Yam, iv, B, 222; vii, C, 192.

bean, vii, C, 199.

Yama joro, ix, D, 255.

kaiko, x, D, 348.

Yamban, vi, C, 274.

puti, vi, C, 270.

Y'Ami Island, birds of, ii, A, 337.

Yamog-yamog, iv, C, 108.

Yanagi, x, D, 282, 349.

Yang sun ko, ix, D, 68.

Yang tswan, ix, D, 68.

Yantoc, i, s, 31.

Yat sa yu, ix, D, 78.

Yates, vii, C, 113.

Yaun, v, B, 338.

Yaws, complement fixation in, v, B, 485.

histologic study of, ii, B, 469.

observations upon *Treponema pertenuis* of, ii, B, 441.

specific cure of, with dioxydiamidoarse-nobenzol, v, B, 433.

Yaws—Continued.

Taytay, iv, B, 285.

Wassermann reaction in, vi, B, 335.

Yaysi, iii, C, 403.

Ycha nga atap, iv, C, 692.

Ydacacayo, iii, C, 411.

Yellow, Indian, v, A, 444.

Yemen ulcer, i, 101.

Yerba de Santa Maria, ix, C, 153.

Yeso, v, A, 145.

Yeung tsun, ix, D, 68.

Ygolotes, i, 845.

Ygorot, i, 845.

Yin daik, iv, C, 464.

Ying kung, ix, D, 71.

Yinye, iv, C, 529.

Ylang-ylang, ix, A, 444.

oil, iii, A, 65; iv, A, 127; v, A, 265; vi, A, 333, 349, 355; x, A, 99.

Ylas, i, s, 321.

Yochubio, iii, B, 1.

Yoga, ix, C, 109.

Yogades, i, 818.

Yoiho, iii, A, 278.

Youngia dentata, iii, C, 218.

Ypil, iv, C, 461.

Ysis maya, vi, C, 28.

Ytatapanes, i, 851.

Yucca aloifolia, vii, C, 181.

Yungipicus fulvifasciatus, ii, A, 286; iv, A, 72.

leytensis, ii, A, 326.

maculatus, ii, A, 299, 304; vi, D, 42.

validirostris, i, 702; v, D, 136, 220.

Yunot, vi, A, 195.

Yuro, vi, A, 195; vi, C, 116.

Yuta yuta, iii, A, 279.

Z

Zabache, v, C, 131.

Zacate, i, s, 311, 371.

Zafiro, plague on the steamship, viii, B, 109; ix, B, 6.

Zalacca, iv, C, 618.

blumeana, iv, C, 619.

clemensiana, iv, C, 618.

edulis, iv, C, 619.

vermicularis, iv, C, 619.

Zambales, difficulties encountered in the culture of the baños, or milkfish, x, D, 307.

malaria and Anopheles surveys in, x, B, 205.

Zambesí ulcer, vi, B, 493.

Zamboanga, i, 883; ii, A, 51.

district, vi, A, 360.

Peninsula, v, A, 354.

Zamila, v, D, 41.

aberrans, v, D, 38.

lycoides, v, D, 41.

perpusilla, v, D, 41.

Zahonia, i, s, 241.

indica, i, s, 241.

macrocarpa, i, s, 241.

Zanonia—Continued.

- philippinensis, i, s, 241.
 sarcophylla, vii, C, 352.
- Zanthoxylum glandulosum, ii, C, 424.
 lamarkianum, vii, C, 376.
 marambong, vii, C, 378.
 pteleaefolium, vii, C, 376.
 roxburghianum, vii, C, 378.
 trifoliatum, i, s, 217.
 triplinerve, x, C, 303.
 zeylanicum, vii, C, 378.
- Zaocys carinatus, vi, D, 253, 259.
 luzonensis, vi, D, 259.
- Zapote, viii, A, 63.
 de viegas, vii, C, 113.
- Zareca philippica, iv, C, 99.
- Zea, i, s, 320; ix, C, 50.
 mays, i, s, 320; iv, B, 222; vii, C, 180;
 ix, C, 50.
- Zebrina, vii, C, 232; ix, C, 66.
 pendula, vii, C, 181, 232; ix, C, 66.
- Zeists, v, B, 490.
- Zelus collaris, iv, A, 588.
 plagiatus, iv, A, 589.
- Zenarchopterus buffonis, v, D, 267.
 dux, v, D, 267.
- Zenopeltidae, vi, D, 255.
- Zenopeltis unicolor, vi, D, 255.
- Zeocephus cinnamomeus, ii, A, 287; iv, A, 73.
 cyanescens, i, 906.
 rufus, i, 774; ii, A, 287, 305, 342.
- Zeolite, x, A, 96.
- Zephyranthes, ix, C, 68.
 rosea, vii, C, 182; ix, C, 68.
- Zephyrus, x, D, 292.
 attilia, x, D, 293.
 attilia ab. subgrisea, x, D, 294.
 cognata, x, D, 292.
 diamantina, x, D, 292.
 orientalis, x, D, 292.
 saepestriata, x, D, 295.
 suffusa, x, D, 292.
- Zerumbet zingiber, iv, C, 169.
- Zeuxine, ii, C, 314.
 abbreviata, viii, C, 408.
 luzonensis, ii, C, 314.
- Zilervlies, v, B, 66.
- Zimmet apfel, vii, C, 113.
- Zimocca sponge, P. I., iv, A, 58.
- Zinc, P. I., v, A, 332.
- Zingiber, i, s, 36; iv, C, 168; ix, C, 69.
 amaricans, iv, C, 169.
 blancoi, iv, C, 169.
 cassumunar, iv, C, 169.
 mollis, iv, C, 168; vi, C, 197.
 officinale, iv, B, 223; iv, C, 168; v, A, 259;
 vii, C, 182; ix, C, 69.
 ovoideum, iv, C, 169.
 pubisquama, iv, C, 169; vi, C, 197.
 spectabile, iv, C, 170.
 spurium, iv, C, 169.
 truncatum, iv, C, 169.
 zerumbet, i, 399; i, s, 36; iv, C, 169; vi,
 C, 197; vii, C, 192; ix, C, 69.
- Zingiberaceae, i, s, 36; ii, C, 268; iv, C, 155;
 vi, C, 197; vii, C, 75, 156; ix, C, 69,
 353, 443; x, C, 296.
- Zinnia, vii, C, 202.
- Zizera, v, D, 166.
 alsus, v, D, 166.
 gaika, v, D, 166.
 lysimon, v, D, 72.
 mora, v, D, 166.
 putli, v, D, 166.
- Zizyphus, i, s, 88, 206; iii, C, 201; iv, C, 288,
 496; vii, C, 162; ix, C, 108; x, C, 40.
 arborea, i, s, 88; ii, C, 374; iv, C, 496.
 baclei, i, s, 206.
 celtidifolius, i, s, 206.
 crebrivenosa, iii, C, 201.
 cunningiana, i, s, 206.
 hutchinsonii, iv, C, 288.
 jujuba, iv, C, 496; ix, C, 108.
 mauritana, ix, C, 108.
 otanesii, x, C, 40.
 timorensis, i, s, 206.
 trinervia, i, 391; i, s, 88; x, C, 41.
 vulgaris, iv, C, 496.
 xylopyrus, iv, C, 496.
 zonulatus, i, 387, 640; i, s, 88; iv, C,
 496, 707; ix, A, 432.
- Zoisia, i, s, 342; vii, C, 153, 230.
 matrella, vii, C, 230.
 pungens, i, s, 342; vii, C, 230.
- Zoisia, i, s, 341.
- Zonophaps poliocephala, ii, A, 281; vi, D, 41.
- Zoölogy—Amphibia:
 Development of frog tadpoles in sea water
 (Pearse), vi, D, 219.
- Zoölogy—Annulata:
 Hirudo boyntoni, a new Philippine leech
 (Wharton), viii, D, 369.
 Infectiveness of virulent blood in the
 water leech (Boynton), viii, B, 509.
 Oligochaeta terricolæ of the P. I., the
 genus Pheretima (Beddard), vii, D, 179.
 Philippine Thalassemæ, with a revision
 of the genus (Wharton), viii, D, 243.
- Zoölogy—Arachnida:
 medical survey of Taytay. Insects
 (Banks), iv, B, 233.
- Zoölogy—Aves:
 Bird unrecorded from Mindanao (Mc-
 Gregor), ii, A, 296.
 Birds collected in Cebu (McGregor), ii,
 A, 298.
 Birds collected in Mindoro and in small
 adjacent islands (McGregor), i, 697.
 Birds collected in Polillo (McGregor), v,
 D, 103.
 Birds from Apo Island (McGregor), i,
 767.
 Birds from Banton (McGregor), i, 768.
 Birds from Basilan, with descriptions of
 three new species (McGregor), ii, A,
 279.
 Birds from northern Mindanao (McGre-
 gor), iv, A, 67; v, D, 197.

Zoölogy—Aves—Continued.

- Birds from northern Negros (McGregor), vi, D, 39.
- Birds from Palawan (McGregor), i, 903.
- Birds from Pauai and Mount Pulog (McGregor), v, D, 135.
- Birds from Siquijor (McGregor), iii, A, 275.
- Birds from Tablas Island (McGregor), i, 771.
- Birds from the coast of northern Luzon and from Sabtan and Dalupiri Islands (McGregor), v, D, 219.
- Birds observed in Bantayan Island (McGregor), ii, A, 310.
- Birds of Batan, Camiguin, Y'Ami, and Babuyan Claro, islands north of Luzon (McGregor), ii, A, 337.
- Birds of Bohol (McGregor), ii, A, 315.
- Digestive system of *Hydrocorax* (Curl), vi, D, 31.
- Four birds from Luzon and a species of doubtful occurrence in the P. I. (McGregor), i, 765.
- Four new Philippine birds (McGregor), ii, A, 292.
- Hybridism among boobies (Worcester), vi, D, 179.
- Migration of the tic-wee buzzard in the P. I. (McGregor), v, D, 199.
- Necessary changes in the names of Philippine birds (McGregor), iii, A, 283.
- Nesting place of *Sula sula* and *Sterna anæsthera* (Worcester), ii, A, 275.
- Nesting specimen of *Caprimulgus griseatus* (Worcester), ii, A, 271.
- New genus and nine new species of Philippine birds (Mearns), ii, A, 355.
- New *Prionochilus* from the highlands of Luzon (McGregor), ix, D, 531.
- Newly discovered breeding places of Philippine sea birds (Worcester), vi, D, 167.
- Occurrence of Blyth's wattled lapwing and the scaup duck in the P. I. (McGregor), ii, A, 295.
- Osteological and other notes on *Sarcops calvus* of the P. I. (Shufeldt), ii, A, 257.
- Philippine ornithological literature (McGregor), iii, A, 285; iv, A, 79; v, D, 203.
- Puffinus new to Philippine waters and description of a new species of *Micranous* (McGregor), vi, D, 183.
- Specimens of the monkey-eating eagle from Mindanao and Luzon (McGregor), ii, A, 297.
- Two additions to the avifauna of the P. I. (Mearns), ii, A, 353.
- Zoölogy—Cœlenterata:
- Dangerous jellyfish in Philippine waters (Light), ix, B, 291.
- Geologic reconnaissance of the Loboo Mountains, Batangas (Smith), i, 617.

Zoölogy—Cœlenterata—Continued.

- Miscellaneous marine products (Seale), vi, D, 283.
- Morphology of *Eudendrium griffini* (Light), viii, D, 333.
- Philippine Alcyonaria. I: The Philippine species of the genus *Capnella* (Light), viii, D, 435.
- Philippine Alcyonaria. II: *Lemnalioides kükenhali*, a new genus and species of Alcyonaria from the P. I. (Light), ix, D, 233.
- Philippine Alcyonaria. III: Two new species of *Lithophytum* from the P. I. (Light), x, D, 1.
- Philippine Alcyonaria. IV: Philippine *Stolonifera* and *Xenidæ* (Light), x, D, 155.
- Philippine Alcyonaria. V: *Cornularia minuta*, a new species (Light), x, D, 203.
- Philippine Scyphomedusæ, including two new genera, five new species, and one new variety (Light), ix, D, 195.
- Several cases with unusual symptoms caused by contact with some unknown variety of jellyfish (Scyphozoa) (Old), iii, B, 329.
- Stratigraphy and fossil invertebrate fauna of the P. I. (Smith), viii, A, 235.
- Zoölogy—Crustacea:
- Are *Atya spinipes* and *Atya armata* synonyms for *Atya molluccensis* (Cowles), x, D, 147.
- Habits of fiddler-crabs (Pearse), vii, D, 113.
- Habits of some tropical Crustacea (Cowles), viii, D, 119; x, D, 11.
- Habits of *Thalassina anomala* (Pearse), vi, D, 213.
- New Philippine fiddler-crab (Pearse), vii, D, 91.
- Occurrence of a flying crustacean in the P. I. (Worcester), ix, D, 57.
- Palæmons of the P. I. (Cowles), ix, D, 319.
- Stomatopod crustacea from the P. I. (Kemp), x, D, 169.
- Stratigraphy and fossil invertebrate fauna of the P. I. (Smith), viii, A, 235.
- Two amphipoda of Luzon (Baker), x, D, 251.
- Zoölogy—Echinodermata:
- Stratigraphy and fossil invertebrate fauna of the P. I. (Smith), viii, A, 235.
- Zoölogy—Insecta—Coleoptera:
- Abundant appearance of *Gibbium scotias* in the P. I. (Schultze), iii, A, 299.
- Beitrag zur coleopteren Fauna der Philippinen (Moser), vi, D, 331; (Schultze), x, D, 271.
- Borkenkäfer der Philippinen (Strohmeyer), vi, D, 17.
- Buprestides recueillis aux îles Philippines (Kerremans), ix, D, 83.

Zoölogy—Insecta—Coleoptera—Continued.

- Catalogue des psélapides des îles Philippines (Raffray), ix, D, 451.
- Chrysomeliden und Coccinelliden der Philippinen (Weise), v, D, 223; viii, D, 215.
- Cigarette beetle (*Lasioderma serricornis*) in the P. I. (Jones), viii, D, 1.
- Coconut leaf-miner beetle, *Promecotheca cumingii* (Jones), viii, D, 127.
- Coleoptera Lamellicornia von den Philippinen (Moser), v, D, 183.
- Ein neues Apion von den Philippinen (Wagner), vii, D, 101.
- Eine neue Gattung der Discolomidae aus der orientalischen Region (Heller), vii, D, 105.
- Elatridæ des îles Philippines (Fleutiaux), ix, D, 441.
- Lagriiden und Alleculiden der Philippinen (Borchmann), viii, D, 43.
- Life histories of some Philippine Cassididae (Schultze), iii, A, 261.
- Neue Coleoptera Lamellicornia von den Philippine (Mosser), v, D, 183.
- Neue Käfer von den Philippinen (Heller), viii, D, 135; x, D, 19, 219.
- Neue Staphyliniden der Philippinen (Bernhauer), vii, D, 245.
- New Cassididae of the P. I. (Weise), iii, A, 259.
- New subspecies of Philippine Cicindelidae (Horn), ii, A, 77.
- Nitidulidæ des Philippines (Crouvelle), ix, D, 535.
- Philippinische Histeriden (Bickhardt), ix, D, 423.
- Philippinische Rüsselkäfer (Heller), vii, D, 295, 347.
- Principal insects injurious to the coconut palm (Banks), i, 143, 211.
- Prothyma schultzei*, a new species of Philippine Cicindelidae (Horn), iii, A, 273.
- Ruteliden der philippinischen Inseln (Ohaus), v, D, 233; vii, D, 255.
- Tenebrioniden der Philippinen (Gebien), viii, D, 373, 401.
- Typhoons, coconuts, and beetles (Cope-land), iii, A, 533.
- Verzeichnis von Coleopteren aus den Philippinen, nebst zwei neuen Arten aus niederländisch Ostindien (Weise), v, D, 139.
- Zur Staphylinidenfauna der Philippinen: VI. Beitrag zur Kenntnis der indomalayischen Fauna (Bernhauer), x, D, 117.
- Zwei neue Lucaniden der Philippinen (Felsche), vii, D, 97.
- Zwei neue philippinische Cleriden (Schenkling), viii, D, 303.
- Zoölogy—Insecta—Diptera:
Biology of Philippine Culicidae (Banks), iii, A, 285.

Zoölogy—Insecta—Diptera—Continued.

- Biology of *Tabanus striatus* (Mitzmain), viii, B, 197.
- Bionomics of *Stomoxys calcitrans* (Mitzmain), viii, B, 29.
- Four new Culicidae from the P. I. (Banks), iv, A, 545.
- Malaria in the P. I. (Barber, Raquel, Guzman, and Rosa), x, B, 177.
- Malaria in the P. I. (Walker and Barber), ix, B, 381.
- Malarial transmission by means of *Myzomyia ludlowii* (Banks), ii, B, 513.
- Mechanical transmission of surra by *Tabanus striatus* (Mitzmain), viii, B, 223.
- Medical survey of the town of Taytay.
Mosquitoes and other insects (Banks), iv, B, 233.
- Mosquito which breeds in salt and fresh water (Banks), iii, B, 335.
- Myzomyia rossii* as a malaria carrier (De Vogel), v, B, 277.
- New genus and species of Culicidae (Banks), i, 779.
- New Philippine malaria mosquito (Banks), ix, D, 405.
- Philippine Culicidae, with descriptions of some new species (Banks), i, 977.
- Philippine Diptera (Bezzi), viii, D, 305.
- Rôle of *Stomoxys calcitrans* in the transmission of *Trypanosoma evansi* (Mitzmain), vii, B, 475.
- Rôle played by the insects of the dipterous family Phoridae in the spread of bacterial infections (Roberg), x, B, 309.
- Sanitary survey of the San Jose Estate.
The mosquito survey in and near San Jose (Banks), ix, B, 142.
- Some Philippine Hymenoptera bred in the Manila Observatory, with hosts (Brown), i, 694.
- Unidentified larvæ of some dipterous insect developing in the deep urethra and bladder of man (Trible), v, B, 515.
- Zoölogy—Insecta—Hemiptera:
Ceylonese and Philippine Psyllidae (Homoptera) (Crawford), x, D, 257.
- Change of name in Coccidae (Banks), i, 787.
- Medical survey of Taytay. Insects (Banks), iv, B, 233.
- Neue Fulgoriden von den Philippinen (Melichar), ix, D, 269, 433.
- Neue Homopteren von den Philippinen (Melichar), ix, D, 173.
- Neue orientalische Bryocorinen (Poppius), x, D, 75.
- New genera and species of Psyllidae from the P. I. (Crawford), viii, D, 293.
- New Philippine insects (Banks), i, 229.
- Notices of certain Philippine Fulgoroidea, one being of economic importance (Baker), x, D, 137.
- Philippine Jassoidæ: I. Tettigoniellidae (Baker), ix, D, 409.

Zoölogy—Insecta—Hemiptera—Continued.

- Philippine Jassoidea: II, Philippine Jassaria (Baker), x, D, 49.
 Philippine Jassoidea: III, The Stenocotidae of the P. I. (Baker), x, D, 189.
 Principal insects attacking the coconut palm (Banks), i, 211.
 Rhynchota palawanica, I: Heteroptera (Banks), iv, A, 553.
 Rhynchota palawanica, II: Homoptera (Banks), v, D, 33.
 Rhynchota philippinensis (Distant), v, D, 57.
 Some Philippine Hymenoptera bred in the Manila Observatory, with hosts (Brown), i, 694.

Zoölogy—Insecta—Hymenoptera:

- Appearance of *Sirex juvenicus* in Manila (Schultze), iii, A, 299.
 Catalogue of Philippine Hymenoptera, with descriptions of new species (Brown), i, 683.
 Chrysididae of the P. I. (Mocsáry), viii, D, 287.
 Énumération des serphides (proctotrupides) des îles Philippines, avec description de genres nouveaux et d'espèces nouvelles (Kieffer), ix, D, 285.
 Fourmis des Philippines (Forel), v, D, 121.
 New Philippine Hymenoptera (Crawford), ix, D, 457.
 Nouveaux cynipides des Philippines (Kieffer), ix, D, 183.
 Study of caprification in *Ficus nota* (Baker), viii, D, 63.

Zoölogy—Insecta—Isoptera:

- Problems in economic entomology in the P. I. (Banks), i, 1067.
 Termites of Japan, with description of one new species (Oshima), viii, D, 271.
 Two species of termites from Singapore (Oshima), viii, D, 283.

Zoölogy—Insecta—Lepidoptera:

- Dryopidae et Heteroceridae des Philippines (Grouvelle), x, D, 131.
 Japanese Lepidoptera and their larvae (Wileman), ix, D, 247; x, D, 281, 345.
 Lepidopterous fauna of the P. I. (Schultze), v, D, 161.
 Myrmecophilous lycenid chrysalis from the P. I. (Viehmeyer), v, D, 73.
 Myrmecophily of caterpillars of *Catochrysops cnejus* (Viehmeyer), v, D, 69.
 New and little-known Lepidoptera of the P. I. (Schultze), iii, A, 27.
 New Lepidoptera of the P. I. (Schultze), ii, A, 361.
 New Philippine insects (Banks), i, 229.
 Principal insects attacking the coconut palm (Banks), i, 211.
 Some Philippine Hymenoptera bred in the Manila Observatory, with hosts (Brown), i, 694.

Zoölogy—Insecta—Orthoptera:

- Prospetto dei grillacridi delle Isole Filippine (Griffini), x, D, 61.

Zoölogy—Insecta—Siphonaptera.

- Medical survey of Taytay. Insects (Banks), iv, B, 233.
 Siphonaptera of the P. I. (Fox), vii, B, 119.

Zoölogy—Mammalia:

- Dugong in the P. I. (Seale), x, D, 215.
 Malay pangolin, *Manis javanica* (Schultze), ix, D, 93.
 Mammals of the P. I., exclusive of the Cetacea (Hollister), vii, D, 1.
 Skeleton in the flying lemurs, Galeopteridae (Shufeldt), vi, D, 139, 185.
 Studies upon experimental variola and vaccinia in *Quadruman* (Brinckerhoff and Tyzzer), i, 239.

Zoölogy—Mollusca:

- Anatomy of *Aclesia freeri* (Griffin), vii, D, 65.
 Geological reconnaissance of the Loboo Mountains, Batangas (Smith), i, 617.
 Miscellaneous marine products (Seale), vi, D, 283.
 Pearl fishery of Bantayan (Griffin), v, D, 149.
 Pearls and pearl fisheries (Seale), v, D, 87.
 Philippine edible mollusks (Seale), vii, D, 273.
 Stratigraphy and fossil invertebrate fauna of the P. I. (Smith), viii, A, 235.
 Structure of the pallial tentacles of *Lima* species (Griffin), vi, D, 327.

Zoölogy—Molluscoida:

- Fishery resources of the P. I. Part IV, miscellaneous marine products (Seale), vi, D, 283.

Zoölogy—Nemathelminthes:

- Development of the eggs of *Ascaris lumbricoides* (Wharton), x, B, 19.
 Distribution of filaria in the P. I. (Phalen and Nichols), iv, B, 127.
 Dysentery caused by *Balantidium coli* with coincident filarial infarction of the spleen (Bowman), vi, B, 147.
Filaria nocturna in the P. I. (Phalen and Nichols), iii, B, 305.
Filaria philippinensis and its development in the mosquito (Ashburn and Craig), ii, B, 1.
 Filariasis and elephantiasis in southern Luzon (Phalen and Nichols), iii, B, 293.
 Hookworm infection in the P. I. (Gomez), vi, B, 239.
 Intestinal helminthiasis in the P. I. (Willets), ix, B, 233.
 Intestinal parasites (Crowell and Hammack), viii, B, 157.

Zoölogy—Nemathelminthes—Continued.

- Intestinal parasites found in Cavite Province (Stitt), vi, B, 211.
 Intestinal parasites in Rizal and Cavite Provinces and in Cagayan Valley (Rissler and Gomez), v, B, 267.
 Intestinal parasites in tobacco haciendas (Willets), vi, B, 77.
 Intestinal parasitism, particularly entamæbiasis (Willets), ix, B, 81.
 Intestinal worms (Garrison and Llamas), iv, B, 185.
 Kidney-worm infestation of swine in the P. I. (Boynton), ix, B, 269.
 Life history of *Oesophagostomum apios-tomum* (Walker), viii, B, 501.
 Medical survey of the town of Taytay.
 Animal parasites of the intestines (Garrison, Leynes, and Llamas), iv, B, 257.
 Morphology of the adults of the filaria found in the P. I. (Walker), ix, B, 483.
Necator americanus in natives of the P. I. (Cole), ii, B, 333.
 Prevalence and distribution of the animal parasites of man in the P. I. (Garrison), iii, B, 191.
 Researches on acarids among lepers (Lefebvre), v, B, 463.
 Statistical study of onchuriasis among white men in the P. I. (Chamberlain), v, B, 249.

Zoölogy—Pisces:

- Commercial fishes (Seale), iii, A, 513.
 Difficulties encountered in the culture of the bangos, or milkfish, in Zambales Province (Day), x, D, 307.
 Fishes of Borneo, with description of four new species (Seale), v, D, 263.
 Fishes of Hongkong (Seale), ix, D, 59.
 Four new species of fishes from Bantayan Island (Seale), v, D, 115.
 Miscellaneous marine products (Seale), vi, D, 283.
 New *Acanthocybium* from the P. I. (Seale), vii, D, 283.
 New species of Philippine fishes (Seale), iv, A, 491.
 Osseous system of *Ophiocephalus striatus* (Day), ix, D, 19.
 Preservation of commercial fish and fishery products in the tropics (Seale), ix, D, 1.
 Some poisonous Philippine fishes (Seale), vii, D, 289.
 Successful transference of black bass to the P. I., with notes on the transportation of live fish long distances (Seale), v, D, 153.
 Two new cyprinoid fishes of the genus *Barbus* from Lake Manguao, Palawan, (Day), ix, D, 187.

Zoölogy—Platyhelminthes:

- Condition of the liver in schistosomiasis (Phalen and Nichols), iii, B, 223.
Davainea madagascariensis in the P. I. (Garrison), vi, B, 165.
 Development of the miracidium of *Paragonimus* under various physical conditions (Garrison and Leynes), iv, B, 177.
 Intestinal helminthiasis in the P. I. (Willets), ix, B, 233.
 Intestinal parasites (Crowell and Hammack), viii, B, 157.
 Intestinal parasites in tobacco haciendas (Willets), vi, B, 77.
 Intestinal parasitism, particularly entamæbiasis (Willets), ix, B, 81.
 Intestinal worms (Garrison and Llamas), iv, B, 185.
 New intestinal trematode of man. *Fasciolella ilocana* (Garrison), iii, B, 385.
 Paragonimiasis in the P. I. (Musgrave), ii, B, 15.
 Prevalence and distribution of the animal parasites of man in the P. I. (Garrison), iii, B, 191.
 Specific identity of the cestode parasites of man in the P. I., with description of a new species of *Tænia* (Garrison), ii, B, 537.

Zoölogy—Porifera:

- Contributions to the stratigraphy and fossil invertebrate fauna of the P. I. (Smith), viii, A, 235.
 Sponges and sponge fisheries (Seale), iv, A, 57.

Zoölogy—Protozoa:

- Amœbæ in the Manila water supply, in the intestinal tract of healthy persons, and in amœbic dysentery (Walker), vi, B, 259.
 Amœbiasis (Musgrave), i, 547.
 Amœbic abscess of the liver (Rogers), v, B, 219.
 Amœbic dysentery (Marshall), iv, B, 303.
 Balantidiasis (Walker), viii, B, 333.
 Cases of *Balantidium coli* infection, with autopsy (Bowman), iv, B, 417.
 Cultivation and pathogenesis of amœbæ (Musgrave and Clegg), i, 909.
 Development of piroplasma and trypanosoma of cattle in artificial culture media (Martini), iv, B, 147.
 Dysentery caused by *Balantidium coli*, with coincident filarial infarction of the spleen (Bowman), vi, B, 147.
 Effect of ultra-violet rays on amœbæ (Chamberlain and Vedder), vi, B, 383.
 Entamœbic dysentery (Walker and Sel-lards), viii, B, 253.
Euplotes worcesteri I. Structure (Griffin), v, D, 291.

Zoölogy—Protozoa—Continued.

- Euplotes worcesteri II. Division (Griffin), v, D, 115.
- Flagellates, ciliates, and other protozoa encountered in water and in human stools (Ruediger), vi, B, 155.
- Geological reconnaissance of the Loboo Mountains, Batangas (Smith), i, 617.
- Immunity reactions with amœbæ (Seldards), vi, B, 281.
- Intestinal amœbiasis without diarrhœa (Musgrave), v, B, 229.
- Intestinal flagellate in man (Castellani and Chalmers), v, B, 211.
- Intestinal parasites found in Cavite Province (Stitt), vi, B, 211.
- Intestinal parasitism, particularly entamœbiasis (Willets), ix, B, 81.
- Les foraminifères dans le Tertiaire des Philippines (Douvillé), vi, D, 53.
- Malaria (Craig), i, 523.
- Malaria parasites of the orang-outan (Shibayama), v, B, 189.
- Malarial fever during the puerperium (Atkinson), v, B, 193.
- Malarial transmission by means of *Myzomyia ludlowii* (Banks), ii, B, 513.
- Medical survey of the town of Taytay. Animal parasites of the intestines (Garrison, Leynes, and Llamas), iv, B, 257.
- Medical survey of the town of Taytay. Examination of the blood with special reference to malaria (Guerrero and Sevilla), iv, B, 273.
- Observations on the epidemiology of dysentery in Japan (Shiga), i, 435.
- Orbitoides from the Binangonan limestone (Smith), i, 203.
- Peridinium, iii, A, 187.
- Prevalence and distribution of the animal parasites of man in the P. I. (Garrison), iii, B, 191.
- Quantitative determination of the balantidicidal activity of certain drugs and chemicals as a basis for treatment of infections with *Balantidium coli* (Walker), viii, B, 1.
- Results of three hundred examinations of fæces with reference to the presence of amœbæ (Hoyt), iii, B, 417.
- Rôle of *Stomoxys calcitrans* in the transmission of *Trypanosoma evansi* (Mitzmain), vii, B, 475.
- Schizogony of *Trypanosoma evansi* in the spleen of the vertebrate host (Walker), vii, B, 53.
- Stratigraphy and fossil invertebrate fauna of the P. I. (Smith), viii, A, 235.
- Treatment of entamœbiasis with ipecac, emetine, and neosalvarsan (Willets, Stanley, and Gutierrez), ix, B, 93.

Zoölogy—Reptilia:

- Check-list and key of Philippine snakes (Griffin), vi, D, 253.
- Habu venom and its serum therapy (Kitajima), iii, B, 151.
- Miscellaneous marine products (Seale), vi, D, 283.
- Nesting place of *Crocodylus palustris* (Schultze), ix, D, 313.
- New gecko from Botel Tobago Island (Oshima), vii, D, 241.
- New species of Philippine lizards (Taylor), x, D, 89.
- Poisonous snakes of the P. I. (Griffin), iv, B, 203.
- Snakes found in Palawan (Griffin), iv, A, 595.
- Snakes from Polillo, with descriptions of a new genus and two new species (Griffin), v, D, 211.
- Two new species of snakes found in the P. I. (Griffin), iv, A, 55.
- Zoöphyta, i, 627.
- Zoopthalmum giganteum, v, C, 117.
- nigricans, v, C, 116.
- Zoöxanthella, x, D, 152.
- Zoraida, v, D, 40.
- dorsopunctata, ix, D, 434.
- flavicornis, ix, D, 433.
- javanica, v, D, 40.
- puncticosta, ix, D, 433.
- sinuosa, v, D, 40.
- Zornia, i, s, 65; v, C, 77; ix, C, 90.
- diphylla, i, s, 65; v, C, 77; vii, C, 184; ix, C, 90.
- nuda, v, C, 77.
- pulchella, v, C, 79.
- Zostera uninervis, ix, C, 49; x, C, 3.
- Zosteropidæ, iii, A, 280; vi, D, 45.
- Zosterops, v, D, 104.
- aureiloris, ii, A, 348.
- basilanica, ii, A, 290, 329.
- batanis, ii, A, 343, 349; v, D, 219.
- boholensis, iii, A, 283.
- everetti, ii, A, 307, 329.
- halconensis, ii, A, 360.
- læta, ii, A, 329; iii, A, 283.
- luzonica, ii, A, 348.
- meyeni, i, 770; ii, A, 343, 360.
- meyleri, ii, A, 348.
- nigrorum, vi, D, 45.
- richmondi, ii, A, 348.
- siquijorensis, iii, A, 280.
- vulcani, ii, A, 360.
- whiteheadi, ii, A, 360; v, D, 138.
- whiteheadi vulcani, ii, A, 360.
- whiteheadi whiteheadi, ii, A, 360.
- Zosterornis affinis, ii, A, 292.
- capitalis, ii, A, 288; iv, A, 74.
- nigrocapitata, ii, A, 292, 328.
- nigrocapitatus, ii, A, 292.
- whiteheadi, v, D, 137.
- Zosterostylis arachnites, ii, C, 313.

- Zoysia, i, s, 26.
 pungens, i, s, 26.
Zuurzak, vii, C, 113.
Zwaardekronia lurida, x, C, 140.
Zygaenidæ, ii, A, 363; x, D, 357.
Zygaeninæ, ii, A, 363.
Zygomenes cristata, ix, C, 66.
Zygophyllaceæ, iii, C, 411; vii, C, 160; ix, C, 95.
Zygosporium, ix, C, 188.
 oscheoides, ix, C, 188.
Zyras biseriatus, x, D, 125.
 compressicornis, x, D, 126.
 fulgidus, x, D, 126.
 pulchricornis, x, D, 126.
Zystaema punctatum, v, D, 277.
Zyzyphus jujuba, vii, C, 194.



MONOGRAPHIC PUBLICATIONS OF THE PHILIPPINE BUREAU
OF SCIENCE, MANILA

PHILIPPINE DIPTEROCARP FORESTS. By William H. Brown and Donald M. Matthews.

Order No. 432. Price \$1 United States currency, postpaid.

A CATALOGUE OF PHILIPPINE COLEOPTERA. By W. Schultze.

Order No. 436. Price \$1 United States currency, postpaid.

STUDIES IN PHILIPPINE DIPTERA, II. By M. Bezzi.

Order No. 437. Price \$0.50 United States currency, postpaid.

A LIST OF THE MAMMALS OF THE PHILIPPINE ISLANDS, EXCLUSIVE OF THE CETACEA. By N. Hollister.

Order No. 418. Price \$0.50 United States currency, postpaid.

A VOCABULARY OF BONTOC STEMS AND THEIR DERIVATIVES. By Margaret P. Waterman.

Order No. 421. Price \$0.75 United States currency, postpaid.

A VOCABULARY AND PHRASE BOOK OF THE LANA O MORO DIALECT. By C. W. Elliott.

Order No. 422. Price \$0.50 United States currency, postpaid.

STUDIES IN MORO HISTORY, LAW, AND RELIGION. By Najeeb M. Saleeby.

Order No. 405. Price \$0.25 United States currency, postpaid.

A MANUAL OF PHILIPPINE SILK CULTURE. By Charles S. Banks.

Order No. 413. Price \$0.75 United States currency, postpaid.

THE HISTORY OF SULU. By Najeeb M. Saleeby.

Order No. 406. Price \$0.75 United States currency, postpaid.

A MANUAL OF PHILIPPINE BIRDS. By Richard C. McGregor.

Order No. 103. Price (for the two volumes) \$4 United States currency, postpaid.

NEGRITOS OF ZAMBALES. By William Allan Reed.

Order No. 402. Price \$0.25 United States currency, postpaid.

THE NABALOI DIALECT, by Otto Scheerer, together with THE BATAKS OF PALAWAN, by Edward Y. Miller.

Order No. 403. Price \$0.25 United States currency, paper, postpaid.

MINDANAO. THE SUBANUNS OF SINDANGAN BAY. By Emerson B. Christie.

Order No. 410. Price \$1.25 United States currency, postpaid.

INDO-MALAYAN WOODS. By Fred W. Foxworthy.

Order No. 411. Price \$0.50 United States currency, postpaid.

THE SUGAR INDUSTRY IN THE ISLAND OF NEGROS. By Herbert S. Walker.

Order No. 412. Price \$1.25 United States currency, postpaid.

A FLORA OF MANILA. By E. D. Merrill.

Order No. 419. Price \$2.50 United States currency, postpaid.

THE PHILIPPINE JOURNAL OF SCIENCE

(PUBLICATION BEGAN IN 1906)

ALVIN J. COX, M. A., PH. D.

GENERAL EDITOR

*A Journal Devoted to the Scientific and Commercial
Interests of the Tropics*

	U. S. currency.
Section A. Chemical and Geological Sciences and the Industries..	\$2.00
Section B. Tropical Medicine	3.00
Section C. Botany. Elmer D. Merrill, B. S., M. S., Editor.....	2.00
Section D. General Biology, Ethnology, and Anthropology. (Section D began with Volume V)	2.00
Entire Journal, Volume II, III, IV, or V	5.00
Entire Journal, beginning with Volume VI	7.00
Single numbers (except of Volume I).....	.50
<i>Each section is separately paged and indexed.</i>	
<i>Authors receive 100 copies of their papers free.</i>	
Volume I, 1906 (not divided into sections), and supplement, sold only with a complete file of section A, B, or C.....	10.00
Supplement to Volume I (Botany)	3.50
Volume I (without supplement) sold only with a complete file of section A, B, or C	6.50
Single numbers of Volume I75

Subscriptions may be sent to the BUSINESS MANAGER, Philippine Journal of Science, Bureau of Science, Manila, P. I., or to any of the agents listed below.

AGENTS.

The Macmillan Company, 64-66 Fifth Avenue, New York, U. S. A.
Wm. Wesley & Son, 28 Essex Street, Strand, London, W. C., England.
Martinus Nijhoff, Lange Voorhout 9, The Hague, Holland.
Mayer & Müller, Prinz Louis Ferdinandstrasse 2, Berlin, N. W., Germany.
Kelly & Walsh, Ltd., 32 Raffles Place, Singapore, Straits Settlements.
A. M. & J. Ferguson, 19 Baillie Street, Colombo, Ceylon.
Thacker, Spink & Co., P. O. Box 54, Calcutta, India.

SMITHSONIAN INSTITUTION LIBRARIES



3 9088 01307 6864